





Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ACE				AMERICAN IRON HORSE (Cont'd)			
1927-19 All Models	----	386	.025	1918cc			
A.J.S.				w/S&S 117cid Eng.	XS4163	4163 ⁸²⁴⁸	.040
500cc				1852cc			
Model 18	XS4093	4093 ⁸²⁴⁸	.020	w/S&S 113cid Eng.	XP64 ⁸²⁵⁰	64	.040
400cc				1819cc			
Y51, 410 Stormer	XS4064	4054 ⁸²⁴⁸	.020	w/S&S 111cid Eng.	XS4163	4163 ⁸²⁴⁸	.040
370cc				1753cc			
Y5, Y50	XS4064	4054 ⁸²⁴⁸	.020	w/S&S 107cid Eng.	XP64 ⁸²⁵⁰	64	.040
350cc				1573cc			
Model 16	XS4093	4093 ⁸²⁴⁸	.020	w/S&S 96cid Eng.	XP64 ⁸²⁵⁰	64	.040
250cc				AMERICAN MOTORCYCLE			
Y40, Y41	XS4064	4054 ⁸²⁴⁸	.020	1573cc			
All Models w/18mm Threads	----	386	.020	w/S&S 96cid Eng.	XP64 ⁸²⁵⁰	64	.040
ALLSTATE				AMERICAN PERFORMANCE CYCLE			
Models 810.94200, 810.94210	XS4093	4093 ⁸²⁴⁸	.025	1918cc			
All Other Models	AP425 ⁸²⁴⁹	425	.025	w/S&S 117cid Eng.	XS4163	4163 ⁸²⁴⁸	.040
ALPHA SPORTS				1819cc			
249cc				w/S&S 111cid Eng.	XS4163	4163 ⁸²⁴⁸	.040
Alpha 250 V-Twin Classic	XP64 ⁸²⁵⁰	64	.025	1573cc			
Alpha 250 V-Twin GT 250 Comet ...	XP64 ⁸²⁵⁰	64	.025	w/S&S 96cid Eng.	XP64 ⁸²⁵⁰	64	.040
Alpha 250 V-Twin GT 250 Naked ...	XP64 ⁸²⁵⁰	64	.025	AMERICAN QUANTUM CYCLES			
Alpha 250 V-Twin Sport Cruiser	XP64 ⁸²⁵⁰	64	.025	1573cc			
ALOUETTE				w/S&S 96cid Eng.	XP64 ⁸²⁵⁰	64	.040
125cc				APOLLO CHOPPERS			
AX125	XS4092	4092 ⁸²⁴⁸	.020	2033cc			
AMBASSADOR				w/S&S 124cid Eng.	XS4163	4163 ⁸²⁴⁸	.040
Embassy, Envoy, Villiers Mark VIE ...	XS4093	4093 ⁸²⁴⁸	.020	1639cc			
Popular, Supreme, Super S	XS4093	4093 ⁸²⁴⁸	.020	w/S&S 100cid Eng.	XP64 ⁸²⁵⁰	64	.040
w/Zundapp Eng.	XS4093	4093 ⁸²⁴⁸	.020	1573cc			
AMERICAN DIRT BIKE				w/S&S 96cid Eng.	XP64 ⁸²⁵⁰	64	.040
600cc				1442cc			
2003-94 Avenger, MX, CC, ES/MX ...	XS4163	4163 ⁸²⁴⁸	.025	w/S&S 88cid Eng.	XP64 ⁸²⁵⁰	64	.040
350cc				APRILIA			
2003-94 Avenger, MX, CC, ES/MX ...	XS4163	4163 ⁸²⁴⁸	.025	1000cc			
AMERICAN EAGLE & EAGLE				2008-02 ETV 1000 Caponord	XS4162	4162 ⁸²⁴⁸	.025
750cc				2005-01 RST 1000 Futura	XS4162	4162 ⁸²⁴⁸	.025
Classic, Eagle 750, Super Sport	XS4064	4054 ⁸²⁴⁸	.020	2011-10 RSV4 Factory, RSV4 R	XS4162	4162 ⁸²⁴⁸	.025
405cc				2011-04 RSV 1000 R, Factory	XS4162	4162 ⁸²⁴⁸	.025
Talon MX	XS4063	4063 ⁸²⁴⁸	.020	2004-00 RSV Mille, R	XS4162	4162 ⁸²⁴⁸	.025
1975-70 TMXR	XS4064	4054 ⁸²⁴⁸	.020	2003-00 RSV Mille SP	----	AR5624	.025
Talon	XS4064	4054 ⁸²⁴⁸	.020	2011-04 RSV Tuono 1000 R, Factory	XS4162	4162 ⁸²⁴⁸	.025
360cc				2006-00 SL 1000 Falco, R	XS4162	4162 ⁸²⁴⁸	.025
Talon	XS4063	4063 ⁸²⁴⁸	.020	2004-03 Tuono 1000	XS4162	4162 ⁸²⁴⁸	.025
350cc				750cc			
Cheetah, Marauder, Road Sport, Savage	----	2892	.020	2011-09 Shiver GT	XS4303	4303	.025
250cc				2011-08 Shiver SL750	XS4303	4303	.025
1975-70 GMXR	XS4064	4054 ⁸²⁴⁸	.020	650cc			
150cc				2001-00 Pegaso 650	XS4163	4163 ⁸²⁴⁸	.025
Renegade TR/SCR	XS4064	4054 ⁸²⁴⁸	.020	550cc			
125cc				2011-07 RXV 5.5	XS4303	4303	.025
1972-70 CMXR-1, CMXR-2	XS4092	4092 ⁸²⁴⁸	.020	2011-07 SXV 5.5	XS4303	4303	.025
AMERICAN IRON HORSE				450cc			
2033cc				2011-10 MXV 4.5	XS4303	4303	.025
w/S&S 124cid Eng.	XS4163	4163 ⁸²⁴⁸	.040	2011-06 RXV 4.5	XS4303	4303	.025
				2011-06 SXV 4.5	XS4303	4303	.025
				50cc			
				2008-00 RS 50 Replica	XS4303	4303	.025
				2008 RX 50	XS4303	4303	.025
				2008 SX 50	XS4303	4303	.025



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ARDIE				BANDIT			
BD175, BD252	XST254 ⁸²⁵¹	303	.020	100cc			
B251, RBZ250	----	386	.020	All Models	----	353	.020
ARIEL				80cc			
1000cc				All Models	----	353	.020
4G Square Four	AP425 ⁸²⁴⁹	425	.020	BENELLI			
500cc				1130cc			
KG Deluxe Twin, KH Red Hunter				2011 Café Racer 1130	XS4302	4302	.025
Twin	XS4093	4092 ⁸²⁴⁸	.020	2011 Century Racer 1130	XS4302	4302	.025
VG Deluxe, VH Red Hunter	XS4093	4092 ⁸²⁴⁸	.020	2007-06 TNT	XS4302	4302	.025
350cc				2011-09 TNT, Evo, Sport, Sport Evo ..	XS4302	4302	.025
NG Deluxe Single, NH Red Hunter ..	XS4093	4092 ⁸²⁴⁸	.020	2009-06 TNT Café Racer	XS4302	4302	.025
All OHV Engs. w/18mm Threads	----	373	.020	2011 TNT R160	XS4302	4302	.025
ATK				2011-06 Tornado TRE	XS4302	4302	.025
598cc				2011-08 TRE 1130K, Amazonas	XS4302	4302	.025
2004-98 600 DTE Dirt Track				2007-06 TRE K	XS4302	4302	.025
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	899cc			
2003-00 600 Supermotard				2011 Café Racer 899	XS4302	4302	.025
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	2011 Century Racer 899	XS4302	4302	.025
2004-93 605 Cross Country, Enduro				2011-10 TNT 899, Sport	XS4302	4302	.025
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	2011-10 TRE K 899	XS4302	4302	.025
560cc				900cc			
1993-88 604 Cross Country, MX				Sei	XS4163	4163 ⁸²⁴⁸	.025
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	750cc			
494cc				Sei	XS4163	4163 ⁸²⁴⁸	.025
2004-99 500 DTE Dirt Track				650cc			
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	Tornado	XS4063	4063 ⁸²⁴⁸	.025
2004-98 500 Enduro (4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	500cc			
2003-01 500 Supermotard				500LS, Quattro, Quattro Sport	XS4163	4163 ⁸²⁴⁸	.025
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	350cc			
2003-99 490 Cross Country, Enduro				350LS, Quattro	XS4163	4163 ⁸²⁴⁸	.025
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	250cc			
406cc				1970-65 Barracuda	XS4063	4063 ⁸²⁴⁸	.025
1996-88 406 Cross Country, MX				1970-66 El Diablo	XS4063	4063 ⁸²⁴⁸	.025
(2-Stroke)	XS4063	4063 ⁸²⁴⁸	.025	1976-72 Phantom	XS4063	4063 ⁸²⁴⁸	.025
348cc				Quattro	----	4194	.025
2002-91 350 Cross Country, Enduro				Speed California	XS4064	4054 ⁸²⁴⁸	.025
(4-Stroke)	XS4163	4163 ⁸²⁴⁸	.025	Super Sport	XS4063	4063 ⁸²⁴⁸	.025
251cc				200cc			
2003-95 260LQ Enduro Liquid				Sprite, Sprite California, Sprite El			
Cooled (2-Stroke)	XS4063	4063 ⁸²⁴⁸	.025	Diablo	XS4064	4054 ⁸²⁴⁸	.025
249cc				Sprite 4	XS4063	4063 ⁸²⁴⁸	.025
2004-95 250LQ Enduro Liquid				180cc			
Cooled (2-Stroke)	XS4063	4063 ⁸²⁴⁸	.025	Olimpia, 4/5 Calif.	XS4064	4054 ⁸²⁴⁸	.025
1996-88 250 Cross Country, MX Air				Volcano	XS4063	4063 ⁸²⁴⁸	.025
Cooled (2-Stroke)	XS4063	4063 ⁸²⁴⁸	.025	175cc			
125cc				Enduro	XS4063	4063 ⁸²⁴⁸	.025
2002-99 125LQ Enduro Liquid				125cc			
Cooled (2-Stroke)	----	4051 ⁸²⁴⁸	.025	1968-63 Cobra	XS4063	4063 ⁸²⁴⁸	.025
2003 125LQ Enduro Liquid Cooled				1969-65 Cobra California	XS4063	4063 ⁸²⁴⁸	.025
(4-Stroke)	XS4303	4303	.025	1968-64 Cobra SCF	XS4063	4063 ⁸²⁴⁸	.025
2001-99 MX (2-Stroke)	XS4063	4063 ⁸²⁴⁸	.025	1970-66 El Diablo	XS4063	4063 ⁸²⁴⁸	.025
50cc				Olimpia	XS4064	4054 ⁸²⁴⁸	.025
2002-99 50 MX (2-Stroke)	XS4093	4093 ⁸²⁴⁸	.025	1971-68 Panther	XS4063	4063 ⁸²⁴⁸	.025
2005-03 50 MXA (2-Stroke)	XS4093	4093 ⁸²⁴⁸	.025	Raider	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
2005-03 50 MXE (2-Stroke)	XS4093	4093 ⁸²⁴⁸	.025	Sprite California	XS4064	4054 ⁸²⁴⁸	.025
2005-03 50 MXLQ (2-Stroke)	----	4051 ⁸²⁴⁸	.028	1969-63 Sprite 4	XS4063	4063 ⁸²⁴⁸	.025
2003 50 MXN (2-Stroke)	XS4093	4093 ⁸²⁴⁸	.025	1970-65 Sprite 5	XS4063	4063 ⁸²⁴⁸	.025
2002 50 MXR (2-Stroke)	XS4093	4093 ⁸²⁴⁸	.025	100cc			
ATTEX				Gazelle, Olimpia, Prilla	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
70cc				90cc			
ATX70	XS4092	4092 ⁸²⁴⁸	.020	Banshee	XS4063	4063 ⁸²⁴⁸	.025
				Banshee Minni Enduro	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
				75cc			
				Antelope	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
				65cc			
				1973-69 Buzzer	XS4063	4063 ⁸²⁴⁸	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BENELLI (Cont'd)				BETA (Cont'd)			
Cougar	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	Cross Special	XS4093	4093 ⁸²⁴⁸	.020
1976-69 Dynamo	XS4063	4063 ⁸²⁴⁸	.025	Gazzella 3V	XS4093	4093 ⁸²⁴⁸	.020
Dynamo Compact	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	Hobby Holy	XS4093	4093 ⁸²⁴⁸	.020
1976-69 Dynamo Trial, Dynamo Woods	XS4063	4063 ⁸²⁴⁸	.025	2005-00 Mini Trial	XS4093	4093 ⁸²⁴⁸	.020
1973-69 Hornet	XS4063	4063 ⁸²⁴⁸	.025	1994 MX 50R	XS4093	4093 ⁸²⁴⁸	.020
1976-71 Hurricane	XS4063	4063 ⁸²⁴⁸	.025	2002 Rev 3 50	XS4062	4062 ⁸²⁴⁸	.020
1976-70 Minni Enduro	XS4063	4063 ⁸²⁴⁸	.025	2005-03 Rev 50	XS4062	4062 ⁸²⁴⁸	.020
Scrambler Woods	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	2004 RR 50 Enduro/Supermoto	XS4093	4093 ⁸²⁴⁸	.020
50cc				2003-01 RR 50, Motard, Super Motard			
Buzzer, Dynamo, Fireball, Hornet	XS4063	4063 ⁸²⁴⁸	.025	Motard	XS4062	4062 ⁸²⁴⁸	.020
Monaco	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	SL5	XS4093	4093 ⁸²⁴⁸	.020
Trail	XS4063	4063 ⁸²⁴⁸	.025	TR5	XS4093	4093 ⁸²⁴⁸	.020
BETA				TR6			
500cc				Trail 5V			
500 CR	----	4051 ⁸²⁴⁸	.020	Trial Cross	XS4093	4093 ⁸²⁴⁸	.020
350cc				BIG BEAR CHOPPERS			
350 CR, 350 GS	----	4051 ⁸²⁴⁸	.020	2033cc			
270cc				w/S&S 124cid Engs.			
2000 Rev 3 270	XS62	4252 ⁸²⁴⁸	.032	XS4163	4163 ⁸²⁴⁸	.040	
2006-01 Rev 3 Competition	XS62	4252 ⁸²⁴⁸	.032	1753cc			
250cc				w/S&S 107cid Engs.			
240 Trials	----	4056 ⁸²⁴⁸	.020	XP64 ⁸²⁵⁰	64	.040	
250 Afrika	XS4063	4063 ⁸²⁴⁸	.020	1639cc			
250 CR	XS4093	4093 ⁸²⁴⁸	.020	w/S&S 100cid Engs.			
250 GS	XS4093	4093 ⁸²⁴⁸	.020	XP64 ⁸²⁵⁰	64	.040	
250 RX	XS4063	4063 ⁸²⁴⁸	.020	1573cc			
1999-97 Alp 250	XS4064	4054 ⁸²⁴⁸	.020	w/S&S 96cid Engs.			
2006-00 Rev 3 250	XS62	4252 ⁸²⁴⁸	.032	XP64 ⁸²⁵⁰	64	.040	
1999-95 Techno 250	XS4064	4054 ⁸²⁴⁸	.020	BIG DOG			
TR	----	4056 ⁸²⁴⁸	.020	1916cc			
240cc				117 cid All Models w/S&S Engs.			
1995-93 Alp 240	XS4064	4054 ⁸²⁴⁸	.020	XS4163	4163 ⁸²⁴⁸	.040	
TR34 Replica	XS4063	4063 ⁸²⁴⁸	.020	1750cc			
200cc				107 cid All Models w/S&S Engs.			
2004-00 Alp 200	----	4132 ⁸²⁴⁸	.032	XS65	4265 ⁸²⁴⁸	.040	
2005-00 Rev 3 200	XS62	4252 ⁸²⁴⁸	.032	107 cid All Models w/Total Performance Engs.			
125cc				XS4164			
125 Afrika	XS4063	4063 ⁸²⁴⁸	.020	4164 ⁸²⁴⁸	.040		
125 Custom	XS4063	4063 ⁸²⁴⁸	.020	1570cc			
125 G6	XS4092	4092 ⁸²⁴⁸	.020	96 cid All Models			
125 RCE	----	4056 ⁸²⁴⁸	.020	XS65	4265 ⁸²⁴⁸	.040	
125 RX	XS4063	4063 ⁸²⁴⁸	.020	1442cc			
125 Scrambler	XS4063	4063 ⁸²⁴⁸	.020	88 cid All Models			
125 SG	XS4093	4093 ⁸²⁴⁸	.020	XS65	4265 ⁸²⁴⁸	.040	
125 T	----	4056 ⁸²⁴⁸	.020	1310cc			
125 Trial	----	4056 ⁸²⁴⁸	.020	80 cid All Models			
126 E6	XS4093	4093 ⁸²⁴⁸	.020	XS65	4265 ⁸²⁴⁸	.040	
CR	XS4092	4092 ⁸²⁴⁸	.020	BIMOTA			
Enduro	XS4093	4093 ⁸²⁴⁸	.020	1200cc			
Enduro 6V	XS4092	4092 ⁸²⁴⁸	.020	YB5			
KR125	XS4063	4063 ⁸²⁴⁸	.020	XS4163	4163 ⁸²⁴⁸	.035	
RC	XS4092	4092 ⁸²⁴⁸	.020	1150cc			
2006-02 Rev 3 125	XS62	4252 ⁸²⁴⁸	.032	SB5			
SC	XS4092	4092 ⁸²⁴⁸	.020	XS4163	4163 ⁸²⁴⁸	.035	
Techno	XS4064	4054 ⁸²⁴⁸	.020	1100cc			
TR125	----	4056 ⁸²⁴⁸	.020	HB3			
TR33	----	4056 ⁸²⁴⁸	.020	XS62	4252 ⁸²⁴⁸	.026	
110cc				1074cc			
Cross, TVCross Italia	XS4064	4054 ⁸²⁴⁸	.020	SB6 I/SB6 II, SB6R			
80cc				XS4163			
2005-03 Rev 80	XS4062	4062 ⁸²⁴⁸	.020	4163 ⁸²⁴⁸	.035		
50cc				1000cc			
2003-00 10/10 Mini Cross, 12/15 Mini Cross	XS4093	4093 ⁸²⁴⁸	.020	YB6 EXUP			
Boy Cross, Boy Special	XS4093	4093 ⁸²⁴⁸	.020	XS4163	4163 ⁸²⁴⁸	.035	
				XS4302	4302	.026	
				904cc			
				DB2			
				DB4			
				Mantra			
				Tesi 1D EF, ES, SR			
				750cc			
				DB1 Ducati			
				YB4			
				749cc			
				SB7			
				652cc			
				Supermono, Biposto			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BIMOTA (Cont'd)				BMW (Cont'd)			
600cc							
YB9SR, YB9SRi	XS4303	4303	.026	2009-06 F800S	XS4162	4162 ⁸²⁴⁸	.025
500cc				2011-06 F800ST	XS4162	4162 ⁸²⁴⁸	.025
500 V-Due	XS4063	4063 ⁸²⁴⁸	.026	1980-78 R80/7	XS63	4263 ⁸²⁴⁸	.024
				1990-81 R80GS	XS63	4263 ⁸²⁴⁸	.024
				1984-83 R80ST	XS63	4263 ⁸²⁴⁸	.024
BMW				750cc			
1293cc				1995-86 K75, C, S, SA, RTA, T	XS4164	4164 ⁸²⁴⁸	.025
2011-09 K1300GT, K1300S, K1300R	XS4162	4162 ⁸²⁴⁸	.025	1995 K75/3, K75/3A	XS4162	4162 ⁸²⁴⁸	.025
1200cc				1989 R75/5, R75/6, R75/7	XS62	4252 ⁸²⁴⁸	.025
2009-03 K1200GT	XS4164	4164 ⁸²⁴⁸	.025	652cc			
2011-99 K1200LT	XS4164	4164 ⁸²⁴⁸	.025	2005-03 F650CS	XS4163	4163 ⁸²⁴⁸	.032
2005-97 K1200RS	XS4164	4164 ⁸²⁴⁸	.025	2011-97 F650S, F650GS, Dakar ...	XS4163	4163 ⁸²⁴⁸	.032
2005-04 Montauk	XS3923	3923	.025	1997 F650ST	XS4163	4163 ⁸²⁴⁸	.032
2005-98 R1200C	XS3923	3923	.025	2011-09 G650GS	XS4162	4162 ⁸²⁴⁸	.025
2007-03 R1200CL	XS3923	3923	.025	2008 G650 Xchallenge	----	4132 ⁸²⁴⁸	.032
1170cc				2010-07 G650 Xcountry	----	4132 ⁸²⁴⁸	.032
2011-06 HP2, Megamoto1170, Sport	XS4163	4163 ⁸²⁴⁸	.025	2008-07 G650 Xmoto	----	4132 ⁸²⁴⁸	.032
2011-05 R1200GS, Adventure	XS4163	4163 ⁸²⁴⁸	.025	650cc			
2011-07 R1200R	XS4162	4162 ⁸²⁴⁸	.025	1987-86 R65, R65LS	XS63	4263 ⁸²⁴⁸	.025
2011-06 R1200RT	XS4163	4163 ⁸²⁴⁸	.025	1985-82 R65, R65LS	XS62	4252 ⁸²⁴⁸	.025
2008-07 R1200S	XS4162	4162 ⁸²⁴⁸	.025	1981-80 R65	XS63	4263 ⁸²⁴⁸	.025
2008-06 R1200ST	XS4163	4163 ⁸²⁴⁸	.025	1979 R65	XS62	4252 ⁸²⁴⁸	.025
1157cc				600cc			
2008-05 K1200S	XS4163	4163 ⁸²⁴⁸	.025	R60 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
2008-05 K1200R	XS4163	4163 ⁸²⁴⁸	.025	R60 3/4" Reach	XS4064	4054 ⁸²⁴⁸	.020
1130cc				R60/5	XS62	4252 ⁸²⁴⁸	.024
2004 Edition 80	XS3923	3923	.025	R60/6	XS62	4252 ⁸²⁴⁸	.028
2005-00 R1150GS, Adventure	XS3923	3923	.025	R60/7	XS62	4252 ⁸²⁴⁸	.024
2005-04 R1150R (Intake)	XS3923	3923	.025	R69 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
2005-04 R1150R (Exhaust)	XS4164	4164 ⁸²⁴⁸	.035	R69 3/4" Reach	XS4064	4054 ⁸²⁴⁸	.020
2003-01 R1150R	XS3923	3923	.025	500cc			
2005 R1150R Rockster (Intake)	XS3923	3923	.025	1973-70 R50 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
2005 R1150R Rockster (Exhaust) ..	XS4164	4164 ⁸²⁴⁸	.035	R50 3/4" Reach	XS4064	4054 ⁸²⁴⁸	.020
2005-03 R1150RS	XS3923	3923	.025	R50/5	XS62	4252 ⁸²⁴⁸	.020
2005-02 R1150RT	XS3923	3923	.025	R51 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
1093cc				R51 3/4" Reach	XS4064	4054 ⁸²⁴⁸	.020
1997-93 K1100LT, A	XS4163	4163 ⁸²⁴⁸	.024	450cc			
1997-93 K1100RS, LT	XS4163	4163 ⁸²⁴⁸	.024	2011-08 G450X	XS4302	4302	.025
1085cc				250cc			
1999-94 R1100GS, GSA	XS3923	3923	.032	R26, R27 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
2005-95 R1100R, RA, S	XS3923	3923	.032	R26, R27 3/4" Reach	XS4064	4054 ⁸²⁴⁸	.020
2005-03 Boxer Cup Replika	XS3923	3923	.025				
2005 R1100RT	XS3923	3923	.032				
2002-96 R1100RT	XS3923	3923	.032				
2002-94 R1100RS, RSA, RSL	XS3923	3923	.032				
1000cc							
1992-91 K1 (16 Valve)	XS4162	4162 ⁸²⁴⁸	.025				
1994-83 K100, RS, RT, LT (8 Valve) .	XS4164	4164 ⁸²⁴⁸	.025				
1992-87 K100LT	XS4162	4162 ⁸²⁴⁸	.025				
1995-94 K100LTA, RSA	XS4164	4164 ⁸²⁴⁸	.025				
1984-81 R100, CS, RS, RT	XS62	4252 ⁸²⁴⁸	.025				
1995-88 R100, GS, PD	XS63	4263 ⁸²⁴⁸	.025				
1995-88 R100, R, RS, RT	XS63	4263 ⁸²⁴⁸	.025				
1980-77 R100/7	XS62	4252 ⁸²⁴⁸	.025				
1980-77 R100RS, S	XS62	4252 ⁸²⁴⁸	.025				
1982-81 R100T	XS62	4252 ⁸²⁴⁸	.025				
1991-84 RT, RS	XS4162	4162 ⁸²⁴⁸	.025				
900cc							
1976-74 R90/6, R90S	XS62	4252 ⁸²⁴⁸	.028				
850cc							
1999 R850 Custom, GS, RT	XS3923	3923	.032				
1997-96 R850R, A	XS3923	3923	.032				
800cc							
1987-83 R80, R80RT, R80ST	XS63	4263 ⁸²⁴⁸	.024				
2011-08 F800GS	XS4162	4162 ⁸²⁴⁸	.025				
2009 F800R	XS4162	4162 ⁸²⁴⁸	.025				

BOURGET'S BIKE WORKS

1852cc			
w/S&S 113cid Engs.	XP64 ⁸²⁵⁰	64	.040

BRADLEY



All Models	XST458 ⁸²⁵¹	295	.025
------------------	------------------------	-----	------

BRIDGESTONE

350cc			
GTR, GRO	XS4092	4092 ⁸²⁴⁸	.030
200cc			
Mach II R.S., S.S.	XS4092	4092 ⁸²⁴⁸	.030
175cc			
Dual Twin, Hurricane SCR	XS4092	4092 ⁸²⁴⁸	.030
100cc			
GP	XS4092	4092 ⁸²⁴⁸	.030
Sport TMX	XS4092	4092 ⁸²⁴⁸	.030
90cc			
Deluxe	XS4092	4092 ⁸²⁴⁸	.030
Sport & All Others	XS4092	4092 ⁸²⁴⁸	.030
60cc			
BS60SP	----	353	.030
50cc			
BS50SP	----	353	.030



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BRIGGS & STRATTON MOTOR WHEEL				BUELL (Cont'd)			
1924-19 All Models w/18mm				2010-06 Ulysses XB12X XS4162 4162 ⁸²⁴⁸ .040			
Threads --- 386 .025				1998 White Lightning S1 XS4162 4162 ⁸²⁴⁸ .040			
B.S.A.				2003-02 X1W White Lightning XS4162 4162 ⁸²⁴⁸ .040			
750cc				1125cc			
Rocket 3 XS4064 4054 ⁸²⁴⁸ .020				2010-08 1125CR, R Firebolt XS4302 4302 .040			
650cc				1000cc			
Firebird, Lightning, Thunderbolt XS4064 4054 ⁸²⁴⁸ .020				1988-87 RR1000 XS4164 4164 ⁸²⁴⁸ .040			
600cc				984cc			
M-21 XS4092 4092 ⁸²⁴⁸ .020				2007-02 Firebolt XB9R XS4162 4162 ⁸²⁴⁸ .040			
500cc				2010-05 Lightning CityX XB9SX XS4162 4162 ⁸²⁴⁸ .040			
Catalina SCR, Gold Star, Royal Star, Victor XS4064 4054 ⁸²⁴⁸ .020				2006-03 Lightning XB9S, SX XS4162 4162 ⁸²⁴⁸ .040			
B-33, B-34, M-20 XS4092 4092 ⁸²⁴⁸ .020				492cc			
Gold Star --- 4056 ⁸²⁴⁸ .020				2010-01 Blast XS4164 4164 ⁸²⁴⁸ .040			
441cc				BULTACO			
Victor XS4064 4054 ⁸²⁴⁸ .020				370cc			
440cc				Frontera XS4064 4054 ⁸²⁴⁸ .020			
Victor, Victor Special XST4055 ⁸²⁵¹ 4055 ⁸²⁴⁸ .020				Pursang - Twin Plug (Front) --- 4051 ⁸²⁴⁸ .015			
350cc				Pursang - Twin Plug (Rear) XS4064 4054 ⁸²⁴⁸ .020			
B-31, B-32 XS4092 4092 ⁸²⁴⁸ .020				360cc			
Fury XS4064 4054 ⁸²⁴⁸ .020				Astro - Twin Plug (Front) XS4062 4062 ⁸²⁴⁸ .015			
320cc				Astro - Twin Plug (Rear) XS4063 4063 ⁸²⁴⁸ .015			
SV --- 386 .020				Bandido XS4063 4063 ⁸²⁴⁸ .015			
250cc				Bandido - Twin Plug (Front) XS4062 4062 ⁸²⁴⁸ .015			
C-10 w/Aluminum Heads --- 4056 ⁸²⁴⁸ .020				Bandido - Twin Plug (Rear) XS4063 4063 ⁸²⁴⁸ .015			
C-10 w/Cast Iron Heads XS4092 4092 ⁸²⁴⁸ .020				El Montader - Twin Plug (Front) XS4063 4063 ⁸²⁴⁸ .020			
C-11 XS4092 4092 ⁸²⁴⁸ .020				El Montader - Twin Plug (Rear) XS4064 4054 ⁸²⁴⁸ .020			
Gold Star, Star Fire, Star Trails, Victor XS4064 4054 ⁸²⁴⁸ .020				Frontera XS4063 4063 ⁸²⁴⁸ .018			
175cc				Montedero XS4064 4054 ⁸²⁴⁸ .015			
Bantam B175 XST4055 ⁸²⁵¹ 4055 ⁸²⁴⁸ .020				Pursang - Twin Plug (Front) XS4062 4062 ⁸²⁴⁸ .015			
Bantam D-7 Series AP425 ⁸²⁴⁹ 425 .020				Pursang - Twin Plug (Rear) XS4064 4054 ⁸²⁴⁸ .015			
Bantam Supreme XS4092 4092 ⁸²⁴⁸ .020				350cc			
Tracker (Normal Speed) XS4064 4054 ⁸²⁴⁸ .020				1982-79 Alpina XS65 4265 ⁸²⁴⁸ .018			
Tracker (High Speed) XS4063 4063 ⁸²⁴⁸ .020				1974-73 Alpina XS4064 4054 ⁸²⁴⁸ .020			
125cc				Astro - Twin Plug (Front) --- 4051 ⁸²⁴⁸ .015			
Bantam D-9 Series XS4092 4092 ⁸²⁴⁸ .020				Astro - Twin Plug (Rear) XS4063 4063 ⁸²⁴⁸ .015			
Bantam D-10 Series XST4055 ⁸²⁵¹ 4055 ⁸²⁴⁸ .020				Bandido XS4063 4063 ⁸²⁴⁸ .015			
Bantam D-14 Series XST458 ⁸²⁵¹ 456 .020				Bandido - Twin Plug (Front) XS4062 4062 ⁸²⁴⁸ .015			
D-1 XS4092 4092 ⁸²⁴⁸ .020				Bandido - Twin Plug (Rear) XS4063 4063 ⁸²⁴⁸ .015			
Tracker (Normal Speed) XS4064 4054 ⁸²⁴⁸ .020				Matador XS65 4265 ⁸²⁴⁸ .018			
Tracker (High Speed) XS4063 4063 ⁸²⁴⁸ .020				Matador MK IX (Lt. Service Only) XS4064 4054 ⁸²⁴⁸ .020			
75cc				Montedero XS4064 4054 ⁸²⁴⁸ .015			
Beagle --- 4194 .020				Pursang - Twin Plug (Front) XS4062 4062 ⁸²⁴⁸ .015			
50cc				Pursang - Twin Plug (Rear) XS4064 4054 ⁸²⁴⁸ .015			
Ariel 3 XS4092 4092 ⁸²⁴⁸ .020				Sherpa "T" XS65 4265 ⁸²⁴⁸ .018			
Beaver, Boxer, Brigand AP425 ⁸²⁴⁹ 425 .020				250cc			
Junior --- 4056 ⁸²⁴⁸ .020				Alpina XST4055 ⁸²⁵¹ 4055 ⁸²⁴⁸ .018			
A-7 Twin OHV XS4093 4093 ⁸²⁴⁸ .020				Astro - Twin Plug (Front) --- 4051 ⁸²⁴⁸ .018			
BUELL				Astro - Twin Plug (Rear) XS4063 4063 ⁸²⁴⁸ .015			
1200cc				Frontera XS4063 4063 ⁸²⁴⁸ .018			
2003-97 Cyclone M2 XS4162 4162 ⁸²⁴⁸ .040				Matador XS4064 4054 ⁸²⁴⁸ .015			
2010-04 Firebolt XB12R XS4162 4162 ⁸²⁴⁸ .040				Metrala XS4063 4063 ⁸²⁴⁸ .018			
2008-04 Lightning XB12S, Long XS4162 4162 ⁸²⁴⁸ .040				exc. 1980 Pursang - Single Plug XS4062 4062 ⁸²⁴⁸ .020			
2010-05 Lightning XB12Scg XS4162 4162 ⁸²⁴⁸ .040				1980 Pursang - Single Plug XS4062 4062 ⁸²⁴⁸ .020			
2010-07 Lightning XB12Ss XS4162 4162 ⁸²⁴⁸ .040				Pursang - Twin Plug (Front) XS4062 4062 ⁸²⁴⁸ .018			
1998-96 Lightning S1 XS4162 4162 ⁸²⁴⁸ .040				Pursang - Twin Plug (Rear) XS4064 4054 ⁸²⁴⁸ .018			
2008 Lightning Super TT XB12STT XS4162 4162 ⁸²⁴⁸ .040				Sherpa "T" XS65 4265 ⁸²⁴⁸ .018			
2003-99 Lightning X1 XS4162 4162 ⁸²⁴⁸ .040				200cc			
1994-89 RSS1200, RS, RR XS4164 4164 ⁸²⁴⁸ .040				El Tigre, Matador XS65 4265 ⁸²⁴⁸ .018			
1996-95 Thunderbolt S2, S2T XS4164 4164 ⁸²⁴⁸ .040				Mercurio, Metrala XS4064 4054 ⁸²⁴⁸ .018			
2003-97 Thunderbolt S3 XS4162 4162 ⁸²⁴⁸ .040				Sherpa "S" Pursang --- 4051 ⁸²⁴⁸ .015			
2003-97 Thunderbolt Touring S3T XS4162 4162 ⁸²⁴⁸ .040				175cc			
2010-09 Ulysses XB12XP, XB12XT XS4162 4162 ⁸²⁴⁸ .040				Alpina, Compera XS4064 4054 ⁸²⁴⁸ .018			
				Lobita MK IV & V XS4062 4062 ⁸²⁴⁸ .015			
				Mercurio XS4064 4054 ⁸²⁴⁸ .018			
				Sherpa "S" Pursang --- 4051 ⁸²⁴⁸ .015			



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BULTACO (Cont'd)				CAN-AM (Cont'd)			
125cc				400cc			
Alpina	XS4064	4054 ⁸²⁴⁸	.018	Thru 1987 Qualifier	XS4063	4063 ⁸²⁴⁸	.020
Lobito MK III	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	370cc			
Lobito MK IV & MK V	XS4062	4062 ⁸²⁴⁸	.015	Thru 1979 MX	XS4063	4063 ⁸²⁴⁸	.020
Sherpa "S" Pursang	----	4051 ⁸²⁴⁸	.015	350cc			
Sherpa "T"	XS4092	4092 ⁸²⁴⁸	.015	1986 350 ASE	XS4063	4063 ⁸²⁴⁸	.020
1982 Streaker	XS4092	4092 ⁸²⁴⁸	.015	1985 350 Trials	XS65	4265 ⁸²⁴⁸	.020
100cc				1980 350 Qualifier III	XS4063	4063 ⁸²⁴⁸	.020
Lobito	AP425 ⁸²⁴⁹	425	.018	310cc			
Lobito AK	XS4093	4093 ⁸²⁴⁸	.018	1983 Trials	XS4063	4063 ⁸²⁴⁸	.020
Sherpa "S"	XS4093	4093 ⁸²⁴⁸	.015	250cc			
Tiron	AP425 ⁸²⁴⁹	425	.018	1985-83 All Models exc. Roadracer ..	XS4063	4063 ⁸²⁴⁸	.020
BURR BUILT				1985-83 Roadracer			
1639cc				1982 All Models	XS4063	4063 ⁸²⁴⁸	.020
w/S&S 100cid Eng.	XP64 ⁸²⁵⁰	64	.040	240cc			
CAGIVA				1985 240 Trials			
900cc				200cc			
Elefant 900	XS4163	4163 ⁸²⁴⁸	.035	Thru 1987 All Models	XS4063	4063 ⁸²⁴⁸	.020
Gran Canyon	XS4162	4162 ⁸²⁴⁸	.025	175cc			
750cc				Thru 1985 All Models	XS4063	4063 ⁸²⁴⁸	.020
Ducati F-1	----	4123 ⁸²⁴⁸	.020	125cc			
Elefant 750	XS4163	4163 ⁸²⁴⁸	.035	Thru 1985 All Models	XS4063	4063 ⁸²⁴⁸	.020
650cc				CANNONDALE			
1987-85 Alazzurra 650, SS	XS4092	4092 ⁸²⁴⁸	.020	432cc			
1988-85 Elefant 650, SE	XS4092	4092 ⁸²⁴⁸	.020	2002 E400	XS4302	4302	.032
F-1 Ducati	----	4123 ⁸²⁴⁸	.020	2001 EX400	XS4303	4303	.032
1987 Sport, Super Sport	XS4092	4092 ⁸²⁴⁸	.025	2001-00 MX400	XS4303	4303	.032
500cc				2001 XC400	XS4303	4303	.032
1985 WMX500	XS4062	4062 ⁸²⁴⁸	.020	2002 C440, E440	XS4302	4302	.032
1986 WMX500 Cross	XS4062	4062 ⁸²⁴⁸	.020	2002 X440, X440S	XS4302	4302	.032
1987 WMX500 Desert, Enduro	XS4062	4062 ⁸²⁴⁸	.020	CARABELA			
350cc				450cc			
1985 Ala-Rossa	XS4064	4054 ⁸²⁴⁸	.020	1978-77 Centauro MXII	XS4064	4054 ⁸²⁴⁸	.025
1984 Trails DG350	XS65	4265 ⁸²⁴⁸	.020	1977 Enduro	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
1988 350 T4	XS4163	4163 ⁸²⁴⁸	.020	1978-77 Torero Flat Track	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
250cc				400cc			
250MX	XS4063	4063 ⁸²⁴⁸	.020	1976 Enduro	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
250SS, 250SX	XS4064	4054 ⁸²⁴⁸	.020	1976 MX	XS4064	4054 ⁸²⁴⁸	.025
1988-84 WMX250	XS4062	4062 ⁸²⁴⁸	.020	360cc			
1988-84 WRX250	XS4062	4062 ⁸²⁴⁸	.020	1982-78 Centauro MX III, IV	XS4064	4054 ⁸²⁴⁸	.025
250SS, SX	XS4064	4054 ⁸²⁴⁸	.020	250cc			
175cc				1977-76 Centauro Enduro	----	4056 ⁸²⁴⁸	.025
175SS, SX	XS4063	4063 ⁸²⁴⁸	.020	1977-76 Centauro MX	XS4064	4054 ⁸²⁴⁸	.025
125cc				1978 Centauro MX III	----	4056 ⁸²⁴⁸	.025
1987 WMX125, WMX125GP, WRX125	----	4051 ⁸²⁴⁸	.020	1982-77 Torero Flat Track	XS4064	4054 ⁸²⁴⁸	.025
1987 1987 WMX125, WMX125GP, WRX125	----	4051 ⁸²⁴⁸	.025	200cc			
1986 1987 1987 WMX125, WMX125GP, WRX125	----	4051 ⁸²⁴⁸	.020	1976-74 Enduro	----	4056 ⁸²⁴⁸	.025
1985-84 1986 1987 1987 WMX125, WMX125GP, WRX125	----	4051 ⁸²⁴⁸	.020	1976-74 Motocross	XS4064	4054 ⁸²⁴⁸	.025
50cc				MX	----	4056 ⁸²⁴⁸	.025
Husky Boy Jr. & Sr.	XS4092	4092 ⁸²⁴⁸	.025	175cc			
CAN-AM				1977-76 Marquesa Enduro			
990cc				1977-75 Marquesa MX	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
2011-07 Spyder	XS4162	4162 ⁸²⁴⁸	.028	1976-75 Rally Enduro	----	4056 ⁸²⁴⁸	.025
560cc				1978-77 Torero Flat Track	XS4064	4054 ⁸²⁴⁸	.025
1986-84 560 Sonic MX	XS4163	4163 ⁸²⁴⁸	.020	125cc			
500cc				Caliente MX	XS4064	4054 ⁸²⁴⁸	.025
1987-83 500 ASE, 500 MX	XS4063	4063 ⁸²⁴⁸	.020	1976-74 Coyote Enduro	----	4056 ⁸²⁴⁸	.025
1983-82 500 Sonic	XS4163	4163 ⁸²⁴⁸	.020	1976-74 Coyote MX	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
1983-82 Sonic MX	XS4163	4163 ⁸²⁴⁸	.020	1977-76 Marquesa Enduro	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
				1982-74 Marquesa MX	XS4064	4054 ⁸²⁴⁸	.025
				Pantera	XS4093	4093 ⁸²⁴⁸	.025
				1976-74 Rally Enduro	----	4056 ⁸²⁴⁸	.025
				1982-77 Torero Flat Track	XS4064	4054 ⁸²⁴⁸	.025
				100cc			
				1976-74 Coyote Enduro	----	4056 ⁸²⁴⁸	.025

Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CARABELA (Cont'd)				CIMATTI (Cont'd)			
1976-74 Coyote MX	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	XR100	XS4064	4054 ⁸²⁴⁸	.020
1977-76 Marquesa Enduro	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	50cc			
1977-74 Marquesa MX	XS4064	4054 ⁸²⁴⁸	.025	C50, S50	XS4093	4093 ⁸²⁴⁸	.020
1977 Mini Marquesa MX	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	CLEVELAND			
1977 Mini Marquesa Enduro	----	4056 ⁸²⁴⁸	.025	1927-02 All Models	----	386	.025
1977 Pantera Enduro	XS4093	4093 ⁸²⁴⁸	.025	COOPER			
1978-77 Pantera MX	XS4093	4093 ⁸²⁴⁸	.025	250cc			
1976-74 Rally Enduro	----	4056 ⁸²⁴⁸	.025	Enduro, MX	XS4064	4054 ⁸²⁴⁸	.020
1978-77 Torero Flat Track	XS4064	4054 ⁸²⁴⁸	.025	CUSHMAN AUTO GLIDER			
60cc				1941-37 All Models w/14mm			
All Models	XS4093	4093 ⁸²⁴⁸	.025	Threads	XST458 ⁸²⁵¹	295	.025
CCM				1941-37 All Models w/18mm			
600cc				Threads	----	386	.025
1978-72 B6	XS4064	4054 ⁸²⁴⁸	.020	1941-37 All Models w/7/8"-18			
500cc				Threads	----	3076	.025
1978-72 B5	XS4064	4054 ⁸²⁴⁸	.020	CYCLEMOTOR			
500 CMX	XS4063	4063 ⁸²⁴⁸	.020	1919 All Models	----	386	.025
450cc				CZ			
450 CMX	XS4063	4063 ⁸²⁴⁸	.020	500cc			
350cc				MC500	XS4092	4092 ⁸²⁴⁸	.020
350 CM 36 Road Racer	XS4062	4062 ⁸²⁴⁸	.020	360cc			
Trials	----	4056 ⁸²⁴⁸	.020	Street	XS4092	4092 ⁸²⁴⁸	.020
250cc				250cc			
250 CM 36 Road Racer	----	4051 ⁸²⁴⁸	.020	Enduro, Street	XS4092	4092 ⁸²⁴⁸	.020
250 CMX	XS4063	4063 ⁸²⁴⁸	.020	1977 250 Enduro	XS4092	4092 ⁸²⁴⁸	.020
MX	XS4063	4063 ⁸²⁴⁸	.020	175cc			
125cc				180 ES Enduro Sport	XS4092	4092 ⁸²⁴⁸	.020
MX	XS4062	4062 ⁸²⁴⁸	.020	Sport, Trail, Enduro	XS4092	4092 ⁸²⁴⁸	.020
2 Valve 4-Stroke	XS4063	4063 ⁸²⁴⁸	.020	125cc			
4 Valve 4-Stroke	XS4303	4303	.020	Street	XS4092	4092 ⁸²⁴⁸	.020
Trials CMT 246	XS4164	4164 ⁸²⁴⁸	.020	90cc			
Trials CMT 310	XS4164	4164 ⁸²⁴⁸	.020	Trail	XS4092	4092 ⁸²⁴⁸	.020
CHAPARRAL				DALESMAN			
175cc				125cc			
All Models	XST458 ⁸²⁵¹	456	.020	Enduro w/Sachs Engs.	XS4092	4092 ⁸²⁴⁸	.020
100cc				MX, Trail w/Puch Engs.	XS4064	4054 ⁸²⁴⁸	.020
All Models	----	353	.020	DIAMO			
95cc				250cc			
All Models	----	353	.020	2007-05 Cruiser	----	4194	.036
80cc				200cc			
All Models	----	353	.020	2007-05 LS200	----	4194	.036
CHOPPERHEAD ROAD				DKW			
2033cc				125cc			
w/S&S 124cid Engs.	XS4163	4163 ⁸²⁴⁸	.040	All Other 125cc Models	XS4092	4092 ⁸²⁴⁸	.020
1852cc				100cc			
w/S&S 113cid Engs.	XP64 ⁸²⁵⁰	64	.040	All Models	XS4092	4092 ⁸²⁴⁸	.020
1573cc				DOUGLAS			
w/S&S 96cid Engs.	XP64 ⁸²⁵⁰	64	.040	350cc			
1340cc				Twin	XS4092	4092 ⁸²⁴⁸	.020
w/Harley Davidson V-2				DUCATI			
Evolution Engs.	XS65	4265 ⁸²⁴⁸	.040	1078cc			
CIMATTI				2011-07 Hypermotard 1100, 1100S	XS4163	4163 ⁸²⁴⁸	.024
160cc				Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
C160, ST160	XS4064	4054 ⁸²⁴⁸	.020	8248 Tapered electrode design 8250 Xtreme Performance 8251 Xtreme Start			
150cc							
C150	XS4093	4093 ⁸²⁴⁸	.020				
125cc							
125 Trial	XS4064	4054 ⁸²⁴⁸	.020				
Ariete	XS4064	4054 ⁸²⁴⁸	.020				
100cc							
C100, ST100	XS4093	4093 ⁸²⁴⁸	.020				

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
DUCATI (Cont'd)				DUCATI (Cont'd)			
2011-09 Monster 1100, S	XS4163	4163 ⁸²⁴⁸	.024	796cc			
2010-07 Multistrada 1100, 1100S	XS4163	4163 ⁸²⁴⁸	.024	2011-10 Hypermotard 796	XS4162	4162 ⁸²⁴⁸	.032
1000cc				748cc			
1985-81 Hailwood Replica	----	4123 ⁸²⁴⁸	.024	2006-03 Superbike 749, 749R, 749S, Dark	XS4302	4302	.030
2006-04 Multistrada 1000 DS, 1000S DS	XS4163	4163 ⁸²⁴⁸	.024	2003-97 748, 748S, 748SPS Hyper Sport (EFI)	XS4162	4162 ⁸²⁴⁸	.024
999cc				2002-01 748R			
2006-03 Superbike 999, 999R, 999R Xerox, 999s	XS4302	4302	.030	2002 Monster 750 i.e. (EFI)	XS4163	4163 ⁸²⁴⁸	.024
2004-03 Superbike 999, 999S	XS4302	4302	.024	2001-97 Monster 750, Dark	XS4163	4163 ⁸²⁴⁸	.024
2003-02 998, 998R, 998S	XS4302	4302	.024	1990 750 Sport	XS4163	4163 ⁸²⁴⁸	.024
996cc				1975-74 750GT, 750 Sport			
2001-99 996, 996S (EFI)	----	4132 ⁸²⁴⁸	.024	1993-91 750SS	AP425 ⁸²⁴⁹	425	.020
1998 916SPS (EFI)	XS4162	4162 ⁸²⁴⁸	.024	1974-72 750SS	XS4163	4163 ⁸²⁴⁸	.024
2006-04 Monster S4R	XS4162	4162 ⁸²⁴⁸	.024	2002-01 Sport 750, 750 Sport	XS4162	4162 ⁸²⁴⁸	.024
2005-02 Sport Touring 4, ST4S, ABS (EFI)	XS4162	4162 ⁸²⁴⁸	.024	2002-00 Super Sport 750 (EFI), 750SS	XS4162	4162 ⁸²⁴⁸	.024
992cc				1985 F1A			
2005-03 Monster 1000S i.e.	XS4163	4163 ⁸²⁴⁸	.024	1986 F1B	XS4163	4163 ⁸²⁴⁸	.024
2009-06 SR2 1000	XS4163	4163 ⁸²⁴⁸	.024	1988-87 F1-S	----	4123 ⁸²⁴⁸	.024
2010-06 Sport Classic GT1000, Touring	XS4163	4163 ⁸²⁴⁸	.024	1988 750, Laguna Seca 750	XS4163	4163 ⁸²⁴⁸	.024
2006 Sport Classic Paul Smart 1000LE	XS4163	4163 ⁸²⁴⁸	.024	1988-87 Paso 750, LTD	XS4163	4163 ⁸²⁴⁸	.024
2010-06 Sport Classic Sport 1000 Biposto, 1000S	XS4163	4163 ⁸²⁴⁸	.024	696cc			
2007-04 Sport Touring ST3, ST3 S ABS	XS4163	4163 ⁸²⁴⁸	.024	2011-09 Monster 696	XS4162	4162 ⁸²⁴⁸	.024
2006-03 Super Sport 1000 DS	XS4163	4163 ⁸²⁴⁸	.024	695cc			
944cc				2008-07 Monster 695			
2003-98 Sport Touring 2 (EFI)	XS4162	4162 ⁸²⁴⁸	.024	650cc			
916cc				1987 Indiana 650, Alazzurra 650, SS			
2003-01 Monster S4	----	4132 ⁸²⁴⁸	.024	618cc			
2002 Monster S4 Fogarty	----	4132 ⁸²⁴⁸	.024	2003 620 Sport	XS4162	4162 ⁸²⁴⁸	.035
1998-95 916 Superbike, 916 (EFI)	XS4162	4162 ⁸²⁴⁸	.024	2006-02 Monster 620 i.e., 620S i.e. Dark (EFI)	XS4163	4163 ⁸²⁴⁸	.024
2002-99 Sport Touring 4 (EFI)	----	4132 ⁸²⁴⁸	.024	2006-05 Multistrada 620, 620 Dark	XS4163	4163 ⁸²⁴⁸	.024
1997-94 916 (EFI)	XS4162	4162 ⁸²⁴⁸	.024	600cc			
904cc				1984-81 Pantah			
2002 Monster 900 i.e. (EFI)	XS4163	4163 ⁸²⁴⁸	.024	2001 Monster 600, Dark	XS4163	4163 ⁸²⁴⁸	.024
1980-77 900GT, GTS	AP425 ⁸²⁴⁹	425	.024	500cc			
1981-79 900SD	AP425 ⁸²⁴⁹	425	.024	1981 500SL	XS4093	4093 ⁸²⁴⁸	.024
1982-80 900SS	XS4092	4092 ⁸²⁴⁸	.024	1979-77 500GTL, SS	XS4093	4093 ⁸²⁴⁸	.024
2002 900 Sport	XS4162	4162 ⁸²⁴⁸	.024	GTV, Sport, Pantah	XS4093	4093 ⁸²⁴⁸	.024
2002-99 Super Sport 900 (EFI), 900SS	XS4162	4162 ⁸²⁴⁸	.024	450cc			
1998-91 900SS SP, CR, FE	XS4163	4163 ⁸²⁴⁸	.024	Desmo, RT, T/T/S	XS4093	4093 ⁸²⁴⁸	.024
1990 906 Paso	XS4163	4163 ⁸²⁴⁸	.024	Scrambler Mk III	XS4093	4093 ⁸²⁴⁸	.024
1993-91 907 i.e. (EFI)	XS4162	4162 ⁸²⁴⁸	.024	350cc			
1995-94 E900	XS4163	4163 ⁸²⁴⁸	.024	Desmo, Sebring, Mk III	XS4093	4093 ⁸²⁴⁸	.024
2001-00 M900, 900S, Dark (EFI)	XS4163	4163 ⁸²⁴⁸	.024	GTL, GTV, Sport, Scrambler	XS4093	4093 ⁸²⁴⁸	.024
1999-93 M900, M900S, City	XS4163	4163 ⁸²⁴⁸	.024	250cc			
2002-01 MH900e	XS4163	4163 ⁸²⁴⁸	.024	Daytona, Diana Mk III	XS4093	4093 ⁸²⁴⁸	.024
2001-99 Super Sport 900 (EFI)	XS4163	4163 ⁸²⁴⁸	.024	Mach I	XS4093	4093 ⁸²⁴⁸	.024
888cc				Monza, Desmo, Scrambler			
1994 888 LTD (EFI)	XS4162	4162 ⁸²⁴⁸	.024	200cc			
1994 888 SPO (EFI)	XS4162	4162 ⁸²⁴⁸	.024	200SS, 200 Elite, Gran T	XS4092	4092 ⁸²⁴⁸	.024
1992-90 888 Superbike (EFI)	----	4132 ⁸²⁴⁸	.024	175cc			
860cc				Silverstone S			
1985-81 Hailwood Replica	----	4123 ⁸²⁴⁸	.024	175 Cruiser, 175 Tourist	AP425 ⁸²⁴⁹	425	.024
850cc				160cc			
1992-90 851 Sport (EFI)	----	4132 ⁸²⁴⁸	.024	Monza Jr.	XS4092	4092 ⁸²⁴⁸	.024
1980-78 860, Electric 860GTS	AP425 ⁸²⁴⁹	425	.024	125cc			
1981-79 Darmah, SS Darmah	AP425 ⁸²⁴⁹	425	.024	Bronco 125, Cadet 125, SCR	AP425 ⁸²⁴⁹	425	.024
803cc				100cc			
2007-05 Monster, S2R, S2R Dark	XS4162	4162 ⁸²⁴⁸	.028	Cadet Sport Brio 100	AP425 ⁸²⁴⁹	425	.024
2004-03 Monster 800S i.e.	XS4162	4162 ⁸²⁴⁸	.028	Mountaineer	XS4092	4092 ⁸²⁴⁸	.024
2007-03 Super Sport 800, 800 Sport	XS4162	4162 ⁸²⁴⁸	.028	Scrambler	AP425 ⁸²⁴⁹	425	.024



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ENFIELD (See Royal Enfield)				GAS GAS (Cont'd)			
EVANS POWER-CYCLE				295cc			
119cc				2010-05 EC 300 XS4063 4063 ⁸²⁴⁸ .028			
1924-19 All Models w/18mm				2004-02 EC 300 XS4303 4303 .020			
Threads --- 386 .025				2001-98 EC 300 XS4063 4063 ⁸²⁴⁸ .020			
EVINRUDE SPEED BIKE				294cc			
1937-32 All Models w/18mm				2011-05 TXT Pro 300 XS4164 4164 ⁸²⁴⁸ .028			
Threads --- 373 .025				280cc			
EXCELSIOR				2008-02 Pampera 280 XS63 4263 ⁸²⁴⁸ .028			
1931-07 All Models --- 386 .020				272cc			
EXCELSIOR-HENDERSON				2011-05 TXT Pro 280 XS4164 4164 ⁸²⁴⁸ .028			
1386cc				2004-00 TXT280 XS65 4265 ⁸²⁴⁸ .020			
2001-99 Super X ,HCX XS4163 4163 ⁸²⁴⁸ .040				258cc			
FLYRITE CHOPPERS				1999-98 TX270 XS65 4265 ⁸²⁴⁸ .020			
1573cc				250cc			
w/S&S 96cid Engs. XP64 ⁸²⁵⁰ 64 .040				2010-97 EC250 XS4063 4063 ⁸²⁴⁸ .028			
FOX				1995-94 Enducross TT 250/MX XS4062 4062 ⁸²⁴⁸ .020			
133cc				2009-06 MC 250 XS4063 4063 ⁸²⁴⁸ .028			
1975-74 1654 --- AR72 .025				2004-98 MC250 XS4063 4063 ⁸²⁴⁸ .020			
1975-74 6554 exc. Racing XS85 4275 ⁸²⁴⁸ .025				2004-00 MX250 XS4063 4063 ⁸²⁴⁸ .020			
1975-74 6554 Racing --- AR72 .025				2008-02 Pampera 250 XS63 4263 ⁸²⁴⁸ .028			
80cc				2007-06 SM 250 XS4063 4063 ⁸²⁴⁸ .028			
1972 FX480 --- 353 .025				2011-07 TXT Pro 250 XP64 ⁸²⁵⁰ 64 .028			
50cc				2004-00 XC250 XS4063 4063 ⁸²⁴⁸ .020			
6324 w/Sachs Engs. Above 5000' Altitude AP425 ⁸²⁴⁹ 425 .020				238cc			
6324 w/Sachs Engs. Below 5000' Altitude XS4093 4093 ⁸²⁴⁸ .020				1993-92 Contact GT25 XS65 4265 ⁸²⁴⁸ .020			
GEMINI				1994 Contact JT25 XS65 4265 ⁸²⁴⁸ .020			
125cc				1991 Delta GT25 XS65 4265 ⁸²⁴⁸ .020			
All Models XS4064 4054 ⁸²⁴⁸ .020				1997-95 JT25, JTR250 XS65 4265 ⁸²⁴⁸ .020			
GAS GAS				2001-96 Pampera 250 XS63 4263 ⁸²⁴⁸ .028			
503cc				199cc			
2006 EC FSE 500 (4-Stroke) XS4303 4303 .028				2010-98 EC 200 XS4063 4063 ⁸²⁴⁸ .028			
449cc				175cc			
2006-04 EC FSE 450 (4-Stroke) XS4303 4303 .028				2009-05 TXT Pro 200 XS4164 4164 ⁸²⁴⁸ .028			
2010-07 EC 450 FSR, 4T, Desert (4-Stroke) XS4303 4303 .028				163cc			
2010-04 SM 450 (4-Stroke) XS4303 4303 .028				1997 Contact JTX200 XS65 4265 ⁸²⁴⁸ .020			
399cc				2004-98 TX200, TXT200 XS65 4265 ⁸²⁴⁸ .020			
2006 Pampera 400 4S XS4303 4303 .028				143cc			
338cc				1993 Contact GT16 XS65 4265 ⁸²⁴⁸ .020			
1996 JTR370 XS65 4265 ⁸²⁴⁸ .020				1995-94 Contact JT16 XS65 4265 ⁸²⁴⁸ .020			
1997 JTX320 XS65 4265 ⁸²⁴⁸ .020				1996 Contact JTR160 XS65 4265 ⁸²⁴⁸ .020			
1997-96 Pampera PP370 XS65 4265 ⁸²⁴⁸ .020				125cc			
1998 TX320 XS65 4265 ⁸²⁴⁸ .020				2010-05 EC 125 XS4062 4062 ⁸²⁴⁸ .028			
333cc				2004-00 EC 125 XS4063 4063 ⁸²⁴⁸ .020			
2004-98 Pampera 320 XS63 4263 ⁸²⁴⁸ .020				1997-95 Enducross TT 125/MX XS4062 4062 ⁸²⁴⁸ .020			
328cc				2009-06 MC 125 XS4062 4062 ⁸²⁴⁸ .028			
1993-92 Contact GT32 XS65 4265 ⁸²⁴⁸ .020				2009-07 Pampera 125 XS4163 4163 ⁸²⁴⁸ .028			
1995 Contact JT35 XS65 4265 ⁸²⁴⁸ .020				2010-06 SM 125 XS4062 4062 ⁸²⁴⁸ .028			
1991 Delta GT32 XS65 4265 ⁸²⁴⁸ .020				1999-98 TT 125 Enduro XS4062 4062 ⁸²⁴⁸ .020			
2004-99 TXT 321 XS65 4265 ⁸²⁴⁸ .020				2011-03 TXT Pro 125 XS4164 4164 ⁸²⁴⁸ .028			
300cc				70cc			
2011-08 TXT Raga 300 XP64 ⁸²⁵⁰ 64 .028				2011-06 TXT Cadet 80 XS65 4265 ⁸²⁴⁸ .028			
2001-00 XC300 XS4063 4063 ⁸²⁴⁸ .020				2009-01 TXT Rookie 80, TX80 Rookie XS65 4265 ⁸²⁴⁸ .028			
GLOBESTER				65cc			
All Models XST458 ⁸²⁵¹ 295 .025				2010-06 MC 65 --- 4051 ⁸²⁴⁸ .028			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HARLEY DAVIDSON				HARLEY DAVIDSON (Cont'd)			
1803cc				583cc			
2011-07 FL - All Models	XS4164	4164 ⁸²⁴⁸	.040	1919 All Models Single	---	3076	.025
2010-07 FX - All Models	XS4164	4164 ⁸²⁴⁸	.040	574cc			
1690cc				1918-09 All Models Single	---	3076	.025
2011-05 Twin Cam 103, 103B - All Models	XS4164	4164 ⁸²⁴⁸	.040	500cc			
1584cc				1934-30 All Models Single	---	3076	.025
2011-07 Twin Cam 96, 96B	XS4164	4164 ⁸²⁴⁸	.040	440cc			
1450cc				1908-05 All Models Single	---	3076	.025
2007-98 Twin Cam 88, 88B - All Models	XS4164	4164 ⁸²⁴⁸	.040	405cc			
1340cc (V-2 Evolution)				1904-03 All Models Single	---	3076	.025
1999-95 FL (F.I.) - All Models OHV	XS65	4265 ⁸²⁴⁸	.040	350cc			
1999-84 FL - All Models OHV	XS65	4265 ⁸²⁴⁸	.040	1974-73 All Models (3/4" Rch. Hd.)	XS4064	4054 ⁸²⁴⁸	.025
2000-85 FX - All Models OHV	XS65	4265 ⁸²⁴⁸	.040	346cc			
1340cc (Shovel Head)				1929-27 All Models Single	---	386	.025
1983-82 FL - All Models	XS985	4345 ⁸²⁴⁸	.040	1926 All Models Single	---	3076	.025
1981-80 FL - All Models	XS65	4265 ⁸²⁴⁸	.040	250cc			
1979-78 FL - All Models	XS65	4265 ⁸²⁴⁸	.040	1978-74 2-Stroke Motocross	XS4064	4054 ⁸²⁴⁸	.020
1983-82 FX - All Models	XS985	4345 ⁸²⁴⁸	.040	1972-61 All Models (3/4" Rch. Hd.)	XS4064	4054 ⁸²⁴⁸	.020
1981-80 FX - All Models	XS65	4265 ⁸²⁴⁸	.040	175cc			
1979-78 FX - All Models	XS65	4265 ⁸²⁴⁸	.040	1977-74 All Models (3/4" Rch. Hd.)	XS4063	4063 ⁸²⁴⁸	.020
1984 FXE	XS985	4345 ⁸²⁴⁸	.040	1966-62 All Models (7/16" Rch. Hd.)	---	4316 ⁸²⁴⁸	.030
1984 FXSB	XS985	4345 ⁸²⁴⁸	.040	167cc			
1984 FXWG	XS985	4345 ⁸²⁴⁸	.040	1903 All Models Single	---	3076	.025
1311cc (Flat Head)				165cc			
1942-36 All Models Twin	---	386	.025	1962-53 All Models (7/16" Rch. Hd.)	---	4316 ⁸²⁴⁸	.030
1250cc (V-2 Revolution)				125cc			
2011-08 VRSCAW, VRSCD, VRSCDX	XS4162	4162 ⁸²⁴⁸	.035	1974-68 M, ML - All Models	XS65	4265 ⁸²⁴⁸	.025
1223cc				1977-76 SS-125	XS4063	4063 ⁸²⁴⁸	.020
1929-27 All Models Twin	---	386	.025	1974 SX-125	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
1926 All Models Twin	---	3076	.025	1973-68 SX-125	XS65	4265 ⁸²⁴⁸	.025
1213cc				1977-75 SXT-125	XS4063	4063 ⁸²⁴⁸	.020
1946-27 All Models Twin	---	386	.025	1959-48 All Models (7/16" Rch. Hd.)	---	4316 ⁸²⁴⁸	.030
1926-21 All Models Twin	---	3076	.025	100cc			
1200cc (V-2 Evolution)				1974-70 All Models (3/4" Rch. Hd.)	XS4064	4054 ⁸²⁴⁸	.020
2011-88 XL - All Models	XS4164	4164 ⁸²⁴⁸	.040	90cc			
1200cc (Shovel Head)				1974-73 All Models (3/4" Rch. Hd.)	XS65	4265 ⁸²⁴⁸	.025
1980-75 FL, FX - All Models	XS65	4265 ⁸²⁴⁸	.040	65cc			
1974-47 FL, FX - All Models	XS85	4275 ⁸²⁴⁸	.025	1973-67 All Models (3/4" Rch. Hd.)	XS65	4265 ⁸²⁴⁸	.025
1130cc				50cc			
2007-02 VRSCA, CB V-Rod (Liquid Cooled)	XS4162	4162 ⁸²⁴⁸	.035	1967-65 All Models (3/4" Rch. Hd.)	XS65	4265 ⁸²⁴⁸	.020
1100cc (V-2 Evolution)				HELL BOUND STEEL			
1987-86 All Models	XS4164	4164 ⁸²⁴⁸	.040	1918cc			
1000cc				w/S&S 117cid Engs.	XS4163	4163 ⁸²⁴⁸	.040
1985-79 XL - All Models	---	4123 ⁸²⁴⁸	.040	1753cc			
1978-72 XL - All Models	XS85	4316 ⁸²⁴⁸	.030	w/S&S 107cid Engs.	XP64 ⁸²⁵⁰	64	.040
1985-83 XR - All Models	XS62	4252 ⁸²⁴⁸	.040	HENDERSON			
1000cc (Knuckle Head)				1931-12 All Models	---	386	.025
1946-36 All Models Twin	---	386	.025	HERCULES			
989cc				250cc			
1929-27 All Models Twin	---	386	.025	2501/7A	XS4062	4062 ⁸²⁴⁸	.016
1926-15 All Models Twin	---	3076	.025	175cc			
1912 All Models Twin	---	3076	.025	1752/7A	XS4062	4062 ⁸²⁴⁸	.016
900cc				125cc			
1971-54 XL - All Models	XS85	4316 ⁸²⁴⁸	.030	1252/7A	XS4062	4062 ⁸²⁴⁸	.016
883cc (V-2 Evolution)				HODAKA			
2011-85 All Models	XS4164	4164 ⁸²⁴⁸	.040	250cc			
811cc				1976 250ED	XS4062	4062 ⁸²⁴⁸	.024
1915-11 All Models Twin	---	3076	.025	1978-77 250SL	XS4062	4062 ⁸²⁴⁸	.024
743cc (Flat Head)				175cc			
1929 All Models Twin	---	386	.025	1978 175SL, Road & Trail	XS4062	4062 ⁸²⁴⁸	.024
737cc (Flat Head)				125cc			
1946-30 All Models Twin	---	386	.025	125 Combat Wombat	---	411	.025
584cc							
1922-20 All Models Single	---	3076	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HODAKA (Cont'd)				HONDA (Cont'd)			
1975-74 125 Super Combat	----	411	.025	929cc			
1977 125 Wombat	XS4092	4092 ⁸²⁴⁸	.024	2001-00 CBR929RR	XS4302	4302	.032
1974-73 125 Wombat	XS4092	4092 ⁸²⁴⁸	.024	919cc			
100cc				2007-02 CB900F 919	XS4303	4303	.032
1970-68 Ace 100/92	----	353	.024	900cc			
1976-74 100 Dirt Squirt	XS4092	4092 ⁸²⁴⁸	.024	1982-79 CB900C, F	XS4164	4164 ⁸²⁴⁸	.028
100 Dirt Squirt/96-92C	----	353	.024	2001 CBR900RR, RE	XS4302	4302	.035
1977 100 Road Toad	XS4092	4092 ⁸²⁴⁸	.024	2000-93 CBR900RR, RE	XS4303	4303	.028
1975 100 Super Rat	XS62	4252 ⁸²⁴⁸	.025	800cc			
1973-70 100 Super Rat	XS62	4252 ⁸²⁴⁸	.025	1998-89 PC800 Pacific Coast	XS4164	4164 ⁸²⁴⁸	.035
100 Super Rat/93, /98	----	411	.024	2009-98 VFR800A	XS4302	4302	.035
90cc				2009-98 VFR800FI Interceptor, ABS	XS4302	4302	.035
Ace 90	----	353	.024	1994 VT800	XS4164	4164 ⁸²⁴⁸	.035
80cc				1988 VT800C	XS4164	4164 ⁸²⁴⁸	.035
1978 80 Dirt Squirt	XS4093	4093 ⁸²⁴⁸	.024	750cc			
HOFFMANN				2003-95 CB750 Nighthawk			
Vespa	XST254 ⁸²⁵¹	303	.020	1993-69 CB750 Nighthawk	XS4164	4164 ⁸²⁴⁸	.028
HONDA				2003-94 VF750C Magna			
1832cc				1988-82 VF750C, F, S	XS4163	4163 ⁸²⁴⁸	.035
2010-01 GL1800, A Gold Wing, ABS	XS3923	3923	.043	1997-91 VFR750F	XS4303	4303	.028
2005-04 NRX18 Valkyrie Rune	XS3923	3923	.043	1990 VF750F, R	XS4302	4302	.035
1795cc				1986 VFR750F	XS4163	4163 ⁸²⁴⁸	.035
2008-02 VTX1800C, F, N, R, S				2011-10 VT 750C2A, RS Shadow			
V-Twin	XS3923	3923	.043	Phantom	XS4163	4163 ⁸²⁴⁸	.035
1520cc				2009-98 VT750C, DC, CD2, T, A.C.E.			
2003-96 Valkyrie F6, Tourer, Interstate, CD, CF	XS4164	4164 ⁸²⁴⁸	.035	Deluxe, Shadow Spirit	XS4163	4163 ⁸²⁴⁸	.035
2000-88 GL1500, A, I, SE, Aspencade, Gold Wing	XS4164	4164 ⁸²⁴⁸	.035	2009-04 VT750C Shadow Aero	XS4163	4163 ⁸²⁴⁸	.035
1312cc				1983 VT750C	XS4163	4163 ⁸²⁴⁸	.035
2010 VT1300CS, CSA ABS Sabre ..	XS4164	4164 ⁸²⁴⁸	.028	700cc			
2010 VT1300CR, CRA ABS				1986-84 CB700SC	XS4164	4164 ⁸²⁴⁸	.035
Stalotine	XS4164	4164 ⁸²⁴⁸	.028	1987-84 VF700	XS4164	4164 ⁸²⁴⁸	.035
2011-10 VT1300CT Interstate	XS4164	4164 ⁸²⁴⁸	.028	1987-86 VFR700F, F2	XS4164	4164 ⁸²⁴⁸	.035
2011-10 VT1300CX, ABS Fury	XS4164	4164 ⁸²⁴⁸	.028	1987-84 VT700C	XS4164	4164 ⁸²⁴⁸	.035
2009-04 VTX1300C, F, R, S, T	XS4164	4164 ⁸²⁴⁸	.028	650cc			
1261cc				1982-79 CB650	XS4164	4164 ⁸²⁴⁸	.030
2011-03 ST1300, A, P, ABS	XS4303	4303	.035	1985-82 CB650SC	XS4164	4164 ⁸²⁴⁸	.035
1200cc				1983 CX650C, T (Turbo)	XS4163	4163 ⁸²⁴⁸	.035
1987-84 GL1200, I, A, Aspencade, Gold Wing, Interstate	XS4164	4164 ⁸²⁴⁸	.035	1983 GL650, I	XS4163	4163 ⁸²⁴⁸	.035
1100cc				1991-88 NT650, NX650	XS4163	4163 ⁸²⁴⁸	.035
1983 CB1100F	XS4163	4163 ⁸²⁴⁸	.035	2010-92 XR650L	XS4163	4163 ⁸²⁴⁸	.035
2004-97 CBR1100XX	XS4303	4303	.035	2007-00 XR650R	XS3922	3922	.043
1983-80 GL1100, I, A	XS4164	4164 ⁸²⁴⁸	.035	600cc			
2003-91 ST1100, ABS II	XS4303	4303	.028	2006-04 599	XS4302	4302	.035
1986-83 VF1100C	XS4164	4164 ⁸²⁴⁸	.035	2006-01 CBR600F4i	XS4302	4302	.035
2007-85 VT1100C, Shadow Aero, Sabre, Spirit	XS4164	4164 ⁸²⁴⁸	.035	2000-91 CBR600F2, F3, F4	XS4303	4303	.035
1050cc				1990-87 CBR600F	XS4163	4163 ⁸²⁴⁸	.035
1985-79 CBX Super	XS4164	4164 ⁸²⁴⁸	.028	2011-03 CBR600RR, ABS	XS4302	4302	.035
1000cc				2003-02 FSC600	XS4303	4303	.035
1995-94 CB1000	XS4162	4162 ⁸²⁴⁸	.035	1995-85 SR600R	XS4163	4163 ⁸²⁴⁸	.035
1983 CB1000C	XS4163	4163 ⁸²⁴⁸	.028	2007-88 VT600C, CD Shadow VLX, VLX Deluxe	XS4164	4164 ⁸²⁴⁸	.035
1996-87 CBR1000F	XS4162	4162 ⁸²⁴⁸	.035	1987-83 XL600R	XS4164	4164 ⁸²⁴⁸	.035
2011-04 CBR1000RR, ABS	XS4302	4302	.035	1990-89 XL600V	XS4163	4163 ⁸²⁴⁸	.035
1979-75 GL1000	XS4164	4164 ⁸²⁴⁸	.028	2000 XR600R	XS4163	4163 ⁸²⁴⁸	.035
2006-00 RC51	----	AR3910	.043	1998-85 XR600R	XS4164	4164 ⁸²⁴⁸	.035
2003-01 RVT1000R	----	AR3933	.035	550cc			
1986-85 VF1000R	XS4162	4162 ⁸²⁴⁸	.035	1983 CB550 - All Models	XS4164	4164 ⁸²⁴⁸	.035
1984 VF1000F	XS4163	4163 ⁸²⁴⁸	.035	1978-74 CB550 - All Models	XS4164	4164 ⁸²⁴⁸	.028
2005-98 VTR1000F Super Hawk ..	XS4162	4162 ⁸²⁴⁸	.035	500cc			
954cc				1973-71 CB500F	XS4164	4164 ⁸²⁴⁸	.028
2003-02 CBR954RR	XS4302	4302	.035	1976-75 CB500T	XS4064	4054 ⁸²⁴⁸	.035
				1995 CF500R	XS4063	4063 ⁸²⁴⁸	.024
				2001-84 CR500R	----	4051 ⁸²⁴⁸	.024
				1985-79 CX500 - All Models	XS4164	4164 ⁸²⁴⁸	.028
				1982 CX500TC (Turbo)	XS4163	4163 ⁸²⁴⁸	.035
				1985-82 FT500	XS4163	4163 ⁸²⁴⁸	.028
				1990-89 GB500	XS4163	4163 ⁸²⁴⁸	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HONDA (Cont'd)				HONDA (Cont'd)			
1982-81 GL500, I	XS4164	4164 ⁸²⁴⁸	.028	1990-88 NX250	XS4302	4302	.035
1985-84 VF500	XS4164	4164 ⁸²⁴⁸	.035	1976-75 TL250	XS4164	4164 ⁸²⁴⁸	.028
1986 VF500F	XS4163	4163 ⁸²⁴⁸	.035	1990-89 VTR250	XS4303	4303	.035
1986-83 VT500C	XS4164	4164 ⁸²⁴⁸	.035	1988 VTR250	XS4163	4163 ⁸²⁴⁸	.035
1984-83 VT500FT	XS4164	4164 ⁸²⁴⁸	.035	1976-72 XL250	XS4164	4164 ⁸²⁴⁸	.028
1982 XL500R	XS4163	4163 ⁸²⁴⁸	.028	1987-84 XL250R	XS4163	4163 ⁸²⁴⁸	.028
1981-79 XL500S	XS4164	4164 ⁸²⁴⁸	.028	1983-78 XL250R, S	XS4163	4163 ⁸²⁴⁸	.028
1980-79 XR500	XS4164	4164 ⁸²⁴⁸	.028	1980-79 XR250	XS4163	4163 ⁸²⁴⁸	.028
1984-81 XR500R	XS4164	4164 ⁸²⁴⁸	.028	1996-91 XR250L	XS4163	4163 ⁸²⁴⁸	.028
480cc				2004-96 XR250R	XS4302	4302	.035
1983-82 CR480R	XS4063	4063 ⁸²⁴⁸	.024	1995-81 XR250R	XS4163	4163 ⁸²⁴⁸	.028
450cc				230cc			
1974-65 CB450, D	XS4064	4054 ⁸²⁴⁸	.028	2010-03 CRF230F	XS4163	4163 ⁸²⁴⁸	.035
1986-82 CB450SC	XS4163	4163 ⁸²⁴⁸	.032	2010-08 CRF230L	XS4163	4163 ⁸²⁴⁸	.035
1986 CB450T	XS4163	4163 ⁸²⁴⁸	.028	2010-09 CRF230M	XS4163	4163 ⁸²⁴⁸	.035
1974-68 CL450	XS4064	4054 ⁸²⁴⁸	.028	200cc			
1983-82 CM450, A, E	XS4164	4164 ⁸²⁴⁸	.028	1976-74 CB200, T	XS4163	4163 ⁸²⁴⁸	.028
1987-86 CMX450C	XS4163	4163 ⁸²⁴⁸	.024	1974 CL200	XS4163	4163 ⁸²⁴⁸	.028
2008-02 CRF450R	XS3922	3922	.028	1982-80 CM200T	---	4194	.028
2010-05 CRF450X	XS3922	3922	.028	1987-86 TLR200	XS4163	4163 ⁸²⁴⁸	.028
1981 CR450R	XS4064	4054 ⁸²⁴⁸	.024	1987-86 TR200	XS4163	4163 ⁸²⁴⁸	.028
400cc				1984-83 XL200R	XS4163	4163 ⁸²⁴⁸	.028
1990-89 CB400F	XS4303	4303	.035	1984-80 XR200	XS4163	4163 ⁸²⁴⁸	.028
1977-75 CB400F	XS4164	4164 ⁸²⁴⁸	.028	2003-81 XR200R	XS4164	4164 ⁸²⁴⁸	.028
1981-78 CB400, A, T	XS4164	4164 ⁸²⁴⁸	.028	185cc			
1981-79 CM400	XS4164	4164 ⁸²⁴⁸	.028	1979-78 CM185T (Twinstar)	---	4194	.028
1988-86 NS400R	XS4063	4063 ⁸²⁴⁸	.032	1983-79 XL185S	XS4163	4163 ⁸²⁴⁸	.028
2004-96 XR400R	XS4163	4163 ⁸²⁴⁸	.028	1979 XR185	XS4164	4164 ⁸²⁴⁸	.028
360cc				175cc			
1977-74 CB360	XS4064	4054 ⁸²⁴⁸	.032	1973-68 CA175, CB175, CL175	---	4173 ⁸²⁴⁸	.028
1977-74 CB360T, CJ360T	XS4064	4054 ⁸²⁴⁸	.032	1977-65 MR175	XS4064	4054 ⁸²⁴⁸	.028
1977-74 CJ360	XS4064	4054 ⁸²⁴⁸	.032	1972-70 SL175	---	4173 ⁸²⁴⁸	.028
1977-74 CL360	XS4064	4054 ⁸²⁴⁸	.032	1978-73 XL175	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.028
350cc				160cc			
1974-72 CB350F 4-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	1969-65 CA160, CB160, CL160	---	4173 ⁸²⁴⁸	.028
1973-68 CB350, G	XS4064	4054 ⁸²⁴⁸	.028	150cc			
1973-68 CL350, SL350	XS4064	4054 ⁸²⁴⁸	.028	1966-62 CA95	---	4173 ⁸²⁴⁸	.028
1978-74 XL350	XS4163	4163 ⁸²⁴⁸	.028	1961-59 CA95	---	4194	.028
1985-84 XL350R	XS4163	4163 ⁸²⁴⁸	.035	1987-85 CH150, CH150D	XS4164	4164 ⁸²⁴⁸	.035
1985-83 XR350R	XS4163	4163 ⁸²⁴⁸	.035	2010-03 CRF150F	XS4163	4163 ⁸²⁴⁸	.035
305cc				2010-07 CRF150R, Expert	XS4302	4302	.035
1969-63 C77	---	4173 ⁸²⁴⁸	.028	125cc			
1962-60 C77, CA77, CS77, CSA77	---	4194	.028	1963-62 CB92	---	4173 ⁸²⁴⁸	.028
1966-63 CB77	---	4173 ⁸²⁴⁸	.028	1961-59 CB92	---	4194	.028
1962-61 CB77	---	4194	.028	1985-73 CB125S	XS4164	4164 ⁸²⁴⁸	.028
1968-65 CL77	---	4173 ⁸²⁴⁸	.028	1984 CH125	XS4164	4164 ⁸²⁴⁸	.035
300cc				1969-67 CL125A	---	4173 ⁸²⁴⁸	.028
1960-59 C76, CA76, CS76, CSA76	---	4194	.028	1974-73 CL125S	XS4164	4164 ⁸²⁴⁸	.028
260cc				1978-74 CR125M	XS4064	4054 ⁸²⁴⁸	.024
1996 CRE260	XS4062	4062 ⁸²⁴⁸	.024	2007-82 CR125R	XS4062	4062 ⁸²⁴⁸	.024
250cc				1981-79 CR125R	XS4063	4063 ⁸²⁴⁸	.024
1960-59 C71, CA71, CE71	---	4194	.028	1977 CT125	XS4164	4164 ⁸²⁴⁸	.028
1962-59 C72, CA72	---	4194	.028	1976-74 MT125	XS4064	4054 ⁸²⁴⁸	.032
1962-61 CB72	---	4194	.028	1978-77 MT125R	---	4051 ⁸²⁴⁸	.028
1966-62 CA72, CB72, CL72	---	4173 ⁸²⁴⁸	.028	1990-88 NX125	XS4163	4163 ⁸²⁴⁸	.028
2008-91 CB250, T, Nighthawk	---	4194	.028	1973-71 SL125	XS4164	4164 ⁸²⁴⁸	.028
2010-96 CMX250C, D, Rebel	---	4194	.028	1969-67 SS125A	---	4173 ⁸²⁴⁸	.028
1983-82 CM250C	---	4194	.028	1976-73 TL125S	XS4164	4164 ⁸²⁴⁸	.028
1988-85 CMX250	---	4194	.028	1985-82 XL125S	XS4163	4163 ⁸²⁴⁸	.028
1987-85 CMX250C, D	---	4194	.028	1981-74 XL125S	XS4164	4164 ⁸²⁴⁸	.028
1976-73 CR250M	XS4063	4063 ⁸²⁴⁸	.024	110cc			
2007-83 CR250R, CRE250	XS4063	4063 ⁸²⁴⁸	.024	1986-82 CT110	XS4163	4163 ⁸²⁴⁸	.028
1982-78 CR250R	XS4063	4063 ⁸²⁴⁸	.024	1981-80 CT110	XS4164	4164 ⁸²⁴⁸	.028
2004 CRF250R	XS4163	4163 ⁸²⁴⁸	.024	100cc			
2010-04 CRF250X	XS4163	4163 ⁸²⁴⁸	.024	1973-70 CB100, CL100, CL100S	XS4163	4163 ⁸²⁴⁸	.028
1976 MR250	XS4063	4063 ⁸²⁴⁸	.024	2011-04 CRF100F	---	4194	.028
1976-74 MT250, MR250 Elsinore	XS4064	4054 ⁸²⁴⁸	.032	2006 NSF100	---	4194	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
HONDA (Cont'd)				HUSABERG (Cont'd)			
1973-70 SL100	XS4163	4163 ⁸²⁴⁸	.028	2008-00 FE650E	XS4162	4162 ⁸²⁴⁸	.028
1978-74 XL100	XS4164	4164 ⁸²⁴⁸	.028	2008-00 FS650C, FS650E	XS4162	4162 ⁸²⁴⁸	.028
1985-79 XL100S	----	4194	.028	2003-01 FX650E	XS4162	4162 ⁸²⁴⁸	.028
2004-81 XR100, R	----	4194	.028	600cc			
90cc				2000-92 FE600, FE600E, FE600S	XS4303	4303	.028
1996-91 EZ90, Cub	XS4093	4093 ⁸²⁴⁸	.028	2000-93 FC600, FX600E	XS4303	4303	.028
1969-63 CA200, CL90	----	4173 ⁸²⁴⁸	.028	550cc			
1979-66 CM91, CT90	----	4173 ⁸²⁴⁸	.028	2005-01 FC550/4, FC550/6	XS4162	4162 ⁸²⁴⁸	.028
1970-64 S90, SL90	----	4173 ⁸²⁴⁸	.028	2008-03 FE550E	XS4162	4162 ⁸²⁴⁸	.028
1975-73 ST90	----	4173 ⁸²⁴⁸	.028	2008-07 FS550E	XS4162	4162 ⁸²⁴⁸	.028
85cc				501cc			
2007-03 CR85R, RB Expert	----	4051 ⁸²⁴⁸	.024	2003-00 FE501E	XS4162	4162 ⁸²⁴⁸	.028
80cc				1999-93 FE501, FE501E, FE501S	XS4303	4303	.028
2003-86 CR80R, RB, Expert	----	4051 ⁸²⁴⁸	.024	2001-89 FC501, FX501E	XS4162	4162 ⁸²⁴⁸	.028
1985-80 CR80R	XS4063	4063 ⁸²⁴⁸	.028	499cc			
2011-04 CRF80F	----	4194	.028	1996 499MX	XS4303	4303	.028
1985-80 XL80S	----	4194	.028	1993-92 499C	XS4303	4303	.028
2004-79 XR80, R	----	4194	.028	472cc			
75cc				2002-00 FC470/6, FC470E	XS4162	4162 ⁸²⁴⁸	.028
1979-77 XL75	----	4194	.028	2002-00 FX470E	XS4162	4162 ⁸²⁴⁸	.028
1978-73 XR75	----	4194	.028	450cc			
70cc				2005-03 FC450	XS4162	4162 ⁸²⁴⁸	.028
1983-72 C70	----	4194	.028	2011-03 FE450E	XS4162	4162 ⁸²⁴⁸	.028
1971-69 CL70, CM70	----	4194	.028	2008-03 FS450C, FS450E	XS4162	4162 ⁸²⁴⁸	.028
1971-70 CM70	----	4194	.028	2003 FX450	XS4162	4162 ⁸²⁴⁸	.028
2011-04 CRF70F	----	4194	.028	400cc			
1994-69 CT70	----	4194	.028	2000-96 FC400, FX400	XS4303	4303	.028
1973-70 CT70H	----	4194	.028	2003-96 FE400, FE400S	XS4303	4303	.028
1976-71 SL70, XL70	----	4194	.028	2003-00 FE400E	XS4162	4162 ⁸²⁴⁸	.028
2004-97 XR70R	----	4194	.028	2001-00 FS400C	XS4162	4162 ⁸²⁴⁸	.028
65cc				2003-00 FS400E	XS4162	4162 ⁸²⁴⁸	.028
1969-65 S65	----	4194	.028	350cc			
60cc				1996-91 FE350	XS4303	4303	.028
1984-83 CR60R	XS4063	4063 ⁸²⁴⁸	.028	1996-91 FE350E	XS4303	4303	.028
55cc				HUSQVARNA			
1965-62 CA105T	----	4194	.028	610cc			
50cc				2009-06 SM610 S Supermotard	XS4303	4303	.024
1970-59 CA100, CA100T, CA102, CA220	----	4194	.024	2004-03 SM610 S Supermotard	XS4303	4303	.024
2011-04 CRF50F	----	4194	.035	2001-99 SM610 S Supermotard	XS4303	4303	.024
2004 Dream 50R	XS4303	4303	.035	2004-03 TC610, TE610, TE610e	XS4303	4303	.024
1982 MB50	XS4093	4093 ⁸²⁴⁸	.028	2001-98 TC610, TE610, TE610e	XS4303	4303	.024
1975-74 MR50	AP425 ⁸²⁴⁹	425	.028	2009-06 TE610IE	XS4303	4303	.024
1981-79 NA50	----	4123 ⁸²⁴⁸	.028	1997-91 WMX, WXCE, WXE	XS4303	4303	.024
1987-86 NB50	----	4123 ⁸²⁴⁸	.028	1996 NMX	XS4303	4303	.024
1985-83 NB50	----	4123 ⁸²⁴⁸	.028	600cc			
1984 NN50MD	----	4123 ⁸²⁴⁸	.028	1994-93 FE600	XS4303	4303	.028
1987-84 NQ50, NQ50D	----	4123 ⁸²⁴⁸	.028	570cc			
1990 NS50F	XS4063	4063 ⁸²⁴⁸	.028	2004-03 SM570 R Supermotard	XS4303	4303	.025
2004 NSR50R	XS4303	4303	.035	2003 TC570	XS4303	4303	.025
1983-82 NU50, NU50M	----	4123 ⁸²⁴⁸	.028	2003 TE570	XS4303	4303	.025
1982-81 NX50	----	4123 ⁸²⁴⁸	.028	510cc			
1987-86 NZ50	----	4123 ⁸²⁴⁸	.028	1990 WMX, WXE	XS4303	4303	.025
1968-66 PA50	----	4194	.024	2009-04 TC510	XS4303	4303	.028
1970-69 PC50	----	4194	.024	2010-04 TE 510, TE510C	XS4303	4303	.028
1975-70 QA50	----	4194	.028	1986-84 TE, TX Normal Service	XS4163	4163 ⁸²⁴⁸	.025
1990-88 SB50	----	4123 ⁸²⁴⁸	.028	1986-84 TE, TX Severe Service	XS4162	4162 ⁸²⁴⁸	.025
1987 SE50, P	----	4123 ⁸²⁴⁸	.028	1986 Enduro	XS4064	4054 ⁸²⁴⁸	.025
1986-85 TG50, M	----	4123 ⁸²⁴⁸	.028	2011-08 TXC 510 (4-Stroke)	XS4303	4303	.028
2004-00 XR50R	----	4194	.028	500cc			
1978-69 Z50A	----	4194	.028	1994-91 FE500	XS4303	4303	.028
1999-79 Z50R	----	4194	.028	1985 500AE, WR	XS4062	4062 ⁸²⁴⁸	.025
1988 ZB50	----	4194	.028	1987-85 500CR, XC	XS4064	4054 ⁸²⁴⁸	.025
HUSABERG				Thru 1984 500CR, XC	XS4064	4054 ⁸²⁴⁸	.025
644cc				1986-84 500TC Normal Service	XS4163	4163 ⁸²⁴⁸	.025
2004-03 FC650	XS4162	4162 ⁸²⁴⁸	.028	1986-84 500TC Severe Service	XS4162	4162 ⁸²⁴⁸	.025
				2010-05 SM 510R Supermotard	XS4303	4303	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HUSQVARNA (Cont'd)				HUSQVARNA (Cont'd)			
450cc				1984 125CR, WR, XC	XS4064	4054 ⁸²⁴⁸	.020
2010-03 SM450 R Supermotard	XS4303	4303	.028	1984 125SC	XS4064	4054 ⁸²⁴⁸	.020
2010-03 TC450	XS4303	4303	.028	50cc			
2010-03 TE450	XS4303	4303	.028	2004-03 CR50j, CR50s	XS4092	4092 ⁸²⁴⁸	.025
2011-09 TXC 450 (4-Stroke)	XS4303	4303	.028	2001-99 CR50j, CR50s	XS4092	4092 ⁸²⁴⁸	.025
450AE, CR, M, SC, WR	XS62	4252 ⁸²⁴⁸	.025	2004-03 Husky Boy, J, S	XS4092	4092 ⁸²⁴⁸	.025
430cc				2004-03 SM50 Supermotard	XS4092	4092 ⁸²⁴⁸	.025
1988-86 430AE, CR, WR, XC	XS4063	4063 ⁸²⁴⁸	.025	2004-03 WR50	XS4092	4092 ⁸²⁴⁸	.025
1986 Auto Enduro	XS4064	4054 ⁸²⁴⁸	.025				
420cc				HYOSUNG			
1982 420 Automatic	XS4064	4054 ⁸²⁴⁸	.025	678cc			
1981 420AE, AXC	XS4064	4054 ⁸²⁴⁸	.025	2010 ST7	XS4303	4303	.032
410cc				650cc			
2003 410WXC, WXE	XS4303	4303	.025	2010-07 GT650	XS4303	4303	.032
2001-97 410WXC, WXE	XS4303	4303	.025	2010-05 GT650R Comet	XS4303	4303	.032
1998-96 410NXC	XS4303	4303	.025	2010-07 GT650R Comet T.T.	XS4303	4303	.032
400cc				2008-05 GT650S Comet	XS4303	4303	.032
1985 400CR, SC, WR	XS4064	4054 ⁸²⁴⁸	.025	2010-06 GV650 Avitar	XS4303	4303	.032
1986 400 Cross Country	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	2009 GV650 Avitar S.E.	XS4303	4303	.032
1986 Enduro	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	2009-07 GV650 Avitar T.T.	XS4303	4303	.032
2003 SM400 R Supermotard	XS4303	4303	.025	250cc			
2003 TE400	XS4303	4303	.025	2010-07 GT250	XS4303	4303	.032
Thru 1971 400 Moto-Cross	XS4064	4054 ⁸²⁴⁸	.025	2010-07 GT250R	XS4303	4303	.032
390cc				2010-07 GT250R T.T.	XS4303	4303	.032
390ACC, 390AMX, 390CR	XS4064	4054 ⁸²⁴⁸	.025	2010-07 GV250	XS4303	4303	.032
390OR, 390WR, Automatic	XS4064	4054 ⁸²⁴⁸	.025	2006-05 GV250 Aquila	XS4303	4303	.032
360cc				INDIAN			
2003 WR360	----	AR3934	.020	1720cc			
2001-98 WR360	----	AR3934	.020	2011-09 Chief	XS3924	3924	.040
1997-92 360WXC, WXE (2-Cycle)	----	AR3934	.024	1442cc			
1992 360WMX, WXC, WME	XS4062	4062 ⁸²⁴⁸	.024	2003-99 All Models	XS65	65	.040
360CR, GP, RT, WR, Auto.	XS4064	4054 ⁸²⁴⁸	.024	1311cc			
Thru 1971 Sportsman Enduro	XS4064	4054 ⁸²⁴⁸	.028	1953-50 Chief	XST254 ⁸²⁵¹	303	.025
Thru 1971 Moto-Cross	XS4064	4054 ⁸²⁴⁸	.028	1278cc			
350cc				1942-34 4-Cyl.	XST254 ⁸²⁵¹	303	.025
1994-91 FE350	XS4303	4303	.028	1933-29 4-Cyl.	----	386	.025
1995-91 350WXC, WXE (4-Cycle)	XS4303	4303	.025	1928-27 Indian Ace	----	386	.025
260cc				1213cc			
1991 260WXC	XS4062	4062 ⁸²⁴⁸	.024	1948-45 Chief	XST254 ⁸²⁵¹	303	.025
250cc				1941-34 Chief	XST254 ⁸²⁵¹	303	.025
1985 250CR	XS4063	4063 ⁸²⁴⁸	.024	1933-22 Chief	----	386	.025
1981-75 250, 250CR, WR, OR, GP	XS4064	4054 ⁸²⁴⁸	.025	1945-42 Chief Military	XST254 ⁸²⁵¹	303	.025
1984-82 250CR, WR, XC	XS4063	4063 ⁸²⁴⁸	.025	1948-47 Chief Roadmaster	XST254 ⁸²⁵¹	303	.025
1991-90 250WXC	XS4062	4062 ⁸²⁴⁸	.024	1000cc			
2004-03 CR250, WR250	----	AR3934	.024	1928-23 Chief	----	386	.025
2001-98 CR250, WR250	----	AR3934	.024	998cc			
2011-03 TC250	XS4062	4062 ⁸²⁴⁸	.024	1924-22 Power Plus	----	386	.025
2011-03 TE250	XS4062	4062 ⁸²⁴⁸	.024	1921-16 Power Plus Twin	----	3076	.025
2011-09 TXC 250 (4-Stroke)	XS4303	4303	.028	1915-10 Twin	----	3076	.025
2011-06 WR250	XS4063	4063 ⁸²⁴⁸	.025	988cc			
1997-91 250WMX, WXC, WXE	XS4062	4062 ⁸²⁴⁸	.024	1909-08 Twin	----	3076	.025
1988-84 250WR, XC	XS4063	4063 ⁸²⁴⁸	.024	750cc			
250RT, XC	XS4064	4054 ⁸²⁴⁸	.025	Enfield 750	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
Thru 1971 Sportsman Enduro	XS4064	4054 ⁸²⁴⁸	.025	737cc			
Thru 1971 Moto-Cross	XS4064	4054 ⁸²⁴⁸	.025	1933 Motoplane	----	386	.025
175cc				1948 Scout	XST254 ⁸²⁵¹	303	.025
All Models	XS4063	4063 ⁸²⁴⁸	.025	1937-36 Scout	XST254 ⁸²⁵¹	303	.025
125cc				1927 Scout	----	386	.025
1992-90 125WMX	----	4051 ⁸²⁴⁸	.020	1943-41 Scout Military	XST254 ⁸²⁵¹	303	.025
2011-06 CR125	XS4062	4062 ⁸²⁴⁸	.024	1941-34 Scout Sport	XST254 ⁸²⁵¹	303	.025
2004-03 CR125, WR125	XS4062	4062 ⁸²⁴⁸	.024	1935-34 Scout Standard	XST254 ⁸²⁵¹	303	.025
2001-98 CR125, WR125	XS4062	4062 ⁸²⁴⁸	.024	1933-32 Scout Standard	----	386	.025
1997-90 125WXC, WXC	XS4062	4062 ⁸²⁴⁸	.024	1931-28 Scout 101	----	386	.025
2004-03 SM125 S Supermotard	XS4062	4062 ⁸²⁴⁸	.024	1943-42 XA Military 841 Shaft Drive	XST254 ⁸²⁵¹	303	.025
2011-04 WR125	XS4062	4062 ⁸²⁴⁸	.024				
2004-03 WRE125	XS4062	4062 ⁸²⁴⁸	.024				
1988 WRK125	----	AR3932	.024				
1985 125CR, WR, XC	XS4064	4054 ⁸²⁴⁸	.024				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
INDIAN (Cont'd)				INDIAN (Cont'd)			
681cc				JX50, M5A, MM5A, MT5A	XS4093	4093 ⁸²⁴⁸	.025
1915 Twin	----	3076	.025	MX50R	XS4063	4063 ⁸²⁴⁸	.024
633cc				XC50R	XS4093	4093 ⁸²⁴⁸	.025
1911-09 Twin	----	3076	.025	S-S, 54	AP425 ⁸²⁴⁹	425	.020
1908 Twin F-Head	----	3076	.025	ILLUSION			
606cc				2033cc			
1931-28 Scout 101	----	386	.025	w/S&S 124cid Eng.	XS4163	4163 ⁸²⁴⁸	.040
1927-22 Scout	----	386	.025	1852cc			
1921-20 Scout	----	3076	.025	w/S&S 113cid Eng.	XP64 ⁸²⁵⁰	64	.040
577cc				IRONHEART MOTOR CO.			
1907 Twin F-Head	----	3076	.025	1340cc			
541cc					XS65	4265 ⁸²⁴⁸	.040
1924-22 Power Plus Single	----	386	.025	ITALJET			
1921-16 Power Plus Single	----	3076	.025	350cc			
500cc				1984-81 350T Trials			
1953-52 Patrol	XST254 ⁸²⁵¹	303	.025		XS65	4265 ⁸²⁴⁸	.025
1941-34 Scout Junior	XST254 ⁸²⁵¹	303	.025	90cc			
1933 Scout Junior	----	386	.025	All Models			
1942-41 Scout Junior Military	XST254 ⁸²⁵¹	303	.025		XS4092	4092 ⁸²⁴⁸	.020
1932 Scout Pony	----	386	.025	75cc			
1970-69 Velo 500	XS4064	4054 ⁸²⁴⁸	.020	1982-81 100T Trials			
499cc					XS4063	4063 ⁸²⁴⁸	.025
1915-10 Single	----	3076	.025		XS4063	4063 ⁸²⁴⁸	.025
494cc					XS4092	4092 ⁸²⁴⁸	.025
1909 Single	----	3076	.025		XS4063	4063 ⁸²⁴⁸	.025
1908 Single Racer	----	3076	.025		XS4092	4092 ⁸²⁴⁸	.025
442cc					XS4063	4063 ⁸²⁴⁸	.025
1909 Single	----	3076	.025	50cc			
1908 Single F-Head	----	3076	.025	Grand Prix			
426cc					----	4051 ⁸²⁴⁸	.024
1950-49 Scout	XST254 ⁸²⁵¹	303	.025		----	4056 ⁸²⁴⁸	.024
344cc					----	4056 ⁸²⁴⁸	.024
1928-25 Prince Single	----	386	.025		XS4092	4092 ⁸²⁴⁸	.025
316cc					XS4092	4092 ⁸²⁴⁸	.025
1911-09 Single	----	3076	.025		XS4092	4092 ⁸²⁴⁸	.025
1908 Single F-Head	----	3076	.025		XS4063	4063 ⁸²⁴⁸	.025
288cc					XS4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
1907-06 Single F-Head	----	3076	.025		XS4092	4092 ⁸²⁴⁸	.025
257cc					XS4092	4092 ⁸²⁴⁸	.025
1919-17 Twin Model O Light	----	3076	.025	JACK & HEINTZ			
246cc				1955-49 All Models			
1953-51 Brave	----	405	.025		XST458 ⁸²⁵¹	295	.033
224cc				JAMES			
1905-01 Single F-Head	----	3076	.025	500cc			
213cc				350 OHV			
1950-49 Arrow	XST254 ⁸²⁵¹	303	.025		----	373	.020
200cc				195cc			
MI200, MS200, MT200	XS4064	4054 ⁸²⁴⁸	.020	125 (2-Stroke)			
175cc					----	373	.020
ME175, MI175, MS175, MT175, X175	XS4063	4063 ⁸²⁴⁸	.024	All Other Models			
125cc					----	386	.020
MCL125, ME125, MI125	XS4064	4054 ⁸²⁴⁸	.025	JAWA			
MS125, MT125, SS125	----	4051 ⁸²⁴⁸	.025	500cc			
100cc				1981 Speedway 500DT			
Bobcat Competition Scrambler	XS4064	4054 ⁸²⁴⁸	.025		XS4062	4062 ⁸²⁴⁸	.020
ME100, ML100, MS100, MT100	----	353	.025	400cc			
80cc				400 Street			
CX80/R, MX80	XS4064	4054 ⁸²⁴⁸	.025		XS4092	4092 ⁸²⁴⁸	.020
75cc				350cc			
CX75, MX74, MX76	XS4092	4092 ⁸²⁴⁸	.025	1974-73 350 Calif. III & IV			
70cc					XS4092	4092 ⁸²⁴⁸	.025
CX, ME74, MX74, MX76	XS4092	4092 ⁸²⁴⁸	.025	1976-75 Super Sport			
M376, SE74, SR74	XS4092	4092 ⁸²⁴⁸	.025		XS4092	4092 ⁸²⁴⁸	.025
Super Enduro SE74	XS4092	4092 ⁸²⁴⁸	.020	344cc			
50cc				1980-77 350TS Street			
CX50/R	XS4092	4092 ⁸²⁴⁸	.025		XS4093	4093 ⁸²⁴⁸	.028
JC5A, JC5A2, JC54, JC54S, JTSA	XS4093	4093 ⁸²⁴⁸	.025	250cc			
				1973 250 ISDT, 250 Calif. III			
					XS4092	4092 ⁸²⁴⁸	.020
				175cc			
				175 Street			
					XS4093	4093 ⁸²⁴⁸	.020
				125cc			
				125 Street			
					XS4093	4093 ⁸²⁴⁸	.020
				90cc			
				1973 Cross/Roadster, Trail			
					XS4093	4093 ⁸²⁴⁸	.020
				Robot & Cezeta			
					XS4093	4093 ⁸²⁴⁸	.020



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JOHNSON MOTOR WHEEL				KAWASAKI (Cont'd)			
1923-17 All Models w/14mm Threads	XST254 ⁸²⁵¹	303	.025	900cc 2011-06 Vulcan 900, Classic, Custom, LT, VN900B, F	XS4303	4303	.032
1923-17 All Models w/18mm Threads	----	386	.025	1976 KZ900	XS62	4252 ⁸²⁴⁸	.032
1923-17 All Models w/7/8"-18 Threads	----	3076	.025	2003-94 Ninja ZX-9R	XS4303	4303	.032
				1975-71 Z1	XS4064	4054 ⁸²⁴⁸	.032
				1986-85 ZL900A1/L	XS4163	4163 ⁸²⁴⁸	.028
				1999-94 ZX900, B	XS4303	4303	.032
				1988-84 ZX900A1	XS4164	4164 ⁸²⁴⁸	.028
				1999-98 ZX-9C1	XS4302	4302	.032
				1977-73 All Other Models	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
KAWASAKI				800cc 2005-95 Vulcan 800, Classic, VN800A, B	XS4303	4303	.032
2053cc 2011-04 Vulcan 2000, Classic, LT, VN2000A	XS5224	5224	.040	2006-00 Vulcan 800 Drifter, VN800E	XS4303	4303	.032
1600cc 2008-03 Vulcan 1600 Classic, VN1600A	XS4164	4164 ⁸²⁴⁸	.035	750cc 1975-72 H2 Vulcan	XS4093	4093 ⁸²⁴⁸	.040
2008-04 Vulcan 1600 Mean Streak VN1600B	XS4164	4164 ⁸²⁴⁸	.035	1983 KZ750 4-cyl.	XS4064	4054 ⁸²⁴⁸	.032
2008-06 Vulcan 1600 Nomad VN1600D8	XS4164	4164 ⁸²⁴⁸	.035	1983 KZ750 Twin	XS63	4263 ⁸²⁴⁸	.032
1500cc 2005-02 Vulcan 1500 Drifter, VN1500R	XS4164	4164 ⁸²⁴⁸	.032	1979-76 KZ750B Twin	XS4064	4054 ⁸²⁴⁸	.032
2005-98 Vulcan 1500 Nomad, VN1500G, L	XS4164	4164 ⁸²⁴⁸	.032	1982-80 KZ750E 4-cyl.	XS4064	4054 ⁸²⁴⁸	.032
2003-02 Vulcan 1500 Mean Streak, VN1500P	XS4164	4164 ⁸²⁴⁸	.032	1982-80 KZ750G, M, S Twin	----	4056 ⁸²⁴⁸	.032
2008-87 Vulcan 1500 Classic, VN1500A, C, D, E, N	XS4164	4164 ⁸²⁴⁸	.032	1982-80 KZ750H 4-cyl.	XS4064	4054 ⁸²⁴⁸	.032
1352cc 2011-08 Concours 14 ZG1400A	XS4302	4302	.036	2006-86 Vulcan 750, VN750A11, A12	XS4164	4164 ⁸²⁴⁸	.035
2009 Ninja ZX-14 Monster Energy	XS4302	4302	.036	2006-05 ZR750K1, Z750S	XS4302	4302	.028
2011-06 Ninja ZX-14, ZX1400A6F	XS4302	4302	.036	2003-02 ZR750H	----	4132 ⁸²⁴⁸	.028
1300cc 1988-84 ZN1300	XS65	4265 ⁸²⁴⁸	.032	1992-91 ZR750	XS4163	4163 ⁸²⁴⁸	.030
1983-79 All KZ1300	XS63	4263 ⁸²⁴⁸	.032	1990-88 ZX750	XS4164	4164 ⁸²⁴⁸	.028
1200cc 2003-86 Voyager XII, ZG1200B	XS4163	4163 ⁸²⁴⁸	.035	1984-83 ZX750A2, A3	XS4064	4054 ⁸²⁴⁸	.032
2005 ZRX1200	XS4302	4302	.032	1984-83 ZX750E1, E2 Turbo	XS4064	4054 ⁸²⁴⁸	.028
2005-01 ZRX1200R	XS4302	4302	.032	1990-87 Ninja 750R, ZX750F	XS4302	4302	.028
2005-02 ZZR1200	XS4302	4302	.032	1985 ZX750G	XS4164	4164 ⁸²⁴⁸	.028
2005-00 Ninja ZX-12R	XS4302	4302	.032	1990-89 ZX750H, J, L ZX-7	----	4132 ⁸²⁴⁸	.028
1100cc 1996-95 GPZ1100	XS4302	4302	.032	1994-91 ZX750K, M ZX-7R	XS4302	4302	.028
1988 KZ1100	XS4064	4054 ⁸²⁴⁸	.032	2003-96 Ninja ZX-7R, ZX750P	XS4302	4302	.028
1983-81 KZ1100, LTD	XS4064	4054 ⁸²⁴⁸	.032	738cc 2003-00 ZR-7, ZR-7S	XS4162	4162 ⁸²⁴⁸	.028
2001-90 Ninja ZX-11	XS4303	4303	.030	700cc 1984 KZ700A1	XS4064	4054 ⁸²⁴⁸	.032
1983 XT1100	XS4064	4054 ⁸²⁴⁸	.032	1985 VN700A1	XS4164	4164 ⁸²⁴⁸	.032
1985-83 ZN1100B	XS4064	4054 ⁸²⁴⁸	.032	1985-84 ZN700A1, A2	XS4064	4054 ⁸²⁴⁸	.032
1985-83 ZX1100	XS4064	4054 ⁸²⁴⁸	.032	1984 ZX700	XS4063	4063 ⁸²⁴⁸	.032
1999-90 ZX1100, D	XS4303	4303	.028	650cc 2011-09 ER650 ER-6n	XS4302	4302	.036
2000-99 ZRX1100	XS4303	4303	.028	2011-06 EX650A Ninja 650R	XS4302	4302	.036
1043cc 2011 ZX1000GBF Ninja 1000	XS4302	4302	.028	2011-87 KL650, A, KLR650	XS4163	4163 ⁸²⁴⁸	.035
2011-10 Z1000	XS4302	4302	.028	1998 KLX650D1	XS4163	4163 ⁸²⁴⁸	.032
1000cc 2006-87 Concours, ZG1000A	----	4132 ⁸²⁴⁸	.028	1996-94 KLX650A, C, D	XS4163	4163 ⁸²⁴⁸	.032
2005-01 KZ1000P Police 1000	XS4063	4063 ⁸²⁴⁸	.032	1983-77 All KZ650 Models	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
1997-87 KZ1000	XS4064	4054 ⁸²⁴⁸	.032	2002-00 W650	XS4303	4303	.032
1986-77 KZ1000, Z1R, Classic	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	2011-08 Versys KLE650A	XS4302	4302	.036
2011-04 Ninja ZX-10R	XS4302	4302	.032	636cc 2006-03 Ninja ZX-6R, ZX636	XS4302	4302	.032
2008-03 Z1000	XS4302	4302	.030	600cc 1984 KL600A	XS4164	4164 ⁸²⁴⁸	.028
1986 ZG1000	XS4064	4054 ⁸²⁴⁸	.032	1986-85 KL600B	XS4164	4164 ⁸²⁴⁸	.035
1987 ZL1000	XS4164	4164 ⁸²⁴⁸	.028	1987-86 ZL600A	XS4163	4163 ⁸²⁴⁸	.028
1990-88 ZX1000	XS4302	4302	.032	1997-95 Eliminator, ZL600B	XS4163	4163 ⁸²⁴⁸	.028
1987-86 ZX1000	XS4164	4164 ⁸²⁴⁸	.028	1987-85 Ninja 600R, ZX600A	XS4163	4163 ⁸²⁴⁸	.028
1987-83 All Other Models	XS4064	4054 ⁸²⁴⁸	.028	1987 Ninja 600RX, ZX600B	XS4163	4163 ⁸²⁴⁸	.028
				1997-88 Ninja 600R, ZX600C	XS4163	4163 ⁸²⁴⁸	.028
				1993-90 Ninja ZX-6, ZX600D	XS4302	4302	.030
				2008-03 ZZR600, ZX600E	XS4302	4302	.032
				2002-96 Ninja ZX-6, ZX600E	XS4302	4302	.032
				1995-93 ZX-6R, ZX600E	XS4302	4302	.032
				1997-96 ZX-6R, ZX600F	XS4302	4302	.036



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KAWASAKI (Cont'd)				KAWASAKI (Cont'd)			
1999-98 Ninja ZX-6R, ZX600G	XS4302	4302	.036	1983 KL250C	XS4063	4063 ⁸²⁴⁸	.032
2002-00 Ninja ZX-6R, ZX600J	XS4302	4302	.036	2003-88 KL250D, G Super Sherpa	XS4163	4163 ⁸²⁴⁸	.035
2009 Ninja ZX-6R Monster Energy	XS4302	4302	.036	1988-87 KL250D	XS4062	4062 ⁸²⁴⁸	.032
2011-07 Ninja ZX-6R, Z600P	XS4302	4302	.036	1986-85 KL250D	XS4162	4162 ⁸²⁴⁸	.035
2003 Ninja ZX-6RR, ZX600K	XS4302	4302	.036	2005-95 KLR250	XS4163	4163 ⁸²⁴⁸	.035
2006-04 Ninja ZX-6RR, ZX600M	XS4302	4302	.036	1980-79 KLX250 Enduro	XS4064	4054 ⁸²⁴⁸	.032
550cc				1996-94 KLX250D2, D3, D4	XS4302	4302	.032
1992-91 ZR550B2	XS4163	4163 ⁸²⁴⁸	.030	1996 KLX250R	XS4063	4063 ⁸²⁴⁸	.032
1985-84 ZX550	XS4162	4162 ⁸²⁴⁸	.035	2011-06 KLX250S	XS4303	4303	.028
1984-80 All KZ550 Models	XS4164	4164 ⁸²⁴⁸	.028	2011-09 KLX250SF	XS4303	4303	.028
500cc				1976-75 KT250	XS4093	4093 ⁸²⁴⁸	.028
2003-88 EX500A, D	XS4162	4162 ⁸²⁴⁸	.028	1991-86 KX250	XS4062	4062 ⁸²⁴⁸	.024
1975-73 H1 w/CDI	----	2634	.040	1985-83 KX250	----	AR3934	.024
1972-69 H1 w/CDI	----	2852	---	1982-74 KX250	XS4063	4063 ⁸²⁴⁸	.032
1972 H1 wo/CDI	----	2634	.028	2002-92 KX250L	XS4063	4063 ⁸²⁴⁸	.024
1971-70 H1R	----	4051 ⁸²⁴⁸	.020	2004-03 KX250M	XS4063	4063 ⁸²⁴⁸	.024
1976 KH500	XS4092	4092 ⁸²⁴⁸	.028	2009 KX250F Monster Energy	XS4302	4302	.024
1984-83 KX500, A2, E	XS4063	4063 ⁸²⁴⁸	.024	2011-04 KX250F	XS4302	4302	.024
2004-85 KX500E	XS4063	4063 ⁸²⁴⁸	.024	2007-06 KX250T 4-Stroke	XS4303	4303	.024
2009-94 Ninja 500R, EX500D	XS4162	4162 ⁸²⁴⁸	.028	1983-80 KZ250, G, L, M	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
2009 Vulcan 500 LTD	XS4163	4163 ⁸²⁴⁸	.028	1983 KZ250C, V, W, R	XS4063	4063 ⁸²⁴⁸	.032
2008-90 Vulcan 500 LTD, EN500A, C	XS4164	4164 ⁸²⁴⁸	.028	2011-90 Ninja 250R, EX250F	----	4194	.028
450cc				1982 SL250	XS4064	4054 ⁸²⁴⁸	.028
1990-85 EN450	XS4164	4164 ⁸²⁴⁸	.028	1981-78 SL250	XS4064	4054 ⁸²⁴⁸	.028
1983-82 KDZ450	XS4064	4054 ⁸²⁴⁸	.028	1983 SL250C	XS4063	4063 ⁸²⁴⁸	.028
2009 KX450F Monster Energy	XS4303	4303	.028	1985 SL250D	XS4162	4162 ⁸²⁴⁸	.035
1974 KX450	----	2634	.040	1983-82 SLT250	XS4063	4063 ⁸²⁴⁸	.028
440cc				2009 Super Sherpa 4-Stroke	XS4303	4303	.024
1983-80 KZ440	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	2003-00 Super Sherpa	XS4163	4163 ⁸²⁴⁸	.035
420cc				238cc			
1983-81 KDX420	XS4064	4054 ⁸²⁴⁸	.024	1970-69 F4	XS4092	4092 ⁸²⁴⁸	.028
1982-80 KX420	XS4063	4063 ⁸²⁴⁸	.024	1970-68 F21M	XS4092	4092 ⁸²⁴⁸	.028
400cc				220cc			
1987 EN400	XS4163	4163 ⁸²⁴⁸	.028	2005-97 KDX220R, A	XS4063	4063 ⁸²⁴⁸	.028
1978-77 KH400	XS4093	4093 ⁸²⁴⁸	.028	200cc			
1976 KH400	XS4092	4092 ⁸²⁴⁸	.028	2006-83 KDX200	XS4063	4063 ⁸²⁴⁸	.028
1980-79 KDX400	XS4064	4054 ⁸²⁴⁸	.032	1984-81 KLT200	XS4064	4054 ⁸²⁴⁸	.032
2003 KLX400R, SR	XS4303	4303	.028	1979 KX200	XS4063	4063 ⁸²⁴⁸	.032
1976-75 KX400	XS4063	4063 ⁸²⁴⁸	.024	1978 KX200	XS4064	4054 ⁸²⁴⁸	.032
1979-78 KZ400	XS4064	4054 ⁸²⁴⁸	.032	1979-78 KZ200	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
1977-74 KZ400	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	175cc			
1975-74 S3	XS4092	4092 ⁸²⁴⁸	.028	1976-66 F1, F2, F2TR	XS4093	4093 ⁸²⁴⁸	.028
350cc				1970-68 F3	XS4092	4092 ⁸²⁴⁸	.028
1971-67 A7, A7SS	XS4092	4092 ⁸²⁴⁸	.028	1975-71 F7	----	2634	.028
1975-70 F5, F9	----	2634	.040	1979-76 KD175	XS4092	4092 ⁸²⁴⁸	.028
1973-72 S2	XS4092	4092 ⁸²⁴⁸	.028	1982-80 KDX175 Enduro	XS4064	4054 ⁸²⁴⁸	.028
305cc				1983-80 KE175	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.028
1987 EX305	XS4163	4163 ⁸²⁴⁸	.035	1978-76 KE175	XS4093	4093 ⁸²⁴⁸	.028
1983 KEX305	XS4163	4163 ⁸²⁴⁸	.035	1975-73 S1	XS4092	4092 ⁸²⁴⁸	.028
1988-81 KZ305	XS4163	4163 ⁸²⁴⁸	.028	1978-76 SE175	XS4092	4092 ⁸²⁴⁸	.028
300cc				140cc			
2008-97 KLX300R, A	XS4303	4303	.032	2011 KLX140, L 4-Stroke	----	4194	.028
250cc				2009 KLX140L Monster Energy 4-Stroke	----	4194	.028
1971-69 A1, A1SS w/CDI	----	2852	---	2009-08 KLX140L 4-Stroke	----	4194	.028
1968-67 A1, A1SS wo/CDI	----	4092 ⁸²⁴⁸	.028	125cc			
1994-88 EL250	----	4194	.028	2009-04 BN125A Eliminator 125	XS4303	4303	.028
2003-86 EX250F	----	4194	.028	2002-01 BN125A Eliminator 125	XS4303	4303	.028
1975-73 F11, S1	XS4092	4092 ⁸²⁴⁸	.028	1973-71 F6	XS4092	4092 ⁸²⁴⁸	.024
1973 F11M	XS4063	4063 ⁸²⁴⁸	.024	1979-76 KD125	XS4092	4092 ⁸²⁴⁸	.028
1972-71 F8, F81M	XS4092	4092 ⁸²⁴⁸	.028	1983-82 KE125	XS4063	4063 ⁸²⁴⁸	.032
1983-80 KDX250 Enduro	XS4064	4054 ⁸²⁴⁸	.028	1981-80 KE125	XS4064	4054 ⁸²⁴⁸	.028
1994-84 KDX250B4	XS4063	4063 ⁸²⁴⁸	.032	1979-76 KE125	XS4092	4092 ⁸²⁴⁸	.028
1979-77 KE250	XS4064	4054 ⁸²⁴⁸	.032	2006-03 KLX125, KLX125L	XS4163	4163 ⁸²⁴⁸	.028
1976 KH250	XS4092	4092 ⁸²⁴⁸	.028	2004-03 KLX125M1	XS4062	4062 ⁸²⁴⁸	.024
1982-78 KL250	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	1975-74 KS125	XS4092	4092 ⁸²⁴⁸	.028
1983-78 KL250A, B	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	1993-83 KX125	----	4051 ⁸²⁴⁸	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KAWASAKI (Cont'd)				KTM (Cont'd)			
1982-74 KX125	XS4063	4063 ⁸²⁴⁸	.024	654cc			
1984 KX125C1	XS4063	4063 ⁸²⁴⁸	.024	2005-01 660 Rally E/MX	XS4163	4163 ⁸²⁴⁸	.035
2002-94 KX125L	XS4062	4062 ⁸²⁴⁸	.024	625cc			
1975-74 SK125	XS4092	4092 ⁸²⁴⁸	.028	2008-99 640 Adventure Rally (Liquid Cooled)	XS4163	4163 ⁸²⁴⁸	.024
110cc				2005-99 640 LC4 Duke II (Liquid Cooled)	XS4163	4163 ⁸²⁴⁸	.024
2011-09 KLX110 Monster Energy	----	4194	.024	2005-00 640 LC4 Supermoto	XS4163	4163 ⁸²⁴⁸	.024
2011-02 KLX110, L	----	4194	.024	2001 640 LC4 Dual	XS4163	4163 ⁸²⁴⁸	.024
100cc				2006 625SMC	XS4162	4162 ⁸²⁴⁸	.024
1975 G2SS	XS4093	4093 ⁸²⁴⁸	.028	2005-03 625 SXC	XS4163	4163 ⁸²⁴⁸	.024
1971-70 G31M	----	2634	.020	2005-04 625 SXM	XS4163	4163 ⁸²⁴⁸	.024
1975 G3SS	XS4092	4092 ⁸²⁴⁸	.028	608cc			
1971 G3TR	XS4093	4093 ⁸²⁴⁸	.028	1997-95 Duke 620e	XS4163	4163 ⁸²⁴⁸	.024
1975-70 G4TR	XS4093	4093 ⁸²⁴⁸	.028	1998-94 620EGS, EGS-E, LSE, SC Rally Adventure	XS4163	4163 ⁸²⁴⁸	.024
1975-72 G5	XS4092	4092 ⁸²⁴⁸	.028	1998-94 620LC4 E/XC, R/XC, SX	XS4163	4163 ⁸²⁴⁸	.024
1979-76 KD100	XS4093	4093 ⁸²⁴⁸	.028	565cc			
1977-75 KE100	XS4093	4093 ⁸²⁴⁸	.028	2008 560 SMR	XS4162	4162 ⁸²⁴⁸	.024
2001-78 KE100B	XS4064	4054 ⁸²⁴⁸	.028	552cc			
1977-76 KH100	XS4093	4093 ⁸²⁴⁸	.028	1990-86 600MX, Enduro	XS4162	4162 ⁸²⁴⁸	.024
1981-76 KM100	XS4093	4093 ⁸²⁴⁸	.028	1990-86 Country 600	XS4162	4162 ⁸²⁴⁸	.024
1976 KV100	XS4093	4093 ⁸²⁴⁸	.028	1992 600LC4	XS4162	4162 ⁸²⁴⁸	.035
2011 KX100D	XS4062	4062 ⁸²⁴⁸	.024	1993 600LC4 E/XC	XS4162	4162 ⁸²⁴⁸	.035
90cc				548cc			
1974-69 B3SS, G3TR	XS4093	4093 ⁸²⁴⁸	.028	1996-93 550M/XC	XS4062	4062 ⁸²⁴⁸	.024
1975-73 MC1, MC1M	AP425 ⁸²⁴⁹	425	.028	525cc			
85cc				2007-03 525E/XC	XS4162	4162 ⁸²⁴⁸	.024
2011 KX85A	XS4062	4062 ⁸²⁴⁸	.024	2007-03 525M/XC	XS4162	4162 ⁸²⁴⁸	.024
80cc				2004-03 525SMC	XS4162	4162 ⁸²⁴⁸	.024
1983 AR80	XS62	4252 ⁸²⁴⁸	.032	2006-05 525SMR	XS4162	4162 ⁸²⁴⁸	.024
1989-88 KD80	XS62	4252 ⁸²⁴⁸	.032	2006-03 525SX	XS4162	4162 ⁸²⁴⁸	.024
1987-75 KD80, M5	XS4093	4093 ⁸²⁴⁸	.028	520cc			
1989-85 KDX80	XS4064	4054 ⁸²⁴⁸	.032	2005-00 520 E/XC, RFS SX	XS4303	4303	.024
1983-80 KDX80	XS4064	4054 ⁸²⁴⁸	.032	2005-01 520 M/XC RFS	XS4303	4303	.024
1984 KDX80, C1	XS4063	4063 ⁸²⁴⁸	.032	497cc			
1991-83 KX80	XS4062	4062 ⁸²⁴⁸	.024	1992 500DXE, SX	XS4062	4062 ⁸²⁴⁸	.024
1982-80 KX80	XS4063	4063 ⁸²⁴⁸	.032	1989-83 GS500, MC500 4-Stroke	XS4162	4162 ⁸²⁴⁸	.024
1979 KX80	XS4093	4093 ⁸²⁴⁸	.028	1990-83 GS500, MC500 2-Stroke	XS4062	4062 ⁸²⁴⁸	.024
2000-92 KX80R, W	----	4051 ⁸²⁴⁸	.030	1987-84 MX, M/XC	XS4063	4063 ⁸²⁴⁸	.024
65cc				1982-81 Motocross	XS4063	4063 ⁸²⁴⁸	.024
2011 KX65A	----	4051 ⁸²⁴⁸	.028	477cc			
2009-00 KX65A	----	4051 ⁸²⁴⁸	.028	2009-07 505 SX-F, XC-F	XS4302	4302	.024
2009 KX65 Monster Energy	----	4051 ⁸²⁴⁸	.028	450cc			
60cc				2011-03 450E/XC	XS4162	4162 ⁸²⁴⁸	.024
2004-85 KX60B	XS4062	4062 ⁸²⁴⁸	.032	2010-03 450M/XC, XC-W	XS4162	4162 ⁸²⁴⁸	.024
1984-83 KX60	XS4063	4063 ⁸²⁴⁸	.028	2009-08 450XC-F	XS4303	4303	.024
50cc				2008-03 450SMR	XS4162	4162 ⁸²⁴⁸	.024
1982 AR50	XS4063	4063 ⁸²⁴⁸	.028	2006-03 450SX	XS4162	4162 ⁸²⁴⁸	.024
2006-03 KDX50	----	4123 ⁸²⁴⁸	.028	2011-07 450SX-F	XS4302	4302	.024
1970 KT30, Kmb1	XST458 ⁸²⁵¹	295	.024	435cc			
KOHLER				1995-94 440 E/XC, M/XC	XS4062	4062 ⁸²⁴⁸	.024
350cc				420cc			
K350-1TC w/CD Ign.	----	4051 ⁸²⁴⁸	.020	1984 M/XC	----	AR3934	.024
K350-1TC w/Magneto	XS4063	4063 ⁸²⁴⁸	.020	1980 MC80, GS80	XS4063	4063 ⁸²⁴⁸	.024
KTM				400cc			
999cc				2007-03 400 E/XC RFS, SX RFS, SXC	XS4163	4163 ⁸²⁴⁸	.024
2011-08 990 Adventure, R, S	XS4162	4162 ⁸²⁴⁸	.024	2002-00 400 E/XC	XS4303	4303	.024
KTM				1998-94 400 E/XC RFS, SX RFS, SXC	XS4163	4163 ⁸²⁴⁸	.024
999cc				1977 400 GPCC	XS4092	4092 ⁸²⁴⁸	.024
2011-07 990 Super Duke, R	XS4162	4162 ⁸²⁴⁸	.024	1977 400 ISDT Enduro	XS4092	4092 ⁸²⁴⁸	.024
942cc				2005-00 400 LC4 SXC	XS4303	4303	.024
2007-03 950 Adventure, S	XS4303	4303	.024	1999-93 400 LC4 E/XC	XS4163	4163 ⁸²⁴⁸	.024
2009-07 950 Super Enduro R	XS4303	4303	.024	1999-94 400LC4 R/XC, SX	XS4163	4163 ⁸²⁴⁸	.024
2009-07 950 Supermoto	XS4303	4303	.024	2005-01 400 M/XC RFS	XS4303	4303	.024
2004-03 LC8	XS4303	4303	.024	1982 400WR	XS4063	4063 ⁸²⁴⁸	.024



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KTM (Cont'd)				KTM (Cont'd)			
1979 400 MC-80	XS4092	4092 ⁸²⁴⁸	.024	80cc			
1979 400 GS-80	XS4092	4092 ⁸²⁴⁸	.024	1990-86 80MX	XS4092	4092 ⁸²⁴⁸	.024
1977 400 MX	XS4092	4092 ⁸²⁴⁸	.024	65cc			
2002-00 400 SX	XS4303	4303	.024	2011-98 65SX	----	4051 ⁸²⁴⁸	.024
1998 400 SX	XS4163	4163 ⁸²⁴⁸	.024	2009-08 65XC	----	4051 ⁸²⁴⁸	.024
2010-07 400 XC-W	XS4162	4162 ⁸²⁴⁸	.032	50cc			
390cc				2011-95 50 SXR Mini, Jr., Sr.			
1981-80 390WR, GS	XS4092	4092 ⁸²⁴⁸	.024	Adventure, SX3	XS4093	4093 ⁸²⁴⁸	.025
380cc				2010-97 50 SXR Pro Junior, Pro			
2005-98 380E/XC, M/XC, SX	XS4062	4062 ⁸²⁴⁸	.024	Senior LC	XS4093	4093 ⁸²⁴⁸	.025
360cc				<hr/>			
1997-96 360E/XC, M/XC, SX	XS4062	4062 ⁸²⁴⁸	.024	KYMCO			
350cc				250cc			
1990-85 350 Enduro, EXC	XS4062	4062 ⁸²⁴⁸	.024	2010-04 Venox 250	XS4303	4303	.028
1990-85 350 M/XC	XS4062	4062 ⁸²⁴⁸	.024	<hr/>			
300cc				LAUSON			
1992-90 300DXC, TXC	XS4062	4062 ⁸²⁴⁸	.024	All Models w/14mm Threads	XST254 ⁸²⁵¹	303	.025
2011-90 300E/XC, XC-W	XS4062	4062 ⁸²⁴⁸	.024	<hr/>			
2010-93 300M/XC	XS4062	4062 ⁸²⁴⁸	.024	LAVERDA			
1991-90 300MX	XS4062	4062 ⁸²⁴⁸	.024	1200cc			
1992 300SX	XS4062	4062 ⁸²⁴⁸	.024	1984-83 TS Mirage	XS4064	4054 ⁸²⁴⁸	.028
273cc				1982 Mirage	XS4063	4063 ⁸²⁴⁸	.028
1986-85 273M/XC	XS4062	4062 ⁸²⁴⁸	.024	1200, 1200 Jota	XS4063	4063 ⁸²⁴⁸	.028
250cc				1000cc			
1977 250 ISDT Enduro	XS4092	4092 ⁸²⁴⁸	.024	1984 Corsa	XS4063	4063 ⁸²⁴⁸	.028
1982-81 250CR, WR	XS4063	4063 ⁸²⁴⁸	.024	1984-83 Jota	XS4064	4054 ⁸²⁴⁸	.028
2006-91 250E/XC	XS4062	4062 ⁸²⁴⁸	.024	1982 Jota	XS4063	4063 ⁸²⁴⁸	.028
2005-03 250E/XC Racing	XS4162	4162 ⁸²⁴⁸	.024	1000, 1000 Jarama	XS4063	4063 ⁸²⁴⁸	.028
1990-87 250E/XC	XS4062	4062 ⁸²⁴⁸	.024	750cc			
2011-07 250E/XC-F, XCF-F, XCF-W ..	XS4303	4303	.024	750, GT, GTL, SF, SFC	XS4063	4063 ⁸²⁴⁸	.028
1992-91 250E/XE, DXE	XS4062	4062 ⁸²⁴⁸	.024	750S, Carenata, Diamante, Formula	XS4162	4162 ⁸²⁴⁸	.028
1977 250GP CC, GP MX	XS4092	4092 ⁸²⁴⁸	.024	750S, Carenata, Diamante, Formula			
2001-98 250M/XC	XS4062	4062 ⁸²⁴⁸	.024	(Racing)	----	4132 ⁸²⁴⁸	.028
1980 250MC-80	XS4092	4092 ⁸²⁴⁸	.024	750S Strike, Ghost Strike	XS4162	4162 ⁸²⁴⁸	.028
1977 250MC-80	XS4092	4092 ⁸²⁴⁸	.024	750S Strike, Ghost Strike (Racing) ..	----	4132 ⁸²⁴⁸	.028
1986-84 250MX, M/XC	XS4062	4062 ⁸²⁴⁸	.024	668cc			
2011-92 250SX	XS4062	4062 ⁸²⁴⁸	.024	Diamante, Ghost, Ghost Legend	XS4162	4162 ⁸²⁴⁸	.028
2011-06 250SX-F	XS4303	4303	.024	Ghost Strike, Ghost, 668	XS4162	4162 ⁸²⁴⁸	.028
2007 250 XC-SW	XS4303	4303	.024	650cc			
245cc				Formula, 650 Sport	XS4162	4162 ⁸²⁴⁸	.028
1979 250 GS-80	XS4092	4092 ⁸²⁴⁸	.024	Formula, 650 Sport (For Racing)	----	4132 ⁸²⁴⁸	.028
1979 250 MC-80	XS4092	4092 ⁸²⁴⁸	.024	500cc			
200cc				500 Zeta, Montjuich	XS4163	4163 ⁸²⁴⁸	.024
2011-98 200E/XC, M/XC, XC-W	XS4063	4063 ⁸²⁴⁸	.024	<hr/>			
2005-03 200SX	XS4062	4062 ⁸²⁴⁸	.024	LIFAN			
175cc				250cc			
1980-77 175GP CC	XS4092	4092 ⁸²⁴⁸	.024	LF250 Cruiser	----	4194	.030
1977 175GP MX	XS4092	4092 ⁸²⁴⁸	.024	200cc			
1979 175GS-80	XS4092	4092 ⁸²⁴⁸	.024	LF200GY-2	XS4163	4163 ⁸²⁴⁸	.030
1980 175MC-80	XS4092	4092 ⁸²⁴⁸	.024	LF200GY-5	XS4163	4163 ⁸²⁴⁸	.030
1979 175MC-80	XS4092	4092 ⁸²⁴⁸	.024	150cc			
1977 175 ISDT Enduro	XS4092	4092 ⁸²⁴⁸	.024	LF150	----	4194	.030
125cc				LF150-13	----	4194	.030
1977 125 ISDT Enduro	XS4092	4092 ⁸²⁴⁸	.024	LF150-14 (II)	----	4194	.030
2001-93 125E/XC	----	4051 ⁸²⁴⁸	.024	LF150-3C	----	4194	.030
1977 125GP CC	XS4092	4092 ⁸²⁴⁸	.024	LF150-A (I)	----	4194	.030
1977 125GP MX	XS4092	4092 ⁸²⁴⁸	.024	LF150GY	XS4163	4163 ⁸²⁴⁸	.030
1979 125GS-80	XS4092	4092 ⁸²⁴⁸	.024	LF150GY-3A	XS4163	4163 ⁸²⁴⁸	.030
1979 125MC-80	XS4092	4092 ⁸²⁴⁸	.024	LF150GY-3A (I)	----	4194	.030
1986-84 125MX, M/XC	----	4051 ⁸²⁴⁸	.024	125cc			
2011-91 125SX	----	4051 ⁸²⁴⁸	.024	LF125	----	4194	.030
1998 LC2 125, Sting 125	----	4051 ⁸²⁴⁸	.024	LF125-3	----	4194	.030
1982-81 RV125CR	XS4063	4063 ⁸²⁴⁸	.024	LF125-3A	----	4194	.030
1982-81 RV125LC	XS4063	4063 ⁸²⁴⁸	.024	LF125-4	----	4194	.030
1982-81 RV125WR	XS4063	4063 ⁸²⁴⁸	.024	LF125-6	----	4194	.030
104cc							
2011-07 105SX	XS4062	4062 ⁸²⁴⁸	.024				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LIFAN (Cont'd)				MAICO (Cont'd)			
LF125-9	----	4194	.030	1997-92 MC500, GS	XS4063	4063 ⁸²⁴⁸	.020
LF125-15	----	4194	.030	1998 RC500, RE500	XS4062	4062 ⁸²⁴⁸	.028
LF125-19	----	4194	.030	490cc			
LF125-21A	----	4194	.030	1983 Spider, E	XS4063	4063 ⁸²⁴⁸	.025
LF125-36	----	4194	.030	450cc			
LF125-A	----	4194	.030	1979 450 Magnum I, II	XS4063	4063 ⁸²⁴⁸	.024
LF125-B	----	4194	.030	1978 450 Magnum	XS4063	4063 ⁸²⁴⁸	.024
LF125GY	XS4163	4163 ⁸²⁴⁸	.035	AW450	XS4063	4063 ⁸²⁴⁸	.024
LF125GY-3	XS4163	4163 ⁸²⁴⁸	.035	WR450	XS4063	4063 ⁸²⁴⁸	.024
LF125GY-3A (1)	XS4163	4163 ⁸²⁴⁸	.035	440cc			
LF125GY-6	XS4163	4163 ⁸²⁴⁸	.035	1977 AW440/5	XS4063	4063 ⁸²⁴⁸	.024
110cc				1997-92 MC440, GS	XS4063	4063 ⁸²⁴⁸	.024
LF110	----	4194	.030	1998 RC440, RE440	XS4062	4062 ⁸²⁴⁸	.024
100cc				1977 WR440/5	XS4063	4063 ⁸²⁴⁸	.024
LF100-B	----	4194	.030	400cc			
LF100-D	----	4194	.030	AW400, /5	XS4063	4063 ⁸²⁴⁸	.024
LF100GY	----	4194	.030	K400 w/1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
LF100GY (II)	----	4194	.030	K400 w/3/4" Reach	XS4063	4063 ⁸²⁴⁸	.020
90cc				K400 Radial Fin	----	4051 ⁸²⁴⁸	.020
LF90GY	----	4194	.030	MC400 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
LF90GY-D	----	4194	.030	MC400 3/4" Reach	XS4063	4063 ⁸²⁴⁸	.020
70cc				1977 WR400, WR400/5	XS4063	4063 ⁸²⁴⁸	.024
LF70GY-B	----	4194	.030	1978 400 Magnum	XS4063	4063 ⁸²⁴⁸	.024
LF70GY-3	----	4194	.030	1979 400 Magnum I, II	XS4063	4063 ⁸²⁴⁸	.024
LF70GY-4	----	4194	.030	320cc			
LF70GY-4A	----	4194	.030	1997-92 MC320, GS	XS4063	4063 ⁸²⁴⁸	.024
50cc				1998 RC320, RE320	XS4062	4062 ⁸²⁴⁸	.028
LF50QGY	----	4194	.030	250cc			
LF50QGY-A	----	4194	.030	1978 250 Magnum	XS4063	4063 ⁸²⁴⁸	.024
LF50QGY-C (EEC)	----	4194	.030	1979 250 Magnum I, II	XS4063	4063 ⁸²⁴⁸	.024
LF50QGY-D	----	4194	.030	AW250, AW250/5, 250WR	XS4063	4063 ⁸²⁴⁸	.024
LOWBOY				MC250 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.024
(V-Cycle Trike)				1997-92 MC250, GS	XS4063	4063 ⁸²⁴⁸	.024
w/Harley Davidson 1340 cc Engs.	XS65	4265 ⁸²⁴⁸	.040	1998 RC320, RE320	XS4062	4062 ⁸²⁴⁸	.028
w/Honda 1500cc Engs.	XS4163	4163 ⁸²⁴⁸	.035	1983 Spider, E	XS4063	4063 ⁸²⁴⁸	.024
w/Volkswagen 1600 cc Engs.	----	4123 ⁸²⁴⁸	.024	1977 WR250/5	XS4063	4063 ⁸²⁴⁸	.024
LUCKY 7				245cc			
200cc				MD250	XS4063	4063 ⁸²⁴⁸	.024
KMX Enduro	----	4132 ⁸²⁴⁸	.030	125cc			
150cc				1979 125 Magnum II	XS4063	4063 ⁸²⁴⁸	.024
KMX Enduro	XS4164	4164 ⁸²⁴⁸	.030	1977 125AW Moto-Cross	XS4063	4063 ⁸²⁴⁸	.024
125cc				MC125, GS125 1/2" Rch.	XS4092	4092 ⁸²⁴⁸	.020
KMX Enduro	XS4164	4164 ⁸²⁴⁸	.030	MC125, GS125 3/4" Rch. (Rad.)	XS4063	4063 ⁸²⁴⁸	.024
Pit Pro	XS4164	4164 ⁸²⁴⁸	.030	RS 125 Road Racer	XS4092	4092 ⁸²⁴⁸	.020
110cc				124cc			
Pit Bike	----	4194	.030	AW125, 125WR	XS4063	4063 ⁸²⁴⁸	.024
50cc				MD125/6	XS4092	4092 ⁸²⁴⁸	.024
KMX	----	4194	.030	50cc			
M-STAR (Also See Maico)				MD50	XS4092	4092 ⁸²⁴⁸	.020
500cc				49cc			
1985 GM500, GME500	XS4063	4063 ⁸²⁴⁸	.024	MD50/6	XS4092	4092 ⁸²⁴⁸	.024
1984 M STAR 500	XS4063	4063 ⁸²⁴⁸	.024	MALAGUTI			
250cc				1986-84 Ranocchio (RCX)	XS4093	4093 ⁸²⁴⁸	.024
1985 GM250, GME250	XS4063	4063 ⁸²⁴⁸	.024	MATCHLESS			
1984 250SC	XS4063	4063 ⁸²⁴⁸	.024	500cc			
MAICO				G80, Twin	XS4063	4063 ⁸²⁴⁸	.020
545cc				All Models w/18mm Threads	----	373	.020
1995-94 GS545, MC545	XS4063	4063 ⁸²⁴⁸	.024	MEAD SCOOTER			
500cc				All Models w/14mm Threads	XST254 ⁸²⁵¹	303	.025
K501	----	4051 ⁸²⁴⁸	.020	All Models w/18mm Threads	----	386	.025
1984 M Star 500	XS4063	4063 ⁸²⁴⁸	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MONARK				MOTO-BETA			
125cc				250cc			
1954-49 MX Enduro	XS4092	4092 ⁸²⁴⁸	.020	250CR, GS	XS4063	4063 ⁸²⁴⁸	.025
1954-49 MX Enduro	XS4092	4092 ⁸²⁴⁸	.020	SL-5	---	4056 ⁸²⁴⁸	.025
MONTESA				MOTO GUZZI			
750cc				1151cc			
All Models	XS62	4252 ⁸²⁴⁸	.025	2009-08 Brevia 1200 Sport	XS4303	4303	.028
360cc				2011-08 Norge 1200			
1982-81 360H6 Enduro	XS4064	4054 ⁸²⁴⁸	.020		XS63	4263 ⁸²⁴⁸	.028
1979-78 360H6 Enduro	XS4063	4063 ⁸²⁴⁸	.025	1064cc			
1984-83 360H7	XS4063	4063 ⁸²⁴⁸	.025	2011-06 Brevia 1100 (Inboard Plug)	XS4303	4303	.028
350cc				2011-06 Brevia 1100 (Outboard Plug)			
Cottra 350	XS65	4265 ⁸²⁴⁸	.025		XS63	4263 ⁸²⁴⁸	.028
Scrambler	---	4051 ⁸²⁴⁸	.020	2005-04 Brevia V 1100	XS65	4265 ⁸²⁴⁸	.028
36, 3617 Moto-Cross	---	4051 ⁸²⁴⁸	.020	2000-94 Bassa	XS65	4265 ⁸²⁴⁸	.028
349cc				2005-04 California Aluminum, Titanium			
1983-81 Cota 349	XS65	4265 ⁸²⁴⁸	.025		XS65	4265 ⁸²⁴⁸	.028
1982-81 Cota 348T	XS65	4265 ⁸²⁴⁸	.022	2006-02 California EV, Touring	XS65	4265 ⁸²⁴⁸	.028
1978 Trail 348T	XS65	4265 ⁸²⁴⁸	.028	2003-00 California Special Sport	XS65	4265 ⁸²⁴⁸	.028
1979-77 Cota 348	XS65	4265 ⁸²⁴⁸	.028	2005-02 California Stone, Stone Metal, Touring	XS65	4265 ⁸²⁴⁸	.028
305cc				2001-94 California Sport			
1979-77 Cota, Trail	XS65	4265 ⁸²⁴⁸	.025	2011-08 California Vintage	XS65	4265 ⁸²⁴⁸	.028
261cc				2006 EV Touring			
1996-95 Cota 314R	---	4056 ⁸²⁴⁸	.024	2011-04 Griso 1100 (Inboard Plug)	XS4303	4303	.028
250cc				2011-04 Griso 1100 (Outboard Plug)			
Cappra 43, Cappra 34M (1/2" Reach)	XS4092	4092 ⁸²⁴⁸	.020		XS63	4263 ⁸²⁴⁸	.028
Cappra 43, Cappra 34M (3/4" Reach)	---	4051 ⁸²⁴⁸	.020	2001-00 V11 California Jackal, Quota 1000ES	XS65	4265 ⁸²⁴⁸	.028
Cappra VR, V-75, 73M	XS4064	4054 ⁸²⁴⁸	.028	2005-04 V11 Coppa Italia	XS65	4265 ⁸²⁴⁸	.028
Cappra Models 43M, 53M, 63M	XS4092	4092 ⁸²⁴⁸	.028	2005-02 V11 Le Mans, Tenni	XS65	4265 ⁸²⁴⁸	.028
Cota 247 Trails 21M	AP425 ⁸²⁴⁹	425	.020	2005-04 V11 Le Mans Nero Corsa, Le Mans Rosso Corsa	XS65	4265 ⁸²⁴⁸	.028
2004-97 Cota 315R	---	4056 ⁸²⁴⁸	.024	2003-02 V11 Sport Scura	XS65	4265 ⁸²⁴⁸	.028
1984 Enduro 250H7	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	2003-98 V11 Sport	XS65	4265 ⁸²⁴⁸	.028
1982-81 Enduro 250H6	XS4064	4054 ⁸²⁴⁸	.025	2003-02 V11 SportCF, SportTT	XS65	4265 ⁸²⁴⁸	.028
1979-77 Enduro 250H	XS4064	4054 ⁸²⁴⁸	.025	2005-03 V11 Naked, Ballbio, Café Sport	XS65	4265 ⁸²⁴⁸	.028
Enduro 250HVE, Enduro 250HVG	XS4064	4054 ⁸²⁴⁸	.025	1000cc			
Impala Cross 250/5 (1/2" Reach)	XS4092	4092 ⁸²⁴⁸	.020	1999-93 Daytona RS, V10 Centauro Sport	XS4162	4162 ⁸²⁴⁸	.028
Impala Cross 250/5 (3/4" Reach)	---	4051 ⁸²⁴⁸	.020	1993 S	XS62	4252 ⁸²⁴⁸	.025
King Scorpion Automix 43M	XS4092	4092 ⁸²⁴⁸	.020	1977 1000A	XS63	4263 ⁸²⁴⁸	.025
King Scorpion Automix 44M	XS4064	4054 ⁸²⁴⁸	.020	1993-92 1000 LAPD	XS63	4263 ⁸²⁴⁸	.025
Moto-Cross GP (1/2" Reach)	XS4092	4092 ⁸²⁴⁸	.020	1993 1000SP III	XS62	4252 ⁸²⁴⁸	.025
Moto-Cross GP (3/4" Reach)	---	4051 ⁸²⁴⁸	.020	1988-85 1000SP II	XS63	4263 ⁸²⁴⁸	.025
Rapita 45M, Enduro 54M	XS4092	4092 ⁸²⁴⁸	.028	1982-80 1000SP	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
247cc				1986-84 V1000 Calif 'Auto'			
Cota 247, 247T	XS4093	4093 ⁸²⁴⁸	.025	1986-83 V1000 Calif II	XS63	4263 ⁸²⁴⁸	.025
1979-77 Cota 247VVK	XS4093	4093 ⁸²⁴⁸	.025	1982-80 V1000G5	XS62	4252 ⁸²⁴⁸	.025
Cota Trail	XS4093	4093 ⁸²⁴⁸	.025	1981 Convert, SP	XS63	4263 ⁸²⁴⁸	.025
1979-77 T Trial	XS4093	4093 ⁸²⁴⁸	.025	1987-85 LeMans	XS62	4252 ⁸²⁴⁸	.025
242cc				1982-80 LeMans II			
1984-83 Cota 242	XS62	4252 ⁸²⁴⁸	.025	LeMans, V1000CX	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
200cc				1984-83 Sprint			
1984-81 Cota 200	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	SQ-1000	XS63	4263 ⁸²⁴⁸	.025
175cc				850cc			
Enduro, Impala Sport, 14M	XS4092	4092 ⁸²⁴⁸	.020	1985-84 850T5	XS63	4263 ⁸²⁴⁸	.025
155cc				1984-83 LeMans III			
1976 Cota 172	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	850LM, LeMans	XS62	4252 ⁸²⁴⁸	.025
125cc				850T, 3F, B, T/3			
Cota Trail	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	Eldorado V-850, Calif.	XS63	4263 ⁸²⁴⁸	.025
1978 Enduro 125	XS4064	4054 ⁸²⁴⁸	.020	750cc			
123cc				1987-86 V-75			
1979-77 Cota 123 Trial	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	Ambassador V-750 (1/2" Reach)	---	4194	.025
75cc				Ambassador V-750 (3/4" Reach)			
1978 Cota, Enduro	XS4064	4054 ⁸²⁴⁸	.025		XS4092	4092 ⁸²⁴⁸	.028
50cc				2009-03 Brevia V 750 IE			
Cota 25, Cota 49	XS4093	4093 ⁸²⁴⁸	.025	2009-05 Nevada 750 Classic IE	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.028
					XS4063	4063 ⁸²⁴⁸	.028
					XS4063	4063 ⁸²⁴⁸	.028



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MOTO GUZZI (Cont'd)				MUSTANG			
750 Sport	XS63	4263 ⁸²⁴⁸	.028	320cc			
700cc				1963-45 All Models	XST458 ⁸²⁵¹	295	.025
V-70	XS62	4252 ⁸²⁴⁸	.028	MV AGUSTA			
650cc				1078cc			
1987 V-65 NTX	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	2010 Brutale 1090 RR	XS4302	4302	.020
1986-85 V-65 Lario	----	4194	.025	2009 F4 Brutale 1078 RR	XS4302	4302	.020
1984 V-65SP, V65C	XS62	4252 ⁸²⁴⁸	.025	2009 F4 1078 RR 312	XS4302	4302	.020
1986 V-65TT	XS62	4252 ⁸²⁴⁸	.025	998cc			
600cc				2010 Brutale 990R	XS4302	4302	.020
1985 LeMans	XS62	4252 ⁸²⁴⁸	.025	2011-10 Agusta F4	XS4302	4302	.020
500cc				996cc			
V-50	XS62	4252 ⁸²⁴⁸	.025	2005 Agusta F4 AGO, F4 Tamburini	XS4302	4302	.020
Monza	XS4064	4054 ⁸²⁴⁸	.025	2008-07 Agusta F4-R, F4-R 1+1, F4 Senna	XS4302	4302	.020
1982-80 V-50 II	----	3910	.025	2006-05 Agusta F4-S, F4 S 1+1	XS4302	4302	.020
400cc				909cc			
V-40 Imola	XS62	4252 ⁸²⁴⁸	.025	2008-06 Brutale 910R	XS4302	4302	.020
350cc				2008-06 Brutale 910S	XS4302	4302	.020
V-35 II Imola	XS62	4252 ⁸²⁴⁸	.025	750cc			
V-35 Imola	XS62	4252 ⁸²⁴⁸	.025	2000 Agusta F4-Oro	XS4303	4303	.020
125cc				2003-00 Agusta F4-S	XS4303	4303	.020
125 Sport, Scrambler	XS4064	4054 ⁸²⁴⁸	.025	2003-01 Agusta F4-S 1+1	XS4303	4303	.020
125 Trail	XS4064	4054 ⁸²⁴⁸	.028	2004 Agusta F4-SPR	XS4303	4303	.020
50cc				2002 Agusta F4-SPR	XS4303	4303	.020
1981 G2	----	4056 ⁸²⁴⁸	.020	2005 Brutale	XS4303	4303	.020
MOTOBECANE				MZ			
350cc				660cc			
All 2 Cyl. (3/4" Reach)	XS4064	4054 ⁸²⁴⁸	.020	Baghira, Mastiff	XS4164	4164 ⁸²⁴⁸	.035
All Models w/14mm Threads	XS4093	4093 ⁸²⁴⁸	.020	Black Panther	XS4164	4164 ⁸²⁴⁸	.035
SK, Velometeur w/14mm Threads	AP425 ⁸²⁴⁹	425	.020	Skorpion Traveller, Tour, Sport, Sport Cup, Replica	XS4164	4164 ⁸²⁴⁸	.035
MOTO MORINI				NER-A-CAR			
500cc				1927-21 All Models	----	386	.025
> 1981 500	XS62	4252 ⁸²⁴⁸	.028	N.S.U.			
1984 500 Special, Camel	XS62	4252 ⁸²⁴⁸	.028	300cc			
1982 500 Standard, Sport	XS62	4252 ⁸²⁴⁸	.028	O.H.C.	XS4093	4093 ⁸²⁴⁸	.020
1983 500 Standard, Sport, Camel	XS62	4252 ⁸²⁴⁸	.028	250cc			
1985 501 Camel, 507 Custom	XS62	4252 ⁸²⁴⁸	.028	Max, Super Max	XS4093	4093 ⁸²⁴⁸	.020
1982 Camel Enduro, Turbo	XS62	4252 ⁸²⁴⁸	.028	200cc			
350cc				Super Lux	XS4093	4093 ⁸²⁴⁸	.020
1985-83 350 Kangaru, K-2	XS62	4252 ⁸²⁴⁸	.028	175cc			
1985-73 Sport, Standard	XS62	4252 ⁸²⁴⁸	.028	Prima 175	XS4092	4092 ⁸²⁴⁸	.020
250cc				150cc			
1982 250 V-Twin	XS62	4252 ⁸²⁴⁸	.028	Prima 150	XS4092	4092 ⁸²⁴⁸	.020
125cc				125cc			
1982 125	XS62	4252 ⁸²⁴⁸	.028	Fox, Super Fox	XS4093	4093 ⁸²⁴⁸	.020
MOTO VILLA							
750cc							
750	XS4064	4054 ⁸²⁴⁸	.025				
450cc							
450MX	XS4063	4063 ⁸²⁴⁸	.025				
380cc							
380MX	XS4063	4063 ⁸²⁴⁸	.025				
350cc							
350 Enduro	XS4063	4063 ⁸²⁴⁸	.025				
250cc							
250 Cross, MX, Six Days	XS4063	4063 ⁸²⁴⁸	.025				
125cc							
1979 125 Cross, Canguro	XS4063	4063 ⁸²⁴⁸	.025				
1980 Regularita	XS4063	4063 ⁸²⁴⁸	.025				
125MX	XS4092	4092 ⁸²⁴⁸	.025				
50cc							
Mini Bimbo	XS4092	4092 ⁸²⁴⁸	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NORTON				PENTON (Cont'd)			
961cc				125cc			
2011 Commando 961 Café Racer ..	XS4302	4302	.030	1977 MC5, Cross Country	XS4092	4092 ⁸²⁴⁸	.020
2011 Commando 961 SE	XS4302	4302	.030	1976 Alloy, Six Day, Six Day Enduro, MX	XS4092	4092 ⁸²⁴⁸	.020
2011 Commando 961 Sport	XS4302	4302	.030	100cc			
830cc				1976 Alloy, Berkshire Enduro	XS4092	4092 ⁸²⁴⁸	.020
1977-73 Commando 850	XS62	4252 ⁸²⁴⁸	.025	POWELL			
750cc				All Models w/14mm Threads	XST254 ⁸²⁵¹	303	.025
1975-68 Commando 750	XS62	4252 ⁸²⁴⁸	.025	POWER-DYNE			
1973-71 Production Racer	XS4062	4062 ⁸²⁴⁸	.020	360cc			
650cc				360, 360FTX	----	4051 ⁸²⁴⁸	.028
1970-69 Mercury	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	250cc			
Dominator, Manxman	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	250, 250GEX	----	4051 ⁸²⁴⁸	.028
630cc				125cc			
Big Four	----	373	.020	125 3/4" Reach	----	4051 ⁸²⁴⁸	.028
600cc				TRC125, MTB125, SSS125	XS4092	4092 ⁸²⁴⁸	.028
All models 3/4" Reach	----	4056 ⁸²⁴⁸	.020	Mini Enduro	XS4092	4092 ⁸²⁴⁸	.028
500cc				60cc			
All models 3/4" Reach	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	Mini Enduro	----	353	.028
OMEGA				Scrambler (TSC 60)	----	353	.028
500cc				PRAGA			
All Models	XS4093	4093 ⁸²⁴⁸	.020	246cc			
OSSA				ED250	XS4063	4063 ⁸²⁴⁸	.025
500cc				PUCH			
SS Yankee Enduro	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	250cc			
350cc				MC250 Replica	XS4064	4054 ⁸²⁴⁸	.028
1977-76 Mountaineer	XS4063	4063 ⁸²⁴⁸	.020	GS250 Six Days	XS4063	4063 ⁸²⁴⁸	.028
Explorer, Mar Trials	XS63	4263 ⁸²⁴⁸	.020	M250 1/2" Reach	AP425 ⁸²⁴⁹	425	.028
250cc				175cc			
American Enduro	XS4063	4063 ⁸²⁴⁸	.020	GS175 Six Days	XS4063	4063 ⁸²⁴⁸	.028
American Scrambler	----	4051 ⁸²⁴⁸	.020	175S, MC175, 175TE, HS	XS4064	4054 ⁸²⁴⁸	.028
1977-74 Desert Phantom	XS4063	4063 ⁸²⁴⁸	.020	125cc			
1977-74 Super Pioneer	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	125S 1/2" Reach	AP425 ⁸²⁴⁹	425	.028
Explorer, Mar Trials	XS63	4263 ⁸²⁴⁸	.020	125S, MC125 3/4" Reach	XS4064	4054 ⁸²⁴⁸	.028
1974-73 SDR	XS4063	4063 ⁸²⁴⁸	.020	125TE, HS, GS125 Six Days	XS4063	4063 ⁸²⁴⁸	.028
Stiletto MX, Pioneer	XS4063	4063 ⁸²⁴⁸	.020	Trail, M125 1/2" Reach	AP425 ⁸²⁴⁹	425	.028
Trial 250	XS63	4263 ⁸²⁴⁸	.020	Trail, M125 3/4" Reach	XS4064	4054 ⁸²⁴⁸	.028
230cc				50cc			
Trial	XS63	4263 ⁸²⁴⁸	.020	M50 Sport	XS4092	4092 ⁸²⁴⁸	.028
1968 All Models	XS4063	4063 ⁸²⁴⁸	.020	MC50 Super	----	411	.028
175cc				RICKMAN			
American Enduro	XS4063	4063 ⁸²⁴⁸	.020	100cc			
American Scrambler	----	4051 ⁸²⁴⁸	.020	Micro Metisse	----	353	.020
125cc				ROKETA			
SDR, Pioneer, Stiletto MX	XS4063	4063 ⁸²⁴⁸	.020	250cc			
1971 Stiletto MX	XS4063	4063 ⁸²⁴⁸	.020	MC-51	----	4194	.025
PANTHER				200cc			
175cc				DB-27	XS4163	4163 ⁸²⁴⁸	.025
Panther 175	XS4064	4054 ⁸²⁴⁸	.020	ROKON			
80cc				335cc			
Panther 80	XS4064	4054 ⁸²⁴⁸	.020	All Models	----	411	.018
PENTON				134cc			
400cc				1977-76 Pioneer, Scout	AP425 ⁸²⁴⁹	425	.025
1977 MC5, Cross Country	XS4092	4092 ⁸²⁴⁸	.020	1977-76 Ranger	AP425 ⁸²⁴⁹	425	.025
1976 Mint 400	XS4092	4092 ⁸²⁴⁸	.020	1975-73 RT-140	AP425 ⁸²⁴⁹	425	.025
250cc				1975-61 Trail Breaker	AP425 ⁸²⁴⁹	425	.025
1977 MC5, Cross Country	XS4092	4092 ⁸²⁴⁸	.020				
1976 Mint, Hare SCR	XS4092	4092 ⁸²⁴⁸	.020				
175cc							
1977 MC5, Cross Country	XS4092	4092 ⁸²⁴⁸	.020				
1976 Jackpiner	XS4092	4092 ⁸²⁴⁸	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ROKON (Cont'd)				SHERCO			
160cc				510cc			
Ranger w/Honda 5.5 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030	2008-04 5.1i Enduro (4-Stroke)	XS4303	4303	.028
172cc				2008-04 5.1i Supermotard			
Scout w/Kohler 6 h.p. CS OHV	XS65	4265 ⁸²⁴⁸	.040	(4-Stroke)	XS4303	4303	.028
Trail Breaker w/Kohler 6 h.p. CS				2011-09 SE5.1i-FR Enduro			
OHV	XS65	4265 ⁸²⁴⁸	.040	(4-Stroke)	XS4303	4303	.028
ROLLAWAY				450cc			
1921-19 All Models w/18mm				2008-04 4.5i Enduro (4-Stroke)	XS4303	4303	.028
Threads	----	386	.025	2011-09 SE4.5i-FR Enduro			
				(4-Stroke)	XS4303	4303	.028
ROYAL ENFIELD				2008-04 4.5i Supermotard			
				(4-Stroke)	XS4303	4303	.028
750cc				320cc			
Interceptor	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	2008-05 3.2 4T Trial (4-Stroke)	----	5503	.024
700cc				2010-09 ST3.2 4T-F Trial (4-Stroke) .	----	5503	.024
Constellation	----	4056 ⁸²⁴⁸	.020	290cc			
Meteor Twin	XS4093	4093 ⁸²⁴⁸	.020	2006-99 2.9 Trial (2-Stroke)	XS3924	3924	.028
500cc				2011-07 2.9 2T Trial (2-Stroke)	XS3924	3924	.028
Bullet (1/2" Reach)	XS4093	4093 ⁸²⁴⁸	.020	250cc			
Bullet (3/4" Reach)	XS4063	4063 ⁸²⁴⁸	.025	2006-99 2.5 Trial (2-Stroke)	XS3924	3924	.028
J2, Twin (1/2" Reach)	XS4093	4093 ⁸²⁴⁸	.020	2011-07 2.5 2T Trial (2-Stroke)	XS3924	3924	.028
350cc				200cc			
Bullet (1/2" Reach)	----	4123 ⁸²⁴⁸	.025	2006-99 2.0 Trial (2-Stroke)	XS3924	3924	.028
Bullet (3/4" Reach)	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	125cc			
250cc				2006-99 1.25 Trial (2-Stroke)	XS3924	3924	.028
Clipper, Olympic	XS4093	4093 ⁸²⁴⁸	.020	2011-07 1.25 2T Trial (2-Stroke)	XS3924	3924	.028
Scrambler	----	4051 ⁸²⁴⁸	.020	80cc			
Turbo Twin	XS4092	4092 ⁸²⁴⁸	.020	2006-99 0.8 Trial (2-Stroke)	XS3924	3924	.028
125cc				2010-07 0.8 2T Trial (2-Stroke)	XS3924	3924	.028
S.V.	XST458 ⁸²⁵¹	295	.020	50cc			
RTX				2008-03 0.5 Enduro (2-Stroke)	XS4062	4062 ⁸²⁴⁸	.024
212cc				2002 0.5 Kids Trial (2-Stroke)	XS4062	4062 ⁸²⁴⁸	.024
Cross TX212	XS4092	4092 ⁸²⁴⁸	.025	2008-03 0.5 Supermotard (2-Stroke)	XS4062	4062 ⁸²⁴⁸	.024
Monodisc M212	XS4092	4092 ⁸²⁴⁸	.025	2010-07 Enduro (2-Stroke)	XS4062	4062 ⁸²⁴⁸	.024
Twinshock T212	XS4092	4092 ⁸²⁴⁸	.025	2010-07 Supermotard (2-Stroke) . . .	XS4062	4062 ⁸²⁴⁸	.024
125cc				S&S MOTORS			
City Enduro TE125	XS4092	4092 ⁸²⁴⁸	.025	2033cc			
Cross TX125	XS4092	4092 ⁸²⁴⁸	.025	124cid	XS4163	4163 ⁸²⁴⁸	.040
Monodisc M125	XS4092	4092 ⁸²⁴⁸	.025	1918cc			
Twinshock T125	XS4092	4092 ⁸²⁴⁸	.025	117cid	XS4163	4163 ⁸²⁴⁸	.040
SACHS				1852cc			
250cc				113cid	XP64 ⁸²⁵⁰	64	.040
2501/7A	XS4062	4062 ⁸²⁴⁸	.016	1819cc			
175cc				111cid	XS4163	4163 ⁸²⁴⁸	.040
1752/7A	XS4062	4062 ⁸²⁴⁸	.016	1753cc			
125cc				107cid	XP64 ⁸²⁵⁰	64	.040
1252/7A	XS4062	4062 ⁸²⁴⁸	.016	1639cc			
Cross Country, Enduro, Moto-Cross .	XS4092	4092 ⁸²⁴⁸	.020	100cid	XP64 ⁸²⁵⁰	64	.040
100cc				1573cc			
Cross Country, Enduro, Moto-Cross .	XS4092	4092 ⁸²⁴⁸	.020	96cid	XP64 ⁸²⁵⁰	64	.040
80cc				1442cc			
Grand Sport, Sport	XS4092	4092 ⁸²⁴⁸	.020	88cid	XP64 ⁸²⁵⁰	64	.040
50cc				SUNBEAM			
Grand Sport, Sport	XS4092	4092 ⁸²⁴⁸	.020	All Models w/14mm Threads (1/2"			
SCHICKEL				Reach	XS4093	4093 ⁸²⁴⁸	.020
1924-07 All Models	----	3076	.025	All Models w/14mm Threads (3/4"			
				Reach)	----	4056 ⁸²⁴⁸	.020
SHAW				All Models	----	4056 ⁸²⁴⁸	.020
1922-04 All Models w/1/2"-14 Pipe				SUZUKI			
Heads	----	3095	.025	1783cc			
				2010-08 Boulevard C109R, RT, SE .	XS4303	4303	.026
				2011-06 VZR1800 Boulevard M109R,			
				R2	XS4303	4303	.026



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUZUKI (Cont'd)				SUZUKI (Cont'd)			
1552cc				1998-89 GSX750F Katana 750	XS4162	4162 ⁸²⁴⁸	.026
2006-05 Boulevard M95	XS4164	4164 ⁸²⁴⁸	.035	2011-98 GSX-R750 F/I	XS4302	4302	.026
2004 VZ1600 Marauder 1600	XS4164	4164 ⁸²⁴⁸	.035	1997-90 GSXR750	XS4303	4303	.026
1500cc				1989-86 GSXR750	XS4164	4164 ⁸²⁴⁸	.028
2004-98 VL1500 Intruder LC 1500 ..	XS4164	4164 ⁸²⁴⁸	.035	1977-75 GT750	XS4063	4063 ⁸²⁴⁸	.032
1462cc				1974-72 GT750	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.028
2010-05 Boulevard C90, SE, T, Black	XS4164	4164 ⁸²⁴⁸	.035	1991-88 VS750GLP Intruder	XS4163	4163 ⁸²⁴⁸	.032
2010-09 Boulevard M90	XS4303	4303	.028	700cc			
1400cc				1985 GS700E, ES	XS4164	4164 ⁸²⁴⁸	.028
1989-86 GV1400	XS4164	4164 ⁸²⁴⁸	.035	1985 GV700GLF Madura	XS4164	4164 ⁸²⁴⁸	.028
2004-87 VS1400GLP Intruder 1400 ..	XS4163	4163 ⁸²⁴⁸	.035	1987-86 VS700GL Intruder	XS4164	4164 ⁸²⁴⁸	.035
1360cc				652cc			
2010-05 Boulevard S83	XS4163	4163 ⁸²⁴⁸	.035	2011-05 Boulevard S40	XS4163	4163 ⁸²⁴⁸	.035
1340cc				650cc			
2010-08 GSX1300BK B-King, ABS ..	XS4302	4302	.028	2011-04 DL650 V-Strom 650, SEA, ABS Touring	XS4303	4303	.028
2011-09 GSX1300R Hayabusa F/I ..	XS4302	4302	.028	2011-96 DR650SE	XS4303	4303	.026
1300cc				1995-90 DR650S, ES	XS4163	4163 ⁸²⁴⁸	.035
2008-99 GSXL1300R Hayabusa F/I ..	XS4302	4302	.028	1983 GR650 D, XD Tempter	XS4164	4164 ⁸²⁴⁸	.028
1254cc				1983-81 GS650E, G, GL, M Katana ..	XS4164	4164 ⁸²⁴⁸	.025
2011-07 GSX1250FA Bandit S, SA 1250, ABS	XS4303	4303	.028	2011-08 GSX650F, ABS	XS4303	4303	.028
2010 GSX1250SEA Bandit Touring ABS	XS4303	4303	.028	2004-95 LS650P Savage 650	XS4163	4163 ⁸²⁴⁸	.035
1200cc				1988-86 LS650 Savage	XS4163	4163 ⁸²⁴⁸	.035
2005-97 GSF1200S Bandit 1200, S ..	XS4162	4162 ⁸²⁴⁸	.028	2010-99 SV650, A, S F/I, ABS	XS4303	4303	.028
1986-85 GV1200GL	XS4164	4164 ⁸²⁴⁸	.028	1984-83 XN85D Turbo	XS4162	4162 ⁸²⁴⁸	.028
1150cc				645cc			
1986-84 GS1150E	XS4164	4164 ⁸²⁴⁸	.028	2011-09 SFV650 Gladiator F/I	XS4303	4303	.026
1100cc				2011-09 SV650A, S, SA, SF F/I ABS ..	XS4303	4303	.026
1983 GES1100ED, ESD, SE	XS4163	4163 ⁸²⁴⁸	.028	600cc			
1986 GS1100ES, EF	XS4163	4163 ⁸²⁴⁸	.028	1985 DR600, S	XS4162	4162 ⁸²⁴⁸	.035
1983 GS1100GD, GLD, GKD	XS4064	4054 ⁸²⁴⁸	.032	2003-96 GSF600S Bandit 600, S ..	XS4302	4302	.026
1982-80 All GS1100G (Shaft Drive) ..	XS4064	4054 ⁸²⁴⁸	.028	2011-97 GSX-R600, K, MK F/I	XS4302	4302	.028
1982-80 All GS1100E (Chain Drive) ..	XS4163	4163 ⁸²⁴⁸	.028	1993-92 GSX-R600	XS4302	4302	.026
1986-85 GSX1100E, EF, EFF, ESF ..	XS4162	4162 ⁸²⁴⁸	.035	2008-96 GSX600F Katana 600	XS4302	4302	.026
1993-88 GSX1100F Katana	XS4164	4164 ⁸²⁴⁸	.028	1995-88 GSX600F Katana 600	XS4163	4163 ⁸²⁴⁸	.026
1992-86 GSXR1100	XS4162	4162 ⁸²⁴⁸	.028	1993 GSXR600WP	XS4303	4303	.026
1998-93 GSXR1100W	XS4303	4303	.026	1996-94 RF600R	XS4303	4303	.026
1000cc				1985 SP600F	XS4162	4162 ⁸²⁴⁸	.028
2011-01 GSX-R1000 F/I	XS4302	4302	.028	550cc			
2011-02 DL1000 V-Strom 1000, SE Touring	XS4302	4302	.026	1984 GS550	XS4162	4162 ⁸²⁴⁸	.028
2009-03 SV1000, S F/I	XS4302	4302	.026	1983 GS550	XS4163	4163 ⁸²⁴⁸	.028
2003-98 TL1000R	XS4302	4302	.026	1982-77 GS550	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
2001-97 TL1000S	XS4302	4302	.026	1986-85 GSX550L	XS4162	4162 ⁸²⁴⁸	.028
1982 GS1000Z	XS4164	4164 ⁸²⁴⁸	.028	1977-75 GT550	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.028
1981-78 All Other GS1000	XS62	4252 ⁸²⁴⁸	.032	1974-72 GT550	XS4064	4054 ⁸²⁴⁸	.028
900cc				500cc			
1997-94 RF900R	XS4303	4303	.026	1983-81 DR500	XS4164	4164 ⁸²⁴⁸	.028
850cc				2002-89 GS500	XS4163	4163 ⁸²⁴⁸	.035
1983-80 GS850G, GL	XS62	4252 ⁸²⁴⁸	.032	2010-03 GS500F	XS4163	4163 ⁸²⁴⁸	.035
1979 GS850G	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	1986 GSX500E	XS4163	4163 ⁸²⁴⁸	.028
805cc				1977-76 GT500	XS4093	4093 ⁸²⁴⁸	.028
2011-05 Boulevard C50, C, SE, T, Black	XS4164	4164 ⁸²⁴⁸	.035	1985 RG500	XS4063	4063 ⁸²⁴⁸	.028
2011-05 Boulevard M50, Black	XS4163	4163 ⁸²⁴⁸	.035	1986-83 RM500, E	XS4064	4054 ⁸²⁴⁸	.028
2010-05 Boulevard S50	XS4163	4163 ⁸²⁴⁸	.035	1983-81 SP500	XS4164	4164 ⁸²⁴⁸	.028
800cc				1975-68 T500	XS4093	4093 ⁸²⁴⁸	.028
2004-01 VL800 Intruder Volusia	XS4163	4163 ⁸²⁴⁸	.035	465cc			
2004-97 VZ800 Marauder 800	XS4163	4163 ⁸²⁴⁸	.035	1982-81 RM465	XS4064	4054 ⁸²⁴⁸	.022
2004-92 VS800GL, GLK, GLP, GLS, Intruder 800	XS4164	4164 ⁸²⁴⁸	.035	450cc			
1993-90 VX800	XS4164	4164 ⁸²⁴⁸	.032	1988-80 GS450, E, L, SF	XS4064	4054 ⁸²⁴⁸	.032
750cc				2011-05 RM-Z450 (4-Stroke)	XS4303	4303	.026
1983-80 GS750, E, ES, L, S, T	XS4163	4163 ⁸²⁴⁸	.028	2010 RM-X450Z (4-Stroke)	XS4303	4303	.026
1977-75 GS750 B, C, E, N	XS4063	4063 ⁸²⁴⁸	.032	425cc			
2008-99 GSX750F Katana 750	XS4302	4302	.026	1979 GS425	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
				400cc			
				1980 DR400	XS4163	4163 ⁸²⁴⁸	.028
				1980 DR400 Enduro	XS4164	4164 ⁸²⁴⁸	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUZUKI (Cont'd)				SUZUKI (Cont'd)			
2011-00 DR-Z400, DR-Z400E, DR-Z400S	XS4303	4303	.028	185cc			
2011-05 DR-Z400SM	XS4303	4303	.028	1981-79 DS185	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
1980 GN400	XS4164	4164 ⁸²⁴⁸	.028	1978 DS185	XS4093	4093 ⁸²⁴⁸	.028
1982 GN400T	XS4164	4164 ⁸²⁴⁸	.028	1977-73 GT185	XS4093	4093 ⁸²⁴⁸	.028
1978-77 GS400, X	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	1977-74 TC185	XS4093	4093 ⁸²⁴⁸	.028
1986 GS400E, S	XS4163	4163 ⁸²⁴⁸	.028	1981-80 TS185	XS62	4252 ⁸²⁴⁸	.032
1993-91 GSF400	XS4303	4303	.028	1979-71 TS185	XS4093	4093 ⁸²⁴⁸	.028
1985 GSX400EF	XS4164	4164 ⁸²⁴⁸	.028	175cc			
1985 GSXA400FW, R	---	4194	.028	1984-79 PE175, E	XS4063	4063 ⁸²⁴⁸	.024
1986 GSX-R400	---	4194	.028	1978 PE175	XS4064	4054 ⁸²⁴⁸	.024
1981-80 PE400	XS4063	4063 ⁸²⁴⁸	.024	1982-81 RX175	XS4063	4063 ⁸²⁴⁸	.024
1985 RG400	XS4064	4054 ⁸²⁴⁸	.024	125cc			
1980-78 RM400	XS4064	4054 ⁸²⁴⁸	.024	1988-83 DR125, S	XS4164	4164 ⁸²⁴⁸	.028
1980 SP400	XS4163	4163 ⁸²⁴⁸	.028	1996-94 DR125SE	XS4163	4163 ⁸²⁴⁸	.028
1975-71 TM400	XS4064	4054 ⁸²⁴⁸	.024	2010-03 DR-Z125, K, L	XS4163	4163 ⁸²⁴⁸	.028
1977-72 TS400	XS4064	4054 ⁸²⁴⁸	.024	1981-79 DS125	XS4064	4054 ⁸²⁴⁸	.028
380cc				1997-91 GN125, E	XS4163	4163 ⁸²⁴⁸	.026
1977-72 GT380	XS4064	4054 ⁸²⁴⁸	.024	1983-82 GN125	XS4163	4163 ⁸²⁴⁸	.028
370cc				1985 RG125WF, WU	XS4063	4063 ⁸²⁴⁸	.032
1979-78 DR370	XS4164	4164 ⁸²⁴⁸	.028	2008-96 RM125	XS4063	4063 ⁸²⁴⁸	.024
1977-76 RM370	XS4064	4054 ⁸²⁴⁸	.024	1995-75 RM125	XS4062	4062 ⁸²⁴⁸	.024
1979-78 SP370	XS4164	4164 ⁸²⁴⁸	.028	1977-73 RV125	XS4093	4093 ⁸²⁴⁸	.028
350cc				1988-87 SP125	XS4163	4163 ⁸²⁴⁸	.028
1999-94 DR350SE	XS4302	4302	.024	1984-83 SP125	XS4163	4163 ⁸²⁴⁸	.028
1999-96 DR350	XS4302	4302	.026	1971-69 T125	---	4123 ⁸²⁴⁸	.024
1995-90 DR350	XS4162	4162 ⁸²⁴⁸	.035	1977-72 TC125	XS4092	4092 ⁸²⁴⁸	.028
1993-90 DR350S	XS4162	4162 ⁸²⁴⁸	.028	1975-73 TM125	XS4063	4063 ⁸²⁴⁸	.020
1972-69 T350	XS4093	4093 ⁸²⁴⁸	.028	1981-78 TS125	XS4064	4054 ⁸²⁴⁸	.032
300cc				1977-71 TS125	XS4093	4093 ⁸²⁴⁸	.028
1985-83 GS300	XS4163	4163 ⁸²⁴⁸	.028	120cc			
1985 GSX300LF	XS4163	4163 ⁸²⁴⁸	.028	1971-69 TC120	---	4123 ⁸²⁴⁸	.024
250cc				110cc			
2008-01 DR-Z250	XS4302	4302	.028	2006-03 DR-Z110	---	4194	.028
1995-90 DR250, SE	XS4162	4162 ⁸²⁴⁸	.035	100cc			
1986-83 DR250, S	XS4164	4164 ⁸²⁴⁸	.028	1979-77 A100	---	4123 ⁸²⁴⁸	.028
1980 DS250	XS62	4252 ⁸²⁴⁸	.028	1976 A100	---	4123 ⁸²⁴⁸	.024
1988 GN250	XS4164	4164 ⁸²⁴⁸	.028	1985 A100N, AX100D	---	4123 ⁸²⁴⁸	.028
1983 GN250	XS4164	4164 ⁸²⁴⁸	.028	1985 AX100DI	XS4063	4063 ⁸²⁴⁸	.032
1981 GS250T	XS4163	4163 ⁸²⁴⁸	.028	1990-83 DR100, E, F	XS4163	4163 ⁸²⁴⁸	.030
1977-76 GT250	XS4063	4063 ⁸²⁴⁸	.024	1981-78 DS100	XS4064	4054 ⁸²⁴⁸	.025
1975-73 GT250	XS4064	4054 ⁸²⁴⁸	.024	1985 GP100UD	XS4092	4092 ⁸²⁴⁸	.028
2010-99 GZ250 Marauder	XS4163	4163 ⁸²⁴⁸	.032	1985 RC100	---	4123 ⁸²⁴⁸	.028
1981-79 PE250	XS4063	4063 ⁸²⁴⁸	.024	2003 RM100	---	4051 ⁸²⁴⁸	.032
1978-77 PE250	XS4064	4054 ⁸²⁴⁸	.024	1981-76 RM100	XS4303	4303	.024
1985 RG250WD, WE	XS4063	4063 ⁸²⁴⁸	.032	1984-83 SP100	XS4163	4163 ⁸²⁴⁸	.028
1975-74 RL250	XS4064	4054 ⁸²⁴⁸	.032	1977-72 TC100	XS4092	4092 ⁸²⁴⁸	.028
2009-92 RM250	XS4063	4063 ⁸²⁴⁸	.024	1975-74 TM100	XS4063	4063 ⁸²⁴⁸	.020
1991-85 RM250	XS4064	4054 ⁸²⁴⁸	.024	1981-78 TS100	XS4064	4054 ⁸²⁴⁸	.028
1984-82 RM250	XS4063	4063 ⁸²⁴⁸	.024	1977-73 TS100	XS4093	4093 ⁸²⁴⁸	.028
1981-76 RM250	XS4064	4054 ⁸²⁴⁸	.024	90cc			
2011-04 RM-Z250 (4-Stroke)	XS4303	4303	.032	1979-72 RV90	XS4093	4093 ⁸²⁴⁸	.028
1998-89 RMX250	XS4063	4063 ⁸²⁴⁸	.024	1972-70 TC90, TS90	XS4093	4093 ⁸²⁴⁸	.028
1981 RS250	XS4063	4063 ⁸²⁴⁸	.024	85cc			
1984-83 SP250	XS4163	4163 ⁸²⁴⁸	.028	2010-02 RM85, L	---	4051 ⁸²⁴⁸	.028
1975-72 TM250	XS4063	4063 ⁸²⁴⁸	.032	1983 XN85	XS4163	4163 ⁸²⁴⁸	.030
1981-80 TS250	XS62	4252 ⁸²⁴⁸	.032	80cc			
1979-77 TS250	XS4063	4063 ⁸²⁴⁸	.028	1985 RG80WF	XS62	4252 ⁸²⁴⁸	.032
1976-69 TS250	XS4064	4054 ⁸²⁴⁸	.032	2001-86 RM80	---	4051 ⁸²⁴⁸	.028
1986 TS250XE	XS4062	4062 ⁸²⁴⁸	.024	1985-77 RM80	XS4063	4063 ⁸²⁴⁸	.032
2011-09 TU250, X	XS4163	4163 ⁸²⁴⁸	.026	75cc			
200cc				1977-74 TM75, TS75	XS4093	4093 ⁸²⁴⁸	.028
2011-96 DR200SE	XS4163	4163 ⁸²⁴⁸	.026	70cc			
1988-85 DR200	XS4163	4163 ⁸²⁴⁸	.024	2010-08 DR-Z70	---	4194	.026
1985 SB200Z	XS4063	4063 ⁸²⁴⁸	.028	65cc			
1988-85 SP200	XS4163	4163 ⁸²⁴⁸	.024	2006-03 RM65	---	4051 ⁸²⁴⁸	.028
1993 TS200RP	XS4063	4063 ⁸²⁴⁸	.028	60cc			
				2003 RM60	XS4062	4062 ⁸²⁴⁸	.032
				1983-80 RM60	XS4093	4093 ⁸²⁴⁸	.032



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUZUKI (Cont'd)				TRIUMPH (Cont'd)			
50cc				885cc			
1995-92 AE50, P, RR, RS	----	4123 ⁸²⁴⁸	.030	2003-00 Sprint RS	XS4163	4163 ⁸²⁴⁸	.035
1995-92 AE50RP	----	4123 ⁸²⁴⁸	.030	2004-99 Sprint Sport Tour	XS4163	4163 ⁸²⁴⁸	.035
1985 CL50DD	----	4123 ⁸²⁴⁸	.024	2007-01 Tiger, 955i	XS4163	4163 ⁸²⁴⁸	.035
1986-85 CP50, F, CX50	----	4123 ⁸²⁴⁸	.024	2001-96 Adventurer	XS4163	4163 ⁸²⁴⁸	.035
1986-85 CY50, F	----	4123 ⁸²⁴⁸	.024	1996-95 Daytona 900	XS4163	4163 ⁸²⁴⁸	.035
1971-70 F50	----	4123 ⁸²⁴⁸	.024	2001-99 Legend TT	XS4163	4163 ⁸²⁴⁸	.035
1982-79 FS50	----	4123 ⁸²⁴⁸	.028	1996-95 Speed Triple	XS4163	4163 ⁸²⁴⁸	.035
1973-70 MT50	----	4123 ⁸²⁴⁸	.028	1999-97 T509 Speed Triple	XS4163	4163 ⁸²⁴⁸	.035
1986 OR50	----	4123 ⁸²⁴⁸	.028	1997-95 Sprint 900	XS4163	4163 ⁸²⁴⁸	.035
1980-79 OR50	----	4123 ⁸²⁴⁸	.028	1998 Sprint Executive, Sports	XS4163	4163 ⁸²⁴⁸	.035
1986 RG50W	XS62	4252 ⁸²⁴⁸	.032	1997-95 Super III	XS4163	4163 ⁸²⁴⁸	.035
1980-78 RM50	----	4123 ⁸²⁴⁸	.030	2004-98 Thunderbird, Sport	XS4163	4163 ⁸²⁴⁸	.035
1974-71 TS50	XS4093	4093 ⁸²⁴⁸	.024	2003-95 Tiger 900	XS4163	4163 ⁸²⁴⁸	.035
1985 TS50XAE	----	4123 ⁸²⁴⁸	.024	1998-95 Trident 900	XS4163	4163 ⁸²⁴⁸	.035
1985 ZR50SLA	XS63	4263 ⁸²⁴⁸	.032	2001-95 Trophy 900, Sport Tour	XS4163	4163 ⁸²⁴⁸	.035
THOR				865cc			
1920-03 All Models	----	386	.025	2011-07 America	XS4302	4302	.035
TITAN				790cc			
2033cc				2006-02 America			
w/S&S 124cid Eng.	XS4163	4163 ⁸²⁴⁸	.040	2007-02 Bonneville	XS4162	4162 ⁸²⁴⁸	.035
1852cc				2004-01 Bonneville T100			
w/S&S 113cid Eng.	XP64 ⁸²⁵⁰	64	.040	2004-03 Speedmaster	XS4162	4162 ⁸²⁴⁸	.035
1753cc				750cc			
w/S&S 107cid Eng.	XP64 ⁸²⁵⁰	64	.040	1982-81 Bonneville (T14OES)	----	4056 ⁸²⁴⁸	.025
1639cc				1981-79 Bonneville (T140E)			
w/S&S 100cid Eng.	XP64 ⁸²⁵⁰	64	.040	Bonneville (T140V)	XS4064	4054 ⁸²⁴⁸	.020
1573cc				1982-79 Executive (T14OES)			
w/S&S 96cid Eng.	XP64 ⁸²⁵⁰	64	.040	Hurricane (TRX75)	XS4064	4054 ⁸²⁴⁸	.020
TM				1982-79 Royal (T14OES)			
400cc				Tiger (TR7RV)			
2003-02 400 4T MX, EX	XS4303	4303	.028	1998-95 Trident 750	XS4163	4163 ⁸²⁴⁸	.035
300cc				Trident (T150V), (T160)			
2003-96 300MX, E	XS4063	4063 ⁸²⁴⁸	.025	675cc	XS4064	4054 ⁸²⁴⁸	.020
250cc				2011-06 Daytona 675, SE			
2003-02 250 4T MX, EX	XS4303	4303	.028	2011-08 Street Triple, R 675	XS4302	4302	.035
2003-94 250MX, E	XS4063	4063 ⁸²⁴⁸	.025	650cc			
125cc				Bonneville 650 (T120)			
2003-94 125MX, E	----	4051 ⁸²⁴⁸	.025	2005 Daytona 650	XS4302	4302	.035
80cc				Tiger (TR6R), Trophy (TR6C)			
2000-94 80MX, E	----	4051 ⁸²⁴⁸	.025	Trophy 500	XS4064	4054 ⁸²⁴⁸	.020
TRIUMPH				600cc			
2294cc				2004-03 Daytona 600			
2011-04 Rocket III, Classic, Roadster, Touring	XS4164	4164 ⁸²⁴⁸	.035	2006-02 Speed Four	XS4302	4302	.035
1597cc				2003-00 TT600, Sport			
2011-10 Thunderbird	XS4164	4164 ⁸²⁴⁸	.040	500cc			
1180cc				5T Twin			
1999 Daytona 1200 SP	XS4163	4163 ⁸²⁴⁸	.035	Avenger	XS4064	4054 ⁸²⁴⁸	.020
1997-95 Daytona 1200	XS4163	4163 ⁸²⁴⁸	.035	Daytona 500 (T100R)	XS4064	4054 ⁸²⁴⁸	.020
2003-95 Trophy 1200, Sport Tour	XS4163	4163 ⁸²⁴⁸	.035	Tiger, TR5MX	XS4064	4054 ⁸²⁴⁸	.020
1050cc				Trophy 500			
2010-05 Speed Triple	XS4302	4302	.035	Trophy Twin	AP425 ⁸²⁴⁹	425	.020
2011 Sprint GT	XS4302	4302	.035	Trophy Trail (TR5T), TR5MX, T100 Twin	XS4064	4054 ⁸²⁴⁸	.020
2010-05 Sprint ST, ABS	XS4302	4302	.035	350cc			
2011-08 Tiger 1050, SE	XS4302	4302	.035	T85 Twin, 3T Deluxe Twin	XS4093	4093 ⁸²⁴⁸	.020
955cc				T35SS			
2006-99 Daytona 955i, Sport	XS4163	4163 ⁸²⁴⁸	.035	250cc			
1998-97 T595 Daytona	XS4163	4163 ⁸²⁴⁸	.035	Cub (All Models)	XS4093	4093 ⁸²⁴⁸	.020
2003-99 Speed Triple	XS4163	4163 ⁸²⁴⁸	.035	Trophy 250	XS4064	4054 ⁸²⁴⁸	.020
1998 T509 Speed Triple	XS4163	4163 ⁸²⁴⁸	.035	TWIST N' GO			
250cc				Chicago 250			
					----	4194	.028



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ULTIMA MOTORS				VERTEMATI			
2294cc				600cc			
140cid	XS4164	4164 ⁸²⁴⁸	.040	2004 SR600 Supermoto Racing 600	XS4303	4303	.028
2081cc				570cc			
127cid	XS63	4263 ⁸²⁴⁸	.040	2004 S570E Supermoto 570 Electric			
1966cc				Start	XS4303	4303	.028
120cid	XS63	4263 ⁸²⁴⁸	.040	500cc			
1852cc				2004 E501E Enduro 501 Electric			
113cid	XS63	4263 ⁸²⁴⁸	.040	Start	XS4303	4303	.028
1573cc				450cc			
96cid	XS65	4265 ⁸²⁴⁸	.040	2004 SE450E Supermoto 450			
1311cc				Electric Start	XS4303	4303	.028
80cid	XS65	4265 ⁸²⁴⁸	.040	2004 SR450 Supermoto Racing 450	XS4303	4303	.028
UNITED MOTORS				VICTORY			
198cc				1731cc			
Dual Sportmoto 200	----	4132 ⁸²⁴⁸	.028	2011-10 Cross Country, Cross			
DTF200	----	4132 ⁸²⁴⁸	.028	Roads	XS4164	4164 ⁸²⁴⁸	.040
Renegade 200	----	4132 ⁸²⁴⁸	.028	2011-09 Hammer, S	XS4164	4164 ⁸²⁴⁸	.040
SMF 200	----	4132 ⁸²⁴⁸	.028	2011 Hammer 8-Ball	XS4164	4164 ⁸²⁴⁸	.040
150cc				2010 Jackpot	XS4164	4164 ⁸²⁴⁸	.040
DTF 150	----	4132 ⁸²⁴⁸	.028	2011 Kingpin	XS4164	4164 ⁸²⁴⁸	.040
125cc				2011 Kingpin 8-Ball	XS4164	4164 ⁸²⁴⁸	.040
Dirt Tracker 125	----	4132 ⁸²⁴⁸	.028	2011-08 Vegas, LE, Jackpot/Ness ..	XS4164	4164 ⁸²⁴⁸	.040
110cc				2011 Vegas 8-Ball	XS4164	4164 ⁸²⁴⁸	.040
DTF 110	----	4194	.028	2011-10 Vision 8-Ball	XS4164	4164 ⁸²⁴⁸	.040
90cc				2011-08 Vision Street/Ness, Tour ...	XS4164	4164 ⁸²⁴⁸	.040
DTF 90	----	4194	.028	2009-08 10th Anniversary Vision			
80cc				Tour	XS4164	4164 ⁸²⁴⁸	.040
Dirt Tracker 80	----	4123 ⁸²⁴⁸	.028	1634cc			
50cc				2010 Hammer 8-Ball	XS4303	4303	.030
DTF 50	----	4123 ⁸²⁴⁸	.028	2008-05 Hammer, S	XS4303	4303	.030
Dirt Tracker 50	----	4123 ⁸²⁴⁸	.028	2010-06 Kingpin, Deluxe, Low, Tour .	XS4303	4303	.030
URAL				VILLIERS			
745cc				All Models w/14mm Threads	XS4093	4093 ⁸²⁴⁸	.020
2003-02 Adironac	----	4123 ⁸²⁴⁸	.028	Mark 25A, 27B, 90	----	373	.020
2003-02 Bavarian Classic				All Other Models w/18mm Threads ..	----	386	.020
BC-75-SCR	----	4123 ⁸²⁴⁸	.028	VINCENT (H.R.D.)			
2010-03 Gear-Up 750, IMZ-8.1037 ..	----	4123 ⁸²⁴⁸	.028	Black Lightening, Black Shadow,			
2010-03 Patrol 750, IMZ-8.1037	----	4123 ⁸²⁴⁸	.028	Twin, Rapide	----	4056 ⁸²⁴⁸	.020
2010-03 Retro 750, IMZ-8.1036,				All Other Models	XS4093	4093 ⁸²⁴⁸	.020
IMZ-8.1236	----	4123 ⁸²⁴⁸	.028	VINCENT (N.S.U.)			
2010-09 Sahara 750	----	4123 ⁸²⁴⁸	.028	Fox, Lux, Max	XS4093	4093 ⁸²⁴⁸	.020
2010-02 Tourist 750, IMZ-8.1037 ...	----	4123 ⁸²⁴⁸	.028	VOR			
2006-04 Troyka 750, IMZ-8.1037 ...	----	4123 ⁸²⁴⁸	.028	570cc			
2003-02 Luxury LC-75	----	4123 ⁸²⁴⁸	.028	2004 Supermotard SM-RC 570	XS4303	4303	.028
2009-03 Wolf 750, IMZ-8.1237	----	4123 ⁸²⁴⁸	.028				
650cc							
2001-94 IMZ 8.103-40A, 8.107A	----	4123 ⁸²⁴⁸	.035				
2001-94 IMZ 8.123A, 8.503A	----	4123 ⁸²⁴⁸	.035				
VELOCETTE							
500cc							
MSS w/Aluminum Heads	----	4056 ⁸²⁴⁸	.020				
MSS w/Cast Iron Heads	XS4093	4093 ⁸²⁴⁸	.020				
350cc							
KSS, KTS, Mark II	----	4056 ⁸²⁴⁸	.020				
MAC w/Aluminum Heads	----	4056 ⁸²⁴⁸	.020				
MAC w/Cast Iron Heads	XS4093	4093 ⁸²⁴⁸	.020				
250cc							
GTP, MOV	XS4093	4093 ⁸²⁴⁸	.020				
125cc							
LE 125	----	4194	.020				
Viper, Venom	XS4064	4054 ⁸²⁴⁸	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
VOR (Cont'd)				YAMAHA (Cont'd)			
530cc				2001-98 YZF-R1	XS4303	4303	.032
2004-99 Enduro EN-E 530	XS4303	4303	.028	920cc			
2004-99 Enduro EN-MAR 530	XS4303	4303	.028	1983-82 XV920, M	XS62	4252 ⁸²⁴⁸	.028
2004-99 Motocross MX 530	XS4303	4303	.028	1982-81 XV920R	XS62	4252 ⁸²⁴⁸	.028
2004-99 Supermotard SM-E 530	XS4303	4303	.028	900cc			
503cc				1983 XJ900R	XS62	4252 ⁸²⁴⁸	.032
2004-99 MX 503 Enduro	XS4303	4303	.028	850cc			
2004-99 MX 503 Motocross	XS4303	4303	.028	1993-92 TDM850	XS4162	4162 ⁸²⁴⁸	.030
2004-99 Supermotard	XS4303	4303	.028	1981-80 XS850, L, S	XS62	4252 ⁸²⁴⁸	.028
450cc				750cc			
2004-02 Enduro EN-E 450	XS4303	4303	.028	1988-85 FZ750	XS4163	4163 ⁸²⁴⁸	.035
2004-02 Enduro EN-MAR 450	XS4303	4303	.028	1988-87 FZR750R	XS4163	4163 ⁸²⁴⁸	.035
2004-02 Motocross MX 450	XS4303	4303	.028	1986 FZX750	XS4163	4163 ⁸²⁴⁸	.035
2004-99 Supermotard SM-E 450	XS4303	4303	.028	1979-73 TX750, TZ750	XS4063	4063 ⁸²⁴⁸	.028
2004-99 Supermotard SM-RC 450	XS4303	4303	.028	1983-81 XJ750	XS63	4263 ⁸²⁴⁸	.032
400cc				1979-74 XS750	XS63	4263 ⁸²⁴⁸	.032
2004-00 MX 400 Enduro	XS4303	4303	.028	1997-81 XV750	XS63	4263 ⁸²⁴⁸	.032
2004-00 MX 400 Motocross	XS4303	4303	.028	1998-96 YZF750R	XS4302	4302	.032
350cc				1994 YZF750R	XS4302	4302	.032
2004 Enduro 350	XS4303	4303	.028	700cc			
YAMAHA				1987 FZ700	XS4163	4163 ⁸²⁴⁸	.035
1854cc				1987 FZX700	XS4163	4163 ⁸²⁴⁸	.035
2011-08 Raider, S	XS4163	4163 ⁸²⁴⁸	.035	1986-85 XJ700	XS62	4252 ⁸²⁴⁸	.032
2010-06 Roadliner, S, Midnight, S	XS4163	4163 ⁸²⁴⁸	.035	1986-85 XJ700X	XS4163	4163 ⁸²⁴⁸	.028
2011-06 Stratoliner, S, Midnight, S	XS4163	4163 ⁸²⁴⁸	.035	1996-84 XV700	XS62	4252 ⁸²⁴⁸	.030
1679cc				650cc			
2011-09 VMX17 V-Max	XS4302	4302	.035	1977-76 TS650	XS62	4252 ⁸²⁴⁸	.028
1670cc				1975 TS650	XS4064	4054 ⁸²⁴⁸	.028
2006-02 Road Star Warrior, Midnight	XS4164	4164 ⁸²⁴⁸	.035	1974-73 TX650	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.024
2007-05 Road Star Midnight				2010-02 V-Star Silverado	XS4164	4164 ⁸²⁴⁸	.035
Silverado	XS4164	4164 ⁸²⁴⁸	.035	2011-98 V-Star Custom, Classic	XS4164	4164 ⁸²⁴⁸	.035
2011-04 Road Star, Midnight,				1983-80 XJ650, L	XS62	4252 ⁸²⁴⁸	.032
Silverado, S	XS4164	4164 ⁸²⁴⁸	.035	1983-80 XJ650L (Turbo)	XS63	4263 ⁸²⁴⁸	.032
2010-07 Warrior, Midnight Warrior	XS4164	4164 ⁸²⁴⁸	.035	1972-70 XS1, XS1B, XS2	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.024
1600cc				1983-76 XS650, -S, -2	XS62	4252 ⁸²⁴⁸	.032
2003-99 Road Star, Silverado,				1975 XS650	XS4064	4054 ⁸²⁴⁸	.024
Midnight Star	XS4164	4164 ⁸²⁴⁸	.035	600cc			
1300cc				1984 FJ600L, LC	XS4163	4163 ⁸²⁴⁸	.028
2011-03 FJR1300A, AE, ABS	XS4303	4303	.028	1985 FJ600N, NC	XS4163	4163 ⁸²⁴⁸	.028
2001-96 Royal Star XVZ13A, AT, LT,				2009-04 FZ6	XS4302	4302	.028
LTC, Blvd.	XS4164	4164 ⁸²⁴⁸	.035	2011-09 FZ6R	XS4302	4302	.028
2009-05 Royal Star Tour Deluxe	XS4164	4164 ⁸²⁴⁸	.035	2004 FZR600	XS4302	4302	.028
2011-99 Royal Star Venture, S,				1999-89 FZR600, R	XS4303	4303	.030
Midnight Venture, MM	XS4164	4164 ⁸²⁴⁸	.035	1988-86 FZ600	XS4163	4163 ⁸²⁴⁸	.028
1993-86 XVZ13	XS4163	4163 ⁸²⁴⁸	.035	1986 SRX600	XS4163	4163 ⁸²⁴⁸	.035
1200cc				1986-85 TT600, S	XS4163	4163 ⁸²⁴⁸	.035
1993-86 FJ1200	XS4164	4164 ⁸²⁴⁸	.035	1984-83 TT600	XS4164	4164 ⁸²⁴⁸	.028
2007-85 VMX12V V-Max	XS4164	4164 ⁸²⁴⁸	.035	1993 VK540ET	XS4063	4063 ⁸²⁴⁸	.030
1985-83 XVZ12	XS4164	4164 ⁸²⁴⁸	.035	1998-92 XJ600S Seca II	XS4303	4303	.030
1100cc				1991-84 XR600	XS4163	4163 ⁸²⁴⁸	.035
1993-84 FJ1100	XS4163	4163 ⁸²⁴⁸	.032	1996-84 XT600, E	XS4163	4163 ⁸²⁴⁸	.035
2010-02 V-Star 1100 Silverado	XS62	4252 ⁸²⁴⁸	.028	1990-86 YX600	XS4163	4163 ⁸²⁴⁸	.028
2010-99 V-Star 1100 Classic,				2011-99 YZF-R6, S	XS4303	4303	.028
Custom	XS62	4252 ⁸²⁴⁸	.028	2007-95 YZF600R	XS4303	4303	.028
1983 XJ1100	XS63	4263 ⁸²⁴⁸	.032	550cc			
1982-78 XS1100	XS63	4263 ⁸²⁴⁸	.032	1983-81 XJ550, R	XS4164	4164 ⁸²⁴⁸	.028
1981-80 XS1100L	XS63	4263 ⁸²⁴⁸	.032	1983-82 XT550	XS4164	4164 ⁸²⁴⁸	.028
1999-86 XV1100	XS62	4252 ⁸²⁴⁸	.032	1983-82 XZ550R	XS4163	4163 ⁸²⁴⁸	.028
1000cc				1993-92 ZR550	XS4162	4162 ⁸²⁴⁸	.028
2011-01 FZ1	XS4303	4303	.032	535cc			
1996-87 FZR1000	XS4164	4164 ⁸²⁴⁸	.035	2000-95 XV535, S, Virago 535	XS62	4252 ⁸²⁴⁸	.028
1994-93 GTS1000A	XS4163	4163 ⁸²⁴⁸	.035	1994 XV535SF, SFC	XS62	4252 ⁸²⁴⁸	.025
1996 XV1000	XS62	4252 ⁸²⁴⁸	.032	1994 XV535F, FC	XS4064	4054 ⁸²⁴⁸	.025
1993-84 XV1000	XS62	4252 ⁸²⁴⁸	.032	1993-87 XV535, A, EC, TC	XS62	4252 ⁸²⁴⁸	.025
1998-97 YZF1000R	XS4163	4163 ⁸²⁴⁸	.035	500cc			
2008-02 YZF-R1, LE	XS4302	4302	.028	1993-92 EX500, EN500	XS4163	4163 ⁸²⁴⁸	.030
				1974-73 SC500	XS4063	4063 ⁸²⁴⁸	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
YAMAHA (Cont'd)				YAMAHA (Cont'd)			
1981-80 SR500	XS63	4263 ⁸²⁴⁸	.032	1981-80 SR250S, SR250T	XS62	4252 ⁸²⁴⁸	.032
1979-78 SR500	XS62	4252 ⁸²⁴⁸	.032	1988-87 SRX250	XS4163	4163 ⁸²⁴⁸	.024
1981-76 TT500	XS62	4252 ⁸²⁴⁸	.032	1973-72 TA250, TD2B, TD3	XS4062	4062 ⁸²⁴⁸	.024
1974-73 TX500	XS4162	4162 ⁸²⁴⁸	.028	1983-80 TT250	XS62	4252 ⁸²⁴⁸	.032
1981-80 TZ500	----	4051 ⁸²⁴⁸	.024	2006-99 TT-R250	XS4302	4302	.028
1993-92 WR500	XS4063	4063 ⁸²⁴⁸	.024	1993 TY250R	----	4056 ⁸²⁴⁸	.025
1978-75 XS500	XS4164	4164 ⁸²⁴⁸	.028	1985-83 TY250L	----	4056 ⁸²⁴⁸	.024
1981-80 XT500	XS63	4263 ⁸²⁴⁸	.032	1977-74 TY250	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.024
1979-76 XT500	XS62	4252 ⁸²⁴⁸	.032	1995 TZ250	XS4063	4063 ⁸²⁴⁸	.024
1984-83 XV500	XS63	4263 ⁸²⁴⁸	.032	1981-74 TZ250	----	4051 ⁸²⁴⁸	.024
490cc				2011-08 V-Star 250	----	4194	.024
1984-83 IT490, L	XS4064	4054 ⁸²⁴⁸	.032	2011-01 WR250F	XS4303	4303	.024
1990-82 YZ490	----	AR3934	.024	2011-09 WR250R 4-Stroke DOHC	XS4302	4302	.025
465cc				2011-09 WR250X 4-Stroke DOHC	XS4302	4302	.025
1982-81 IT465	XS4064	4054 ⁸²⁴⁸	.032	1997-92 WR250Z, ZF	XS4063	4063 ⁸²⁴⁸	.022
1981-80 YZ465	XS4064	4054 ⁸²⁴⁸	.032	1993 XL250	----	4056 ⁸²⁴⁸	.025
450cc				2011-08 XT250 4-Stroke SOHC	XS4163	4163 ⁸²⁴⁸	.024
2011-03 WR450F	XS4303	4303	.028	1984 XT250, LC	XS4164	4164 ⁸²⁴⁸	.028
2011-03 YZ450F	XS4303	4303	.028	1983-80 XT250	XS62	4252 ⁸²⁴⁸	.032
426cc				2007-95 XV250, Virago 250	----	4194	.024
2002-01 WR426F	XS4303	4303	.032	1990-88 XV250	----	4194	.028
2002-00 YZ426F	XS4303	4303	.032	2001-88 YZ250	XS62	4252 ⁸²⁴⁸	.024
425cc				1987-82 YZ250	XS4062	4062 ⁸²⁴⁸	.024
1980 IT425	XS4064	4054 ⁸²⁴⁸	.024	1981-74 YZ250	XS4063	4063 ⁸²⁴⁸	.024
400cc				2011-02 YZ250 (2-Stroke)	XS4063	4063 ⁸²⁴⁸	.024
1979-77 DT400	XS4064	4054 ⁸²⁴⁸	.028	2011-01 YZ250F (4-Stroke)	XS4303	4303	.024
1976-75 DT400	XS4063	4063 ⁸²⁴⁸	.024	1967 YDS5	XS4093	4093 ⁸²⁴⁸	.024
1990-88 FZR400	XS4303	4303	.028	225cc			
1979-76 IT400	XS4064	4054 ⁸²⁴⁸	.032	2011-05 TT-R230	XS4163	4163 ⁸²⁴⁸	.024
1975 MX400, B	XS4063	4063 ⁸²⁴⁸	.024	1987-86 TT225	XS4163	4163 ⁸²⁴⁸	.028
1979-76 RD400	XS4064	4054 ⁸²⁴⁸	.032	2004-99 TT-R225	XS4163	4163 ⁸²⁴⁸	.024
2000-98 WR400F	XS4303	4303	.026	2006-92 XT225	XS4163	4163 ⁸²⁴⁸	.024
1984 XS400, R	XS4163	4163 ⁸²⁴⁸	.028	200cc			
1981-77 XS400, -2	XS62	4252 ⁸²⁴⁸	.024	1988-85 BW200 Big Wheel	XS4163	4163 ⁸²⁴⁸	.028
1982-80 XS400S	XS62	4252 ⁸²⁴⁸	.024	1972-71 CS3, CS5	XS4092	4092 ⁸²⁴⁸	.024
1979-76 YZ400	XS4064	4054 ⁸²⁴⁸	.024	1986-84 IT200N	XS4062	4062 ⁸²⁴⁸	.024
1999-98 YZ400F	XS4303	4303	.026	1978 RD200	----	4051 ⁸²⁴⁸	.024
360cc				1976 RD200	XS4063	4063 ⁸²⁴⁸	.028
1974 DT360	XS4063	4063 ⁸²⁴⁸	.028	1975-74 RD200	XS4092	4092 ⁸²⁴⁸	.024
1974-73 MX360	XS4064	4054 ⁸²⁴⁸	.024	2011-87 TW200	XS4163	4163 ⁸²⁴⁸	.024
1973-70 RT1, RT1B, RT1M, RT1MX, RT2, RT2MX, RT3	XS4064	4054 ⁸²⁴⁸	.028	1993-92 WR200R	XS4063	4063 ⁸²⁴⁸	.024
1977-76 XS360, -2	XS63	4263 ⁸²⁴⁸	.032	1991-87 XC200	XS4164	4164 ⁸²⁴⁸	.035
1975-74 YZ360	XS4063	4063 ⁸²⁴⁸	.024	1986 XC200	XS4163	4163 ⁸²⁴⁸	.035
350cc				1983-82 XT200	XS4163	4163 ⁸²⁴⁸	.028
1989-87 BW350	XS4163	4163 ⁸²⁴⁸	.024	1972-70 All CS Street Models	XS4092	4092 ⁸²⁴⁸	.024
All R3, R5, R5B, R5C	XS4092	4092 ⁸²⁴⁸	.024	185cc			
1975-73 RD350	XS4092	4092 ⁸²⁴⁸	.024	1982-81 SR185	XS4164	4164 ⁸²⁴⁸	.028
1985-83 RZ350	XS4064	4054 ⁸²⁴⁸	.032	180cc			
1987-86 TT350	XS4163	4163 ⁸²⁴⁸	.028	1998-90 RT180	XS4063	4063 ⁸²⁴⁸	.032
1986-85 TY350	XS63	4263 ⁸²⁴⁸	.028	1985-83 XC180	XS4163	4163 ⁸²⁴⁸	.035
1975-72 TR2B, TR3, TZ350	----	4051 ⁸²⁴⁸	.024	1968 YCS1, YCS1C	XS4092	4092 ⁸²⁴⁸	.020
2000-85 XT350	XS4164	4164 ⁸²⁴⁸	.028	175cc			
1968-67 YR1, YR2, YR2C	XS4092	4092 ⁸²⁴⁸	.024	1971-69 CT1, CT1B, CT1C	XS4064	4054 ⁸²⁴⁸	.024
305cc				1973-72 CT2, CT3	XS4064	4054 ⁸²⁴⁸	.024
1967 YM2C	XS4092	4092 ⁸²⁴⁸	.024	1981-80 DT175	XS4063	4063 ⁸²⁴⁸	.032
250cc				1979-74 DT175	XS4064	4054 ⁸²⁴⁸	.028
DS6B, DS6C, DS7	XS4092	4092 ⁸²⁴⁸	.024	1983-82 IT175	XS4062	4062 ⁸²⁴⁸	.024
1979-74 DT250	XS4064	4054 ⁸²⁴⁸	.028	1981-79 IT175	XS4063	4063 ⁸²⁴⁸	.024
1971-68 DT1 Models	XS4064	4054 ⁸²⁴⁸	.024	1978-77 IT175	----	4051 ⁸²⁴⁸	.024
1973-72 DT	XS4064	4054 ⁸²⁴⁸	.024	1983-79 MX175	XS4064	4054 ⁸²⁴⁸	.032
1972 DT2MX	XS4064	4054 ⁸²⁴⁸	.020	1975-74 MX175	XS4064	4054 ⁸²⁴⁸	.024
1973-72 DT2M, DT3M	XS4064	4054 ⁸²⁴⁸	.020	1979-75 TY175	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.024
1983-77 IT250	XS4063	4063 ⁸²⁴⁸	.028	1976 YZ175	XS4063	4063 ⁸²⁴⁸	.024
1975-73 MX250	XS4064	4054 ⁸²⁴⁸	.024	125cc			
1975-73 RD250	XS4093	4093 ⁸²⁴⁸	.024	1983-74 DT125	XS4064	4054 ⁸²⁴⁸	.032
1982-80 SR250	XS62	4252 ⁸²⁴⁸	.032	1981-80 IT125	XS4063	4063 ⁸²⁴⁸	.024
				1976-74 MX125	XS4063	4063 ⁸²⁴⁸	.024



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Motorcycles



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
YAMAHA (Cont'd)				YAMAHA (Cont'd)			
1976 RD125	XS4064	4054 ⁸²⁴⁸	.028	1985 PW60N	----	4123 ⁸²⁴⁸	.024
1975 RD125	XS4092	4092 ⁸²⁴⁸	.028	1975-73 RD60	XS4093	4093 ⁸²⁴⁸	.024
1977-74 TA125	XS4062	4062 ⁸²⁴⁸	.024	1965-64 YJ-1, YJ1K, YJ2S	XS4093	4093 ⁸²⁴⁸	.024
1981-80 TZ125	XS4062	4062 ⁸²⁴⁸	.024	1983-81 YZ60	XS4063	4063 ⁸²⁴⁸	.020
2007-00 TT-R125, TT-R125L	----	4194	.024	50cc			
2011-03 TT-R125E, TT-R125LE	----	4194	.024	1986-83 CA50	----	4123 ⁸²⁴⁸	.028
1984-82 XT125	XS4163	4163 ⁸²⁴⁸	.028	1987-86 CE50	----	4123 ⁸²⁴⁸	.040
1966 YA6	XS4093	4093 ⁸²⁴⁸	.024	1990-88 CG50	----	4123 ⁸²⁴⁸	.040
1968 YAS1C	XS4062	4062 ⁸²⁴⁸	.024	1990-88 CW50	----	4123 ⁸²⁴⁸	.028
1968 YCS1C	XS4092	4092 ⁸²⁴⁸	.020	1995-90 DT50	XS4063	4063 ⁸²⁴⁸	.032
2011-02 YZ125	XS4062	4062 ⁸²⁴⁸	.024	1981-80 LC50	----	4123 ⁸²⁴⁸	.028
2001-82 YZ125, F1	XS4062	4062 ⁸²⁴⁸	.024	2010-90 PW50	----	4123 ⁸²⁴⁸	.026
1981-77 YZ125	----	4051 ⁸²⁴⁸	.024	1988-81 PW50	----	4123 ⁸²⁴⁸	.028
1976-74 YZ125	XS4063	4063 ⁸²⁴⁸	.024	1983 RX50	XS4092	4092 ⁸²⁴⁸	.024
1976 YZ125X	----	4051 ⁸²⁴⁸	.024	1984 RX50L	XS4093	4093 ⁸²⁴⁸	.028
1973-69 All AT Models	XS4064	4054 ⁸²⁴⁸	.024	1985 RX50N	XS4092	4092 ⁸²⁴⁸	.028
1973-70 ATM & ATMX Series	XS4063	4063 ⁸²⁴⁸	.020	2010-06 TT-R50E	----	4194	.024
110cc				1992-87 YSR50	XS4092	4092 ⁸²⁴⁸	.028
2011-08 TT-R110E	----	4194	.024	1980 YZ50	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032
100cc				YANKEE			
1983-76 DT100	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.024	500cc			
1975-74 DT100	XS4093	4093 ⁸²⁴⁸	.028	Yankee Z	XS4064	4054 ⁸²⁴⁸	.020
1971-69 LT5A	XS4092	4092 ⁸²⁴⁸	.020	All Models w/18mm Threads	----	386	.025
1972 LS2 Street Twin	XS4093	4093 ⁸²⁴⁸	.024	ZANELLA			
1973-72 LT2, LT3, LT2M	XS4092	4092 ⁸²⁴⁸	.024	125cc			
1973 LTMX	XS4092	4092 ⁸²⁴⁸	.024	All Models	XS4092	4092 ⁸²⁴⁸	.025
1983-79 MX100	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.032	100cc			
1975-74 MX100	XS4064	4054 ⁸²⁴⁸	.024	All Models	XS4092	4092 ⁸²⁴⁸	.025
1976-75 RS100	XS4092	4092 ⁸²⁴⁸	.024	50cc			
2000-90 RT100	XS4064	4054 ⁸²⁴⁸	.032	All Models	XS4093	4093 ⁸²⁴⁸	.025
1967-66 YL1, YL1E	XS4093	4093 ⁸²⁴⁸	.024	ZUNDAPP			
1968-67 YL2, YL2C, YL2CM, YLCM	XS4092	4092 ⁸²⁴⁸	.024	125cc			
1982 YZ100	XS4062	4062 ⁸²⁴⁸	.024	125ISDT, 125 Moto-Cross	XS4092	4092 ⁸²⁴⁸	.020
1981-76 YZ100	XS4063	4063 ⁸²⁴⁸	.024	100cc			
90cc				100ISDT, 100 Scrambler	XS4092	4092 ⁸²⁴⁸	.020
1971-70 HS1, HS1B Twin	XS4093	4093 ⁸²⁴⁸	.024	50cc			
1970 HT1	XS4093	4093 ⁸²⁴⁸	.024	KS50 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
1971 HT1B Enduro	XS4093	4093 ⁸²⁴⁸	.024	KS50 3/4" Reach	XS4063	4063 ⁸²⁴⁸	.020
1971 HT1BMX	XS4063	4063 ⁸²⁴⁸	.024	85cc			
2003-00 TT-R90	----	4194	.024	2011-02 YZ85			
2007-03 TT-R90E	----	4194	.024	----			
85cc				4051 ⁸²⁴⁸			
80cc				.024			
1990 BW80 Big Wheel	----	4123 ⁸²⁴⁸	.028	1990 BW80 Big Wheel			
1988-86 BW80 Big Wheel	----	4123 ⁸²⁴⁸	.028	----			
1987-85 CV80	XS4092	4092 ⁸²⁴⁸	.028	1987-85 CV80			
1984-83 CV80	----	4123 ⁸²⁴⁸	.028	XS4092			
1983-81 DT80	XS4093	4093 ⁸²⁴⁸	.028	1984-83 CV80			
1972-70 G6S, G6SB, G7S	AP425 ⁸²⁴⁹	425	.024	----			
1973 GT1, G5S, G5T	AP425 ⁸²⁴⁹	425	.024	1983-81 DT80			
1980-74 GT80, GTMX, GT80MBX	XS4093	4093 ⁸²⁴⁸	.028	XS4093			
1978-76 LB80 All Models exc. IIH	AP425 ⁸²⁴⁹	425	.028	1972-70 G6S, G6SB, G7S			
1978-76 LB80-IIH Chappy	XS4093	4093 ⁸²⁴⁸	.028	1973 GT1, G5S, G5T			
1982-80 MX80	XS4093	4093 ⁸²⁴⁸	.028	1980-74 GT80, GTMX, GT80MBX			
2007-83 PW80	----	4123 ⁸²⁴⁸	.024	1978-76 LB80 All Models exc. IIH			
1975-74 TY80 Trials	----	4123 ⁸²⁴⁸	.024	1978-76 LB80-IIH Chappy			
1968-63 YG1, YG1K, YG1T, YG1TK, YG5T, YJ-2	XS4093	4093 ⁸²⁴⁸	.024	1982-80 MX80			
1969 YG5S	XS4093	4093 ⁸²⁴⁸	.024	2007-83 PW80			
2001-84 YZ80	----	4051 ⁸²⁴⁸	.022	1975-74 TY80 Trials			
1983-76 YZ80	XS4063	4063 ⁸²⁴⁸	.024	1968-63 YG1, YG1K, YG1T, YG1TK, YG5T, YJ-2			
1975-74 YZ80	XS4093	4093 ⁸²⁴⁸	.024	1969 YG5S			
70cc				2001-84 YZ80			
1972 U7E	AP425 ⁸²⁴⁹	425	.024	1983-76 YZ80			
60cc				1975-74 YZ80			
1975-71 JT Series, RD60	XS4093	4093 ⁸²⁴⁸	.024	70cc			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ACTION				APRILIA (Cont'd)			
ATV's				Scooters (Cont'd)			
1998-96 Buddy	AP425 ⁸²⁴⁹	425	.025	2008 Atlantic 400 Sprint	XS4303	4303	.030
Mini-Bikes				2008-03 Atlantic 500	XS4303	4303	.030
1998-96 Outback	AP425 ⁸²⁴⁹	425	.025	2008 Atlantic 500 Sprint	XS4303	4303	.030
1998-96 Small Fry	AP425 ⁸²⁴⁹	425	.025	2009-05 Mojito Custom 150	XS4303	4303	.025
1998-96 Attack	XS4093	4093 ⁸²⁴⁸	.025	2006-04 Mojito Custom 50, Retro 50	XS4303	4303	.025
1998-96 Outlaw	XS4093	4093 ⁸²⁴⁸	.025	2006-04 Rally 50	XS4303	4303	.025
ACTION-AGE (See Scrambler)				2011-04 Scarabeo 500	XS4303	4303	.030
ADVENTURER				2008-07 Scarabeo 400	XS4303	4303	.030
ATV's				2008-06 Scarabeo 250	XS4303	4303	.030
1980-77 HM100	XST458 ⁸²⁵¹	295	.025	2011-07 Scarabeo 200 Street	XS4303	4303	.030
AIR CYCLE				2006-00 Scarabeo 150	XS4303	4303	.025
Hovercrafts				2008-07 Scarabeo 125 Street	XS4303	4303	.030
Model 410	----	2695	.030	2011-07 Scarabeo 100 4-Stroke	XS4303	4303	.030
ALLIS-CHALMERS (See Terra Tiger)				2008-07 Scarabeo 50 4-Stroke	XS4303	4303	.030
ALLSTATE				2008-00 Scarabeo Ditech 50, Street	XS4303	4303	.020
Mini-Bikes				2010-07 Sportcity 250 LE, Cube	XS4303	4303	.030
3/8" Reach, 14mm Heads	XST458 ⁸²⁵¹	295	.030	2008 Sportcity 200	XS4303	4303	.030
1/2" Reach, 14mm Heads	AP425 ⁸²⁴⁹	425	.030	2011-08 Sportcity 125	XS4303	4303	.030
18mm Heads	AP45 ⁸²⁴⁹	45	.030	2011-10 Sportcity 50	XS4303	4303	.030
ALSPORT				2008-00 SR 50 Ditech	XS4303	4303	.020
ATV's				2001-00 SR 50 Racing	XS4303	4303	.020
All Models w/171R Hirth Eng.	XS4092	4092 ⁸²⁴⁸	.020	2008 SR 50 Street	XS4303	4303	.020
All Models w/395cc JLO Eng.	----	2695	.030	2011-08 SR 50 R, Factory	XS4303	4303	.020
All Models w/400cc CCW Eng.	XS4092	4092 ⁸²⁴⁸	.020	ARCO E-Z RIDER			
All Models w/440cc JLO 440	----	2695	.030	Go-Karts	XST458 ⁸²⁵¹	295	.030
All Models w/634cc Hirth	XS4092	4092 ⁸²⁴⁸	.020	Mini-Bikes	XST458 ⁸²⁵¹	295	.030
ALSPORT-STEEN				3-Z Three-Wheeler	XST458 ⁸²⁵¹	295	.030
100cc All Models	----	353	.025	ARCTIC CAT			
80cc All Models	----	353	.025	Mini-Bikes & ATV'S			
AMERICAN CONTINENTAS				2008-07 700 4x4 Automatic, LE, M4	XS4303	4303	.028
ACG-300, ACG-4000	XST458 ⁸²⁵¹	295	.030	DOHC 4-Stroke	XS4303	4303	.028
AMERICAN PRIDE				2010-08 700 4x4 Automatic H1, EFI	XS4303	4303	.028
w/B&S 9 h.p. Vanguard	XST3926 ⁸²⁵¹	3926	.030	SOHC 4-Stroke	XS4303	4303	.028
AMPHICAT				2009-08 700 4x4 Automatic TRV LE,	XS4303	4303	.028
ATV's				EFI DOHC 4-Stroke	XS4303	4303	.028
All Models w/225cc CCW Eng.	----	2695	.020	2010-08 Prowler XTX 700 H1 LE 4x4	XS4303	4303	.028
All Models w/B&S Eng.	XST458 ⁸²⁵¹	295	.030	Automatic SOHC 4-Stroke	XS4303	4303	.028
All Models w/L-295 JLO Eng.	----	2695	.025	2010 TBX 700 H1 4x4 Automatic	XS4303	4303	.028
SA280 (277cc) Sach Eng.	----	2695	.020	SOHC 4-Stroke	XS4303	4303	.028
AMUSEMENT PRODUCTS				2011-09 TRV 700 H1, Cruiser	XS4303	4303	.028
Go-Karts				Automatic SOHC 4-Stroke	XS4303	4303	.028
w/Honda 5.5 & 8 h.p.	XS65	4265 ⁸²⁴⁸	.030	2011-09 700 Mudpro, SE 4x4	XS4303	4303	.028
APRILIA				Automatic SOHC 4-Stroke	XS4303	4303	.028
Scooters				2011-10 650 Mudpro H1 4x4	XS4303	4303	.028
2006-04 Atlantic 200	----	4051 ⁸²⁴⁸	.025	Automatic SOHC 4-Stroke	XS4303	4303	.028
2008 Atlantic 400	XS4303	4303	.030	2007-05 650 4x4 V-2 Automatic, LE	XS4303	4303	.028
APRILIA (Cont'd)				SOHC 4-Stroke	XS4303	4303	.028
Scooters (Cont'd)				2010-04 650 4x4 Automatic, H1, TRV	XS4303	4303	.028
2008 Atlantic 400 Sprint	XS4303	4303	.030	SOHC 4-Stroke	XS4303	4303	.028
2008-03 Atlantic 500	XS4303	4303	.030	2009-08 Prowler 650 4x4 Automatic,	XS4303	4303	.028
2008 Atlantic 500 Sprint	XS4303	4303	.030	M4, XT SOHC 4-Stroke	XS4303	4303	.028
2009-05 Mojito Custom 150	XS4303	4303	.025	2004 500 2x4 Automatic/5 Speed ...	XS4303	4303	.028
2006-04 Mojito Custom 50, Retro 50	XS4303	4303	.025	2001-00 500 4x4 Automatic	XS4303	4303	.028
2006-04 Rally 50	XS4303	4303	.025	2009-05 500 4x4 Automatic LE SOHC	XS4302	4302	.028
2011-04 Scarabeo 500	XS4303	4303	.030	4-Stroke	XS4302	4302	.028
2008-07 Scarabeo 400	XS4303	4303	.030	2007-02 500 4x4 Automatic/5 Speed,	XS4303	4303	.028
2008-06 Scarabeo 250	XS4303	4303	.030	Automatic, M4, TBX, TRV SOHC	XS4303	4303	.028
2011-07 Scarabeo 200 Street	XS4303	4303	.030	4-Stroke	XS4303	4303	.028
2006-00 Scarabeo 150	XS4303	4303	.025	2005-02 500i 4x4 Automatic/5	XS4303	4303	.028
2008-07 Scarabeo 125 Street	XS4303	4303	.030	Speed	XS4303	4303	.028
2011-07 Scarabeo 100 4-Stroke	XS4303	4303	.030	2001-98 Bearcat 500 4x4	XS4303	4303	.028
2008-07 Scarabeo 50 4-Stroke	XS4303	4303	.030	1998-96 Bearcat 454 4x4	XS4303	4303	.028
2008-00 Scarabeo Ditech 50, Street	XS4303	4303	.020	1998-96 Bearcat 454 2x4	XS4303	4303	.028
2010-07 Sportcity 250 LE, Cube	XS4303	4303	.030				
2008 Sportcity 200	XS4303	4303	.030				
2011-08 Sportcity 125	XS4303	4303	.030				
2011-10 Sportcity 50	XS4303	4303	.030				
2008-00 SR 50 Ditech	XS4303	4303	.020				
2001-00 SR 50 Racing	XS4303	4303	.020				
2008 SR 50 Street	XS4303	4303	.020				
2011-08 SR 50 R, Factory	XS4303	4303	.020				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ARCTIC CAT (Cont'd)				ASM (Cont'd)			
Mini-Bikes & ATV'S (Cont'd)				100cc AP425 ⁸²⁴⁹ 425 .020			
2008-05 DVX 400, TS SOHC 4-Stroke XS4303 4303 .028				100cc AP425 ⁸²⁴⁹ 425 .020			
2008-02 400i, 400 Automatic/5 Speed 4x4 SOHC 4-Stroke XS4303 4303 .028				ATK			
2005-02 400 2x4 Automatic/5 Speed SOHC 4-Stroke XS4303 4303 .028				ATV's			
2010-08 TRV 400 Automatic SOHC 4-Stroke XS4303 4303 .028				2002-98 90 Mini Quad XS4093 4093 ⁸²⁴⁸ .025			
2001-98 Bearcat 400 4x4 XS4303 4303 .028				2002-98 50 Mini Quad XS4093 4093 ⁸²⁴⁸ .025			
2001-98 Bearcat 400 2x4 XS4303 4303 .028				ATTEX			
2002 375 4x4 Automatic XS4303 4303 .028				ATV's			
2002 375 2x4 Automatic XS4303 4303 .028				w/B&S 8h.p. Engs. XST458 ⁸²⁵¹ 295 .030			
2011-08 366 SE 4x4 SOHC 4-Stroke XS4303 4303 .028				w/CCW 225 Engs. --- 2695 .020			
2011-09 300, DVX 2X4 Automatic SOHC 4-Stroke XS4164 4164 ⁸²⁴⁸ .028				w/CCW 400 Engs. XS4092 4092 ⁸²⁴⁸ .020			
2005-02 300 4x4 SOHC 4-Stroke ... XS4164 4164 ⁸²⁴⁸ .028				w/JLO 300 Engs. --- 2695 .020			
2004-02 300 2x4 SOHC 4-Stroke ... XS4164 4164 ⁸²⁴⁸ .028				w/JLO 340B Engs. XS4064 4054 ⁸²⁴⁸ .020			
2001-98 Bearcat 300 4x4 XS4164 4164 ⁸²⁴⁸ .028				w/Tecumseh Engs. XS4093 4093 ⁸²⁴⁸ .030			
2001-98 Bearcat 300 2x4 XS4164 4164 ⁸²⁴⁸ .028				w/Zenoah Engs. XS4063 4063 ⁸²⁴⁸ .020			
2006-02 250 4x4 SOHC 4-Stroke ... XS4164 4164 ⁸²⁴⁸ .028				ATV			
2009-02 250 2x4 SOHC 4-Stroke ... XS4164 4164 ⁸²⁴⁸ .028				252 Colt --- 2695 .020			
2008-07 DVX 250 SOHC 4-Stroke ... XS4164 4164 ⁸²⁴⁸ .028				295 Wildwolf --- 2695 .020			
2001 Bearcat 250 4x4 XS4164 4164 ⁸²⁴⁸ .028				400 Chief XS4064 4054 ⁸²⁴⁸ .020			
2001-98 Bearcat 250 2x4 XS4164 4164 ⁸²⁴⁸ .028				440 Thunderbird XS4064 4054 ⁸²⁴⁸ .020			
2011-09 150 Youth Automatic 2x4 SOHC 4-Stroke XS4163 4163 ⁸²⁴⁸ .028				Sofare 14 H.P. w/JLO Engs. --- 2695 .020			
2005-02 90 Automatic 2x4 2-Stroke . --- 4123 ⁸²⁴⁸ .028				AVENGER			
2009-04 90 Automatic 2x4 SOHC 4-Stroke --- 4123 ⁸²⁴⁸ .028				ATV's			
2011-07 90 DVX, Youth SOHC 4-Stroke --- 4123 ⁸²⁴⁸ .028				1984-80 w/Kohler K181 Engs. XST258 ⁸²⁵¹ 258 .025			
2006-04 50 Automatic 2x4 4-Stroke . --- 4123 ⁸²⁴⁸ .028				BAJAJ			
w/Chry. 82019 Engs. AP425 ⁸²⁴⁹ 425 .028				Scooters			
SSS Cat w/Sachs Engs. AP425 ⁸²⁴⁹ 425 .028				Chetak, Viking AP425 ⁸²⁴⁹ 425 .020			
SSS Cat II XST458 ⁸²⁵¹ 295 .028				ATV's			
ARGO				Autoriksha AP425 ⁸²⁴⁹ 425 .020			
ATV's				Delivery Van AP425 ⁸²⁴⁹ 425 .020			
w/B&S 16 h.p. (Twin) XST458 ⁸²⁵¹ 458 .030				Pickup Truck AP425 ⁸²⁴⁹ 425 .020			
w/B&S 14, 16, 18 & 23 h.p. Vanguard XST3926 ⁸²⁵¹ 3926 .030				Tractor Trailer AP425 ⁸²⁴⁹ 425 .020			
w/B&S 31 h.p. Vanguard (Liquid 3 Cyl.) XS3924 3924 .020				BAROSSA			
w/Kawasaki 20 h.p. (Liquid V-Twin) . XST255 ⁸²⁵¹ 255 .025				ATV's			
1989-83 w/Kohler 17 & 18 h.p. (Twin) XS3924 3924 .025				Cheetah 250 --- 4132 ⁸²⁴⁸ .024			
w/Kohler 26 & 31 h.p. (Liquid V-Twin) XST3926 ⁸²⁵¹ 3926 .040				Quarterback 250 --- 4132 ⁸²⁴⁸ .024			
To 1974 w/Kohler 399cc Engs. --- 2695 .030				Magna 250 --- 4132 ⁸²⁴⁸ .024			
1976-74 w/Kohler 436cc Engs. XS4063 4063 ⁸²⁴⁸ .030				Silver Hawk 250 --- 4132 ⁸²⁴⁸ .024			
To 1974 w/Kohler 440cc Engs. --- 2695 .030				Skywalker 250 --- 4132 ⁸²⁴⁸ .024			
1982-77 w/Kohler Engs. XS4064 4054 ⁸²⁴⁸ .030				Cheetah 170 --- 4132 ⁸²⁴⁸ .024			
w/Kohler KT17 Engs. XP26 ⁸²⁵⁰ 26 .025				Quarterback 170 --- 4132 ⁸²⁴⁸ .024			
w/Tecumseh 435cc Engs. XS4093 4093 ⁸²⁴⁸ .030				Magna 170 --- 4132 ⁸²⁴⁸ .024			
w/Tec. 16 h.p. OHV XST4055 ⁸²⁵¹ 4055 ⁸²⁴⁸ .030				Silver Hawk 170 --- 4132 ⁸²⁴⁸ .024			
w/Zenoah 432cc Engs. XS4063 4063 ⁸²⁴⁸ .025				Magna 150 --- 4132 ⁸²⁴⁸ .024			
ARKAT				Python 100 --- 4123 ⁸²⁴⁸ .028			
All Models w/CCW 292 Engs. XS4092 4092 ⁸²⁴⁸ .020				Bumblebee 60 --- 4123 ⁸²⁴⁸ .028			
ASM				Mini --- 4123 ⁸²⁴⁸ .028			
100cc AP425 ⁸²⁴⁹ 425 .020				Python 50 --- 4123 ⁸²⁴⁸ .028			
100cc AP425 ⁸²⁴⁹ 425 .020				BLANEY			
FX100 --- 4123 ⁸²⁴⁸ .028				FX100 --- 4123 ⁸²⁴⁸ .028			
FX90 --- 4123 ⁸²⁴⁸ .028				FX90 --- 4123 ⁸²⁴⁸ .028			
FX70 --- 4123 ⁸²⁴⁸ .028				FX70 --- 4123 ⁸²⁴⁸ .028			

Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BAZOO				BRAVE			
All Models	----	2695	.020	Go-Karts			
BEAVER				w/B&S 5 h.p.	XST458 ⁸²⁵¹	458	.030
All Models	----	2695	.020	BRISTER'S THUNDERKARTS			
BENELLI				Go-Karts			
Amico Scooter	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	w/B&S 3.5 & 5 h.p.	XST458 ⁸²⁵¹	458	.030
Bo-Bo	----	4056 ⁸²⁴⁸	.030	w/Honda 5 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030
BIG MUDDY				w/Honda 5.5, 9 & 11 h.p.	XS65	4265 ⁸²⁴⁸	.030
Utility Vehicles				w/Tec. 3.5 h.p.	XST458 ⁸²⁵¹	458	.030
700	XS4163	4163 ⁸²⁴⁸	.030	w/Tec. 5, 6, 6.5, 9 & 11 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030
ATV's				w/Tec. 8 h.p.	XST458 ⁸²⁵¹	458	.030
500	XS4163	4163 ⁸²⁴⁸	.030	Mini-Bikes			
400	XS4163	4163 ⁸²⁴⁸	.030	w/Tec. 3.5 h.p.	XST458 ⁸²⁵¹	458	.030
Utility Vehicles				w/Tec. 5 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030
700	XS4163	4163 ⁸²⁴⁸	.030	BUSH HOG			
660	XS4163	4163 ⁸²⁴⁸	.030	ATV's			
600	XS4163	4163 ⁸²⁴⁸	.030	ATV175	----	4194	.030
500	XS4163	4163 ⁸²⁴⁸	.030	Utility Vehicles			
BIRD				w/B&S 16 h.p. Vanguard	XST3926 ⁸²⁵¹	3926	.030
All Models w/Tecumseh Engs.	XST458 ⁸²⁵¹	456	.020	w/Honda 20 & 24 h.p. OHV (V-Twin)	XS65	4265 ⁸²⁴⁸	.030
BKS FUN KARTS				CAMEL			
Go-Karts				w/JLO 295 Engs.	----	2695	.020
w/Honda 6.5 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030	CAN-AM			
w/Tec. 5 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	ATV's			
BLATA				2011 Commander 1000, X, XT 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
Mini-Bikes				2011 Commander 800R, XT 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2.5 w/39.9cc Engs.	AP425 ⁸²⁴⁹	425	.025	2011 Outlander 800R, XT, XT-P 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
BOMBARDIER				2011 Outlander 800R X mr, X xc 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
ATV's				2010-06 Outlander 800 HO, HO XT, R 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2006-00 DS650, X 4-Stroke DOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.026	2010-07 Outlander Max 800, R, XT 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004-02 DS650 Baja 4-Stroke DOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.026	2011 Outlander Max 800R, LTD 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004-02 Quest 650 4x4, XT 4-Stroke SOHC (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	2009-06 Outlander Max 800 HO, HO XT 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004-02 Quest XL, XT (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	2010-07 Outlander Max 800 H.O. LTD 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004-02 Quest 500 4x4 4-Stroke SOHC (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	2011 Renegade 800R, R Xc EFI 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2003 Quest 500 2x4 (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	2010-07 Renegade 800 HO, R EFI 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004-98 Traxter 4x4, Max, XL, XT 4-Stroke (Liquid)	XS4163	4163 ⁸²⁴⁸	.026	2010-08 Renegade 800 X HO EFI 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2006-03 Rally 4-Stroke SOHC (Liquid)	XS4303	4303	.026	2007 DS650 X 4-Stroke Carb.(Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2006-02 DS90 4-Stroke	----	4194	.026	2011 Outlander 650, XT, XT-P 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2006-02 DS90 2-Stroke	----	4123 ⁸²⁴⁸	.026	2010-06 Outlander 650 HO, HO XT 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004-03 Quest 90 4-Stroke	----	4194	.026	2011 Outlander Max 650 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004 Quest 90 2-Stroke	----	4123 ⁸²⁴⁸	.026	2010-06 Outlander Max 650 HO, HO XT 4x4 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2006-02 DS50	----	4123 ⁸²⁴⁸	.026	2011 Renegade 500 EFI 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028
2004 Quest 50	----	4123 ⁸²⁴⁸	.026	BOON-DOCKER			
Utility Vehicles				w/B&S 14 h.p. Engs.	XST458 ⁸²⁵¹	458	.030
2005 Sarasota 1000	XS65	4265 ⁸²⁴⁸	.030				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO	
CAN-AM (Cont'd)				CARTER GO-KARTS				
ATV's (Cont'd)				Go-Karts				
2010-08 Renegade 500 HO EFI 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028	E-Z Go-car	XST458 ⁸²⁵¹	458	.030	
2011 Outlander, 500, XT 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028	w/B&S 3, 3.5, 5 & 8 h.p.	XST458 ⁸²⁵¹	458	.030	
2010-07 Outlander 500 HO, XT 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028	w/Honda 5.5 & 8 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030	
2011 Outlander Max 500 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028	w/Tec. 1.6 h.p.	XST2976 ⁸²⁵¹	2976	.030	
2010-07 Outlander Max 500 H.O., LTD, XT 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.028	w/Tec. 2 h.p.	XST2974 ⁸²⁵¹	2974	.030	
2011 DS450, X mx, X xc 4-Stroke EFI.(Liquid)	XS4162	4162 ⁸²⁴⁸	.026	w/Tec. 3.5, 6, 8 & 10 h.p.	XST458 ⁸²⁵¹	458	.030	
2010-08 DS450, X 4-Stroke EFI.(Liquid)	XS4162	4162 ⁸²⁴⁸	.026	w/Tec. 5, 5.5, 6, 6.5, 10 & 11 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	
2011 Outlander 400, XT 4-Stroke EFI (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	w/125cc 4-Stroke Engs.	----	4194	.030	
2010-03 Outlander 400 HO, 400 XT 4-Stroke SOHC (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	w/150cc 4-Stroke Engs.	----	4194	.030	
2011 Outlander Max 400 4-Stroke SOHC (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	CAT-A-GATOR				
2010-06 Outlander Max 400 HO. HO XT 4-Stroke SOHC (Liquid)	XS4162	4162 ⁸²⁴⁸	.026	w/Kohler Engs.	XST458 ⁸²⁵¹	456	.025	
2005-04 Outlander 330 HO 4-Stroke SOHC (Liquid)	XS62	4252 ⁸²⁴⁸	.018	w/Onan Engs.	----	216	.025	
2011-07 DS250 4-Stroke Carb.(Liquid)	XS4303	4303	.026	w/Wisconsin Engs.	----	386	.025	
2007 Rally 200 4-Stroke Carb. (Liquid)	XS4303	4303	.026	CENTAUR				
2007 Rally 175 4-Stroke Carb. (Liquid)	XS4303	4303	.026	Utility Vehicles				
2011 DS90 2-Stroke Carb. (Fan)	----	4123	.026	w/B&S 34 h.p. Vanguard 3 Cyl (Liquid)	XS3924	3924	.030	
2011-07 DS90 4-Stroke Carb. (Fan)	----	4194	.026	CFMOTO				
2011-08 DS90 X 2-Stroke Carb. (Fan)	----	4123	.026	ATV's				
2011-08 DS90 X 4-Stroke Carb. (Fan)	----	4194	.026	CF500/CF500-A	XS4164	4164 ⁸²⁴⁸	.035	
2011-08 DS70 4-Stroke Carb. (Fan)	----	4194	.026	CHAPARRAL				
2007 DS50 4-Stroke Carb. (Fan)	----	4194	.026	w/JLO 295 Engs.	----	2695	.020	
Utility Vehicles				CHIBI				
2007-05 Sarasota 1000	XP64 ⁸²⁵⁰	64	.026	Mini-Bikes	----	353	.030	
CANNONDALE				CHRYSLER ENGINES				
ATV's				61012, 82001, 82002				
Blaze	XS4303	4303	.028	XS4093	4093 ⁸²⁴⁸	.030	CLARK (See Landflier)	
Cannibal	XS4303	4303	.028	CLINTON				
FX400 Quad	XS4303	4303	.028	ATB	XST255 ⁸²⁵¹	255	.030	
Moto 440	XS4303	4303	.028	CLUB CAR				
Speed	XS4303	4303	.028	Golf Carts				
CARABELA				w/Honda 20 h.p. OHV (V-Twin)				
Motopony Mini-Bike	AP425 ⁸²⁴⁹	425	.030	XS65	4265 ⁸²⁴⁸	.030	w/Kawasaki 8.2 h.p.	
CARIBOU				w/Kawasaki 9, 9.5, 11.1, 11.5 h.p. OHV				
w/JLO 295 Engs.	----	2695	.020	XS65	4265 ⁸²⁴⁸	.030	COBRA	
CARNIELLI				Go-Karts				
Mini-Bikes				w/Honda 5.5 & 9 h.p.				
Vittoria	XS4093	4093 ⁸²⁴⁸	.020	XS65	4265 ⁸²⁴⁸	.030	1998-94 BM50	
Scoters				XS4092				
Scooter 125	XS4093	4093 ⁸²⁴⁸	.020	XS4062	4062 ⁸²⁴⁸	.024	2005-01 CM50	
				XS4092				
				4092 ⁸²⁴⁸				
				4092 ⁸²⁴⁸				
				4062 ⁸²⁴⁸				
				4062 ⁸²⁴⁸				
				4062 ⁸²⁴⁸				
				4092 ⁸²⁴⁸				
				4092 ⁸²⁴⁸				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
COLUMBIA PAR CAR				DERBI (Cont'd)			
Golf Carts				Scooters (Cont'd)			
w/1/2" Reach Heads	----	4123 ⁸²⁴⁸	.030	Predator H20	XS4062	4062 ⁸²⁴⁸	.030
w/B&S 9 & 13 h.p. Vanguard	XS3924	3924	.030	Red Bullet	XS4062	4062 ⁸²⁴⁸	.030
COMMUTER				DIAMO			
1985 w/Kawasaki Eng.	AP425 ⁸²⁴⁹	425	.030	ATV's			
COOT				Avalanche 500			
ATV's				Avalanche 250			
124SS, 444SS	XST458 ⁸²⁵¹	295	.030	Lightning 110			
Crocodile	XST458 ⁸²⁵¹	295	.030	Blaze 70			
Red Baron w/JLO 295 Eng.	----	2695	.030	Scooters			
Searcher, Snoopy	XST458 ⁸²⁵¹	295	.030	Turista 300			
COSMO				Turista 260			
Mini-Bikes				Tracer 250			
Mini-Cross	XS63	4263 ⁸²⁴⁸	.030	Velux 250			
CUSHMAN				Fury 150			
ATV's, Karts & Scooters				Retro 150			
14mm Heads (Exc. Trackster)	----	4316 ⁸²⁴⁸	.030	Tracer 150			
18mm (Tapered Seat)	AP45 ⁸²⁴⁹	45	.030	Velux 150			
18mm Heads (Gasket Seat)	----	386	.030	Aero GTX50			
Thru 1984 Haulster	AP46 ⁸²⁴⁹	46	.030	DI BLASI			
1985 & Up Haulster	XP25 ⁸²⁵⁰	25	.030	Folding Motorbike			
Trackster	----	353	.030	Express			
DAZON				Express			
ATV's				AP425 ⁸²⁴⁹ 425 .030			
Raider Max 250	XS4303	4303	.032	DINLI			
Raider Max 175	XS4303	4303	.032	ATV's			
Raider Classic 150	----	4194	.032	Diablo 150			
Phoenix 150	----	4194	.032	DL603 150			
Raider Max 150	XS4303	4303	.032	Enforcer 150			
Raider Mini 90	----	4194	.032	Helix 150			
Tomahawk 90	----	4194	.032	Beast 110			
ATV'S				Beast 90			
Stinger 50	----	4194	.032	DL603 90			
Scooters				Diamond Back 90			
Scorpion 125	----	4194	.032	Helix 90			
Sicilian 125	----	4194	.032	Rex 90			
Wildcat 125	----	4194	.032	Cobia 50			
Diamondback 50	----	4194	.032	Diamond Back 50			
DERBI				Dino 50			
ATV's				JP 50			
1985 Scoot 50, 80	AP425 ⁸²⁴⁹	425	.030	Mini Rex 50			
Mini-Bikes				Rex 50			
Dirt Boy, Dirt Kid	XS4303	4303	.030	Go-Karts			
GPR 50 Replica	----	4051 ⁸²⁴⁸	.030	96cc			
Senda SM	XS4063	4063 ⁸²⁴⁸	.020	----			
Super Motard X-Treme	XS4063	4063 ⁸²⁴⁸	.020	4123 ⁸²⁴⁸ .028			
Scooters				D.R.R.			
Atlantis	XS4062	4062 ⁸²⁴⁸	.024	ATV's			
Boulevard 150	XS4302	4302	.030	2005-00 DRR 50			
Boulevard 125	XS4302	4302	.030	2005-00 DRR 90			
GP1	XS4062	4062 ⁸²⁴⁸	.030	2006-03 DRR 90 GT			
Hunter	XS4092	4092 ⁸²⁴⁸	.030	Scooters			
Manhattan	XS4092	4092 ⁸²⁴⁸	.030	2005-02 Panther			
Paddock LC	XS4062	4062 ⁸²⁴⁸	.030	2006-00 50 SS			
Paddock ST	XS4092	4092 ⁸²⁴⁸	.030	XS4093 4093 ⁸²⁴⁸ .030			
Predator 20	XS4092	4092 ⁸²⁴⁸	.030	XS4093 4093 ⁸²⁴⁸ .030			
E-TON AMERICA				ATV's			
ATV's				Vector 250, VXL-250 4-Stroke			
Dirt Boy, Dirt Kid				Viper 150R, RXL-150R 4-Stroke			
GPR 50 Replica				Yukon II 4-Stroke			
Senda SM				Sierra Ranger 90			
Super Motard X-Treme				XS4303 4303 .030			
Scooters				----			
Atlantis				4194 .030			
Boulevard 150				4194 .030			
Boulevard 125				4194 .030			
GP1				4123 ⁸²⁴⁸ .030			
Hunter				4092 ⁸²⁴⁸ .030			
Manhattan				4092 ⁸²⁴⁸ .030			
Paddock LC				4062 ⁸²⁴⁸ .030			
Paddock ST				4092 ⁸²⁴⁸ .030			
Predator 20				4092 ⁸²⁴⁸ .030			

Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
E-TON AMERICA (Cont'd)				GO-PED			
ATV's (Cont'd)				Power Scooter XST2974 ⁸²⁵¹ 2974 .030			
Viper 90R, RXL-90R	----	4123 ⁸²⁴⁸	.030	GOT'CHA (See Scrambler)			
Viper 90R, RX4-90R 4-Stroke	----	4194	.030	HARLEY-DAVIDSON			
Viper 90, RXL-90	----	4123 ⁸²⁴⁸	.030	Golf Carts			
Viper 70, RXL-70	----	4123 ⁸²⁴⁸	.030	1971-63 Model D (7/16" Reach) ---- 4316 ⁸²⁴⁸ .040			
Viper 70, RX4-70 4-Stroke	----	4194	.030	1981-71 Model D, D4 (3/4" Reach) .. XS65 4265 ⁸²⁴⁸ .040			
Viper 50M, RXL-50M	----	4123 ⁸²⁴⁸	.030	1973-56 Servi-Car G, GE (3/8" Reach) XS85 85 .025			
Viper 50, RXL-50	----	4123 ⁸²⁴⁸	.030	Servi-Car G, GE (7/16" Reach) ---- 216 .025			
Viper 40E, RXL-40E	----	4123 ⁸²⁴⁸	.030	1972 Shortster XS65 65 .025			
Viper Jr., RXL-40	----	4123 ⁸²⁴⁸	.030	Whisper Glide ---- 4123 ⁸²⁴⁸ .030			
Scoters				Scoters			
Beamer, PN2	----	4123 ⁸²⁴⁸	.030	Topper, AH ---- 4316 ⁸²⁴⁸ .040			
Beamer 2, PN2B	----	4123 ⁸²⁴⁸	.030	HAULSTER			
Beamer Matrix, PN2C	----	4123 ⁸²⁴⁸	.030	w/Kohler 12 h.p. Engs. ---- 216 .030			
E-Z GO				HEALD			
Golf Carts				SST-8T XST458 ⁸²⁵¹ 456 .025			
w/2-Cycle Robin Engs.	----	4123 ⁸²⁴⁸	.030	SST-10 Trike XST255 ⁸²⁵¹ 255 .030			
w/Robin EH29C Engs.	AP66 ⁸²⁴⁹	66	.030	SST-20 Trike ---- 2695 .025			
w/Robin EH35C Engs.	XS65	4265 ⁸²⁴⁸	.030	SST-BW Trike XST458 ⁸²⁵¹ 456 .025			
E-Z RIDER				VT1, VT2, VT3, VT5, VT7, VT812ALE XST458 ⁸²⁵¹ 456 .025			
Go-Karts				HEATH KIT			
FC-37, FC-457	XST458 ⁸²⁵¹	295	.030	Mini-Bikes			
Fun Karts & Mini-Bikes				Bonnie Bike XST255 ⁸²⁵¹ 255 .030			
3506, 3536, 3556	XST458 ⁸²⁵¹	295	.030	All Other Models XST255 ⁸²⁵¹ 255 .030			
3956, 4606	XST458 ⁸²⁵¹	295	.030	HOMKO			
Mini-Cycles				Golf Carts XST458 ⁸²⁵¹ 295 .030			
406X	XST458 ⁸²⁵¹	295	.030	HONCHO			
3-Z Riders				ATV's			
TC-357	XST458 ⁸²⁵¹	295	.030	1984 w/Kohler K181S XST255 ⁸²⁵¹ 255 .025			
FOSTER				HONDA			
Bumper Boats				ATV's			
w/Honda 4 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030	2010-08 TRX700XX (Liquid) XS3922 3922 .028			
FRONTIER-TML (Quadra)				2011-09 MUV700 Big Red (Liquid) .. XS3922 3922 .028			
Quadra Aero	XST255 ⁸²⁵¹	255	.030	2011-06 TRX680FA Four Trax Rincon (Liquid) XS3924 3924 .044			
FUNMAKER				2011-06 TRX680GA Rincon GPScape (Liquid) XS3924 3924 .044			
Go-Karts				2005-03 TRX650FA Four Trax Rincon (Liquid) XS3924 3924 .044			
w/Honda 5 h.p. OHV	XS63	4263 ⁸²⁴⁸	.030	2005-04 TRX650FGA Rincon GPScape (Liquid) XS3924 3924 .044			
w/Honda 6.5 h.p.	AP425 ⁸²⁴⁹	425	.030	2011 FourTrax Foreman Rubicon (Liquid) ---- 4132 ⁸²⁴⁸ .044			
w/Honda 8 & 9 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030	2009-00 TRX500FA FourTrax Foreman Rubicon (Liquid) XS4164 4164 ⁸²⁴⁸ .028			
GAS GAS				2011 Four Trax Foreman 4x4 XS3924 3924 .044			
ATV's				2009-05 TRX500FE/FM/TM Four Trax Foreman, 4x4, ES XS3924 3924 .044			
2010-03 Quad Wild HP 450	XS4303	4303	.032	2009-04 TRX500FGA FourTrax Foreman Rubicon GPScape (Liquid) XS4164 4164 ⁸²⁴⁸ .028			
2006-03 Quad Wild HP 300	XS4063	4063 ⁸²⁴⁸	.024				
2006 Quad 250 4 Tiempos/RV (4-Stroke)	XS4164	4164 ⁸²⁴⁸	.020				
GENUINE SCOOTER							
Scoters							
Stella	----	4056 ⁸²⁴⁸	.025				
GO-FORE							
Golf Carts							
1981-76 w/Kohler 295AX	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030				

Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HONDA (Cont'd)				HONDA (Cont'd)			
ATV's (Cont'd)				Scooters (Cont'd)			
2004-98 TRX450FE/FM ES/S				2001-86 CN250, Helix	XS4164	4164 ⁸²⁴⁸	.035
FourTrax Foreman	XS4163	4163 ⁸²⁴⁸	.035	2008-04 CN250B Helix	XS4164	4164 ⁸²⁴⁸	.035
2010-04 TRX450R, ER (Liquid)	XS3922	3922	.028	2008-01 NSS250, Reflex, Reflex			
2011-07 TRX420 FourTraxRancher				Sport, ABS (Liquid)	XS4164	4164 ⁸²⁴⁸	.032
4x4	XS3924	3924	.044	1987-85 CH150, Elite	XS4164	4164 ⁸²⁴⁸	.032
2008-05 TRX400EX	XS4163	4163 ⁸²⁴⁸	.028	1984 CH125, Elite	XS4164	4164 ⁸²⁴⁸	.028
2004-99 TRX400EX Sportrax	XS4163	4163 ⁸²⁴⁸	.028	1985-84 NH125	---	4123 ⁸²⁴⁸	.028
2008-04 TRX400FA				2008-85 CH80, Elite 80	---	4194	.028
FourTraxRancher AT OHV	XS4163	4163 ⁸²⁴⁸	.035	1985-83 NH80, NH80MD	---	4123 ⁸²⁴⁸	.028
2008-04 TRX400FGA				2010-02 CHF50 Metropolitan II,			
FourTraxRancher AT GPScape				CHF50P Metropolitan	XS4303	4303	.035
OHV	XS4163	4163 ⁸²⁴⁸	.035	1987-83 NB50, NB50M, Aero	---	4123 ⁸²⁴⁸	.028
2004-95 TRX400FW FourTrax				1983-77 NC50, Express	---	4123 ⁸²⁴⁸	.028
Foreman	XS4163	4163 ⁸²⁴⁸	.035	1987-84 NQ50, D, H, Spree	---	4123 ⁸²⁴⁸	.028
1990-89 FL400R Pilot	XS4064	4054 ⁸²⁴⁸	.032	2011-03 NPS50, Ruckus	XS4303	4303	.035
1989-86 ATC350	XS4164	4164 ⁸²⁴⁸	.028	2001-87 SA50, SA50P, SB50, SE50,			
1985 FL350R Odyssey	XS4063	4063 ⁸²⁴⁸	.032	Elite 50S, SR	---	4123 ⁸²⁴⁸	.028
2006-01 TRX350F/FE/FM FourTrax				1986-84 TG50, Gyro	---	4123 ⁸²⁴⁸	.028
Rancher 4x4 ES	XS4164	4164 ⁸²⁴⁸	.035	Mini-Bikes			
2006-00 TRX350TE/TM Fourtrax				1999-79 Z50R	---	4194	.028
Rancher 4x4	XS4164	4164 ⁸²⁴⁸	.035	HOVERCRAFT CONCEPTS			
2006-03 TRX350ES Fourtrax				Hovercrafts			
Rancher 2x4	XS4164	4164 ⁸²⁴⁸	.035	w/50 h.p Cuyaua Engs.	XS4064	4054 ⁸²⁴⁸	.025
2006-02 TRX350TM FourTrax				Aerocruiser w/Rotax 64 h.p.	XS4063	4063 ⁸²⁴⁸	.030
Rancher 2X4	XS4164	4164 ⁸²⁴⁸	.035	HOVERTECHNICS			
1989-86 TRX350, D	XS4163	4163 ⁸²⁴⁸	.028	Hovercrafts			
2008-05 TRX300EX	XS4163	4163 ⁸²⁴⁸	.028	w/50 h.p Yamaha Engs.	XS4092	4092 ⁸²⁴⁸	.025
2004-93 TRX300EX Sportrax	XS4163	4163 ⁸²⁴⁸	.028	w/4.3L V-6 Engs.	AP23 ⁸²⁴⁹	23	.035
2000-88 TRX300, FW	XS4163	4163 ⁸²⁴⁸	.035	HUSTLER			
2010-09 TRX300X	XS4162	4162 ⁸²⁴⁸	.035	ATV's			
1987-85 ATC250ES, SX	XS4164	4164 ⁸²⁴⁸	.028	w/CCW 340 Engs.	---	2695	.020
1986-81 ATC250R	XS4064	4054 ⁸²⁴⁸	.024	w/Kohler 309 Engs.	---	2695	.020
1984-77 FL250, Odessy	XS4064	4054 ⁸²⁴⁸	.032	w/Kohler 440 Engs.	XS4063	4063 ⁸²⁴⁸	.020
1987-85 TRX250EX	XS4163	4163 ⁸²⁴⁸	.028	w/Kohler K301 & K341 Engs.	---	216	.030
2008-05 TRX250EX	XS4163	4163 ⁸²⁴⁸	.035	HYDRO TRAXX			
2004-01 TRX250EX Sportrax	XS4163	4163 ⁸²⁴⁸	.035	ATV's			
1989 TRX250R	XS62	4252 ⁸²⁴⁸	.032	w/Kohler 25 h.p. (V-Twin)	XS3924	3924	.030
1988-86 TRX250R	XS4063	4063 ⁸²⁴⁸	.032	HYOSUNG			
2009-98 TRX250TE FourTrax Recon				ATV's			
ES	XS4163	4163 ⁸²⁴⁸	.035	2008 TE450S	XS4303	4303	.032
2009-02 TRX250TM FourTrax Recon				2007-05 TE90	---	4123 ⁸²⁴⁸	.028
	XS4163	4163 ⁸²⁴⁸	.035	2004 Wow 90	---	4123 ⁸²⁴⁸	.028
2011-09 TRX250X	XS4164	4164 ⁸²⁴⁸	.028	2007-05 TE50	---	4123 ⁸²⁴⁸	.028
1992-87 TRX250X	XS4163	4163 ⁸²⁴⁸	.032	2004 Wow 50	---	4123 ⁸²⁴⁸	.028
2011 FourTrax Recon	XS4164	4164 ⁸²⁴⁸	.028	Scooters			
1987-81 ATC200, E, M, S, X	XS4163	4163 ⁸²⁴⁸	.028	2009-08 MS3-250	XS4303	4303	.032
1984-83 ATC200ES	XS4164	4164 ⁸²⁴⁸	.028	2009-05 SD50 Sense	---	4123 ⁸²⁴⁸	.028
1997-90 TRX200 FourTrax	XS4163	4163 ⁸²⁴⁸	.028	2009-05 SF50 Prima	---	4123 ⁸²⁴⁸	.028
1988-86 TRX200 FourTrax	XS4163	4163 ⁸²⁴⁸	.028	2009-05 SF50R Rally	---	4123 ⁸²⁴⁸	.028
1984 TRX200	XS4163	4163 ⁸²⁴⁸	.028	IMPULS			
1983-80 ATC185, S	XS4164	4164 ⁸²⁴⁸	.028	Mini-Bikes			
1989-84 ATC125M	XS4164	4164 ⁸²⁴⁸	.028	HK50Q, HK50Q-4A, LX50T	---	4123 ⁸²⁴⁸	.030
1988-85 TRX125 FourTrax	XS4163	4163 ⁸²⁴⁸	.028				
1985-79 ATC110	---	4173 ⁸²⁴⁸	.028				
1978-70 ATC90	---	4173 ⁸²⁴⁸	.028				
2006-05 TRX90	---	4194	.028				
2008-07 TRX90EX	---	4194	.028				
2001-93 TRX90 FourTrax	---	4194	.028				
2004-02 TRX90 Sportrax	---	4194	.028				
1985-73 ATC70, C70	---	4194	.028				
1987-86 TRX70 FourTrax	---	4194	.028				
Scooters							
2011-02 FSC600 Silver Wing, ABS							
(Liquid)	XS4303	4303	.035				
2006-05 PS2506 Big Ruckus	XS4164	4164 ⁸²⁴⁸	.032				
1990-85 CH250, Elite	XS4164	4164 ⁸²⁴⁸	.032				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
INDIAN				KAWASAKI			
Mini-Bikes				ATV's			
Boy Racer, Papoose	AP425 ⁸²⁴⁹	425	.030	2011-05 KVF750A, B, D, Brute Force 750 4x4i, Camo 4x4	XS4303	4303	.028
Ponybike	AP425 ⁸²⁴⁹	425	.030	2011-08 KRF750 Teryx 750 4x4, LE, NRA Outdoors	XS4303	4303	.028
INVADER				2010-04 KSV700A, B KFX700 V Force Automatic 4x4			
Go-Karts				2006-04 KVF700A, B Prairie 700 4x4, Camo			
w/B&S Engs.	XST458 ⁸²⁵¹	458	.030	2003-02 KVF650A Prairie V-Twin 4x4 (Liquid)	XS4303	4303	.028
w/Tec. Engs.	XST458 ⁸²⁵¹	458	.030	2011-05 KVF650D, E Brute Force 650 4x4, 4x4i, Camo 4x4	XS4303	4303	.028
ITAL JET				2011-09 KAF620M Mule 4010 4x4 ..			
ATV's				2011-09 KAF620P Mule 4000			
Coyote	AP425 ⁸²⁴⁹	425	.030	2003-01 KAF620F Mule 3020	AP66 ⁸²⁴⁹	66	.028
Mini-Bikes				2006-01 KAF620E Mule 3010, Camo 4x4			
KitKat	XS4093	4093 ⁸²⁴⁸	.030	2004-01 KAF620G Mule 3000 2x4 ..	AP66 ⁸²⁴⁹	66	.028
JAWA				2000-93 KAF620 Mule 2500, 2510 4x4 2520 Turf			
Scooters				2008-05 KAF620G Mule 3000 4-Stroke 4x4			
Transistor 40	AP425 ⁸²⁴⁹	425	.030	2008-05 KAF620H Mule 3010 4-Stroke 4x4	AP66 ⁸²⁴⁹	66	.030
	----	4316 ⁸²⁴⁸	.030	1993-91 KAF540 Mule	XS65	4265 ⁸²⁴⁸	.032
JOHN DEERE				1997-91 KAF450 Mule 1000			
ATV's				2011-05 KAF400 Mule 610, XC 4-Stroke 4x4, Camo 4x4			
Buck, EX, EXT	XS4063	4063 ⁸²⁴⁸	.030	2011-05 KAF400 Mule 600 4-Stroke 4x4	XP64 ⁸²⁵⁰	64	.028
Buck 500 Auto	XS4063	4063 ⁸²⁴⁸	.030	1999-93 KLF400B Bayou 4x4	XS4163	4163 ⁸²⁴⁸	.028
Trailbuck 500	XS4063	4063 ⁸²⁴⁸	.030	2006-03 KSF400A, KFX400 (Liquid)	XS4303	4303	.028
Trailbuck 650, EX, EXT	XS4063	4063 ⁸²⁴⁸	.030	2002-98 KVF400 Prairie 2x4	XS4163	4163 ⁸²⁴⁸	.028
JOHNSON KART				2002-97 KVF400A1 Prairie 4x4			
Go-Karts				2011-03 KVF360A, C Prairie 4x4, Camo (ngk)			
w/Honda 5.5 & 9 h.p.	XS65	4265 ⁸²⁴⁸	.030	2010-03 KVF360B Prairie 2x4	XS4163	4163 ⁸²⁴⁸	.028
w/Kohler 4 h.p.	XST458 ⁸²⁵¹	458	.025	2003-00 KAF300D Mule 520	XS65	4265 ⁸²⁴⁸	.028
JWD				2004-91 KAF300C Mule 500, 550 ..			
w/Sach 440 Engs.				2003-95 KEF300A, B Lakota Sport 2x4			
w/Hirth Engs.				1990-85 KLF300A Bayou 4x4			
	XS4092	4092 ⁸²⁴⁸	.020	2004-91 KLF300B Bayou 2x4	XS4163	4163 ⁸²⁴⁸	.026
	----	2695	.020	2004-91 KLF300C Bayou 4x4	XS4163	4163 ⁸²⁴⁸	.026
KARTCO				2002-99 KVF300A Prairie 4x4			
Go-Karts				2002-99 KVF300B Prairie 2x4			
w/B&S 3, 3.5, 5 & 8 h.p.	XST458 ⁸²⁵¹	458	.030	2011-05 KLF250A Bayou 250 2x4 ..	XS4163	4163 ⁸²⁴⁸	.026
w/Tec. 5 & 6 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	1985-82 KLT250 Prairie	XS4064	4054 ⁸²⁴⁸	.032
w/other Tec. Engs.	XST458 ⁸²⁵¹	458	.030	2004-87 KSF250A KFX, Mojave 2x4 ..	XS4163	4163 ⁸²⁴⁸	.035
KARTS INTERNATIONAL				1988-87 KXF250 Tecate			
Trail Karts & Mini Bikes				1986-83 KXT250 Tecate			
w/Tec. 5, 6 & 9 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	2004-88 KLF220A Bayou 250 2x4 ..	XS4163	4163 ⁸²⁴⁸	.026
KASEA				1984-81 KLT200			
ATV's				1988-85 KLF185A Bayou 4x4			
w/49cc 2-Stroke Engs.	----	4123 ⁸²⁴⁸	.030	1987 KLT185	XS4064	4054 ⁸²⁴⁸	.032
w/63cc 4-Stroke Engs.	----	4194	.030	1986 KLT185	XS4163	4163 ⁸²⁴⁸	.028
w/83cc 2-Stroke Engs.	----	4123 ⁸²⁴⁸	.030	1985 KLT160	XS4164	4164 ⁸²⁴⁸	.028
w/149cc 4-Stroke Engs.	XS4163	4163 ⁸²⁴⁸	.030	1988-87 KLF110 Mojave 4x4, 110E ..	----	4194	.028
Go-Karts				1986 KLT110			
w/B&S 5 h.p.	XST458 ⁸²⁵¹	458	.030	1985-83 KLT110	XS4164	4164 ⁸²⁴⁸	.028
w/125cc 4-Stroke Engs.	XS4303	4303	.030	2011-07 KFX90 4-Stroke	----	4194	.028
Mini-Bikes				2009-07 KFX50 4-Stroke			
w/125cc 4-Stroke Engs.	XS4303	4303	.030	2006-03 KSF80A, KFX80	----	4123 ⁸²⁴⁸	.028
Scooters				2006-03 KSF50A, KFX50			
w/49cc 2-Stroke Engs.	----	4123 ⁸²⁴⁸	.030	1980-76 KV75	XS4093	4093 ⁸²⁴⁸	.030

Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KAWASAKI (Cont'd)				KYMCO (Cont'd)			
Mini-Bikes (Cont'd)				ATV's (Cont'd)			
1980-71 MT1	AP425 ⁸²⁴⁹	425	.030	2010-04 Mongoose 90	----	4194	.028
1971-69 MB1	XST458 ⁸²⁵¹	295	.030	2010-07 Mongoose 70	----	4194	.028
K-C KART (Kody)				2006-04 Mongoose 50			
w/B&S Engs.	XST458 ⁸²⁵¹	458	.030	2009-07 Mongoose 50 4T	XS4092	4092 ⁸²⁴⁸	.030
KEN-BAR				Mxer 50			
Go-Karts				Scooters			
w/B&S 3.5, 5 & 11 h.p.	XST458 ⁸²⁵¹	458	.030	2011-09 Xciting 500 RI	XS4303	4303	.030
w/B&S 9 h.p. Vanguard	XST3926 ⁸²⁵¹	3926	.030	2006-02 Bet & Win 250	XS4164	4164 ⁸²⁴⁸	.036
w/Honda 5.5, 6, 6.5 & 13 h.p.	XS65	4265 ⁸²⁴⁸	.030	2010-05 Grandvista 250	XS4164	4164 ⁸²⁴⁸	.036
w/Tec. 4 & 5 h.p.	XST458 ⁸²⁵¹	458	.030	2007-04 People 250	XS4164	4164 ⁸²⁴⁸	.036
w/Tec. 5, 6, 9, 11 & 13 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	2010-07 People S 250	XS4164	4164 ⁸²⁴⁸	.036
w/Tec. 9 & 10 h.p.	XST458 ⁸²⁵¹	458	.030	2010-06 Xciting 250	XS4164	4164 ⁸²⁴⁸	.035
Mini-Bikes				2009 Xciting 250 RI			
w/Tec. 4 & 6+D627+D627 h.p.	XST458 ⁸²⁵¹	458	.030	2010-07 People S 200	----	4194	.028
Utility Carts				2007-02 Bet & Win 150			
w/Tec. 13 & 17 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	2010-02 People 150	----	4194	.028
KID				2010-07 Agility 125			
All Models	----	386	.020	2009-07 People S 125	----	4194	.028
KING				2010-07 Agility 50			
All Models	----	216	.020	2003-01 Cobra 50	XS4092	4092 ⁸²⁴⁸	.028
KLIPPER KARTS				2004-02 Cobra Cross			
Go-Karts				2005-02 Filly 50			
w/B&S 3.5 & 5 h.p.	XST458 ⁸²⁵¹	458	.030	2006-01 People 50	XS4092	4092 ⁸²⁴⁸	.028
w/Honda 5 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030	2009-07 People S 50	----	4194	.028
w/Honda 5.5, 6.5 & 8 h.p.	XS65	4265 ⁸²⁴⁸	.030	2010-09 People 50 T	----	4194	.028
w/Tec. 5, 5.5 & 6 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	2011-09 Sento 50	XS4092	4092 ⁸²⁴⁸	.028
w/Tec. 8 & 12 h.p.	XST458 ⁸²⁵¹	458	.030	2010-09 Sting 50	XS4092	4092 ⁸²⁴⁸	.028
KOLPIN				2011-09 Super 8			
ATV's				2009-02 Super 9			
90cc	XS4092	4092 ⁸²⁴⁸	.030	2011 Vitality 50	XS4092	4092 ⁸²⁴⁸	.028
50cc	XS4092	4092 ⁸²⁴⁸	.030	2007-05 Vitality 50	XS4092	4092 ⁸²⁴⁸	.028
K & P KARTS				2003-02 Yup 50			
Bug Sprint, Dune Bug	XST458 ⁸²⁵¹	295	.030	2005-01 ZX 50	XS4092	4092 ⁸²⁴⁸	.028
Bug Sprint, Dune Bug	XST458 ⁸²⁵¹	295	.030	Utility Vehicles			
Bug Sprint, Dune Bug	XST458 ⁸²⁵¹	295	.030	UXV 500	XS4303	4303	.030
Bug Sprint, Dune Bug	XST458 ⁸²⁵¹	295	.030	LAMBRETTA			
KTM				Scooters			
ATV's				1/2" Reach			
525 XC	XS4162	4162 ⁸²⁴⁸	.030	3/4" Reach	XS4093	4093 ⁸²⁴⁸	.030
450 SX	XS4162	4162 ⁸²⁴⁸	.030	LANDFLIER			
450 XC	XS4162	4162 ⁸²⁴⁸	.030	Go-Karts			
KYMCO				445, 420, 331, 330, 320			
ATV's				665, 640, 450, 447, 446			
2010-05 MXU 500, Camo, IRS	XS4303	4303	.030	701, 725 Bobcats	XST255 ⁸²⁵¹	255	.030
2010-06 MXU 300	XS4164	4164 ⁸²⁴⁸	.035	LANDPRIDE			
2010-06 Mongoose 300	XS4164	4164 ⁸²⁴⁸	.035	ATV's			
2009-04 Mongoose 250	XS4164	4164 ⁸²⁴⁸	.035	w/Honda 13 h.p. OHV	XS65	4265 ⁸²⁴⁸	.030
2009-06 MXU 250	XS4164	4164 ⁸²⁴⁸	.035	w/Honda 20 h.p. (V-Twin)	XS65	4265 ⁸²⁴⁸	.030
2005-03 Mxer 150	XS4163	4163 ⁸²⁴⁸	.030	w/Kohler 20 h.p. (V-Twin)	XS3924	3924	.030
2010-06 MXU 150	XS4163	4163 ⁸²⁴⁸	.030	LEM			
LEM				ATV's			
ATV's				2005 Beetlebug			
2005 Beetlebug	XS65	65	.024	2000-99 Beetlebug	XS4092	4092 ⁸²⁴⁸	.024
2000-99 Beetlebug	XS4092	4092 ⁸²⁴⁸	.024	2004-97 Cayman	XS4093	4093 ⁸²⁴⁸	.024
2004-97 Cayman	XS4093	4093 ⁸²⁴⁸	.024	2005-99 Condor	XS4093	4093 ⁸²⁴⁸	.024
2005-99 Condor	XS4093	4093 ⁸²⁴⁸	.024	1997-96 Juvenile Quad	----	2656	.026
1997-96 Juvenile Quad	----	2656	.026	Mini-Bikes			
Mini-Bikes				1996-95 CR2			
1996-95 CR2	----	2656	.026				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LEM (Cont'd)				MC CULLOCH (Cont'd)			
Mini-Bikes (Cont'd)				Go-Karts (Cont'd)			
1996-95 CR2S	----	2634	.026	91 B/1, 101 A/A	XS4092	4092 ⁸²⁴⁸	.030
1997-95 CR3, CR3 Works	XS4093	4093 ⁸²⁴⁸	.026	MELEX			
2005-02 LX1	XS4093	4093 ⁸²⁴⁸	.026	Golf Carts			
2005-95 LX2	XS4093	4093 ⁸²⁴⁸	.026	w/B&S 9 h.p. Vanguard	XST3926 ⁸²⁵¹	3926	.030
2000-97 LX2F (Factory)	XS4093	4093 ⁸²⁴⁸	.026	MICHRINA			
1999-96 LX2S	XS4093	4093 ⁸²⁴⁸	.026	Mini-Bikes			
2005-97 LX3	XS4093	4093 ⁸²⁴⁸	.026	All Models	XST458 ⁸²⁵¹	295	.030
2000-97 LX3F (Factory)	XS4093	4093 ⁸²⁴⁸	.026	MICRO-SOUND			
2001-99 LX4	XS4062	4062 ⁸²⁴⁸	.026	Mini-Bikes			
LIL INDIAN				w/Chry. 61014 Engs.			
Mini-Bikes				AP425 ⁸²⁴⁹			
Outlaw, Fun-Cart	XST458 ⁸²⁵¹	295	.030	425			
LITTLE DAVID				MIDWEST			
Tri-Rod 3-Wheeler	XST255 ⁸²⁵¹	255	.030	ATV's			
LUCKY 7				UTX800			
ATV's				XS63			
Explorer 150cc	XS4164	4164 ⁸²⁴⁸	.030	Mountain Lion 400	XS4163	4163 ⁸²⁴⁸	.030
Baja 110	----	4194	.030	Mountain Lion 250	XS4163	4163 ⁸²⁴⁸	.030
Stinger 70	----	4194	.030	Tiger 125	XS4163	4163 ⁸²⁴⁸	.030
Stinger 55	----	4194	.030	Lion Cub 110	----	4194	.030
MANCO				Raccoon 90			
ATV's				----			
Talon 8260E	XS4164	4164 ⁸²⁴⁸	.030	Bobcat 50	AP425 ⁸²⁴⁹	425	.030
ZSR-50 8050E	----	4123 ⁸²⁴⁸	.030	Raccoon 50	----	4194	.030
ZSR-90 8090E	----	4123 ⁸²⁴⁸	.030	Dirt Bikes			
Go-Karts & Mini-Bikes				JS200Y			
Streaker, Thunderbird	----	4056 ⁸²⁴⁸	.030	JC150Y	XS4163	4163 ⁸²⁴⁸	.030
w/B&S 3, 3.5, 5, 8, 9 & 11 h.p.	XST458 ⁸²⁵¹	458	.030	Hunter 125	XS4163	4163 ⁸²⁴⁸	.030
w/B&S 9 h.p. Vanguard	XST3926 ⁸²⁵¹	3926	.030	Cougar 100	XS4064	4054 ⁸²⁴⁸	.030
w/Honda 6.5, 9, 11 & 13 h.p.	XS65	4265 ⁸²⁴⁸	.030	JS90Y	----	4194	.030
w/Honda 20 h.p. (V-Twin)	XS65	4265 ⁸²⁴⁸	.030	Coyote 80	----	4123 ⁸²⁴⁸	.030
w/Robin 4, 5 & 6.5 h.p. OHV	XS4093	4093 ⁸²⁴⁸	.025	Civet 70	----	4194	.030
w/Robin 7 & 8 h.p. OHC	XS4093	4093 ⁸²⁴⁸	.025	JC70Y	----	4194	.030
w/Robin 10 h.p. OHV	XS4093	4093 ⁸²⁴⁸	.025	JS70Y	----	4194	.030
w/Robin 13.5 h.p. OHV	XS63	4263 ⁸²⁴⁸	.025	Dingo 50, Fox 50	AP425 ⁸²⁴⁹	425	.030
w/Tec. 3.5, 8, 6, 9 & 10 h.p.	XST458 ⁸²⁵¹	458	.030	JC50Q-9	----	4194	.030
w/Tec. 5, 5.5 & 6 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	Scoters			
w/Tec. Engs.	XST458 ⁸²⁵¹	458	.030	Panda			
Scoters				----			
Hornet	----	4194	.030	4194			
Phoenix 5050L	----	4194	.030	MINATI			
MAX				Go-Karts & Mini-Bikes			
ATV's				w/B&S 5 h.p.			
Rim (4-cycle)	AP425 ⁸²⁴⁹	425	.020	XST458 ⁸²⁵¹			
w/Chapparal 484cc Engs.	XS4064	4054 ⁸²⁴⁸	.020	458			
w/Fuji 488cc Engs.	XS4064	4054 ⁸²⁴⁸	.020	w/Honda 5.5 h.p.			
w/JLO 295 & 297cc Engs.	----	2695	.020	XS65			
w/JLO 299, 340, 400, 399, 440cc	----	2695	.020	4265 ⁸²⁴⁸			
Engs.	XS4064	4054 ⁸²⁴⁸	.020	w/Tec. 3.5 h.p.			
w/Kawasaki 436cc Engs.	XS4064	4054 ⁸²⁴⁸	.030	XST458 ⁸²⁵¹			
w/Kohler 440cc Engs.	XS4064	4054 ⁸²⁴⁸	.030	458			
w/Tecumseh 453cc Engs.	XS4093	4093 ⁸²⁴⁸	.030	w/Tec. 5 h.p. OHV			
MC CULLOCH				XST4055 ⁸²⁵¹			
Go-Karts				4055 ⁸²⁴⁸			
49E	XST458 ⁸²⁵¹	295	.030	w/Tec. 13 h.p.			
MINI-BRUTE				XS4093			
ATV's				4093 ⁸²⁴⁸			
w/Chrysler 820 Engs.	AP425 ⁸²⁴⁹	425	.020	MINI-BUGGY			
w/JLO Engs.	----	2695	.020	w/Tecumseh 12h.p. Engines			
w/Solo 206 or 209 Engs.	XS4093	4093 ⁸²⁴⁸	.020	XST458 ⁸²⁵¹			
MINI-DOO				456			
All Models				XST458 ⁸²⁵¹			
456				456			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MINI-VEEP w/Kohler 309cc Engs.	----	2695	.030	PAGSTA (Cont'd) Mini-Bikes (Cont'd)			
MOSQUITO ATV's Predator 50 & 90	XST2976 ⁸²⁵¹	2976	.030	Choppa 97	----	4194	.025
MOTO GUZZI Chiu	----	4056 ⁸²⁴⁸	.030	Choppa 50	----	4194	.025
MOTOPONY (See Carabela)				Mini 50	----	4194	.025
MOUNTAINEER ATV's 300	----	4132 ⁸²⁴⁸	.024	PANDA ATV's 2002-00 KD125A	----	4194	.028
260	----	4132 ⁸²⁴⁸	.024	2001-00 KD80A	----	4194	.028
MTD Mud Bug w/Tecumseh Engs.	XST458 ⁸²⁵¹	456	.030	2002-00 KD50A	----	4194	.028
MULAN QM50QW, QM50QW-A	----	4123 ⁸²⁴⁸	.025	2004 Rage 50	----	4194	.028
MULTIMOBILE w/JLO Engs.	----	2695	.020	Mini-Bikes 2004-00 Trailrider 70	----	4194	.028
MURRAY Go-Karts w/Tec. OHV Engs.	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	2002-00 Com-ute 50	----	4194	.028
MUSCATEER w/JLO Engs.	----	2695	.020	2001-97 Cub 50, B1, B2	----	4123 ⁸²⁴⁸	.028
w/Kohler Engs.	XST458 ⁸²⁵¹	456	.030	2004-03 Enjoy 50	----	4194	.028
w/Tecumseh Engs.	XST458 ⁸²⁵¹	456	.030	2004-96 Funrider 50	----	4194	.028
MZ Scooters Moskito	----	4123 ⁸²⁴⁸	.035	2003-01 Retro 50	----	4194	.028
NANUK w/Sach 440cc Engs.	XS4092	4092 ⁸²⁴⁸	.020	PASSEPARTOUT 171	----	2695	.020
NITROUS GO-KARTS Go-Karts w/Tec. 5, 6 & 11 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	400	----	411	.025
NSU Scooters Prima	XS4093	4093 ⁸²⁴⁸	.030	500	----	216	.025
Quickly, Quickly 50	AP425 ⁸²⁴⁹	425	.030	520	----	216	.025
OLSON Go-Karts w/B&S 5 h.p.	XST458 ⁸²⁵¹	458	.030	540	XS4063	4063 ⁸²⁴⁸	.025
PAGSTA Mini-Bikes Cruisa 250	----	4194	.025	550	----	216	.025
				PHANTOM Scooters w/U.S.Engs. 21/25	XST2974 ⁸²⁵¹	2974	.025
				w/U.S.Engs. 35/41	XST2976 ⁸²⁵¹	2976	.025
				PHIL-KARTS Go-Karts w/Honda 5.5 h.p.	XS65	4265 ⁸²⁴⁸	.030
				PLAYCAT w/Kohler 399cc Engs.	----	2695	.020
				POLARIS ATV's 2011-09 Sportsman Big Boss 6x6 800 4-Stroke EFI (Liquid)	XS3922	3922	.036
				2009-05 Sportsman X2 800 2WD/ AWD 4-Stroke EFI (Liquid)	XS3922	3922	.036
				2011-08 Sportsman 800 Touring 2WD/AWD 4-Stroke EFI (Liquid) ..	XS3922	3922	.036
				2008-05 Sportsman 800 Twin 2WD/ AWD 4-Stroke EFI (Liquid)	XS3922	3922	.036
				2011-06 Ranger RZR 800, EPS, S Twin 4-Stroke EFI (Liquid)	XS3922	3922	.036
				2011-06 Ranger 800 XP, 6x6, HD, Crew Twin 4-Stroke EFI (Liquid) ..	XS3922	3922	.036
				2007-05 Sportsman 700 Twin 2WD/ AWD 4-Stroke Carb/EFI (Liquid) ..	XS3922	3922	.036
				2005 Sportsman Military 700 Twin 4x4 4-Stroke EFI (Liquid)	XS3922	3922	.036
				2005-02 Sportsman 700 Twin 4x4 4-Stroke (Liquid)	XS3922	3922	.036
				2008 Sportsman X2 700 Twin 4x4 4-Stroke EFI (Liquid)	XS3922	3922	.036

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POLARIS (Cont'd)				POLARIS (Cont'd)			
ATV's (Cont'd)				ATV's (Cont'd)			
2006-04 Ranger TM 2x4 4-Stroke OHV (Fan)	XS3924	3924	.028	1999-94 Sport 400L 2x4	XS4063	4063 ⁸²⁴⁸	.028
2005-03 Sportsman 600 Twin 4x4 4-Stroke (Liquid)	XS3922	3922	.036	2010-08 Sportsman 400 HO 4-Stroke (Liquid)	XS3923	3923	.036
2006-05 Sportsman MV 4x4 4-Stroke (Liquid)	XS3922	3922	.036	1997 Sportsman 400L	XS4063	4063 ⁸²⁴⁸	.028
2011-09 Sportsman 550 EPS, Touring, XP 4-Stroke EFI (Liquid) ..	XS3923	3923	.036	2003 Trail Blazer 400 (Liquid)	XS4063	4063 ⁸²⁴⁸	.028
2011-10 Sportsman X2 550 2x4 4-Stroke EFI (Liquid)	XS3923	3923	.036	2001 Trail Boss 400	XS3923	3923	.028
2007 Outlaw 525 HO, X2 4-Stroke (Liquid)	XS4162	4162 ⁸²⁴⁸	.024	2002-94 Xplorer 400L 4x4 (Liquid) ..	XS4063	4063 ⁸²⁴⁸	.028
2011-08 Outlaw 525 IRS, S 4-Stroke (Liquid)	XS4162	4162 ⁸²⁴⁸	.024	1997-96 Xpress 400L 2x4	XS4063	4063 ⁸²⁴⁸	.028
1999-98 Big Boss 500 6x6	XS3924	3924	.036	1996-95 Scrambler 380 4x4	XS4063	4063 ⁸²⁴⁸	.028
2005-04 ATP 500 HO 4-Stroke (Liquid)	XS3923	3923	.036	1996-94 Sport 380 ATV	XS4063	4063 ⁸²⁴⁸	.028
2002-99 Magnum 500, RMK	XS3924	3924	.036	1996-94 Sportsman 380 4x4	XS4063	4063 ⁸²⁴⁸	.028
2007 Outlaw 500 HO 4-Stroke DOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.028	1993 350L 2X4 (Liquid)	XS62	4252 ⁸²⁴⁸	.028
2007-03 Predator 500 HO, TLD 4-Stroke DOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.028	1993 350L 4X4 (Liquid)	XS62	4252 ⁸²⁴⁸	.028
2011 Ranger 500 EFI, Crew 4-Stroke (Liquid)	XS3924	3924	.036	1995-93 350L Big Boss 6X6 (Liquid) ..	XS62	4252 ⁸²⁴⁸	.028
2005-00 Ranger 500 6x6 4-Stroke (Liquid)	XS3924	3924	.036	1993-90 350 Trail Boss	XS62	4252 ⁸²⁴⁸	.028
2008-07 Ranger 500 2x4 4-Stroke (Liquid)	XS3923	3923	.036	2000-99 Sportsman 335	XS3923	3923	.036
2010-02 Ranger 500, H.O. 4x4 4-Stroke (Liquid)	XS3923	3923	.036	2005-04 All Terrain Pickup 330 4-Stroke (Liquid)	XS3923	3923	.036
2011-97 Scrambler 500 4x4 4-Stroke (Liquid)	XS3923	3923	.036	2006-03 Magnum 330 4x4 4-Stroke (Fan)	XS3923	3923	.036
2002-01 Scrambler 500 2x4 (Liquid) ..	XS3923	3923	.036	2005-03 Magnum 330 2x4 4-Stroke (Fan)	XS3923	3923	.036
2005 All Terrain Pickup 500 HO 4-Stroke (Liquid)	XS3923	3923	.036	2011-88 Trail Blazer 330 4-Stroke (Fan)	XS3923	3923	.036
2009-06 Sportsman 500, HO EFI 2WD/AWD 4-Stroke (Liquid)	XS3923	3923	.036	2011-03 Trail Boss 330 4-Stroke (Fan)	XS3923	3923	.036
2006-96 Sportsman 500 HO, HO Duse, HO RSE Carb. 2WD/AWD 4-Stroke (Liquid)	XS3923	3923	.036	2002-00 Magnum 325 4x4	XS3923	3923	.036
2008-00 Sportsman 500 6x6 4-Stroke	XS3924	3924	.036	2002-00 Magnum 325 2x4	XS3923	3923	.036
2010-08 Sportsman Touring, H.O. 500 EFI 4-Stroke (Liquid)	XS3923	3923	.036	2002-00 Trail Boss 325	XS3923	3923	.036
2009-06 Sportsman X2 500 2WD/AWD 4-Stroke EFI (Liquid)	XS3923	3923	.036	2002-01 Xpedition 325	XS3923	3923	.036
1998-97 Xplorer 500	XS3924	3924	.036	2007-06 Hawkeye 2x4, 4x4 4-Stroke ..	XS4303	4303	.028
2010-08 Outlaw 450 MXR 4-Stroke (Liquid)	XS4162	4162 ⁸²⁴⁸	.024	2010-08 Sportsman 300 4-Stroke (Fan)	XS4303	4303	.028
2007-06 Sportsman 450 Carb. 2WD/AWD 4-Stroke (Liquid)	XS3923	3923	.036	1999-95 Xpress 300 2x4	XS4063	4063 ⁸²⁴⁸	.028
1998-95 425 Magnum 2x4	XS3924	3924	.036	2000-95 Xplorer 300 4x4	XS4063	4063 ⁸²⁴⁸	.028
1998-95 425 Magnum 4x4	XS3924	3924	.036	1995-94 300 2x4	XS4063	4063 ⁸²⁴⁸	.028
1997-96 425 Magnum 6x6	XS3924	3924	.036	1995-94 300 4x4	XS4063	4063 ⁸²⁴⁸	.028
2004-02 Ranger 2x4 4-Stroke (Liquid)	XS3924	3924	.036	1992-89 Big Boss 250 4X6	XS62	4252 ⁸²⁴⁸	.028
2005-01 Sportsman 400 4x4 4-Stroke (Liquid)	XS3924	3924	.036	1993-91 Big Boss 250 6X6	XS62	4252 ⁸²⁴⁸	.028
2002-00 Xpedition 425 (Liquid)	XS3924	3924	.036	1987 Cyclone 250 (4-wheeler)	XS62	4252 ⁸²⁴⁸	.028
1995-94 400L 2x4	XS4063	4063 ⁸²⁴⁸	.028	1986-85 Scrambler 250 (3-wheeler) ..	XS62	4252 ⁸²⁴⁸	.028
1997-94 Big Boss 400L 6x6	XS4063	4063 ⁸²⁴⁸	.028	2006-90 Trailblazer 250 ES 2x4 (Fan)	XS62	4252 ⁸²⁴⁸	.028
2011-10 Ranger 400 4x4 4-Stroke (Liquid)	XS3923	3923	.036	1999-85 Trail Boss 250 2x4	XS62	4252 ⁸²⁴⁸	.028
2002-00 Scrambler 400 4x4 (Liquid) ..	XS4063	4063 ⁸²⁴⁸	.028	2011-05 Phoenix 200 4-Stroke (Fan) ..	----	4194	.024
2002-97 Scrambler 400L 2x4 (Liquid)	XS4063	4063 ⁸²⁴⁸	.028	2007-06 Sawtooth 4-Stroke (Fan) ..	----	4194	.024
				2002-00 Xplorer 4x4 (244cc)	XS4063	4063 ⁸²⁴⁸	.028
				2011 Ranger RZR 170	----	4194	.028
				2011-07 Outlaw 90	----	4194	.028
				2006-03 Predator 90	----	4123 ⁸²⁴⁸	.028
				2011-07 Sportsman 90	----	4194	.028
				2006-01 Sportsman 90	----	4123 ⁸²⁴⁸	.028
				2002-01 Scrambler 90	----	4123 ⁸²⁴⁸	.028
				2011-08 Outlaw 50	----	4194	.028
				2007-04 Predator 50	----	4123 ⁸²⁴⁸	.028
				2003-01 Scrambler 50	----	4123 ⁸²⁴⁸	.028
				POLINI			
				Mini-Bikes			
				Recreational X1, X3, X5	XS4062	4062 ⁸²⁴⁸	.024
				Standard X1, X3	XS4062	4062 ⁸²⁴⁸	.024
				Works X1, X3	XS4062	4062 ⁸²⁴⁸	.024

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POWER TRAC				ROKETA (Cont'd)			
ATV's				Utility Vehicles			
ATV-6000 w/Kohler 25 h.p. (V-Twin) .	XS3924	3924	.040	UV-07 (RUV650)	XS65	4265 ⁸²⁴⁸	.030
HV-625 6x6 w/Kohler 25 h.p. (V-Twin)	XS3924	3924	.040	ROKON			
PRAIRIE BOBCAT				Ranger, Scout			
w/Kohler 295cc Eng.	----	2695	.030	Trail-Breaker w/134cc Eng.	AP425 ⁸²⁴⁹	425	.020
w/Kohler 340cc Eng.	XS4063	4063 ⁸²⁴⁸	.030	RUPPSTER			
PREMIER BEBE				Dune Buggies			
Mini-Bikes				w/JLO 230cc Eng.			
All Models	XS4093	4093 ⁸²⁴⁸	.030	w/Chry. 82023 Eng.	AP425 ⁸²⁴⁹	425	.020
PUCH				SACHS ENGINES			
Mini-Bikes	XS4093	4093 ⁸²⁴⁸	.030	KM24 Wankel 1/2" Rch.	XS4093	4093 ⁸²⁴⁸	.030
PUG				KM24 Wankel 1/2" Rch.			
All Models	XST255 ⁸²⁵¹	255	.030	SANDPIPER			
RIDGE RUNNER				Scooter			
All Models w/Kohler 33 h.p. Eng. . .	----	2695	.020	SCAMP			
Aquz-Trac w/CCW 36 h.p. Eng. . . .	XS4092	4092 ⁸²⁴⁸	.020	Mini-Bikes			
ASTV w/36 h.p. Eng.	XS4092	4092 ⁸²⁴⁸	.020	XST458 ⁸²⁵¹			
RIM				295			
500 E383w/Fuji 488cc Eng.	XS4064	4054 ⁸²⁴⁸	.020	SCAT			
ROAD BOSS				Hovercrafts			
Go-Karts				HP-12 w/Rotax 64 h.p.			
w/B&S 3.5, 5 & 8 h.p.	XST458 ⁸²⁵¹	458	.030	Intruder w/Rotax 52 h.p.	XS4063	4063 ⁸²⁴⁸	.030
w/Tec. 5 & 10 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	Liberator w/Rotax 64 h.p.	XS4063	4063 ⁸²⁴⁸	.030
w/Tec. 6 h.p.	XST458 ⁸²⁵¹	458	.030	Mirage w/Rotax 43 h.p.	XS4063	4063 ⁸²⁴⁸	.030
ROKETA				SCATMOBILE			
Go-Karts				All Models			
GK-32	XS63	63	.025	XST458 ⁸²⁵¹			
GK-06	----	4194	.025	2695			
GK-13	XS4164	4164 ⁸²⁴⁸	.025	SCRAM CAT			
Scooters				All Models			
MC-13-250, MC-14-250, MC-54-250,	----	4194	.025	2695			
MC-54-250B	----	4194	.025	SCRAMBLER			
MC-62-250, MC-68A-250,	XS4163	4163 ⁸²⁴⁸	.025	Deluxe 10 h.p., Got'Cha 8 h.p.			
MC-79-250	----	4194	.025	XST458 ⁸²⁵¹			
MC-03-150, MC-04-150, MC-07-150	----	4194	.025	Deluxe 10 h.p., Got'Cha 8 h.p.			
MC-12-150, MC-13-150, MC-16-150	----	4194	.025	XST458 ⁸²⁵¹			
MC-17-150, MC-19-150, MC-20-150	----	4194	.025	Deluxe 10 h.p., Got'Cha 8 h.p.			
MC-23-150, MC-29-150, MC-30-150	----	4194	.025	XST458 ⁸²⁵¹			
MC-36-150, MC-43-150, MC-46-150	----	4194	.025	Deluxe 10 h.p., Got'Cha 8 h.p.			
MC-54-150, MC-65-150,	----	4194	.025	XST458 ⁸²⁵¹			
MC-68A-150	----	4194	.025	SDG			
MC-68B-150, MC-70-150,	----	4194	.025	Mini-Bikes			
MC-71-150	----	4194	.025	Pro Mini 125			
MC-72-150, MC-74-150, MC-75-150	----	4194	.025	Speed Mini 107			
MC-78-150, MC79-150, MC-80-150 .	----	4194	.025	Lil Mini 50			
MC-82-150, MC-83-150, MC-84-150,	----	4194	.025	4194			
MC-85-150	----	4194	.025	SHANAHAN			
MC-01-50, MC-02-50B, MC-05-50B .	XS4092	4092	.030	Power Board			
MC-07-50, MC-08-50, MC-10-50 . .	----	4194	.025	XST2976 ⁸²⁵¹			
MC-17-50, MC-76-50, MC-77-50 . .	----	4194	.025	Power Scooter			
SIERRA TRAILBOSS				XST2976 ⁸²⁵¹			
ATV's				2976			
All Models	----	2695	.030	2976			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SKIM-AIRE				SUZUKI			
All Models	----	2695	.020	ATV's			
SKIPPER				2011-08 KingQuad 750AXi, Camo Automatic DOHC (Liquid)			
w/CCW 255cc Engs.	----	2695	.020	XS4302	4302	.028	
w/CCW 340cc Engs.	XS4092	4092 ⁸²⁴⁸	.020	2007-05 LT-A700X KingQuad, Camo 700 4WD SOHC (Liquid)			
w/Kohler 295cc Engs.	----	2695	.020	XS4303	4303	.028	
SNAPPER				2006-04 LT-V700F TwinPeaks 700 4WD SOHC (Liquid)			
ATV's				2001-00 LT-A500F Quadmaster 500 2 & 4WD			
Trail Cruiser, Turf Cruiser w/B&S 18 h.p. Vanguard (V-Twin)	XST3926 ⁸²⁵¹	3926	.030	XS4303	4303	.028	
SNOW-PONY				2001-98 LT-F500F Quadrunner 500 2 & 4WD			
All Models	XS4092	4092 ⁸²⁴⁸	.020	XS4303	4303	.028	
SPD				2002 LT-F500F Quadrunner 500 4WD			
Tricycles				1990-87 LT500R Quadracer 4WD ...			
w/B&S 8 h.p.	XST458 ⁸²⁵¹	458	.030	XS4064	4054 ⁸²⁴⁸	.028	
w/JLO 230 Engs.	----	2695	.030	2003-02 LT-A500F Vinson 500 HO 4WD			
w/JLO 295 Engs.	----	2695	.030	XS4303	4303	.028	
w/B&S 8 h.p.	XST458 ⁸²⁵¹	458	.030	2007-03 LT-A500FB Vinson 500 Automatic 4WD (Liquid)			
SPORT-KARTS				2007-04 LT-A500FC Vinson 500 Camo Automatic 4WD (Liquid)			
Go-Karts				2011-09 LT-A500XP King Quad 500, AXi 4WD (Liquid)			
w/Honda 5.5, 6, 8, 9 & 13 h.p.	XS65	4265 ⁸²⁴⁸	.030	XS4303	4303	.028	
SPORTSTER				2009-07 LT-A450X KingQuad 450, AXi, Camo 450 4WD 4-Stroke (Liquid)			
Dune Buddy w/VW 1500 & 1600cc Engs.	XS4092	4092 ⁸²⁴⁸	.020	XS4303	4303	.028	
SST MOTORSPORTS				2011-06 LT-R450 QuadRacer DOHC 4-Stroke (Liquid)			
Mini-Bikes				2009-08 LT-F400F KingQuad 400AXi, Camo 2 & 4WD 4-Stroke (Liquid) .			
w/43cc Engs.	XST255 ⁸²⁵¹	255	.030	XS4302	4302	.028	
STALKER				2007-02 LT-A400 Eiger 400 Automatic 2WD			
w/Tecumseh Engs.	XST458 ⁸²⁵¹	456	.020	XS4303	4303	.028	
STARCRAFT				2007-02 LT-A400F Eiger 400 Automatic 4WD			
All Models	----	2695	.020	XS4303	4303	.028	
STINGER				2007-02 LT-A400FC Eiger 400 Camo Automatic 4WD			
w/JLO 295cc Engs.	----	2695	.020	XS4303	4303	.028	
w/JLO 440cc Engs.	----	2695	.020	XS4303	4303	.028	
w/Kohler 340cc Engs.	XS4092	4092 ⁸²⁴⁸	.020	XS4303	4303	.028	
SUNBEAM				2011-03 LT-Z400 Quadsport Z400 ..			
14mm Heads	AP425 ⁸²⁴⁹	425	.030	XS4303	4303	.028	
18mm Heads	----	2695	.030	XS4302	4302	.028	
SUNDOWNER				2011-08 KingQuad 400ASi, Camo 2 & 4WD 4-Stroke			
Mini-Bikes w/Sachs Engs.	AP425 ⁸²⁴⁹	425	.030	XS4302	4302	.028	
SUR-TEK				1989-87 LT300E Quadrunner 4WD .			
All Models	----	2695	.020	XS4163	4163 ⁸²⁴⁸	.028	
				2001-99 LT-F300F King Quad 2 & 4WD			
				2002 LT-F300F King Quad 4WD			
				1998-91 LT-F4WDX 280 King Quad .			
				2002 LT-F250F Quadrunner 4WD ...			
				2001-99 LT-F250 Quadrunner 2WD .			
				1998-85 LT-F250, LTF4WD, LTF4WDX			
				1992-88 LT250R Quadracer 4WD ...			
				1987-85 LT250R Quadracer 4WD ...			
				1990-89 LT250S Quadsport 4WD ...			
				2011-02 LT-F250 Ozark 250			
				2011-04 LT-Z250 Quadsport Z250 ..			
				1993-85 LT230E Quadrunner 4WD ...			
				1988-85 LT230S Quadsport 4WD ...			
				1987-86 LT-F230 Quadrunner 4WD .			
				1985 ALT185 3x6			
				1987-84 LT185 Quadrunner 4WD ...			
				2004-03 LT160K Quadrunner			
				2001-91 LT-F160 Quadrunner			
				1992-89 LT160E Quadrunner 4WD .			
				1986-83 ALT125 3x6			
				1987-84 LT125 Quadrunner 4WD ...			
				1983 LT125 4x6 4WD			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start



Power Sport - ATV's

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUZUKI (Cont'd)				TOKOYA			
ATV's (Cont'd)				Mini-Bikes			
2011-07 LT-Z90, QuadSport Z90	----	4194	.028	50, 80 & 125cc Engs.	XS4092	4092 ⁸²⁴⁸	.025
2008-87 LT80 QuadSport 80	----	4123 ⁸²⁴⁸	.028	TRAC-KART			
1984-83 ALT50 Trailbuddy	----	4123 ⁸²⁴⁸	.028	Go-Karts			
2006-03 LT-50 QuadSport 50	----	4123 ⁸²⁴⁸	.028	w/Honda 9 h.p.	XS65	4265 ⁸²⁴⁸	.030
2004-02 LT-A50 Quadmaster 50	----	4123 ⁸²⁴⁸	.028	TRACK AND SPORTS			
1987-84 LT50 Quadrunner 4WD	----	4123 ⁸²⁴⁸	.028	w/Chry. 82021 Engs.	AP425 ⁸²⁴⁹	425	.030
2011-07 LT-Z50, QuadSport Z50	----	4194	.028	TRACKER			
Mini-Bikes				All Models w/14mm Threads			
2000-78 DS80	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.028	All Models w/14mm Threads	XS4093	4093 ⁸²⁴⁸	.020
2004-01 JR80	XS4064	4054 ⁸²⁴⁸	.028	TRACKSTER			
2007-78 JR50	----	4123 ⁸²⁴⁸	.028	ATV's			
Scooters				w/OMC 437cc Engs.			
2011-03 Burgman 650	XS4303	4303	.028	----	353	.030	
2011-03 Burgman 400	XS4303	4303	.028	TRAIL SPORT			
1991-80 FA50 Shuttle	----	4123 ⁸²⁴⁸	.028	Mini-Bikes & Scooters			
F50	AP425 ⁸²⁴⁹	425	.030	w/Tec. 3.5 h.p.	XST458 ⁸²⁵¹	458	.030
FR50 Scooterette	AP425 ⁸²⁴⁹	425	.030	w/Tec. 4 h.p.	XST458 ⁸²⁵¹	458	.030
Utility Vehicles				w/Tec. 5 & 6 h.p. OHV			
2006-05 QUV620EK5, Q.U.V. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.030	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	
TANAKA				TRICART			
Go-Karts				w/B&S Engs.			
TPK-400GS, TPK-470GS	XST2976 ⁸²⁵¹	2976	.024	w/JLO 230 & 295cc Engs.	----	2695	.020
ATV's				TRISPORT			
> 1985 QBM-23	XST255 ⁸²⁵¹	255	.030	1978 Baja Cub, Rover			
> 1985 QBM-23N, QBM-23NA	XST255 ⁸²⁵¹	255	.030	1978 Baja Scout, Nomad			
Ter-O-Snow	AP425 ⁸²⁴⁹	425	.025	1978 Baja Sportsman, Blazer			
TAURUS				Thru 1977 w/B&S Engs.			
1988-85 650 w/B&S 16 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	Thru 1977 w/Kohler Engs.			
TECUMSEH ENGINES				w/Husqvarna SM 150 Engs.			
HMB25, HMB30	XST458 ⁸²⁵¹	295	.030	TSI POWERED SPORTS			
HMB35, HSMB40	XST458 ⁸²⁵¹	295	.030	Powerscooter, Dirtboard			
HSMB50, HMB60	XST458 ⁸²⁵¹	295	.030	Powerboard, Powerbike			
HSSMB70, HSMB80	XST458 ⁸²⁵¹	295	.030	TWIST N' GO			
HH817LB	XST458 ⁸²⁵¹	295	.030	Scooters			
TERRA-JET				Baja 150			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	DR 150			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	Lowboy 150			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	Milano 150			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	Verona 150			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	Delray 125			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	Milano 125			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	LS 49			
453 w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030	Milano 492, 494			
TERRA-TIGER				Venice, LX 49			
ATV's				UNISON MOTORS			
w/JLO 252 or 295cc Engs.	----	2695	.030	ATV's			
TERRA TRACK				Desert Cat			
ATV's				Sand-Rover			
w/B&S 31 & 34 h.p. (Liquid 3-Cyl.)	XS3924	3924	.020	XS4092	4092 ⁸²⁴⁸	.030	
TERRATRAN				XS4092	4092 ⁸²⁴⁸	.030	
Mini-bikes							
w/U.S. 35 & 41cc Engs.	XST2976 ⁸²⁵¹	2976	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
UNITED MOTORS				VISION MOTORSPORTS (Cont'd)			
ATV's				ATV's (Cont'd)			
Earthlander 200	----	4194	.028	w/250cc Engs.	XS4164	4164 ⁸²⁴⁸	.028
Dirt Demon 90	----	4123 ⁸²⁴⁸	.028	VIZA			
Dirt Squirt 90	----	4123 ⁸²⁴⁸	.028	Scooters			
Earthlander 90	----	4123 ⁸²⁴⁸	.028	Venture & Venom w/33cc Engs.	XST255 ⁸²⁵¹	255	.030
Moontrax 90	----	4123 ⁸²⁴⁸	.028	WHIZZER			
Reptile 90	----	4194	.028	Motorbikes	XST458 ⁸²⁵¹	458	.025
Dirt Squirt 50	----	4123 ⁸²⁴⁸	.028	WOLVERINE			
Moontrax 50	----	4123 ⁸²⁴⁸	.028	All Models w/1/2" Reach	----	4123 ⁸²⁴⁸	.025
Zyco 50	----	4123 ⁸²⁴⁸	.028	All Models w/3/4" Reach	XS63	4263 ⁸²⁴⁸	.025
Scooters				W-U			
Matrix 150	----	4194	.028	Power Cart w/Honda G300	----	4123 ⁸²⁴⁸	.030
Power Max 150	----	4194	.028	YAMAHA			
X-Speed 50	----	4123 ⁸²⁴⁸	.028	Go-Karts			
X-Speed 50 R	XS4092	4092 ⁸²⁴⁸	.028	Red Arrow, RC100S	----	4051 ⁸²⁴⁸	.030
U.S.A. FUN KARTS				Golf Carts			
Go-Karts				Adventurer One & Two	AP66 ⁸²⁴⁹	66	.030
w/B&S 3.5 & 5 h.p.	XST458 ⁸²⁵¹	458	.030	Concierge	AP66 ⁸²⁴⁹	66	.030
w/Tec. 5, 6 & 8 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	Fairway Lounge	AP66 ⁸²⁴⁹	66	.030
w/other Tec. Engs.	XST458 ⁸²⁵¹	458	.030	1994-90 Fleet Classic G-8A	----	4056 ⁸²⁴⁸	.030
Mini-Bikes				1995-91 Fleet Master G-9A	----	4056 ⁸²⁴⁸	.030
w/Tec. 3.5 h.p.	XST458 ⁸²⁵¹	458	.030	1989-79 G-1A	----	4123 ⁸²⁴⁸	.028
VENTO				1991-85 G-2A	----	4056 ⁸²⁴⁸	.036
ATV's				1989-84 G-3A	----	4123 ⁸²⁴⁸	.028
Avalanche	----	4123 ⁸²⁴⁸	.030	2006-03 G-Max G22-A	XS65	4265 ⁸²⁴⁸	.030
Rhino	----	4132 ⁸²⁴⁸	.030	1995-90 Sun Classic G-5A	----	4056 ⁸²⁴⁸	.036
Mini-Bikes				2010-07 The Drive, PTV YDRA	AP66 ⁸²⁴⁹	66	.030
Gladiator XLS, Rebellian	----	4132 ⁸²⁴⁸	.030	1996-95 Ultima G14-A	XS65	4265 ⁸²⁴⁸	.030
Colt	----	4194	.030	2002-96 Ultima G16-A	XS65	4265 ⁸²⁴⁸	.030
Scooters				2002-00 Ultima G20-A	XS65	4265 ⁸²⁴⁸	.030
Gladiator	----	4132 ⁸²⁴⁸	.030	ATV's			
Phantom r3	----	4194	.030	2011-06 YFM700RV Raptor 700R,			
Phantom r4i, Triton r4, Zip r3i	----	4194	.030	SE 2WD SOHC (Liquid)	XS4303	4303	.028
Turbocam	----	4132 ⁸²⁴⁸	.030	2008-02 YFM660F Grizzly 660			
Thunderstar	----	4132 ⁸²⁴⁸	.030	Automatic SOHC 4WD (Liquid)	XS4163	4163 ⁸²⁴⁸	.035
Worker	----	4132 ⁸²⁴⁸	.030	2001-98 YFM600 Grizzly 4WD SOHC			
Triton r3	XS4092	4092 ⁸²⁴⁸	.030	2WD & 4WD	XS4163	4163 ⁸²⁴⁸	.035
Jazz 50	XS4092	4092 ⁸²⁴⁸	.030	2005-01 YFM660R Raptor 660R			
Triton GT5	XS4092	4092 ⁸²⁴⁸	.030	2WD SOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.035
Triton r4	XS4092	4092 ⁸²⁴⁸	.030	2007-04 YXR660 Rhino 660 4WD			
Zip r3	XS4092	4092 ⁸²⁴⁸	.030	SOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.035
Zip r3i Turbocam	XS4092	4092 ⁸²⁴⁸	.030	2009-06 YXR45FAV Rhino 450 4WD			
VESPA				SOHC (Liquid)	XS4164	4164 ⁸²⁴⁸	.028
Scooters				2011-07 YFM45FG Grizzly 450			
200 Rally, P200E	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	Automatic 4WD SOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.024
180 Rally	XS4064	4054 ⁸²⁴⁸	.030	2006-03 YFM450F Kodiak 450			
150 Super	AP425 ⁸²⁴⁹	425	.030	Automatic 4WD SOHC (Liquid)	XS4163	4163 ⁸²⁴⁸	.024
150 Sprint 3/4" Rch.	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	2010-06 YFM45FXV Wolverine 450			
150 Sprint 1/2" Rch.	AP425 ⁸²⁴⁹	425	.030	4WD SOHC (Liquid)	XS4164	4164 ⁸²⁴⁸	.028
150 GL, GS	XS4093	4093 ⁸²⁴⁸	.030	2011-04 YFZ450, R, SE, X 2WD			
P125X	XS4093	4093 ⁸²⁴⁸	.030	DOHC (Liquid)	XS4303	4303	.028
125 Primavera, 125VN	XS4093	4093 ⁸²⁴⁸	.030	2000 YFM400F Big Bear 400 4WD			
90 Sport, 100 Sport	XS4093	4093 ⁸²⁴⁸	.030	SOHC	XS4164	4164 ⁸²⁴⁸	.028
50 Special, Ciao	XS4093	4093 ⁸²⁴⁸	.030	2011-01 YFM40F Big Bear 400 4WD			
VISION MOTORSPORTS				SOHC	XS4164	4164 ⁸²⁴⁸	.028
ATV's				2004-00 YFM40R Big Bear 400 2WD			
w/72cc Engs.	----	4194	.030	SOHC	XS4164	4164 ⁸²⁴⁸	.028
w/125cc Engs.	----	4194	.030	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
w/150cc Engs.	----	4194	.030	8248 Tapered electrode design 8249 Single Platinum 8251 Xtreme Start			

Power Sport - ATV's



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
YAMAHA (Cont'd)				YAMAHA (Cont'd)			
ATV's (Cont'd)				ATV's (Cont'd)			
2008-07 YFM4FG Grizzly 400 Automatic 4WD SOHC (Liquid) ...	XS4163	4163 ⁸²⁴⁸	.024	2011-04 YFM125GT Grizzly 125	----	4194	.028
1995-93 YFM400FW Kodiak Bear 4WD	XS4164	4164 ⁸²⁴⁸	.028	2011 YFM125 Raptor	----	4194	.024
2000-96 YFM400FKodiak 400 Automatic 4WD SOHC (Liquid) ...	XS4163	4163 ⁸²⁴⁸	.024	1985-80 YT125	XS63	4263 ⁸²⁴⁸	.028
2004-03 YFM4AS Kodiak 400 Automatic 2WD SOHC (Liquid) ...	XS4163	4163 ⁸²⁴⁸	.024	1991-87 YFM100 Champ 4WD	----	4194	.024
2006-01 YFM4FA Kodiak 400 Automatic 4WD SOHC (Liquid) ...	XS4163	4163 ⁸²⁴⁸	.024	2011-09 YFM90R Raptor 90 4-Stroke SOHC	----	4194	.024
2001-00 YFM400A Kodiak Automatic 2WD SOHC (Liquid)	XS4164	4164 ⁸²⁴⁸	.028	2008-05 YFM80G Grizzly 80	----	4194	.024
2006-04 YFM35F Bruin 350 Automatic 4WD	XS4163	4163 ⁸²⁴⁸	.024	1999-85 YFM80 Badger 4WD	----	4194	.024
2006-04 YFM35A Bruin 350 Automatic 2WD	XS4163	4163 ⁸²⁴⁸	.024	2002-00 YFM80 Badger 2WD SOHC	----	4194	.024
2011-07 YFM35FG Grizzly 350 Automatic 4WD SOHC	XS4163	4163 ⁸²⁴⁸	.024	2008-02 YFM8WS Raptor 80 2WD SOHC	----	4194	.024
2011-07 YFM35G Grizzly 350 Automatic 2WD SOHC	XS4163	4163 ⁸²⁴⁸	.024	1986 YF60	----	4123 ⁸²⁴⁸	.024
1999-87 YFM350FW Big Bear 4WD ..	XS4164	4164 ⁸²⁴⁸	.028	1985-84 YT60	----	4123 ⁸²⁴⁸	.024
2011-05 YFM350RT Raptor 350 2WD SOHC	XS4163	4163 ⁸²⁴⁸	.028	2008-04 YFM50 Raptor 50 2WD SOHC	----	4194	.024
1999-96 YFM350U Big Bear 2WD ..	XS4164	4164 ⁸²⁴⁸	.028	Scooters			
2004-00 YFM350X Warrior 2WD SOHC	XS4163	4163 ⁸²⁴⁸	.032	2011-09 XP500Y Tmax 4-Stroke (Liquid)	XS4303	4303	.032
1999-87 YFM350XL Warrior 4WD ..	XS4164	4164 ⁸²⁴⁸	.028	2010-05 YP400 Majesty 4-Stroke DOHC (Liquid)	XS4303	4303	.032
2009-06 YFM35XW Wolverine 350 Automatic 2WD SOHC	----	4132 ⁸²⁴⁸	.028	2008-06 CP250V Morphous 4-Stroke DOHC (Liquid)	XS4303	4303	.032
2005-01 YFM35FX Wolverine 4WD SOHC	XS4163	4163 ⁸²⁴⁸	.028	1991-87 XC200 Riva	XS4163	4163 ⁸²⁴⁸	.028
2000-87 YFM350FX Wolverine 4WD SOHC	XS4163	4163 ⁸²⁴⁸	.028	1985-83 XC180 Riva	XS4163	4163 ⁸²⁴⁸	.028
1989-88 YFP350 Terra Pro 4WD	XS4164	4164 ⁸²⁴⁸	.028	2001-85 XC125 Riva	----	4194	.024
2006-04 YFZ350 Banshee 2WD (Liquid)	XS4063	4063 ⁸²⁴⁸	.028	2009-04 YJ125S Vino 125 SOHC ...	XS4303	4303	.030
2002 YFZ350 Banshee 2WD (Liquid)	XS4063	4063 ⁸²⁴⁸	.028	1987-83 CV80 Riva	XS4092	4092 ⁸²⁴⁸	.028
2003 YFZ350 Banshee 4WD (Liquid)	XS4063	4063 ⁸²⁴⁸	.028	2011-07 XF50Y C3	XS4303	4303	.032
2001-87 YFZ350 Banshee 4WD (Liquid)	XS4063	4063 ⁸²⁴⁸	.028	1986-83 CA50 Riva	----	4123 ⁸²⁴⁸	.024
1990-89 YFU1, T Prohauer 4WD ...	XS4164	4164 ⁸²⁴⁸	.028	1987-86 CE50 Riva	----	4123 ⁸²⁴⁸	.035
2011-08 YFM25R Raptor 250, R, SE 2WD SOHC	XS4163	4163 ⁸²⁴⁸	.028	1984 CV50 Riva	----	4123 ⁸²⁴⁸	.024
2000-94 YFB250FW Timberwolf 4WD	XS4164	4164 ⁸²⁴⁸	.028	2011-98 CW50 Zuma, Zuma II	XS4093	4093 ⁸²⁴⁸	.024
1998-92 YFB250 Timberwolf 2WD ..	XS4164	4164 ⁸²⁴⁸	.028	2001-92 CY50 Riva Jog	----	4123 ⁸²⁴⁸	.024
2004-01 YFM25X Bear Tracker 2WD SOHC	XS4164	4164 ⁸²⁴⁸	.028	1987-79 QT50 Yamahopper	----	4123 ⁸²⁴⁸	.024
1991-89 YFM250 4WD	XS4164	4164 ⁸²⁴⁸	.028	2001-87 SH50 Riva Razz	----	4123 ⁸²⁴⁸	.039
2009-07 YFM25BW Big Bear 250 ...	XS4163	4163 ⁸²⁴⁸	.028	2011-01 YJ50R Vino, Classic	----	4123 ⁸²⁴⁸	.024
2006-05 YFM250BT Bruin 250	XS4163	4163 ⁸²⁴⁸	.028	2001 YJ50N	XS4092	4092 ⁸²⁴⁸	.028
2000 YFM250X Bear Tracker 2WD SOHC	XS4164	4164 ⁸²⁴⁸	.028	YELLOW JACKET			
1999 YFM250X Beartracker 4WD ...	XS4164	4164 ⁸²⁴⁸	.028	Go-Karts			
1986-85 YTZ250	XS4064	4054 ⁸²⁴⁸	.032	w/B&S 5 h.p.	XST458 ⁸²⁵¹	458	.030
1988-86 YFM225 Moto-4 4WD	XS4164	4164 ⁸²⁴⁸	.028	w/Tec. 3.5 h.p.	XST458 ⁸²⁵¹	458	.030
1986-83 YTM225DR, DX	XS4164	4164 ⁸²⁴⁸	.028	w/Tec. 5, 5.5 & 6 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030
1989-85 YFM200 4WD	XS4164	4164 ⁸²⁴⁸	.028	YERF-DOG			
1999-88 YFS200 Blaster 4WD	XS4063	4063 ⁸²⁴⁸	.028	ATV's			
2006-00 YFS200 Blaster 2WD	XS4063	4063 ⁸²⁴⁸	.028	90cc Engs.	----	4123 ⁸²⁴⁸	.030
1985-83 YTM200	XS4164	4164 ⁸²⁴⁸	.028	23100	----	4123 ⁸²⁴⁸	.030
1983-82 YT175	XS62	4252 ⁸²⁴⁸	.032	W2200	----	4123 ⁸²⁴⁸	.030
1999-92 YFA1 Breeze 4WD	----	4194	.024	Go-Karts			
2004-00 YFA1 Breeze 2WD SOHC ..	----	4194	.024	w/150cc Engs.	----	4194	.030
				w/B&S 5 h.p.	XST458 ⁸²⁵¹	458	.030
				w/Tec. 2 h.p.	XST2976 ⁸²⁵¹	2976	.030
				w/Tec. 5, 5.5, 6 & 6.5 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030
				Mini-Bikes			
				w/Tec. 5 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030
				Utility Vehicles			
				w/10 h.p. OHV/OHC Engs.	----	4194	.030
				YUMBO			
				Mini-Bikes			
				2006-04 Dragster 50	----	4123 ⁸²⁴⁸	.028

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
YUMBO (Cont'd)							
Scooters							
2004 Dakar 200	XS4162	4162 ⁸²⁴⁸	.028				
2004 Dakar 150	XS4162	4162 ⁸²⁴⁸	.028				
2004 Dakar 125	XS4162	4162 ⁸²⁴⁸	.028				
2006-04 F3000	----	4173 ⁸²⁴⁸	.028				
2006-04 Road Power	----	4173 ⁸²⁴⁸	.028				
2004 Road Power 2S	----	4123 ⁸²⁴⁸	.028				
2004 Road Power 4S	----	4173 ⁸²⁴⁸	.028				
2006-04 Retro 50	----	4123 ⁸²⁴⁸	.028				
2006-04 Road Power 50	----	4123 ⁸²⁴⁸	.028				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ADVANCED ENG. PROD.				BENELLI			
Chicken Power, Pony Express	XST258 ⁸²⁵¹	258	.030	Blazer, Sprint, Amico	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
ALLIED (See Pacer)				Caddy	----	4056 ⁸²⁴⁸	.030
ALLSTATE				Capir Scooter (100cc)	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
All Models w/14mm Threads 1/2"	----	2656	.025	Cosmo Blazer, Colt	XS63	4263 ⁸²⁴⁸	.030
Reach	----	2656	.025	Cross, Turismo	----	4056 ⁸²⁴⁸	.030
All Models w/14mm Threads 3/4"	XST458 ⁸²⁵¹	456	.025	Gentleman-2 (3/8" Rch.)	XS4092	4092 ⁸²⁴⁸	.030
Reach	XST458 ⁸²⁵¹	456	.025	Gentleman-2 (3/4" Rch.)	----	4056 ⁸²⁴⁸	.030
All Models w/18mm Threads	AP46 ⁸²⁴⁹	46	.025	Magnum 5V, 6V	----	4056 ⁸²⁴⁸	.030
AMF ROADMASTER				Monaco Scooter (125cc)	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
110, 115, 120, 125, 130	XST2956 ⁸²⁵¹	2956	.030	Motorella, G2	----	4056 ⁸²⁴⁸	.030
138, 139, 140, 141	----	2656	.030	Sprint	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025
ANDIAMO				3FA, 3VK	----	4056 ⁸²⁴⁸	.025
L-1, L-2, E-1, E-2	XS63	4263 ⁸²⁴⁸	.030	65 Auto, Moped & Dyanamo Compact	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
ANGEL				BERMUDA BIKES			
All Models	----	2656	.030	Hampton 147FA, Pembroke 147AFA	----	2656	.030
ARCO				Somerset 147FVA	----	2656	.030
E-Z Rider	----	2656	.030	BETA			
ASPES				Alpha, Automatic Deluxe, SL5, Standard	XS63	4263 ⁸²⁴⁸	.030
Sioux 16 America	----	2656	.030	BIANCHI			
Sioux 50, KSL, KS, Mini	----	2656	.030	All Models	----	2656	.025
ASM				BIKEBUG			
30	XST458 ⁸²⁵¹	456	.020	Bicycle Engs.	XST458 ⁸²⁵¹	456	.030
50	XST458 ⁸²⁵¹	456	.020	BIKE MACHINE			
90, 100	XS4093	4093 ⁸²⁴⁸	.020	Bicycle Engs.	XST458 ⁸²⁵¹	456	.030
ATLAS				BIMOTOR			
All Models	XST255 ⁸²⁵¹	255	.020	BIMM-Moped	----	2656	.030
BAC				BIRD			
Moped	----	2656	.022	All Models w/Tecumseh Engs.	XST458 ⁸²⁵¹	456	.020
BARETTA				BONHAM			
22, 38, 44, 45 Magnum	----	2656	.030	Mini-Gote, Tote Gote	XST458 ⁸²⁵¹	456	.020
44 Sport, Minisport, Pistol, Variator, 44 Sport	XS63	4263 ⁸²⁴⁸	.030	BOSS			
BATAVUS				All Models	XS4093	4093 ⁸²⁴⁸	.020
Badger	----	2656	.030	BRONCO			
Bronco, MoBat, VA, HS50	XS4092	4092 ⁸²⁴⁸	.030	TX Minibikes	XST458 ⁸²⁵¹	456	.020
Mondial, Grand Prix, Deluxe	----	4123 ⁸²⁴⁸	.030	Mini Cycles	XS4093	4093 ⁸²⁴⁸	.020
Regency HS, VAIL	XS4092	4092 ⁸²⁴⁸	.030	BUMBLE BIKE			
Starflite HS, VAI, VAIL	XS4092	4092 ⁸²⁴⁸	.030	Bike Motor w/Roper Engs.	XST2956 ⁸²⁵¹	2956	.030
BEEHOO				All Models w/34cc Engs.	XST254 ⁸²⁵¹	254	.025
All Models	XST458 ⁸²⁵¹	456	.020	CALIFORNIA GO-PED			
BELLINI				Motorized Skateboard	XST2974 ⁸²⁵¹	2974	.030
w/Bernardi 35cc Engs.	XST458 ⁸²⁵¹	295	.030	CALIFFO			
w/ Tec. 2 h.p. Engs.	XST2974 ⁸²⁵¹	2974	.030	Deluxe, 2-Speed, 3-Wheeler	XS4092	4092 ⁸²⁴⁸	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CALIFORNIA CHOPPER				CONDOR			
All Models	XST458 ⁸²⁵¹	456	.020	729A, B, C	----	2656	.030
CARABELA				COSMO			
Carrera, Deluxe, Moto-Matic, Moto-Pedal, Sport	----	2656	.025	Blazer, Colt (1/2" Reach)	----	2656	.030
				Blazer, Colt (3/4" Reach)	XS63	4263 ⁸²⁴⁸	.030
CASAL				CUSHMAN			
Boss	XS4093	4093 ⁸²⁴⁸	.020	All Models w/14mm Threads	----	216	.020
K-160, K-161, K-162, K-163, K-168	XS4093	4093 ⁸²⁴⁸	.020	All Models w/18mm Threads (Tapered Seat)	AP46 ⁸²⁴⁹	46	.020
K-177, K-181, K-184, K-188, K-190, K-196	XS4093	4093 ⁸²⁴⁸	.020	All Models w/18mm Threads (exc. Tapered Seat)	----	386	.020
K-184S	XS4092	4092 ⁸²⁴⁸	.030	All Models w/7/8"-18 Threads	----	3076	.025
K-270 Cross	XS4092	4092 ⁸²⁴⁸	.030				
Mirabelle	XS4093	4093 ⁸²⁴⁸	.020				
CENTRAL				CUYLER			
All Models	XST458 ⁸²⁵¹	456	.020	Get-Around	XS4092	4092 ⁸²⁴⁸	.030
				C-1A, C-2B	----	4123 ⁸²⁴⁸	.030
CHARGER				CYCLOPS			
All Models	XST458 ⁸²⁵¹	456	.020	125, 250, 500, 580	XST458 ⁸²⁵¹	456	.030
CHEETAH				DEMM			
All Models	XST458 ⁸²⁵¹	456	.020	Brio, Condor 4, Joy, Panther, RG6	----	2656	.030
CHEYENNE				DERBI			
All Models	XST458 ⁸²⁵¹	456	.020	1985 Derbi Scoot 50, 80	----	2656	.030
				1985 Derbi SL, SLE, SLE-C	----	2656	.030
				1985 Derbi SLE-E, RD-50	----	2656	.030
				Antorcha, Antorcha Especial	----	2656	.030
				Campeona, Tricampeona	----	2656	.030
				Cross, Cross Diablo	----	2656	.030
				Diablo Super, GT4V, GTS4V	----	2656	.030
				Laguna, C-5, Diablo	XS4092	4092 ⁸²⁴⁸	.030
				Olimpica, Montreal 4V	----	2656	.030
				Variant E, GS, N, SL, TT, SLE	XS4092	4092 ⁸²⁴⁸	.030
CHIBI				DONI			
All Models	XST458 ⁸²⁵¹	456	.025	All Models	----	4056 ⁸²⁴⁸	.020
CHIEF				DRAKE			
"P" Models	XST458 ⁸²⁵¹	456	.020	All Models	XST458 ⁸²⁵¹	456	.020
CHIORDA				DKW			
Turbo 50	XS4093	4093 ⁸²⁴⁸	.020	Model PI	----	2656	.030
CIMATTI				DUCATI			
Bat Baby, Bob Cat, Boy, Chic, Clan V1	XS4093	4093 ⁸²⁴⁸	.025	Mini 3, 50 Senda	----	2656	.030
City Bike, Grand Prix XL, Town Bike, Twin Bike	----	2656	.025	50 Pronto	----	2656	.030
Gringo, Kaiman X16/X21	----	4056 ⁸²⁴⁸	.025				
Mini Chic 4/M, Mini Prix	XS4093	4093 ⁸²⁴⁸	.025				
Mini Chic V1KS	----	2656	.025				
Oasi, Paiper V1/V1KS/4M, Sagittario 4M/6M	XS4093	4093 ⁸²⁴⁸	.025				
CLINTON				DUCSON			
All Models	XS4092	4092 ⁸²⁴⁸	.030	S9, S15, S20	----	2656	.030
COLEMAN				DUKAT			
Sport 2.40, 5.30	XS4093	4093 ⁸²⁴⁸	.020	All Models	----	2656	.030
COLUMBIA				EXPLORER			
Commuter, Medallion, Traveller	----	2656	.025	All Models	XST458 ⁸²⁵¹	456	.020
CONCORD							
XKE20, XKE25	----	2656	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
E-Z RIDER w/Minarelli V-1	----	2656	.030	GARELLI (Cont'd) VIP	----	2656	.030
F.M.B. All Models	----	2656	.025	GEMINI 50, 80cc	XS4092	4092 ⁸²⁴⁸	.020
FANTIC (See Concord) Issimo, Lei, Super Lei, TX300	----	2656	.030	GENERAL 5 Star	----	2656	.030
FINE LINE INDUSTRIES Racing Barstools w/Robin 4.5 h.p. OHC	XS4093	4093 ⁸²⁴⁸	.025	5 Star ST	XS4092	4092 ⁸²⁴⁸	.030
FLANDRIA 101, 102, 104	----	2656	.025	Julie Honey 50	XS4092	4092 ⁸²⁴⁸	.030
4.3CV, 5CV	XS4092	4092 ⁸²⁴⁸	.030	Lazer Sport 50, Limited Edition	----	2656	.030
Monomatix	----	2656	.030	GILSON Holiday	XST458 ⁸²⁵¹	456	.020
FLEA All Models	XST458 ⁸²⁵¹	456	.020	GIMSON Elite, Jumper Cross, Skipper Trial, Variomatic	----	2656	.030
FLYING DUTCHMAN Buddy, Lucky	----	2656	.030	GITANE CL200, Cricket, DKS, Jeans	----	2656	.025
KML-40, DeLuxe	XS4092	4092 ⁸²⁴⁸	.030	GLOBALMAN Bike Motor	XST255 ⁸²⁵¹	255	.030
FOUR-WHEELER (See AMF)				GRAN PRIX All Models w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
FOX All Models	XST458 ⁸²⁵¹	456	.020	GRASSHOPPER All Models	XST458 ⁸²⁵¹	456	.020
FOXI Amigo, S, Baron, Deluxe, Salsburg ..	----	2656	.030	GRYCNER LaJolla	----	2656	.030
GT, GT Deluxe, GT Sport	----	2656	.030	Palm Springs	----	2656	.030
Red Foxi, Silver Foxi, Sport, Super Sport	----	2656	.030	GULF Seagull	----	2656	.030
GADABOUT Moped	----	2656	.030	HANDY All Models 1985-78	----	2656	.025
GARELLI Bonanza	----	2656	.030	All Models Thru 1977	XS4092	4092 ⁸²⁴⁸	.025
Ciclone 1.5 h.p. & Up	XS4063	4063 ⁸²⁴⁸	.030	HARRISON All Models	XST458 ⁸²⁵¹	456	.020
Ciclone Under 1.5 h.p.	----	4056 ⁸²⁴⁸	.030	HEATH KIT All Models	XST255 ⁸²⁵¹	255	.020
Deluxe	----	2656	.030	HERCULES (Sachs) HR2, M1, M4, P1, 504	----	2656	.020
Eureka, Grand Sport (30mph)	XS4092	4092 ⁸²⁴⁸	.030	HERO-MAJESTIC Ankur, Pacer, Panther	----	2656	.024
Eureka, Grand Sport (Up To 25 mph)	----	2656	.030	HONDA 1982-78 NA50, NC50, NC50I	----	4123 ⁸²⁴⁸	.028
Gran Turismo 1.5 h.p. & Up	XS4063	4063 ⁸²⁴⁸	.030	1983-82 PA50I, II	----	4123 ⁸²⁴⁸	.028
Gran Turismo Under 1.5 h.p.	----	4056 ⁸²⁴⁸	.030	PA50 Hobbit, Type I, II	----	2656	.030
Katia	----	2656	.030				
KL505V 1.5 h.p. & Up	XS4063	4063 ⁸²⁴⁸	.030				
KL505V Under 1.5 h.p.	----	4056 ⁸²⁴⁸	.030				
Mini, Mokik, Noi	----	2656	.030				
Ralley Sport	XS4092	4092 ⁸²⁴⁸	.030				
Rally Sport LTD	----	2656	.030				
Rekord	----	411	.030				
RGS50 1.5 h.p. & Up	XS4063	4063 ⁸²⁴⁸	.030				
RGS50 Under 1.5 h.p.	----	4056 ⁸²⁴⁸	.030				
Sport (30mph)	XS4092	4092 ⁸²⁴⁸	.030				
Sport (Up To 25 mph)	----	2656	.030				
Standard, Deluxe	----	2656	.030				
Super Sport LTD	XS4092	4092 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
INDIAN				LAZER			
Ami 50 Chief	---	4194	.025	Riviera, Sport 50, Sport 50 ST, Sprint	---	2656	.025
Boy Racer, Papoose, Pony Bike	XS4093	4093 ⁸²⁴⁸	.020				
INTRAMOTOR				LEM-MOTOR			
Blanco	---	2656	.025	Practical	XS63	4263 ⁸²⁴⁸	.020
Dream	XS63	4263 ⁸²⁴⁸	.025				
Kid, Mini-Kid	---	2656	.025				
Scout	XS63	4263 ⁸²⁴⁸	.025				
ITALJET				LITTLE BUTCH			
Buster 2	---	2656	.030	All Models	XST458 ⁸²⁵¹	456	.020
Dragster, Fastboy, Formula, Torpedo, Velocifero	---	2634	.030				
Kit Kat	XS4092	4092 ⁸²⁴⁸	.020				
Pack-a-way	XS4092	4092 ⁸²⁴⁸	.025				
Pursang	---	2656	.030				
w/Minarelli P4, P6	XS4092	4092 ⁸²⁴⁸	.030				
w/Minarelli S5, KT, K2	---	2656	.030				
ITALMOTOR				LITTLE GEM			
I-78, I-80	XS63	4263 ⁸²⁴⁸	.030	All Models	---	216	.020
JAWA				LITTLE PETRO			
Babetta, City Bee, Deluxe, DL	---	2656	.030	All Models	---	3136	.020
Cezeta, Robot	---	2656	.020				
Supreme, Model 130, 211/300	---	2656	.030				
All Other Scooters	XS4093	4093 ⁸²⁴⁸	.020				
JOLLY				LMP			
Moped	XS4092	4092 ⁸²⁴⁸	.030	LMP50-A	XS4093	4093 ⁸²⁴⁸	.020
K & S				MAICO			
Bike Machine (Normal Service)	XST458 ⁸²⁵¹	456	.025	MPI	---	2656	.030
K-C				MALAGUTI			
Dura-Bike	XST458 ⁸²⁵¹	456	.025	1985 New Commuter	XS63	4263 ⁸²⁴⁸	.024
KASEA				Commuter, Commuter 2	XS63	4263 ⁸²⁴⁸	.020
50, 50B	---	4123 ⁸²⁴⁸	.030	Quattrotto	---	4056 ⁸²⁴⁸	.030
MXR, MXT, MXX 49cc Mini-Bikes	---	4123 ⁸²⁴⁸	.030				
Mini-Bikes w/125cc 4-Stroke Engs.	XS4303	4303	.030				
KAWASAKI				MALANCA			
Coyote	XST458 ⁸²⁵¹	456	.020	Bibi, Big, Competizione, Country Special	---	2656	.030
KINETIC				Cross, Due PIU, Duplimatic, Jolly B, Jolly 3M	---	2656	.030
Magnum, Safari, Super, TFR Plus	---	2656	.030	Leoncino, Lord, Mascotte B, Minizeta, Roxi	---	2656	.030
KREIDLER				Testa Rossa, Tigre, Tigrotto	---	2656	.030
Florett, RS, RSH	XS4092	4092 ⁸²⁴⁸	.030	Turismo Turbo, Zeta	---	2656	.030
Flory MP9, Flory MP19	---	2656	.025				
MF, MG	---	2656	.030				
KTM				MANCO			
All Models	---	2656	.025	All Models w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
LAMBRETTA				All Models w/Tecumseh Engs.	XST458 ⁸²⁵¹	295	.030
Mopeds w/1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020				
Mopeds w/3/4" Reach	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020				
Puma, Puma Cross	---	2656	.025				
				MICHRINA			
				All Models	XST458 ⁸²⁵¹	456	.020
				MICROCAR			
				3-wheeler	---	2656	.030
				MICROMATE			
				410	XST458 ⁸²⁵¹	456	.020
				MIGHTY MITE II			
				1.7 h.p.	XST458 ⁸²⁵¹	456	.025
				MINIMATE			
				412F, 412FS, 412FS12, 512FS, 512FSR	XST458 ⁸²⁵¹	456	.020
				MOBYLETTE			
				AV51, AV52, AV70, AV89, AV188	---	2656	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MOBYLETTE (Cont'd) D55, D55T, SP95, SP96, Moby Cross --- 2656 .030				MO-TREK (Yard-Man) Easy Rider --- 2656 .030			
MONTESA Amigo 100 XS4092 4092 ⁸²⁴⁸ .025 Mini Moped+B313 XS4093 4093 ⁸²⁴⁸ .025				MOTRON Classic, Fairway, Medalist --- 2656 .030 Sprint, 3-Wheeler --- 2656 .030			
MOPRIX All Models w/Sach 505 Engs. --- 2656 .030 P2, P3, P3A, P5, P7 XST255 ⁸²⁵¹ 255 .030				MTD Columbia, Commuter w/Sach Engs. . . XS4093 4093 ⁸²⁴⁸ .020			
MORINI All Models --- 4056 ⁸²⁴⁸ .025				MURRAY 8315, 8415, 8416, 8515 XS4093 4093 ⁸²⁴⁸ .030 8320, 8420, 8421, 8520 XS4093 4093 ⁸²⁴⁸ .030			
MOSQUITO DX26, Tiger (Scooters) XST2976 ⁸²⁵¹ 2976 .030				NEGRINI Gazelle I, II, Harvard, MX Sport XS65 4265 ⁸²⁴⁸ .030 Gazelle III, KPN Thru 1984, Leprotto, MX II XS63 4263 ⁸²⁴⁸ .030			
MOTO SKEETER All Models XST255 ⁸²⁵¹ 255 .030				NVT AMERICA Lance ER1, ER2 --- 4056 ⁸²⁴⁸ .030			
MOTO VILLA All Models XS4093 4093 ⁸²⁴⁸ .025				ODYSSEY 32/1-R, 32/1-2, 40/1-R, 40/1-2 --- 2656 .020 40/2-R, 40/2-2, 236, 237, 255, 284 .. --- 2656 .020			
MOTOBECANE Horse Mopeds --- 2656 .020 1987-84 Le Moped, Romp --- 2656 .020 1988-85 Moby --- 2656 .020 Moto-Beta --- 2656 .020 1987-84 Sebring XS63 4263 ⁸²⁴⁸ .020 1987-84 Traveler, Moby --- 2656 .020 AV89MB, D55 XS4092 4092 ⁸²⁴⁸ .020 40TL, 40TS, H40S, H40TL, TLS --- 2656 .020 4600 (Solex) --- 2656 .020 50L, 50S, 50VL, H50S, H50LS --- 2656 .020 50V, 51, 51V, AV51, TLS --- 2656 .020 50VLX, 85L, 88L, 88LC --- 2656 .020 7, 50VLA, 50VLC, M1, M1PR --- 2656 .020 92GT, 92DL, L92N, 93DL --- 2656 .020 H40, H40TS, H40VLC, H50VLC --- 2656 .020 L93E, L94TTE --- 2656 .020 L99E, L99EF, 99Z --- 2656 .020 X1, X1L, X7L, X7S --- 2656 .020 X7AVL, X7VX, M3PRT, M3PRTS ... --- 2656 .020				PACER P-1, P-12, P-214, P-14, P-14 Delux . . XS63 4263 ⁸²⁴⁸ .030 P-14RL, P-278, P-280 XS63 4263 ⁸²⁴⁸ .030 Sport P-78, Super Sport P-80 XS63 4263 ⁸²⁴⁸ .030			
MOTO-GUZZI Chia, Magnum, Robin --- 4056 ⁸²⁴⁸ .020 Dingo --- 2656 .030				PANTHER All Models XST458 ⁸²⁵¹ 456 .020			
MOTOMARINA 1988-86 Raven (Franco Morini M1) . . XS63 4263 ⁸²⁴⁸ .026 1988-86 Raven (Minarelli AV1) --- 2656 .026 1988-85 Sebring XS63 4263 ⁸²⁴⁸ .024				PARTNER Moped --- 2656 .030			
MOTO MORINI > 1985 All Models XS62 4252 ⁸²⁴⁸ .030				PEDAL POWER G-200 --- 2656 .030			
MOTO VESPA Gilera 50 (RA, RE, RL, RS) --- 4056 ⁸²⁴⁸ .030				PEDLER Pedler's Choice, Deluxe --- 2656 .030			
MOTO VILLA Moped XS4093 4093 ⁸²⁴⁸ .030				PENNEY'S Pinto --- 2656 .030			
				PEUGEOT All Models (exc, 102SP) --- 2656 .030 102SP XS4093 4093 ⁸²⁴⁸ .030			
				PIAGGIO (See Vespa) BV200 (4-Stroke) XS4303 4303 .025 Typhoon, SE (2-Stroke) XS4063 4063 ⁸²⁴⁸ .025			
				POWELL All Models XST458 ⁸²⁵¹ 456 .020			
				POWER PRODUCTS Bike Machine XST255 ⁸²⁵¹ 255 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
PRYER				ROKON (Cont'd)			
Moped	----	2656	.030	Trail-Blazer 140cc	XS4093	4093 ⁸²⁴⁸	.020
				Trail-Breakers 134cc	----	2656	.025
PUCH				SACHS			
1988-85 Austro-Daimler w/1.5 h.p. . .	----	2656	.020	Balboa, G-3, Hercules	XS4093	4093 ⁸²⁴⁸	.030
1988-85 Austro-Daimler w/2.0 h.p. . .	XS4093	4093 ⁸²⁴⁸	.020	HR2, M1, M4, P1, Primo	----	2656	.020
1988-85 Cobra w/1.5, 2.0 h.p.	XS4093	4093 ⁸²⁴⁸	.020	Seville, Showoff, Suburban,			
1988-85 Dart w/1.5 h.p.	----	2656	.020	Sundancer	XS4093	4093 ⁸²⁴⁸	.020
1988-85 Dart w/2.0 h.p.	XS4093	4093 ⁸²⁴⁸	.020	Sundancer SX, Westlake	XS4093	4093 ⁸²⁴⁸	.030
1988-85 Maxi Sport LS w/1.5 h.p. . .	----	2656	.020				
1988-85 Maxi Sport LS w/2.0 h.p. . .	XS4093	4093 ⁸²⁴⁸	.020				
1998-95 Korado "Maxi"	XS4093	4093 ⁸²⁴⁸	.020	SAFARI			
1998-95 Korado "Super Maxi"	XS4093	4093 ⁸²⁴⁸	.020	1987-85 Commando (Auto)(C-3			
1998-95 Korado Noped	XS4093	4093 ⁸²⁴⁸	.020	Engs.)	XS65	4265 ⁸²⁴⁸	.025
125HS, TE	XS4062	4062 ⁸²⁴⁸	.028	1987-85 Commando (Manual)(P-4			
125S (1/2" Thread Reach)	XS4093	4093 ⁸²⁴⁸	.028	Engs.)	XS65	4265 ⁸²⁴⁸	.025
125S (3/4" Thread Reach)	XS4063	4063 ⁸²⁴⁸	.028	1987-85 MT300/400 (V-1 Engs.)	----	2656	.025
175HS, TE	XS4062	4062 ⁸²⁴⁸	.028	1987-85 MT300/400 Turbo (V-1-A			
175S	XS4063	4063 ⁸²⁴⁸	.028	Engs.)	----	4123 ⁸²⁴⁸	.025
GS125 Six Days	XS4062	4062 ⁸²⁴⁸	.028	1987-85 Variomatic (C-2 Engs.)	----	4123 ⁸²⁴⁸	.025
GS175 Six Days	XS4062	4062 ⁸²⁴⁸	.028	All Models w/Minarelli Engs.	----	4123 ⁸²⁴⁸	.024
GS250 Six Days	XS4062	4062 ⁸²⁴⁸	.028	Fox w/Rovet 48 cc Engs.	XST255 ⁸²⁵¹	255	.030
M125 (1/2" Thread Reach)	XS4093	4093 ⁸²⁴⁸	.028	Turbo w/Minarelli V1A Engs.	----	2656	.035
M125 (3/4" Thread Reach)	XS4063	4063 ⁸²⁴⁸	.028				
M50 Sport	XS4093	4093 ⁸²⁴⁸	.028	SCORPION			
Magnum II, Magnum MKII	----	2656	.020	SC-1, SC-2, SC-2X	----	4056 ⁸²⁴⁸	.030
Magnum MKII LTD	----	2656	.020				
Magnum XK, X20, X30	----	2656	.020	SEAWORTH			
Maxi Luxe, Monza 4SL	----	2656	.020	100	----	2656	.030
Maxi, GN Series B	----	2656	.020				
MC125	XS4062	4062 ⁸²⁴⁸	.028	SENSATION			
MC175	XS4063	4063 ⁸²⁴⁸	.028	All Models	XST458 ⁸²⁵¹	456	.020
MC250 Replica	XS4062	4062 ⁸²⁴⁸	.028				
MC50 Super	XS4093	4093 ⁸²⁴⁸	.028	SIMPLEX			
Newport II, Sport MKII	----	2656	.020	All Models	XST458 ⁸²⁵¹	456	.020
Newport, Sport	----	2656	.020				
Trail 125 (1/2" Thread Reach)	XS4093	4093 ⁸²⁴⁸	.028	SKAT-KITTY			
Trail 125 (3/4" Thread Reach)	XS4063	4063 ⁸²⁴⁸	.028	All Models	XST458 ⁸²⁵¹	456	.020
RABBIT				SKI-DOO			
All Models w/1/2" Reach	----	2656	.020	Bantam, Junior Cross	XS4093	4093 ⁸²⁴⁸	.020
All Models w/3/4" Reach	XST254 ⁸²⁵¹	303	.020				
RITELOC				SMILY			
Roxi	XS4093	4093 ⁸²⁴⁸	.030	All Models	----	4123 ⁸²⁴⁸	.020
RIVIERA				SNARK			
ST-100	----	2656	.030	Satellite I, II; Stardust I, II	XS63	4263 ⁸²⁴⁸	.030
				Standard, Deluxe	----	2656	.030
RIZZATO				SOLO			
Califfo, Califfo Super	----	2656	.030	710	----	2656	.020
Califfo Deluxe, Califfo Matic	----	2656	.030	711	XS4093	4093 ⁸²⁴⁸	.020
Califfone Daytona, Zum 3	----	2656	.030	712	----	2656	.020
Cross 6V	XS4093	4093 ⁸²⁴⁸	.030	713, 716	XS4093	4093 ⁸²⁴⁸	.020
Mini Califfo K, Cross 4V	----	2656	.030				
Ringo Turismo	----	2656	.030	SONI 2			
				Basic, Deluxe	----	2656	.030
ROADMASTER (See AMF Roadmaster)				Excalibur, Classic			
					----	2656	.030
ROBIN				ROKON			
Moped	----	4056 ⁸²⁴⁸	.030	All Models w/50cc Engs.	----	2656	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SPARTA				TOMOS (Cont'd)			
Buddy, Kynast, Deluxe	----	2656	.020	Cross 50 Junior	----	411	.030
Sport 3V	----	2656	.020	Silver Bullet, Red Bullet	XS4093	4093 ⁸²⁴⁸	.030
SPEED BIRD				TORROT			
Moped	----	2656	.030	Sport, 14TLC, TLS	XS4093	4093 ⁸²⁴⁸	.030
SPEEDWAY				TRAIL BREAKER			
All Models w/ Sach 125cc Engs. 2.5, 3, 4 h.p.	XS4092	4092 ⁸²⁴⁸	.020	All Models	XS4093	4093 ⁸²⁴⁸	.020
	XST255 ⁸²⁵¹	255	.020	TRAIL HORSE			
SPRINTER				All Models			
Moped	----	2656	.030		XST458 ⁸²⁵¹	456	.020
SPORT STYL				TRI-PED			
All Models	XST458 ⁸²⁵¹	456	.020	Sports Model	----	2656	.030
STELLAR				Tri-ped			
Chopper	XST458 ⁸²⁵¹	456	.020	Moped	----	2656	.030
SUNBEAM				UNITED			
All Models w/14mm Threads	XS4093	4093 ⁸²⁴⁸	.020	Moped	XS4093	4093 ⁸²⁴⁸	.030
All Models w/18mm Threads	----	373	.020	VEROSOLEX			
SUNNY				3800, 4600, 4600 DOT			
200	----	2656	.030	Flash 6000, 5000	----	2656	.025
SUVEGA				Tenor, 8000			
Samrat	XS4093	4093 ⁸²⁴⁸	.030		----	4056 ⁸²⁴⁸	.025
Tiger T-3	XS4093	4093 ⁸²⁴⁸	.030	VESPA			
SUZUKI				100 Sport			
1980 Model 50	----	2656	.030		XS4093	4093 ⁸²⁴⁸	.024
1982-79 FZ50	----	4123 ⁸²⁴⁸	.025	125 P125X	XS4093	4093 ⁸²⁴⁸	.024
1984-80 FA50	----	4123 ⁸²⁴⁸	.025	125 Primavera	XS4093	4093 ⁸²⁴⁸	.024
1991-85 FA50	----	4123 ⁸²⁴⁸	.030	125 VN Series	XS4093	4093 ⁸²⁴⁸	.024
Cutlass	----	4123 ⁸²⁴⁸	.020	150 GL, GS	XS4093	4093 ⁸²⁴⁸	.024
Gaucho	XS4092	4092 ⁸²⁴⁸	.020	150 Spring Super	XS4093	4093 ⁸²⁴⁸	.024
Suzy 50	----	353	.020	50 Special	XS4093	4093 ⁸²⁴⁸	.024
Suzy MK-II	XS4093	4093 ⁸²⁴⁸	.020	90 Sport	XS4093	4093 ⁸²⁴⁸	.024
Trail Hopper	----	4123 ⁸²⁴⁸	.020	All Models w/3/4" Reach	----	4056 ⁸²⁴⁸	.020
TANAKA				Bravo Super Deluxe			
Power Boards	XST2974 ⁸²⁵¹	2974	.030		----	2656	.020
TAS-TANAKA				Bravo Super Deluxe			
1986-80 QBM-23	XST255 ⁸²⁵¹	255	.025		----	2656	.020
1986-80 QBM23N, QBM-23NA	XST255 ⁸²⁵¹	255	.025	Ciao Poter	----	2656	.020
Bike, Motor	XST255 ⁸²⁵¹	255	.025	Ciao Standard, Special	----	2656	.020
Mini-Bikes, Moped	XST458 ⁸²⁵¹	456	.020	Ciao Super, Supreme	----	2656	.020
TESTI				Grande Super Deluxe			
Amico	----	2656	.030		----	2656	.020
TOMOS				Grande, Boxer, Si			
15SL, 15SLC, 15 Sprint	----	411	.030		----	2656	.020
APN4, 4H	----	2656	.030	Granturismo 200 (4-Stroke)	XS4303	4303	.025
Automatic NT, 3, 3K	----	2656	.030	PX 150 (2-Stroke)	XS4063	4063 ⁸²⁴⁸	.025
Automatic, A3SP	XS4093	4093 ⁸²⁴⁸	.030	VIPER			
Blue Bullet	XS4093	4093 ⁸²⁴⁸	.030	Bicycle Engines	XST2976 ⁸²⁵¹	2976	.030
Colibri	----	2656	.030	YAMAHA			
TOMOS (Cont'd)				1988-79 QT50			
Cross 50 Junior	----	411	.030		----	4123 ⁸²⁴⁸	.030
Silver Bullet, Red Bullet	XS4093	4093 ⁸²⁴⁸	.030	1984 CA50L	----	4123 ⁸²⁴⁸	.030
Sport, 14TLC, TLS	XS4093	4093 ⁸²⁴⁸	.030	1984 CV50L	----	4123 ⁸²⁴⁸	.030
Sprint	----	2656	.030	1982-78 LB50P	----	2656	.030
Targa, Targa LX, TTLX	----	2656	.030	1982 MJ50	----	4123 ⁸²⁴⁸	.030
TORROT				JT1			
City Lujo, City TT	----	2656	.030		XS4092	4092 ⁸²⁴⁸	.030
City Mini, Maxi, Turismo	----	2656	.030	VIPER			
Mustang, Sport 4V, TT50	----	2656	.030	Bicycle Engines	XST2976 ⁸²⁵¹	2976	.030
Panther, Trial, Gran Cross	----	2656	.030	YAMAHA			
TRAIL BREAKER				1988-79 QT50			
All Models	XS4093	4093 ⁸²⁴⁸	.020		----	4123 ⁸²⁴⁸	.030
TRAIL HORSE				1984 CA50L			
All Models	XST458 ⁸²⁵¹	456	.020		----	4123 ⁸²⁴⁸	.030
TRI-PED				1984 CV50L			
Sports Model	----	2656	.030		----	2656	.030
Tri-ped	----	2656	.030	1982-78 LB50P	----	2656	.030
Moped	----	2656	.030	1982 MJ50	----	4123 ⁸²⁴⁸	.030
UNITED				JT1			
Moped	XS4093	4093 ⁸²⁴⁸	.030		XS4092	4092 ⁸²⁴⁸	.030
VEROSOLEX				1988-79 QT50			
3800, 4600, 4600 DOT	----	2656	.025		----	4123 ⁸²⁴⁸	.030
Flash 6000, 5000	----	2656	.025	1984 CA50L	----	4123 ⁸²⁴⁸	.030
Tenor, 8000	----	4056 ⁸²⁴⁸	.025	1984 CV50L	----	4123 ⁸²⁴⁸	.030
VESPA				1982-78 LB50P			
100 Sport	XS4093	4093 ⁸²⁴⁸	.024		----	2656	.030
125 P125X	XS4093	4093 ⁸²⁴⁸	.024	1982 MJ50	----	4123 ⁸²⁴⁸	.030
125 Primavera	XS4093	4093 ⁸²⁴⁸	.024	JT1	XS4092	4092 ⁸²⁴⁸	.030
125 VN Series	XS4093	4093 ⁸²⁴⁸	.024	VIPER			
150 GL, GS	XS4093	4093 ⁸²⁴⁸	.024	Bicycle Engines	XST2976 ⁸²⁵¹	2976	.030
150 Spring Super	XS4093	4093 ⁸²⁴⁸	.024	YAMAHA			
50 Special	XS4093	4093 ⁸²⁴⁸	.024	1988-79 QT50	----	4123 ⁸²⁴⁸	.030
90 Sport	XS4093	4093 ⁸²⁴⁸	.024	1984 CA50L	----	4123 ⁸²⁴⁸	.030
All Models w/3/4" Reach	----	4056 ⁸²⁴⁸	.020	1984 CV50L	----	4123 ⁸²⁴⁸	.030
Bravo Super Deluxe	----	2656	.020	1982-78 LB50P	----	2656	.030
Bravo Super Deluxe	----	2656	.020	1982 MJ50	----	4123 ⁸²⁴⁸	.030
Ciao Poter	----	2656	.020	JT1	XS4092	4092 ⁸²⁴⁸	.030
Ciao Standard, Special	----	2656	.020	VIPER			
Ciao Super, Supreme	----	2656	.020	Bicycle Engines	XST2976 ⁸²⁵¹	2976	.030
Grande Super Deluxe	----	2656	.020	YAMAHA			
Grande, Boxer, Si	----	2656	.020	1988-79 QT50	----	4123 ⁸²⁴⁸	.030
Granturismo 200 (4-Stroke)	XS4303	4303	.025	1984 CA50L	----	4123 ⁸²⁴⁸	.030
PX 150 (2-Stroke)	XS4063	4063 ⁸²⁴⁸	.025	1984 CV50L	----	4123 ⁸²⁴⁸	.030
VIPER				1982-78 LB50P			
Bicycle Engines	XST2976 ⁸²⁵¹	2976	.030		----	2656	.030
YAMAHA				1982 MJ50			
1988-79 QT50	----	4123 ⁸²⁴⁸	.030		----	4123 ⁸²⁴⁸	.030
1984 CA50L	----	4123 ⁸²⁴⁸	.030	1982 MJ50	----	4123 ⁸²⁴⁸	.030
1984 CV50L	----	4123 ⁸²⁴⁸	.030	JT1	XS4092	4092 ⁸²⁴⁸	.030
1982-78 LB50P	----	2656	.030	VIPER			
1982 MJ50	----	4123 ⁸²⁴⁸	.030	Bicycle Engines	XST2976 ⁸²⁵¹	2976	.030
JT1	XS4092	4092 ⁸²⁴⁸	.030	YAMAHA			
VIPER				1988-79 QT50			
Bicycle Engines	XST2976 ⁸²⁵¹	2976	.030		----	4123 ⁸²⁴⁸	.030
YAMAHA				1984 CA50L			
1988-79 QT50	----	4123 ⁸²⁴⁸	.030		----	4123 ⁸²⁴⁸	.030
1984 CA50L	----	4123 ⁸²⁴⁸	.030	1984 CV50L	----	4123 ⁸²⁴⁸	.030
1984 CV50L	----	4123 ⁸²⁴⁸	.030	1982-78 LB50P	----	2656	.030
1982-78 LB50P	----	2656	.030	1982 MJ50	----	4123 ⁸²⁴⁸	.030
1982 MJ50	----	4123 ⁸²⁴⁸	.030	JT1	XS4092	4092 ⁸²⁴⁸	.030
JT1	XS4092	4092 ⁸²⁴⁸	.030	VIPER			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Mopeds

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
YANKEE DOODLE							
Moped	----	2656	.030				
YANKEE PEDDLER (See FMB)							
All Models	----	2656	.020				
YARD-MAN (See Mo-Trek)							
ZUNDAPP							
Automatic Mofa, Mofa 25	----	2656	.020				
C50 Super, C50 Sport	XS4092	4092 ⁸²⁴⁸	.030				
CS50	XS63	4263 ⁸²⁴⁸	.030				
GTS50 (1979-75)	XS4092	4092 ⁸²⁴⁸	.030				
GTS50 (1985-80)	XS63	4263 ⁸²⁴⁸	.030				
M-50	----	2656	.030				
Mofa 25	----	2656	.030				
MoKick	XS63	4263 ⁸²⁴⁸	.030				
R50	XS4092	4092 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ALOUETTE				ARCTIC CAT (Cont'd)			
Sno Duster 340	XS61	4063 ⁸²⁴⁸	.020	Puma	XS61	4054 ⁸²⁴⁸	.028
All Other Models	XS61	4054 ⁸²⁴⁸	.020	1997-94 Puma	XS61	4063 ⁸²⁴⁸	.028
AMF				1992-91 Puma			
399cc				1996 Puma	XS61	4063 ⁸²⁴⁸	.028
399	XS61	4063 ⁸²⁴⁸	.020	1996 Puma	XS61	4063 ⁸²⁴⁸	.028
440cc				Mountain Cat	AP425 ⁸²⁴⁹	425	.020
440	XS61	4063 ⁸²⁴⁸	.020	T1A340F1 w/Free Air Sports Eng. . .	XS61	4051 ⁸²⁴⁸	.016
ARCTIC CAT				T1A340S1 w/Kawasaki Eng.			
59cc				T1B340RS w/Free Air Sports Eng. . .	XS61	4062 ⁸²⁴⁸	.016
1990-86 Kitty Cat	AP425 ⁸²⁴⁹	425	.028	T1B340S w/Kawasaki Eng.	XS61	4054 ⁸²⁴⁸	.030
1981 Kitty Cat	AP425 ⁸²⁴⁹	425	.020	T1C340RS1A w/Free Air Sports			
1985 Kitty Cat	AP425 ⁸²⁴⁹	425	.020	Engs.	XS61	4062 ⁸²⁴⁸	.016
60cc				T1C340S1A, S2A w/Kawasaki			
Kitty Cat	AP425 ⁸²⁴⁹	425	.025	Engs.	XS61	4054 ⁸²⁴⁸	.030
1994-91 Kitty Cat	AP425 ⁸²⁴⁹	425	.028	T1D340A2A w/Kawasaki Eng.	XS61	4054 ⁸²⁴⁸	.030
1995 Kitty Cat	AP425 ⁸²⁴⁹	425	.028	T7340RX w/Free Air Sports Eng. . .	XS61	4051 ⁸²⁴⁸	.016
1996 Kitty Cat	AP425 ⁸²⁴⁹	425	.028	T7C340FR1 w/Free Air Sports Eng. .	XS61	4062 ⁸²⁴⁸	.016
1997 Kitty Cat	AP425 ⁸²⁴⁹	425	.028	T7C340FR2 w/Free Air Sports Eng. .	XS61	4051 ⁸²⁴⁸	.016
1998 Kitty Cat	AP425 ⁸²⁴⁹	425	.028	340cc			
2000-99 Kitty Cat	AP425 ⁸²⁴⁹	425	.028	AA-34F1, F2, F3, F4, F5 w/Suzuki			
T5B060S w/Kawasaki Eng.	AP425 ⁸²⁴⁹	425	.028	Engs.	XS61	4054 ⁸²⁴⁸	.024
119cc				AB-34F1 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.025
2008-05 F120 (Fan)	XS63	4263 ⁸²⁴⁸	.028	AC-34L2 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.018
2004-00 Z120, Z120 Sno Pro, ZR 120				AD-34L1 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.018
.....	XS63	4263 ⁸²⁴⁸	.028	AE-23L2 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.020
123cc				AE44L2 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.018
2011-09 Sno Pro 120 (Fan)	XS63	4263 ⁸²⁴⁸	.028	AF34A1, A2 w/Suzuki Eng.	XS61	4054 ⁸²⁴⁸	.020
245cc				Sno Pro 55 h.p.	XS61	4051 ⁸²⁴⁸	.018
T1B250RX w/Free Air Sports Eng. . .	XS61	4062 ⁸²⁴⁸	.016	367cc			
T7C250FR2 w/Free Air Sports Eng. .	XS61	4062 ⁸²⁴⁸	.016	2008-05 Panther 370 (Fan)	XS61	4063 ⁸²⁴⁸	.028
T1D250F1 w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030	2001 Panther 370 (Fan)	XS61	4063 ⁸²⁴⁸	.028
250cc				2007-99 Z 370, LX (Fan)	XS61	4063 ⁸²⁴⁸	.028
AA25L2 w/Suzuki Eng.	XS61	4051 ⁸²⁴⁸	.018	398cc			
AB25F1, F4 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.022	T1A400F1 w/Free Air Sports Eng. . .	XS61	4051 ⁸²⁴⁸	.016
AB25F3 w/ Suzuki Eng.	XS61	4062 ⁸²⁴⁸	.020	T1A400S1 w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030
275cc				T1B400S w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030
AA28F1, F2, F3, F4, F5 w/Suzuki				T1D340F1 w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030
Engs.	XS61	4063 ⁸²⁴⁸	.022	T7A400RS w/Free Air Sports Eng. . .	XS61	4062 ⁸²⁴⁸	.016
Jaguar 2000T	XS61	4054 ⁸²⁴⁸	.020	T7B400RS1A w/Free Air Sports			
Lynx 2000S, T	XS61	4054 ⁸²⁴⁸	.020	Engs.	XS61	4062 ⁸²⁴⁸	.016
290cc				431cc			
T1A290R1A, FA, F1	XS61	4063 ⁸²⁴⁸	.020	2000-98 Bearcat 440-I, 440-II	XS61	4062 ⁸²⁴⁸	.028
T1C290RS1	XS61	4063 ⁸²⁴⁸	.020	1997-95 Bearcat 440-I, 440-II	XS61	4062 ⁸²⁴⁸	.028
T7A290RX	XS61	4062 ⁸²⁴⁸	.020	1994 Cheetah 440	XS61	4063 ⁸²⁴⁸	.028
292cc				1981 Jag 4000	XS61	4063 ⁸²⁴⁸	.028
KM-24 Wankel w/1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020	1985 Jag 4000	XS61	4063 ⁸²⁴⁸	.028
KM-24 Wankel w/3/4" Reach	XS61	4054 ⁸²⁴⁸	.020	1988-87 Jag 440	XS61	4063 ⁸²⁴⁸	.028
KT150, B w/Kawasaki Eng.	----	2695	.028	1997-95 Jag 440	XS61	4063 ⁸²⁴⁸	.028
T1C295-RS1A w/Free Air Sports				1999-98 Jag 440	XS61	4063 ⁸²⁴⁸	.028
Engs.	XS61	4062 ⁸²⁴⁸	.016	1986 Jag	XS61	4063 ⁸²⁴⁸	.028
T4C292S1A w/Kawasaki Eng.	XS4092	4092 ⁸²⁴⁸	.028	1992-89 Jag AFS	XS61	4063 ⁸²⁴⁸	.028
T7A290RS w/Free Air Sports Eng. . .	XS61	4051 ⁸²⁴⁸	.016	1994-93 Jag AFS-LT, AWS, Z	XS61	4063 ⁸²⁴⁸	.028
TB292S w/Kawasaki Eng.	XS4092	4092 ⁸²⁴⁸	.028	1998-96 Jag Deluxe	XS61	4063 ⁸²⁴⁸	.028
339cc				2001 Panther 440 esr (Fan)	XS61	4063 ⁸²⁴⁸	.028
2000-95 Bearcat 340	XS61	4063 ⁸²⁴⁸	.028	2002-97 Panther 440 (Fan)	XS61	4063 ⁸²⁴⁸	.028
1995 Cheetah 340	XS61	4063 ⁸²⁴⁸	.028	1991 Panther	XS61	4063 ⁸²⁴⁸	.028
1994 Cheetah 340	XS61	4063 ⁸²⁴⁸	.028	1985-84 Panther	XS61	4063 ⁸²⁴⁸	.028
1999-98 Jaguar 340	XS61	4063 ⁸²⁴⁸	.028	1993-89 Panther	XS61	4063 ⁸²⁴⁸	.028
1990-87 Jaguar 340	XS61	4063 ⁸²⁴⁸	.028	1994-91 Panther Deluxe	XS61	4063 ⁸²⁴⁸	.028
1992-91 Jaguar 340	XS61	4063 ⁸²⁴⁸	.028	1997-95 Panther Deluxe	XS61	4063 ⁸²⁴⁸	.028
1990-89 Jaguar 340	XS61	4063 ⁸²⁴⁸	.028	1992 Super Jag	XS61	4063 ⁸²⁴⁸	.028
1993-91 Lynx	XS61	4063 ⁸²⁴⁸	.028	1991-89 Super Jag	XS61	4063 ⁸²⁴⁸	.028
1992-91 Lynx	XS61	4063 ⁸²⁴⁸	.028	1988-87 Super Jag	XS61	4063 ⁸²⁴⁸	.028
2000-98 Panther 340	XS61	4062 ⁸²⁴⁸	.028	1981 Trail Cat	XS61	4063 ⁸²⁴⁸	.028
				2006-98 Z 440, LX, Z 440 es, esr			
				(Fan)	XS61	4063 ⁸²⁴⁸	.028
				1997 Z 440, LX, Z 440 es, esr (Fan) .	XS61	4062 ⁸²⁴⁸	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ARCTIC CAT (Cont'd)				ARCTIC CAT (Cont'd)			
436cc							
1992-91 Cheetah	XS61	4063 ⁸²⁴⁸	.028	1981 El Tigre 6000	XS61	4051 ⁸²⁴⁸	.020
1993 Cheetah Touring	XS61	4063 ⁸²⁴⁸	.028	1981 Pantera	XS61	4063 ⁸²⁴⁸	.020
1994-93 Cougar, Cougar Mountain Cat	XS61	4063 ⁸²⁴⁸	.028	1988-86 Panther	XS61	4063 ⁸²⁴⁸	.028
1988-87 El Tigre 5000	XS61	4063 ⁸²⁴⁸	.028	AB50A1, A2, A3, A4 w/Suzuki Eng. . .	XS61	4063 ⁸²⁴⁸	.024
1995 EXT Mountain Cat EFI	XS61	4063 ⁸²⁴⁸	.028	AC50F1, F2 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.024
1996 Jag (Liquid)	XS61	4063 ⁸²⁴⁸	.028	AD50F3, F4, F5 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.020
1985 Pantera	XS61	4063 ⁸²⁴⁸	.020	AD50F6 w/Suzuki Eng.	XS61	4051 ⁸²⁴⁸	.020
1989-86 Pantera	XS61	4063 ⁸²⁴⁸	.028	AH50A1, A6 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.020
1990 Pantera	XS61	4063 ⁸²⁴⁸	.028	AH50L1 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.020
1992-91 Pantera	XS61	4063 ⁸²⁴⁸	.028	AL50A1 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.020
1996 Panther (Liquid)	XS61	4063 ⁸²⁴⁸	.028	529cc			
1992-90 Prowler	XS61	4063 ⁸²⁴⁸	.028	1988-87 Cheetah (Liquid)	XS61	4051 ⁸²⁴⁸	.028
1994-93 Prowler 2-Up	XS61	4063 ⁸²⁴⁸	.028	1986 Cheetah (Liquid)	XS61	4051 ⁸²⁴⁸	.028
1993 Prowler Z	XS61	4063 ⁸²⁴⁸	.028	1989-87 El Tigre 6000	XS63	4263 ⁸²⁴⁸	.028
2000-97 ZL440 (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1986 El Tigre 6000	XS61	4051 ⁸²⁴⁸	.028
1997-95 ZR440 (Liquid)	XS61	4062 ⁸²⁴⁸	.028	1992-90 El Tigre EXT	XS61	4063 ⁸²⁴⁸	.028
1994 ZR440 (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1989 El Tigre EXT	XS61	4063 ⁸²⁴⁸	.028
T1A440F2 w/Free Air Sports Eng. . .	XS61	4051 ⁸²⁴⁸	.016	1992-91 EXT	XS61	4063 ⁸²⁴⁸	.028
T1A440FA, R1A w/Kawasaki Eng. . .	XS61	4063 ⁸²⁴⁸	.030	550cc			
T1A440S1 w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030	1998-95 Bearcat 550	XS61	4062 ⁸²⁴⁸	.028
T1B440S w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030	2002-96 Bearcat 550 Wide Track (Liquid)	XS61	4063 ⁸²⁴⁸	.028
T1C440S1A, S2A w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030	1994 Cheetah	XS61	4063 ⁸²⁴⁸	.028
T1D4402A w/Kawasaki Eng.	XS61	4063 ⁸²⁴⁸	.030	1998-96 Cougar	XS62	4252 ⁸²⁴⁸	.028
T7440FR1 w/Free Air Sports Eng. . .	XS61	4062 ⁸²⁴⁸	.016	1997-96 Cougar 2-Up	XS62	4252 ⁸²⁴⁸	.028
T7440FR2 w/Free Air Sports Eng. . .	XS61	4062 ⁸²⁴⁸	.016	1997-95 Cougar Mountain Cat (Liquid)	XS62	4252 ⁸²⁴⁸	.028
T7A440RS w/Free Air Sports Eng. . .	XS61	4062 ⁸²⁴⁸	.016	1993 Cougar Mountain Cat, EXT 550 Carb./EFI	XS61	4063 ⁸²⁴⁸	.028
T7A440RX w/Free Air Sports Eng. . .	XS61	4051 ⁸²⁴⁸	.016	1992-91 EXT Special	XS61	4063 ⁸²⁴⁸	.028
T7B440RS1A w/Free Air Sports Eng.	XS61	4062 ⁸²⁴⁸	.016	2005-02 Pantera 550 (Liquid)	XS61	4063 ⁸²⁴⁸	.028
440cc				1994 Pantera (EFI)	XS61	4063 ⁸²⁴⁸	.028
AB44F1, F2 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.025	2001-97 Panther 550 (Liquid)	XS61	4063 ⁸²⁴⁸	.028
AC44A1, A2, A3 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.020	1995 Prowler 2-Up	XS61	4063 ⁸²⁴⁸	.028
AD44L1 w/Suzuki Eng.	XS61	4063 ⁸²⁴⁸	.020	2003-01 ZL550, ZL550 esr (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
AE44L2	XS61	4051 ⁸²⁴⁸	.018	565cc			
AF44L2 w/Suzuki Eng.	XS61	4062 ⁸²⁴⁸	.020	2011-08 F570 (Fan)	XS61	4063 ⁸²⁴⁸	.028
Sno Pro 440 70 h.p.	XS61	4051 ⁸²⁴⁸	.018	2011-09 Bearcat 570 XT (Fan)	XS61	4063 ⁸²⁴⁸	.028
497cc				2011-04 Bearcat 570 (Fan)	XS61	4063 ⁸²⁴⁸	.028
2002-01 Mountain Cat 500 EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004-02 Mountain Cat 570, 1M (Fan)	XS61	4063 ⁸²⁴⁸	.028
2000-99 Powder Special 500 EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2007-05 Panther 570 (Fan)	XS61	4063 ⁸²⁴⁸	.028
2002-98 ZL500, ZL500 esr EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004-02 Panther 570 esr, r (Fan) ..	XS61	4063 ⁸²⁴⁸	.028
2002-98 ZR500 (Carb.), ZR500 EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2011-08 T570 (Fan)	XS61	4063 ⁸²⁴⁸	.028
499cc				2007 Z 570, LX (Fan)	XS61	4063 ⁸²⁴⁸	.028
2009-07 Crossfire 5 (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2006-02 Z 570, esr, LX, SS (Fan) ...	XS61	4063 ⁸²⁴⁸	.028
2011-07 F5 LXR (Liquid)	XS61	4063 ⁸²⁴⁸	.028	580cc			
2006-05 F5 Firecat, Snow Pro (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1994-93 580Z Carb./EFI	XS61	4063 ⁸²⁴⁸	.028
2004-03 F5 Firecat (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1998 EXT EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2006-05 M5 Carb./EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1997-93 EXT 580 Carb./EFI	XS61	4063 ⁸²⁴⁸	.028
2006-04 Sabercat 500, LX Carb./EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1998-96 EXT 580 Deluxe EFI	XS61	4063 ⁸²⁴⁸	.028
2011-10 Snow Pro 500 (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1997-96 EXT 580 Powder Special Carb./EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2009-08 T500 (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1994 EXT Mountain Cat EFI (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
500cc				1994-93 Mountain Cat Carb./EFI ...	XS61	4063 ⁸²⁴⁸	.028
1990-86 Cheetah, Cheetah Touring (Fan)	XS61	4063 ⁸²⁴⁸	.028	2001-95 Pantera, Pantera 580 EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
1990-86 Cougar	XS61	4063 ⁸²⁴⁸	.028	2000 ZL580 esr EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
1985 Cougar	XS61	4063 ⁸²⁴⁸	.028	1996-94 ZR580 Carb. (Liquid)	XS61	4063 ⁸²⁴⁸	.028
1984 El Tigre	XS61	4051 ⁸²⁴⁸	.020	1997-95 ZR580 EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
1981 El Tigre 5000	XS61	4063 ⁸²⁴⁸	.020	1997 ZR580 Powder Special EFI ...	XS61	4063 ⁸²⁴⁸	.028
1985 El Tigre 6000	XS61	4051 ⁸²⁴⁸	.020	594cc			
				2001-97 EXT 600 Triple Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028
				1999-96 ZRT Powder Extreme (Liquid)	XS61	4063 ⁸²⁴⁸	.028
				2002-96 ZRT600 (Liquid)	XS62	4252 ⁸²⁴⁸	.028



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ARCTIC CAT (Cont'd)				ARCTIC CAT (Cont'd)			
599cc				1993-91 Mountain Cat Carb./EFI ...	XS61	4063 ⁸²⁴⁸	.028
2011-07 Crossfire 6 EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2000-99 Powder Special 700 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2006 Crossfire 6, Sno Pro EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	1996-93 Wildcat 700 Carb./EFI ...	XS61	4063 ⁸²⁴⁸	.028
2010-07 F6, LXR, Sno Pro (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028	1996 Wildcat 700 Touring EFI ...	XS61	4063 ⁸²⁴⁸	.028
2006-05 F6 Firecat, Snow Pro, EXT EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	1995-96 Wildcat Mountain Cat EFI ..	XS61	4063 ⁸²⁴⁸	.028
2004 F6 Firecat, EXT Carb./EFI (Liquid) ...	XS4163	4163 ⁸²⁴⁸	.028	2000 ZL700 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2011 F6 Sno Pro (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	1995-94 ZR700 ...	XS61	4063 ⁸²⁴⁸	.028
2011-05 M6 EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2000-99 ZR700 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2004-01 Mountain Cat 600 EFI, 1M (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	785cc			
2005-02 Pantera 600 EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2004-01 Mountain Cat 800, 1M Carb./EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2000-98 Powder Special Carb./EFI ..	XS61	4063 ⁸²⁴⁸	.028	2004-02 Pantera 800 EFI ...	XS61	4063 ⁸²⁴⁸	.028
2006-05 Sabercat 600 EXT, LX EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2003-01 ZL800 esr, SS EFI(Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2004 Sabercat 600 EXT, LX Carb./EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2003-01 ZR800 Carb./EFI (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2003-99 ZL600 esr, esr SS, SS Carb./EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	794cc			
2002-98 ZR600 Powder Special Carb./EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2011 CFR8 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
1999 Triple Touring 600 ...	XS61	4063 ⁸²⁴⁸	.028	2011 Crossfire 8 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
644cc				2011-10 Crossfire 8 Sno Pro LTD (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
T8A650RX w/Free Air Sports Eng. .	XS61	4051 ⁸²⁴⁸	.016	2011-07 Crossfire 8 Snow Pro (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
650cc				2009 Crossfire R 8, LE, Sno Pro LE (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
1990 Wildcat 650, Wildcat Special ..	XS61	4063 ⁸²⁴⁸	.028	2011 F8 EXT (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
1989-88 Wildcat 650, Wildcat Special ..	XS61	4051 ⁸²⁴⁸	.028	2010-07 F8, LE, LXR, Sno Pro (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
658cc				2011-10 F8 LXR (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2004-03 Bearcat Widetrack EFI 4-Stroke (Liquid) ...	XS3923	3923	.028	2011 F8 Sno Pro, Sno Pro Ltd. (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2004 T660 Touring, Turbo, Turbo Touring, ST 4-Stroke EFI ..	XS3923	3923	.028	2011 M8 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2003 Trail, Touring 4-Stroke EFI 4-Stroke (Liquid) ...	XS3923	3923	.028	2011-07 M8, LE, Snow Pro (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
660cc				2011-09 M8 HCR (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2008-05 Bearcat WT, Turbo EFI 4-Stroke (Liquid) ...	XS3923	3923	.028	1999-98 Pantera 800 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2008-07 Panther 660, Touring, Trail EFI 4-Stroke (Liquid) ...	XS3923	3923	.028	2001-95 ZRT800 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2006 Panther 660, Trail EFI 4-Stroke (Liquid) ...	XS3923	3923	.028	862cc			
2007 T660 Turbo, Turbo Touring, Turbo Touring LE EFI 4-Stroke (Liquid) ...	XS3923	3923	.028	2006 King Cat 900 EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2006-05 T660 Touring, Turbo Touring, Turbo Touring ST, LE EFI 4-Stroke (Liquid) ...	XS3923	3923	.028	2005 King Cat 900, 900 EFI (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2007-06 T660 Turbo LE EFI 4 Stroke (Liquid) ...	XS3923	3923	.028	2004 King Cat 900 1 M (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2002 Trail, Touring 4-Stroke EFI (Liquid) ...	XS4163	4163 ⁸²⁴⁸	.028	2004-03 Mountain Cat 900 1M Carb./EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
698cc				2006 ZR 900, Sno Pro EFI (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2006 Crossfire 7, Sno Pro EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2005-03 ZR 900 Carb./EFI (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2006-05 F7 Firecat, Snow Pro Carb./EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	896cc			
2004-03 F7 Firecat, EXT Carb./EFI (Liquid) ...	XS4163	4163 ⁸²⁴⁸	.028	1994-93 Thundercat ...	XS61	4063 ⁸²⁴⁸	.028
2006-05 M7, Limited Carb./EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	1997-95 Thundercat 900 ...	XS61	4063 ⁸²⁴⁸	.028
2006-04 Sabercat 700 EXT, LX EFI (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	1997-96 Thundercat 900 Mountain Cat ...	XS61	4063 ⁸²⁴⁸	.028
700cc				999cc			
1994-93 Mountain Cat Carb./EFI ...	XS61	4063 ⁸²⁴⁸	.028	2011-10 CFR 1000 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
				2009 Crossfire R 1000, R 8, LE, Sno Pro LE (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
				2009-07 Crossfire 1000, Snow Pro (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
				2009-07 F1000, LXR, Sno Pro (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
				2011-07 M1000, LE, Sno Pro (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
				2001-00 Pantera 1000 ...	XS61	4063 ⁸²⁴⁸	.028
				2002-98 Thundercat 1000, Mountain Cat 1000 (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
				1056cc			
				2011-09 Bearcat Z1 XT, XT LTD EFI 4-Stroke (Liquid) ...	XS4303	4303	.028
				2008-07 Jaguar Z1 EFI 4-Stroke (Liquid) ...	XS4303	4303	.028
				2011 T Z1 EFI 4-Stroke (Liquid) ...	XS4303	4303	.028

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design



Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ARCTIC CAT (Cont'd)				BSE (See Bombardier, Moto Ski & Rotax) (Cont'd)			
2011-09 T Z1 LXR EFI 4-Stroke (Liquid)	XS4303	4303	.028	294cc 1974 Capri 295 S, B	XS4092	4092 ⁸²⁴⁸	.020
2010-09 T Z1 Turbo LE EFI 4-Stroke (Liquid)	XS4303	4303	.028	1973 Capri 296	XS4092	4092 ⁸²⁴⁸	.020
2011-10 T Z1 Turbo LXR Limited EFI 4-Stroke (Liquid)	XS4303	4303	.028	1974 Futura 295	XS61	4054 ⁸²⁴⁸	.020
2010-09 T Z1 Turbo Touring LXR EFI 4-Stroke (Liquid)	XS4303	4303	.028	1979-78 Mirage 300	XS4093	4093 ⁸²⁴⁸	.020
2010-09 Z1, LXR EFI 4-Stroke (Liquid)	XS4303	4303	.028	1973 F 296	XS4092	4092 ⁸²⁴⁸	.020
2011 Z1 Sno Pro, LXR EFI 4-Stroke (Liquid)	XS4303	4303	.028	295cc 1977-76 Nuvik 300 T	XS4092	4092 ⁸²⁴⁸	.020
2011-10 Z1 Turbo EXT EFI 4-Stroke (Liquid)	XS4303	4303	.028	1975 Nuvik 305, E	XS4092	4092 ⁸²⁴⁸	.020
2009 Z1 Turbo LE EFI 4-Stroke (Liquid)	XS4303	4303	.028	336cc 1973 Capri 340 B, S	XS4092	4092 ⁸²⁴⁸	.020
2011-08 Z1 Turbo, LXR, Sno Pro EFI 4-Stroke (Liquid)	XS4303	4303	.028	1973 F 340	XS4092	4092 ⁸²⁴⁸	.020
2011-10 Z1 Turbo Sno Pro Limited EFI 4-Stroke (Liquid)	XS4303	4303	.028	1973 Zephyr 340	XS4092	4092 ⁸²⁴⁸	.020
BOA SKI				340T w/3/4" Reach			
292cc				337cc 1978-77 Sonic 340	XS61	4063 ⁸²⁴⁸	.020
MKI 292	XS61	4063 ⁸²⁴⁸	.025	339cc 1975-74 Futura 340	XS4092	4092 ⁸²⁴⁸	.020
MKIII 340	XS61	4063 ⁸²⁴⁸	.025	1979-75 Nuvik 340	XS4092	4092 ⁸²⁴⁸	.020
440cc				1979-76 Nuvik 340E	XS4092	4092 ⁸²⁴⁸	.020
MKII 440	XS61	4063 ⁸²⁴⁸	.025	1980-79 Super Sonic 340 L/C	XS61	4063 ⁸²⁴⁸	.020
BOLENS (Gutbrod)				368cc 1982 Futura 300			
292cc				1983-80 Mirage II, II E	XS61	4063 ⁸²⁴⁸	.016
292	XS4092	4092 ⁸²⁴⁸	.020	1982-80 Mirage Special	XS61	4063 ⁸²⁴⁸	.016
295, R295 22-28 h.p.	XS4092	4092 ⁸²⁴⁸	.020	377cc 1985 Mirage III	XS61	4063 ⁸²⁴⁸	.020
315cc				399cc 1979-77 Futura 400, 400E	XS61	4063 ⁸²⁴⁸	.020
315 17 h.p.	XS4092	4092 ⁸²⁴⁸	.020	1975-74 Grand Sport TS 400	XS61	4063 ⁸²⁴⁸	.020
336cc				1973 S 399	XS61	4063 ⁸²⁴⁸	.020
340, R340 24-34 h.p.	XS4092	4092 ⁸²⁴⁸	.020	435cc 440T w/3/4" Reach	XS61	4054 ⁸²⁴⁸	.020
396cc				440T, SS w/1/2" Reach	---	411	.020
399, R399 28-38 h.p.	---	411	.020	1973 Capri 440 B, S	XS4093	4093 ⁸²⁴⁸	.020
438cc				1973 Zephyr 440	XS4093	4093 ⁸²⁴⁸	.020
440, R440 32-40 h.p.	---	411	.020	436cc 1975-74 Chimo 440	XS61	4063 ⁸²⁴⁸	.020
BOMBARDIER (See Ski-Doo)				437cc 1975-74 Futura 440			
BRIGGS & STRATTON				1979-74 Futura 440			
5 h.p.				1979-76 Futura 440 E			
XST458 ⁸²⁵¹ 295 .018				1979-78 Futura 444 L/C			
BROOTEN				1977 Nuvik 440, 440E			
294cc				1973 S 440			
LC29				1982-81 Ultra Sonic 454			
XS61 4054 ⁸²⁴⁸ .020				1980 Ultra Sonic LC			
335cc				462cc 1980 Futura LC 464 E			
LC34, LC43				1982-81 Futura 464 LC			
XS61 4054 ⁸²⁴⁸ .020				497cc 1983-80 Futura 500, 500E			
439cc				1982-80 Futura 500, 500E			
LC44				1981-79 Grand Prix Special			
XS61 4054 ⁸²⁴⁸ .020				1981 Grand Prix Special MX			
BSE (See Bombardier, Moto Ski & Rotax)				CANADIAN CURTISS WRIGHT			
247cc				225cc 225 12 H.P.			
1975-73 Cadet 250				---			
XS4093 4093 ⁸²⁴⁸ .020				2695 .020			
1976 Sonic 245				248cc 248 18 h.p.			
XS4092 4092 ⁸²⁴⁸ .020				---			
1978-76 Spirit 250 M				2695 .020			
---				292cc 290/1 21 h.p.			
250cc				XS4092 4092 ⁸²⁴⁸ .020			
1983-79 Spirit				---			
---				290/2, /3 22-26 h.p.			
1982-80 Spirit M				411 .020			

269cc							
1982-80 Mirage I							
XS61 4063 ⁸²⁴⁸ .016							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CANADIAN CURTISS WRIGHT (Cont'd)				EVINRUDE (See OMC) (Cont'd)			
312cc				646cc			
312 20 h.p.	---	2695	.020	1976 Skimmer 650, 650S 50 h.p. ...	---	2852	---
339cc				339cc			
340/1	XS4092	4092 ⁸²⁴⁸	.020	Thru 1975 400	---	2892	---
340/2, /3 25-28 h.p.	---	411	.020	436cc			
340/4 32 h.p.	---	411	.020	Thru 1975 440	---	2892	---
340/5 Deere Models	XS61	4063 ⁸²⁴⁸	.020	646cc			
398cc				Thru 1975 650, 650S	---	2892	---
400/1 25 h.p.	---	411	.020	<hr/>			
400/2, /3 30-33 h.p.	---	411	.020	GIUDETTI			
400/4 36 h.p.	---	411	.020	349cc			
400/21 39 h.p.	---	411	.020	14mm Threads 23 h.p.	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
400/22 Deere Models	XS61	4063 ⁸²⁴⁸	.020	18mm Threads	---	2695	.020
436cc				<hr/>			
440/1, /3 33-36 h.p.	---	411	.020	GUTBROD			
440/4 49 h.p.	---	411	.020	315cc			
440/5 Deere Models	XS61	4054 ⁸²⁴⁸	.020	25 h.p.	XS4092	4092 ⁸²⁴⁸	.020
440/21 43 h.p.	---	411	.020	<hr/>			
440/22 Deere Models	XS61	4063 ⁸²⁴⁸	.020	HIRTH			
440/22 Merc. Models	XS61	4054 ⁸²⁴⁸	.020	180cc			
450cc				110R 8 h.p.	---	2695	.020
450 25 h.p.	---	2695	.020	199cc			
624cc				60R	---	2695	.020
600 35 h.p.	---	2695	.020	246cc			
<hr/>				81R, 82R 10-12 h.p.	---	2695	.020
CHAPARRAL				250cc			
242cc				250 Twin	XS61	4063 ⁸²⁴⁸	.020
25C	XS61	4054 ⁸²⁴⁸	.020	292cc			
292cc				56R 15 h.p.	---	2695	.020
292, 292SS	XS61	4054 ⁸²⁴⁸	.020	193R 19 h.p.	---	2695	.020
295	XS61	4054 ⁸²⁴⁸	.020	261R 26 h.p.	XS61	4063 ⁸²⁴⁸	.020
339cc				261R3, R4	XS61	4054 ⁸²⁴⁸	.020
340, 340SS	XS61	4063 ⁸²⁴⁸	.020	300cc			
SSX 340	XS61	4063 ⁸²⁴⁸	.020	52R, 53R 12-14 h.p.	---	2695	.020
394cc				54R, 55R 15 h.p.	---	2695	.020
400, SS 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020	190R 16 h.p.	---	2695	.020
400, SE 3/4" Reach	XS61	4063 ⁸²⁴⁸	.020	191R 19 h.p.	---	2695	.020
438cc				317cc			
440, SS 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020	192R 20 h.p.	---	2695	.020
440, SS 3/4" Reach	XS61	4063 ⁸²⁴⁸	.020	338cc			
SSX 440	XS61	4063 ⁸²⁴⁸	.020	194R 28 h.p.	---	2695	.020
<hr/>				260R, R3, R4 30 h.p. (14mm)	XS61	4063 ⁸²⁴⁸	.020
CHRYSLER				339cc			
149cc				260R 28 h.p. (18mm)	---	2695	.020
10 h.p.	XS4092	4092 ⁸²⁴⁸	.018	340cc			
<hr/>				278R0 33 h.p.	---	2695	.020
CUYUNA				279R0 36 h.p.	---	2695	.020
294cc				372cc			
294 29 h.p.	XS61	4063 ⁸²⁴⁸	.018	160R 20 h.p.	---	2695	.020
339cc				200R 23 h.p.	---	2695	.020
340 32 h.p.	XS61	4054 ⁸²⁴⁸	.018	399cc			
399cc				210R 22 h.p.	---	2695	.020
400 38 h.p.	XS61	4054 ⁸²⁴⁸	.018	271R 38 h.p.	---	2695	.020
428cc				271R3, R4 40-42 h.p.	---	2695	.020
440 40 h.p.	XS61	4054 ⁸²⁴⁸	.018	277R0, R3, R4 37-42 h.p.	---	2695	.020
<hr/>				438cc			
DAIHATSU				211R 24 h.p.	---	2695	.020
305cc				270R 40 h.p.	---	2695	.020
13 h.p.	---	386	.018	273R 33 h.p.	---	2695	.020
<hr/>				440cc			
EVINRUDE (See OMC)				273R 33 h.p.	---	2695	.020
339cc				275R0, R3 40-46 h.p.	---	2695	.020
1976 Skimmer 400, 400S 35 h.p. ...	---	2852	---	276R3, R4, R0	---	2695	.020
436cc				493cc			
1976 Skimmer 440, 440S 40 h.p. ...	---	2852	---	180R 24 h.p.	---	2695	.020
				220R 27 h.p.	---	2695	.020



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
HIRTH (Cont'd)				JLO-ROCKWELL (Cont'd)			
272R 45 h.p.	----	2695	.020	330cc			
275R 36 h.p.	----	2695	.020	LR340/2 26 h.p. (3/4" Reach)	XS61	4054 ⁸²⁴⁸	.020
600cc				337cc			
170R 30 h.p.	----	2695	.020	L340 22 h.p.	----	2695	.020
634cc				L340/70 27 h.p. (14mm)	XS61	4054 ⁸²⁴⁸	.020
171R 36 h.p.	----	2695	.020	L340/70 27 h.p. (18mm)	----	2695	.020
647cc				R340	XS61	4054 ⁸²⁴⁸	.020
231R 65 h.p.	----	411	.020	338cc			
650cc				2F340-6 32 h.p.	XS61	4063 ⁸²⁴⁸	.020
172R40/41 59 h.p.	----	2695	.020	339cc			
280R, RS (14mm)	XS61	4063 ⁸²⁴⁸	.020	LR340/2 24-26 h.p. (14mm)	XS61	4054 ⁸²⁴⁸	.020
280R, RS (18mm)	----	2695	.020	LR340/2 24-26 h.p. (18mm)	----	2695	.020
280R, 281R0	XS61	4054 ⁸²⁴⁸	.020	2F340-1, -3, -5 30-32 h.p.	XS61	4054 ⁸²⁴⁸	.020
793cc				372cc			
230R 82 h.p.	----	411	.020	L372 21 h.p.	----	2695	.020
HUSQVARNA				396cc			
147cc				L380 23-24 h.p.	----	2695	.020
SM 150 9 h.p. w 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020	398cc			
SM 150 9 h.p. w 3/8" Reach	XST254 ⁸²⁵¹	254	.020	L395 25 h.p.	----	2695	.020
ITALJET				399cc			
47.6cc				L399/2, LR399/2 28-30 h.p.	XS61	4054 ⁸²⁴⁸	.020
1979-70 JC5A, JC5B	XS4093	4093 ⁸²⁴⁸	.025	2F400-1, -3, -4 34-36 h.p.	XS61	4054 ⁸²⁴⁸	.020
1979-73 M5A, M5B	XS4093	4093 ⁸²⁴⁸	.025	2F400-6, -7, -8	XS61	4054 ⁸²⁴⁸	.020
1981-69 MM5A, MM5B	XS4093	4093 ⁸²⁴⁸	.025	428cc			
49.6cc				2F440-2, -5, -7, -8	XS61	4054 ⁸²⁴⁸	.020
1981-80 JC5C, JC5D	XS4093	4093 ⁸²⁴⁸	.025	2F440-3 37 h.p.	XS61	4063 ⁸²⁴⁸	.020
1981-80 M5C, M5D	XS4093	4093 ⁸²⁴⁸	.025	434cc			
49.7cc				LR440 38 h.p.	XS61	4054 ⁸²⁴⁸	.020
1978 CX50R	XS61	4054 ⁸²⁴⁸	.025	LR440/2 25-35 h.p.	----	2695	.020
1981-80 PR50	XS61	4054 ⁸²⁴⁸	.025	594cc			
1979 RX50	XS61	4054 ⁸²⁴⁸	.025	LB600/2 38-45 h.p.	----	2695	.020
1978 SX50	XS4093	4093 ⁸²⁴⁸	.025	739cc			
1977 X50R	XS4092	4092 ⁸²⁴⁸	.025	L760/2, LR760/2 54 h.p.	----	2695	.020
1977 X50S	XS4093	4093 ⁸²⁴⁸	.025	JOHN DEERE (Kioritz Engines)			
49.9cc				292cc			
1979 KS50	XS4093	4093 ⁸²⁴⁸	.025	1977-76 300	XS61	4054 ⁸²⁴⁸	.020
JLO-ROCKWELL				339cc			
100cc				1978-77 340 Cyclone	XS61	4051 ⁸²⁴⁸	.020
F100-1	----	4123 ⁸²⁴⁸	.020	340 Green Machine	XS61	4054 ⁸²⁴⁸	.020
L99 5 h.p.	----	4123 ⁸²⁴⁸	.020	1979-78 340 Spitfire	XS61	4054 ⁸²⁴⁸	.020
148cc				1979 340 Trailfire F/C	XS61	4054 ⁸²⁴⁸	.020
L152 8 h.p.	----	2695	.020	1977 400 Green Machine	XS61	4051 ⁸²⁴⁸	.020
192cc				1978-77 Liquifire 340	XS61	4051 ⁸²⁴⁸	.020
L197 10 h.p.	----	2695	.020	1984-83 Snowfire	XS61	4054 ⁸²⁴⁸	.020
223cc				1983-80 Spitfire	XS61	4054 ⁸²⁴⁸	.030
F250-1	----	2695	.020	1984-83 Sprintfire	XS61	4054 ⁸²⁴⁸	.020
L227 12 h.p.	----	2695	.020	1983-82 Trailfire	XS61	4054 ⁸²⁴⁸	.030
L230 15 h.p.	----	2695	.020	1981-80 Trailfire 340	XS61	4054 ⁸²⁴⁸	.030
247cc				436cc			
L252 10 h.p. (14mm)	XS61	4054 ⁸²⁴⁸	.020	1984-80 Liquifire	XS61	4054 ⁸²⁴⁸	.020
L252 10 h.p. (18mm)	----	2695	.020	1984-80 Sportfire	XS61	4054 ⁸²⁴⁸	.020
294cc				1984-82 Trailfire LX	XS61	4054 ⁸²⁴⁸	.020
2F295-1, -2 26-30 h.p.	XS61	4063 ⁸²⁴⁸	.020	1981-80 Trailfire 440	XS61	4054 ⁸²⁴⁸	.020
292cc				1979 440 Trailfire F/C	XS61	4054 ⁸²⁴⁸	.020
F295-1	----	2695	.020	438cc			
L295/70 24 h.p. (14mm)	XS61	4054 ⁸²⁴⁸	.020	1978-77 440 Cyclone	XS61	4051 ⁸²⁴⁸	.020
L295/70 24 h.p. (18mm)	----	2695	.020	1978 440 Liquifire L/C	XS61	4051 ⁸²⁴⁸	.020
L292, L295 15-21 h.p.	----	2695	.020	1977 440 Liquifire	XS61	4051 ⁸²⁴⁸	.020
R295 24 h.p.	XS61	4054 ⁸²⁴⁸	.020	Serial No. 30,001 & Up			
296cc				1975 300 Light Service	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
L297 17 h.p.	----	2695	.020	1975 300 Normal Service	XS61	4054 ⁸²⁴⁸	.020
L300 17-20 h.p.	----	2695	.020	1975 300 Severe Service	XS61	4063 ⁸²⁴⁸	.020
				1975 400, 600 Light Service	XS61	4054 ⁸²⁴⁸	.020
				1975 800, JDx8 Light Service	XS61	4054 ⁸²⁴⁸	.020
				1975 800, JDx8 Normal Service	XS61	4063 ⁸²⁴⁸	.020
				1975 800, JDx8 Severe Service	XS61	4051 ⁸²⁴⁸	.020



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			
JOHN DEERE (Kioritz Engines) (Cont'd)				KOHLER						
Serial No. 30,001 & Up (Cont'd)				170cc						
1975 JDX4, JDX6 Normal Service ..	XS61	4063 ⁸²⁴⁸	.020	K170-1AM	XS61	4063 ⁸²⁴⁸	.020			
1975 JDX4, JDX6 Severe Service ..	XS61	4051 ⁸²⁴⁸	.020	180cc						
Serial No. 20,001 - 30,000				K181 (4-Cycle)				XST458 ⁸²⁵¹	456	.020
1974 300 Light Service	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	250cc						
1974 300 Normal Service	XS61	4054 ⁸²⁴⁸	.020	K250-1AM 18 h.p.	XS61	4063 ⁸²⁴⁸	.020			
1974 300 Severe Service	XS61	4054 ⁸²⁴⁸	.020	K250-2FA	XS61	4063 ⁸²⁴⁸	.020			
1974 400, 500, 600 Light Service ...	XS61	4054 ⁸²⁴⁸	.020	290cc						
1974 JDX4, JDX6 Normal Service ..	XS61	4063 ⁸²⁴⁸	.020	K295-2RS (w/Magneto Ignition)	XS61	4063 ⁸²⁴⁸	.020			
1974 JDX8 Severe Service	XS61	4051 ⁸²⁴⁸	.020	K295-2T	XS61	4063 ⁸²⁴⁸	.020			
Serial No. 20,000 & Under				292cc						
1973-72 400, 500, 600 Light Service	XS4093	4093 ⁸²⁴⁸	.020	K295-2AX, 2T 23 h.p. (John Deere) ..	XS61	4063 ⁸²⁴⁸	.020			
1973-72 400, 500, 600 Normal				281R3, R4 30 h.p.	XS61	4054 ⁸²⁴⁸	.020			
Service	XS4092	4092 ⁸²⁴⁸	.020	294cc						
1973-72 400, 500, 600 Severe				K295-1T 20 h.p.	----	2695	.020			
Service	XS4092	4092 ⁸²⁴⁸	.020	309cc						
1973-72 JDX4 Light Service	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	K309-1T 20 h.p.	----	2695	.020			
1973-72 JDX4 Normal Service	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	335cc						
1973-72 JDX4 Severe Service	XS61	4063 ⁸²⁴⁸	.020	K335-1T	----	2695	.020			
1973-72 JDX8 Light Service	XS4092	4092 ⁸²⁴⁸	.020	338cc						
1973-72 JDX8 Normal Service	XS4092	4092 ⁸²⁴⁸	.020	K340-2AX	XS61	4063 ⁸²⁴⁸	.020			
1973-72 JDX8 Severe Service	----	411	.020	K340-2SS	XS61	4051 ⁸²⁴⁸	.020			
				K340-2T				----	411	.020
JOHNSON (See OMC)				340cc						
399cc				K340-2FA				XS61	4063 ⁸²⁴⁸	.020
1976 JX400, SR400 35 h.p.	----	2852	---	398cc						
436cc				K399-2AX				XS61	4063 ⁸²⁴⁸	.020
1976 JX440, SR440 40 h.p.	----	2852	---	K399-2T 28 h.p.	----	2695	.020			
646cc				RK399-2AX				XS61	4063 ⁸²⁴⁸	.020
1976 JX650, SR650 50 h.p.	----	2852	---	RK399-2T	----	2695	.020			
399cc				429cc						
Thru 1975 JX400	----	2892	---	K440-2RS, 2XS, 3RS, 3SS 1/2"						
436cc				Reach				----	411	.020
Thru 1975 JX440	----	2892	---	K440-2SS 1/2" Reach	----	411	.020			
646cc				K440-2SS 3/4" Reach				XS61	4051 ⁸²⁴⁸	.020
Thru 1975 JX650, 650S	----	2892	---	436cc						
				1975 SK440-2LC (w/Magneto						
				Ignition)				XS61	4063 ⁸²⁴⁸	.020
KAWASAKI				437cc						
338cc				K440-2AM				XS61	4063 ⁸²⁴⁸	.020
1977 SST (SB340-A1)	XS61	4063 ⁸²⁴⁸	.030	K440-2AX	XS61	4063 ⁸²⁴⁸	.020			
339cc				K440-2T 30 h.p.				----	2695	.020
1977 Astro (SA340-A1) Normal	XS61	4054 ⁸²⁴⁸	.030	RK440-2T, 2X	----	2695	.020			
1977 Astro (SA340-A1) Severe	XS61	4063 ⁸²⁴⁸	.030	539cc						
1981-79 Drifter 340, F/A	XS61	4054 ⁸²⁴⁸	.030	K539-2	----	2695	.020			
1980-78 Invader 340	XS61	4063 ⁸²⁴⁸	.025	618cc						
1978 Inviter 340	XS61	4054 ⁸²⁴⁸	.030	K618-2S	----	2695	.020			
433cc				644cc						
1977 SST (SB440-A1)	XS61	4063 ⁸²⁴⁸	.030	K645-3SS, 3RS 1/2" Reach	----	411	.020			
436cc				K645-3SS, 3RS 3/4" Reach				XS61	4051 ⁸²⁴⁸	.020
1977 Astro (SA440-A1) Normal	XS61	4054 ⁸²⁴⁸	.030	650cc						
1977 Astro (SA440-A1) Severe	XS61	4063 ⁸²⁴⁸	.030	281RO 55 h.p.	XS61	4054 ⁸²⁴⁸	.020			
1981-79 Drifter 440	XS61	4063 ⁸²⁴⁸	.025	LAUSON						
1981-78 Invader 440	XS61	4063 ⁸²⁴⁸	.025	All Models	XST458 ⁸²⁵¹	295	.030			
1982-78 Intruder 440	XS61	4063 ⁸²⁴⁸	.030	LEISURE (Raider)						
1978 Intriguer 440	XS61	4063 ⁸²⁴⁸	.030	Bandit 290	XS61	4063 ⁸²⁴⁸	.020			
1982-81 LTD 440	XS61	4063 ⁸²⁴⁸	.025	Bandit 340	XS61	4062 ⁸²⁴⁸	.020			
550cc				Bandit 440				----	2695	.020
1982 Interceptor	XS61	4063 ⁸²⁴⁸	.025	Raider 34TT, 44TT Ragle 400, 440 ..	XS4092	4092 ⁸²⁴⁸	.020			
KIEKHAEFER				Raider 290, 340, 400, 440				XS4092	4092 ⁸²⁴⁸	.020
All Models	----	2892	---	Raider Double Eagle w/CCW 21						
				Engs.				XS4092	4092 ⁸²⁴⁸	.020
				Raider Double Eagle w/CCW 22						
				Engs.				XS61	4054 ⁸²⁴⁸	.020



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LEISURE (Raider) (Cont'd)				OMC (See Johnson-Evinrude) (Cont'd)			
Raider Hawk w/CCW 1 Engs.	XS4093	4093 ⁸²⁴⁸	.020	M226E, M226W	---	303	.020
LVI Raider	---	2695	.020	M227 32 h.p.	---	353	.020
LVI Roamer	XST458 ⁸²⁵¹	456	.020	M229E, M229W	---	353	.020
LLOYD				646cc			
386cc				M230, M230E	---	353	.020
14mm Threads 20 h.p. LS-400	---	2656	.020	M231E, M231W 30 h.p.	---	303	.020
18mm Threads 20 h.p.	---	2695	.020	M233, M233E	---	353	.020
McCULLOCH				646cc			
All Models	XS4092	4092 ⁸²⁴⁸	.020	M234E, M236	---	353	.020
MASSEY-FERGUSON				646cc			
294cc				M238, M239E	---	353	.020
1977 Chinook 300	XS61	4063 ⁸²⁴⁸	.025	M241E, M245	---	353	.020
339cc				M243 40 h.p.	---	2892	---
1977 Whirlwind 340	XS61	4063 ⁸²⁴⁸	.025	M273	---	2892	---
428cc				646cc			
1977 Storm 440	XS61	4054 ⁸²⁴⁸	.025	M244 50 h.p.	---	2892	---
MERCURY (See Hirth & CCW)				1976 M252 50 h.p.			
338cc				---	---	2892	---
340 S/R	XS61	4054 ⁸²⁴⁸	.020	ONTARIO			
399cc				340cc			
220 22 h.p.	---	2892	---	Super Shark 340	XS61	4054 ⁸²⁴⁸	.025
438cc				400cc			
440 M/X, S/R	XS61	4054 ⁸²⁴⁸	.020	Shark 400	XS61	4054 ⁸²⁴⁸	.025
1995 440 M/X, S/R	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.018	440cc			
439cc				Shark 440	XS61	4054 ⁸²⁴⁸	.025
250 25 h.p.	---	2892	---	Super Shark 440	XS61	4054 ⁸²⁴⁸	.025
644cc				POLARIS			
1973 Hurricane 35 H.P.	---	2852	---	121cc			
1972 Hurricane	---	2695	.020	2011 120 Assault			
Hurricane, MK I, II 40-50 H.P.	---	2852	---	2010-09 Indy 120 Dragon			
MOTOSACOCHÉ				2007-04 Indy 120 Pro X			
309cc				2003-01 Indy 120 XC SP			
334cc				2008 Indy Youth 120			
21 h.p.	---	2695	.018	2000 XRC 120			
399cc				164cc			
25 h.p.	---	2695	.018	EC16P			
450cc				175cc			
28 h.p.	---	2695	.018	EC17P, PM			
540cc				244cc			
24 h.p.	---	2695	.018	EC25P, PC, PL, PT			
618cc				1980-79 EC25PM-01			
35 h.p.	---	2695	.018	Thru 1978 EC25PM-01			
MOTO SKI (See BSE & Rotax))				Thru 1979 EC25PS			
OMC (See Johnson-Evinrude)				1995-85 Starlite			
362cc				1981-80 Gemini 244			
M215 16 h.p.	XST458 ⁸²⁵¹	456	.020	1991-83 Gemini Star			
399cc				1995-91 Indy Starlite, GT			
M228 21 h.p.	---	303	.020	1988 Longtrack			
M232, M232E	---	353	.020	1995-91 RC25PS-07			
M235, M237	---	353	.020	1990-83 Star			
M242 35 h.p.	---	2892	---	1990-88 Star Trak			
1976 M251 35 h.p.	---	2892	---	249cc			
436cc				EC25PC, EC25PL			
1976 M252 40 h.p.	---	2892	---	EC25PT			
437cc				250cc			
M225, M225C 25 h.p.	---	303	.020	EC25PT-04			
OMC (See Johnson-Evinrude)				EC25PT-05			
362cc				EC25PT-06			
M215 16 h.p.	XST458 ⁸²⁵¹	456	.020	Thru 1979 EC25PT-07			
399cc				1980 Gemini 250			
M228 21 h.p.	---	303	.020	294cc			
M232, M232E	---	353	.020	EC29P, PM			
M235, M237	---	353	.020	EC29PF			
M242 35 h.p.	---	2892	---	EC29PR			
1976 M251 35 h.p.	---	2892	---	1981 EC29PS			
436cc				Thru 1980 EC29PS			
1976 M252 40 h.p.	---	2892	---	333cc			
437cc				1983-79 EC34PL-04, -05			
M225, M225C 25 h.p.	---	303	.020	XS61			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POLARIS (Cont'd)				POLARIS (Cont'd)			
Thru 1980 EC34PL	XS61	4063 ⁸²⁴⁸	.020	439cc			
1981-79 EC34PM-03	XS61	4054 ⁸²⁴⁸	.030	EC43PR	XS61	4051 ⁸²⁴⁸	.020
Thru 1980 EC34PM-03, -04	XS61	4063 ⁸²⁴⁸	.030	440cc			
335cc				1996-95 440 L/C, SKS	XS61	4054 ⁸²⁴⁸	.025
EC34P, PM	XS61	4054 ⁸²⁴⁸	.020	1996-95 440 XCR SP	XS61	4063 ⁸²⁴⁸	.025
EC34PC, PF, PQ	XS61	4054 ⁸²⁴⁸	.020	1997 Indy XCF	XS61	4063 ⁸²⁴⁸	.028
336cc				EC43PF	XS61	4054 ⁸²⁴⁸	.025
EC34PS	XS61	4063 ⁸²⁴⁸	.020	488cc			
EC34PR	XS61	4051 ⁸²⁴⁸	.020	2011 Wide Trak LX (Liquid)	XS62	4252 ⁸²⁴⁸	.028
Thru 1979 EC34PT-05	XS61	4063 ⁸²⁴⁸	.020	2006-97 Indy 500 EFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
EC34PT-04	XS61	4063 ⁸²⁴⁸	.020	2006-05 Indy 500 Classic (Liquid) ...	XS62	4252 ⁸²⁴⁸	.028
EC34PT-05, -06	XS61	4051 ⁸²⁴⁸	.020	2004-93 Indy 500 Classic, Touring (Liquid)	XS62	4252 ⁸²⁴⁸	.028
1980 EC34PT-07	XS61	4063 ⁸²⁴⁸	.020	1992-89 Indy 500 Classic	XS62	4252 ⁸²⁴⁸	.020
339cc				1997-93 Indy 500 EFI	XS62	4252 ⁸²⁴⁸	.028
2004-99 Indy 340, Sport, Touring (Fan)	XS61	4063 ⁸²⁴⁸	.028	1999-96 Indy 500 RMK Carb./EFI (Liquid)	XS62	4252 ⁸²⁴⁸	.028
1999-98 Indy Lite Touring	XS61	4063 ⁸²⁴⁸	.028	1997-89 Indy 500 SKS Carb./EFI ...	XS62	4252 ⁸²⁴⁸	.028
2002-84 Indy Lite, GT, 340 Deluxe (Fan)	XS61	4063 ⁸²⁴⁸	.028	1992-87 Indy 500 SP	XS61	4063 ⁸²⁴⁸	.020
1991-84 Sprint E/S	XS61	4054 ⁸²⁴⁸	.020	1993-90 Indy 500 Wide Trak	XS61	4063 ⁸²⁴⁸	.020
2006-03 Indy 340 Classic (Fan)	XS61	4063 ⁸²⁴⁸	.028	1997-89 Indy 500, Super Trak	XS62	4252 ⁸²⁴⁸	.028
2005-03 Indy 340 Edge Touring (Fan)	XS61	4063 ⁸²⁴⁸	.028	1998-97 Indy Super Sport	XS61	4063 ⁸²⁴⁸	.028
2007 Indy 340 LX (Fan)	XS61	4063 ⁸²⁴⁸	.028	1999-96 Indy Trail Touring, 500 RMK (Liquid)	XS62	4252 ⁸²⁴⁸	.028
2007-06 Indy 340 Touring (Fan)	XS61	4063 ⁸²⁴⁸	.028	1999-87 Indy Trail, Deluxe	XS61	4063 ⁸²⁴⁸	.028
2008 Indy 340 Trail (Fan)	XS61	4063 ⁸²⁴⁸	.028	1997-94 Indy Wide Trak GT	XS61	4063 ⁸²⁴⁸	.028
2008 Indy 340 Transport (Fan)	XS61	4063 ⁸²⁴⁸	.028	2010-94 Indy Wide Trak LX (Liquid) .	XS62	4252 ⁸²⁴⁸	.028
372cc				500cc			
XFC	XS61	4054 ⁸²⁴⁸	.020	2003 Indy 500 Classic (Liquid)	XS61	4063 ⁸²⁴⁸	.028
389cc				2002-00 Indy 500 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028
EC40P, PM	XS61	4054 ⁸²⁴⁸	.020	1996-95 500 SKS EFI	XS61	4054 ⁸²⁴⁸	.020
396cc				1982-79 500 XC SP	XS61	4063 ⁸²⁴⁸	.020
EC39PF	XS61	4054 ⁸²⁴⁸	.020	500 XC SP EC51PS, PT, PT-04	XS61	4063 ⁸²⁴⁸	.020
398cc				2004-99 Indy 500 XC, XC SP (Liquid)	XS61	4063 ⁸²⁴⁸	.028
1991-87 Indy 400	XS61	4063 ⁸²⁴⁸	.020	2007-05 Indy 500 XC SP (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
EC40PF	XS61	4054 ⁸²⁴⁸	.020	530cc			
EC40PS	XS61	4063 ⁸²⁴⁸	.020	EC54P, PM	XS61	4063 ⁸²⁴⁸	.020
1992-85 XCF	XS61	4063 ⁸²⁴⁸	.020	EC54PF	XS61	4054 ⁸²⁴⁸	.020
430cc				544cc			
2003 Indy 400 Pro X LC	XS61	4063 ⁸²⁴⁸	.028	2011 550 IQ Shift, LXT (Fan)	XS61	4063 ⁸²⁴⁸	.028
432cc				2011 550 Shift (Fan)	XS61	4063 ⁸²⁴⁸	.028
EC33PS	XS61	4062 ⁸²⁴⁸	.020	2010-09 Indy 550 IQ Shift (Fan) ...	XS61	4063 ⁸²⁴⁸	.028
EC44PQ	XS61	4054 ⁸²⁴⁸	.020	2006-02 Indy 550 Classic (Fan)	XS61	4063 ⁸²⁴⁸	.028
EC44PS, PT	XS61	4051 ⁸²⁴⁸	.020	2008-07 Indy 550 LX Trail (Fan) ...	XS61	4063 ⁸²⁴⁸	.028
EC44PT-04, -05, -06	XS61	4062 ⁸²⁴⁸	.020	2004 Indy 550 Pro X (Fan)	XS61	4063 ⁸²⁴⁸	.028
1998-92 Indy 440 (Liquid)	XS62	4252 ⁸²⁴⁸	.028	2009 Indy 550 Transport (Fan)	XS61	4063 ⁸²⁴⁸	.028
1999-91 Indy Sport	XS61	4063 ⁸²⁴⁸	.028	2007 Indy Super Sport (Fan)	XS61	4063 ⁸²⁴⁸	.028
1992-91 Indy Sport GT	XS61	4063 ⁸²⁴⁸	.020	2006 Indy 550 Super Sport, M-10 (Fan)	XS61	4063 ⁸²⁴⁸	.028
1999-95 Indy Sport Touring	XS61	4063 ⁸²⁴⁸	.028	2004-00 Indy Sport Touring, ES, Trail Touring (Fan)	XS61	4063 ⁸²⁴⁸	.028
1997-94 Indy Super Sport	XS61	4063 ⁸²⁴⁸	.020	2008 Indy Super Sport Trail (Fan) ...	XS61	4063 ⁸²⁴⁸	.028
1999-96 Indy Tran Sport	XS61	4063 ⁸²⁴⁸	.028	2005-99 Indy Super Sport, Trail RMK (Fan)	XS61	4063 ⁸²⁴⁸	.028
1998 Indy XCF	XS61	4063 ⁸²⁴⁸	.020	2010-06 Indy Trail RMK (Fan)	XS61	4063 ⁸²⁴⁸	.028
1994-87 Longtrail	XS61	4063 ⁸²⁴⁸	.020	2010-05 Indy Trail Touring, Deluxe (Fan)	XS61	4063 ⁸²⁴⁸	.028
1995 Sports Touring	XS61	4063 ⁸²⁴⁸	.020	579cc			
1987-81 XCF	XS61	4063 ⁸²⁴⁸	.020	1994-93 Indy XLT	XS61	4063 ⁸²⁴⁸	.020
1994-91 XCF	XS61	4063 ⁸²⁴⁸	.020	593cc			
Thru 1981 XCF	XS61	4063 ⁸²⁴⁸	.020	2001 Indy 600 Classic	XS61	4063 ⁸²⁴⁸	.028
436cc				2003 Indy 600 Classic, Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028
EC44P	XS61	4054 ⁸²⁴⁸	.020	2001-98 Indy 600 RMK, XC (Liquid) .	XS61	4063 ⁸²⁴⁸	.028
1994 EC45PL-01, -02, -03	XS61	4063 ⁸²⁴⁸	.025	2003 Indy 600 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028
438cc				2003 Indy 600 XC SP (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2001 Indy XCF SP (Fan)	XS61	4062 ⁸²⁴⁸	.028				
2003-01 440 Pro X (Fan)	XS61	4063 ⁸²⁴⁸	.028				
1999 Indy XCF	XS61	4063 ⁸²⁴⁸	.020				
1999 Indy 440 XCR	XS61	4063 ⁸²⁴⁸	.028				
1998-95 Indy 440 XCR	XS61	4063 ⁸²⁴⁸	.028				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POLARIS (Cont'd)				POLARIS (Cont'd)			
2003 Indy 600 Pro X (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1998-97 Indy 600 XCR SE	XS61	4063 ⁸²⁴⁸	.028
597cc				1996 Indy 600 XCR SP	XS61	4062 ⁸²⁴⁸	.020
2000 Indy Triumph (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2001 600 Pro X	XS61	4063 ⁸²⁴⁸	.028
1997 Indy 600 XC	XS61	4063 ⁸²⁴⁸	.028	648cc			
1997-95 Indy 600 XCR, SE	XS61	4063 ⁸²⁴⁸	.028	1992-88 Indy 650	XS61	4063 ⁸²⁴⁸	.020
1998-97 Indy XLT Limited	XS62	4252 ⁸²⁴⁸	.028	1991 Indy 650 RXL, SKS	XS61	4063 ⁸²⁴⁸	.020
1999-95 Indy XLT LTD Special (Liquid)	XS62	4252 ⁸²⁴⁸	.028	1991-88 Indy 650 SKS	XS61	4063 ⁸²⁴⁸	.020
1997-96 Indy XLT RMK	XS62	4252 ⁸²⁴⁸	.028	1997-92 Indy RXL	XS61	4063 ⁸²⁴⁸	.028
1997-95 Indy XLT SKS	XS62	4252 ⁸²⁴⁸	.028	1992 Indy RXL SKS	XS61	4063 ⁸²⁴⁸	.020
1987-84 Indy XLT Touring	XS61	4063 ⁸²⁴⁸	.020	1995-94 Indy RXL Tour	XS61	4063 ⁸²⁴⁸	.020
1999-95 Indy XLT Touring (Liquid) ..	XS62	4252 ⁸²⁴⁸	.028	1992 Indy SKS	XS61	4063 ⁸²⁴⁸	.020
1999-95 Indy XLT, Classic (Liquid) ..	XS61	4054 ⁸²⁴⁸	.028	649cc			
599cc				EC65PR	XS61	4051 ⁸²⁴⁸	.020
2011 600 IQ Shift, LXT (Liquid)	XS61	4063 ⁸²⁴⁸	.028	650cc			
2011 600 IQ Wide Trak (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1995 RXL LT, Touring	XS61	4063 ⁸²⁴⁸	.025
2011 600 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028	679cc			
2011 600 Rush, LX (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1998 Indy 700 XRC	XS61	4063 ⁸²⁴⁸	.028
2011 600 Rush Pro-R (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1998-97 Indy Ultra	XS61	4063 ⁸²⁴⁸	.028
2011 600 Switchback (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1996 Indy Ultra RMK	XS61	4063 ⁸²⁴⁸	.025
2010-08 Indy 600 IQ Shift (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	1997-96 Indy Ultra SP, SKS	XS61	4063 ⁸²⁴⁸	.028
2006-04 Indy 600 Classic (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	1997 Indy Ultra SPX, SPX SE	XS61	4063 ⁸²⁴⁸	.028
2008 Indy 600 Dragon IQ CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1998-97 Indy Ultra Touring	XS61	4063 ⁸²⁴⁸	.028
2008 Indy 600 Dragon SP CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	700cc			
2010-08 Indy 600 Dragon Switchback (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004-01 Indy 700 Classic (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2005-04 Indy 600 Edge Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004-03 Indy 700 Classic Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2006 Indy 600 HO Fusion (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2008 Indy 700 Dragon CFI (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2007 Indy 600 HO IQ (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2008 Indy 700 Dragon IQ CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2010-07 Indy 600 HO IQ CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2008-07 Indy 700 Dragon RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2009-08 Indy 600 HO IQ Shift CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2008 Indy 700 Dragon Switchback CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2007 Indy 600 HO IQ Touring CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004 Indy 700 Edge Touring (Liquid) 2008 Indy 700 IQ (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2007-06 Indy 600 HO RMK (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028	2004-03 Indy 700 Pro X (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2007-06 Indy 600 HO Switchback (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004 Indy 700 Pro X2 (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2010-07 Indy 600 HO Switchback CFI, LX (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2009-08 Indy 700 RMK CFI (Liquid) .	XS61	4063 ⁸²⁴⁸	.028
2008 Indy 600 IQ LX Trail (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2005 Indy 700 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2010-08 Indy 600 IQ Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004-97 Indy 700 SKS, RMK, XCR (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2010 Indy 600 LX (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2008 Indy 700 Switchback CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2004 Indy 600 Pro X (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004 Indy 700 Switchback (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2004 Indy 600 Pro X2 (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2004-99 Indy 700 XC, XC SP, Deluxe (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2010 Indy 600 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2005 Indy 700 XC SP (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2008 Indy 600 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028	740cc			
2005-04 Indy 600 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028	EC74P	XS61	4054 ⁸²⁴⁸	.020
2002 Indy 600 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028	744cc			
2009-08 Indy 600 RMK Shift (Liquid)	XS61	4063 ⁸²⁴⁸	.028	EC744X	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
2008 Indy 600RR HO (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1993 Indy Storm	XS61	4063 ⁸²⁴⁸	.020
2010 Indy 600 Rush (Liquid)	XS61	4063 ⁸²⁴⁸	.028	750cc			
2008 Indy 600 Switchback CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2011 Turbo IQ, LX, LXT 4-Stroke (Liquid)	XS3922	3922	.028
2005-04 Indy 600 Switchback (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2011 FS IQ Wide Trak 4-Stroke (Liquid)	XS3922	3922	.028
2006 Indy 600 Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1994 EC75PW-02	XS61	4063 ⁸²⁴⁸	.020
2010 Indy 600 Widetrak IQ (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028	2006 Indy FS Classic 4-Stroke (Liquid)	XS3922	3922	.028
2005-04 Indy 600 XC SP (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	2009-06 Indy FS Touring 4-Stroke (Liquid)	XS3922	3922	.028
600cc				2009-07 Indy FS IQ Touring 4-Stroke (Liquid)	XS3922	3922	.028
2002 Indy 600 Classic (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2008-07 Indy FS IQ Turbo Touring 4-Stroke (Liquid)	XS3922	3922	.028
2002-00 Indy 600 Classic Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028				
2002-99 Indy 600 XC SP (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POLARIS (Cont'd)				POLARIS (Cont'd)			
2006 Indy FST Classic 4-Stroke (Liquid)	XS3922	3922	.028	EC79P	XS61	4063 ⁸²⁴⁸	.020
2007 Indy FST IQ Cruiser 4-Stroke (Liquid)	XS3922	3922	.028	2010-09 Indy 800 Assault RMK (Liquid)	XS61	4051 ⁸²⁴⁸	.020
2010-07 Indy FST IQ Touring 4-Stroke (Liquid)	XS3922	3922	.028	2010 Indy 800 Dragon IQ (Liquid) ...	XS61	4051 ⁸²⁴⁸	.020
2007 Indy FST IQ, LX 4-Stroke (Liquid)	XS3922	3922	.028	2010-09 Indy 800 Dragon RMK (Liquid)	XS61	4051 ⁸²⁴⁸	.020
2007-06 Indy FST Switchback 4-Stroke (Liquid)	XS3922	3922	.028	2009 Indy 800 Dragon SP (Liquid) ..	XS61	4051 ⁸²⁴⁸	.020
2006 Indy FST Touring 4-Stroke (Liquid)	XS3922	3922	.028	2010-09 Indy 800 Dragon Switchback CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2008 Indy IQ Cruiser Touring Turbo 4-Stroke (Liquid)	XS3922	3922	.028	2009 Indy 800 IQ (Liquid)	XS61	4051 ⁸²⁴⁸	.020
2010-08 Indy IQ Turbo Dragon EFI 4-Stroke (Liquid)	XS3922	3922	.028	2009 Indy 800 RMK Shift CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2008 Indy IQ Turbo LX Trail 4-Stroke (Liquid)	XS3922	3922	.028	2010-09 Indy 800 RMK, RMK Shift (Liquid)	XS61	4051 ⁸²⁴⁸	.020
2009 Indy Trail Touring DLX EFI 4-Stroke (Liquid)	XS3922	3922	.028	2010-09 Indy 800 Switchback CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2010 Indy Turbo LX EFI 4-Stroke (Liquid)	XS3922	3922	.028	2008 Indy Dragon CFI (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2009-08 Indy Turbo Switchback EFI 4-Stroke (Liquid)	XS3922	3922	.028	TX Starfire Racing (all)	XS61	4051 ⁸²⁴⁸	.020
2010-09 Indy Wide Trak IQ EFI 4-Stroke (Liquid)	XS3922	3922	.028	866cc			
755cc				2006-05 Indy 900 Fusion (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028
2006 Indy 700 Classic (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2006-05 Indy 900 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028
2006 Indy 700 Fusion (Liquid)	XS61	4063 ⁸²⁴⁸	.028	2006 Indy 900 Switchback (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028
2006 Indy 700 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028				
2006 Indy 700 Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028	ROCKWELL (See JLO-Rockwell)			
784cc				ROTAX (See Ski-Doo)			
2005 Indy Frontier Touring 4-Stroke (Liquid)	XS3922	3922	.028	RUPP (See Kohler)			
2004-03 Indy Frontier Classic, Touring 4-Stroke (Liquid)	XS3922	3922	.028	All Models F496w/CD Ignition	---	2852	---
792cc				294cc			
EC80P	XS61	4054 ⁸²⁴⁸	.020	TR295S	---	411	.020
1994 EC80PL-01	XS61	4063 ⁸²⁴⁸	.020	295cc			
1994 EC80PL-05	XS61	4062 ⁸²⁴⁸	.020	TR295	XS4092	4092 ⁸²⁴⁸	.020
794cc				336cc			
2004 Indy 800 Classic (Liquid)	XS61	4063 ⁸²⁴⁸	.028	TR340S	---	411	.020
2005-04 Indy 800 Edge Touring (Liquid)	XS61	4063 ⁸²⁴⁸	.028	340cc			
2001 Indy 800 LE (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1976 340 Sport	XS61	4054 ⁸²⁴⁸	.025
2004-03 Indy 800 Pro X (Liquid)	XS61	4063 ⁸²⁴⁸	.028	G34B	XS61	4054 ⁸²⁴⁸	.020
2004 Indy 800 Pro X2 (Liquid)	XS61	4063 ⁸²⁴⁸	.028	TR340	---	411	.020
2004 Indy 800 Pro XR (Liquid)	XS61	4063 ⁸²⁴⁸	.028	400cc			
2005-00 Indy 800 RMK (Liquid)	XS61	4063 ⁸²⁴⁸	.028	TR400S	---	411	.020
2003 Indy 800 SKS (Liquid)	XS61	4063 ⁸²⁴⁸	.028	438cc			
2005-04 Indy 800 Switchback (Liquid)	XS61	4063 ⁸²⁴⁸	.028	1971 TR440	XS4092	4092 ⁸²⁴⁸	.020
2005-01 Indy 800 XC SP (Liquid) ...	XS61	4063 ⁸²⁴⁸	.028	440cc			
2003-99 Indy 800 XCR (Liquid)	XS61	4063 ⁸²⁴⁸	.028	TR440-2, TR440S	---	411	.020
1998-94 Indy Storm	XS61	4063 ⁸²⁴⁸	.028	Magnum	XS61	4054 ⁸²⁴⁸	.020
1997-96 Indy Storm RMK	XS61	4063 ⁸²⁴⁸	.028				
1997 Indy Storm SE	XS61	4063 ⁸²⁴⁸	.028	SACHS			
1996-94 Indy Storm SKS PT	XS61	4054 ⁸²⁴⁸	.025	277cc			
2003 Indy Vertical Escape (Liquid) ..	XS61	4063 ⁸²⁴⁸	.028	SA280 8-12 h.p.	---	386	.020
795cc				SA280, SA280A 14-16 h.p.	---	2695	.020
2011 800 Pro-RMK (Liquid)	XS61	4051 ⁸²⁴⁸	.020	293cc			
2011 800 RMK (Liquid)	XS61	4051 ⁸²⁴⁸	.020	SA290 19.5 h.p.	---	2695	.020
2011 800 RMK Assault (Liquid)	XS61	4051 ⁸²⁴⁸	.020	SA290C 25 h.p.	XS4092	4092 ⁸²⁴⁸	.020
2011 800 Rush (Liquid)	XS61	4063 ⁸²⁴⁸	.028	SA290R 28 h.p.	---	411	.020
2011 800 Rush Pro-R (Liquid)	XS61	4063 ⁸²⁴⁸	.028	SA290SS 24 h.p.	---	411	.020
2011 800 Switchback Assault (Liquid)	XS61	4063 ⁸²⁴⁸	.028	297cc			
				SA290 20 h.p.	---	2695	.020
				295cc			
				KM24 1/2" Reach	XS4092	4092 ⁸²⁴⁸	.020
				KM24 3/4" Reach	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020
				300cc			
				KM914 20 h.p.	XS4092	4092 ⁸²⁴⁸	.020
				291cc			
				SA2-290 24 h.p.	XS61	4063 ⁸²⁴⁸	.020



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SACHS (Cont'd)				SKI-DOO (Cont'd)			
336cc				1975-71 Elan 250	----	2695	.020
SA340 23 h.p.	----	411	.020	1973 Elan 250 F929SS	XS4092	4092 ⁸²⁴⁸	.016
SA340R 35 h.p.	----	411	.020	1979-73 Elan 250 T	XS4093	4093 ⁸²⁴⁸	.016
SA340SS 26 h.p.	----	2695	.020	1976-71 Elan E	----	2695	.020
338cc				1984-76 Elan M	----	2695	.020
SA2-340RX	XS61	4063 ⁸²⁴⁸	.020	1968-64 Olympique 250 (10 h.p.) ...	----	2695	.016
339cc				1976 T'NT 250 RV	XS61	4063 ⁸²⁴⁸	.016
SA2-340, SA2-340C 28-33 h.p.	XS61	4063 ⁸²⁴⁸	.020	268cc			
344cc				2004-02 Skandic Tundra	XS61	4063 ⁸²⁴⁸	.020
SA340C 1/2" Reach 30 h.p.	----	411	.020	1993 Tundra	XS61	4063 ⁸²⁴⁸	.018
SA340C 3/4" Reach 30 h.p.	XS61	4063 ⁸²⁴⁸	.020	1994 Tundra II	XS61	4063 ⁸²⁴⁸	.018
368cc				1995-94 Tundra II LT	XS61	4063 ⁸²⁴⁸	.018
SA370 24 h.p.	----	2695	.020	269cc			
396cc				1984-80 Citation 3500	XS61	4063 ⁸²⁴⁸	.016
SA400 28 h.p.	----	2695	.020	2009-06 Skandic Tundra 300F (Fan)	XS61	4063 ⁸²⁴⁸	.018
431cc				1983 Skandic 277	XS61	4063 ⁸²⁴⁸	.016
SA2-440RX	XS61	4063 ⁸²⁴⁸	.020	1999-96 Tundra II LT	XS61	4063 ⁸²⁴⁸	.018
427cc				2000-98 Tundra R	XS61	4063 ⁸²⁴⁸	.020
SA2-441 38 h.p.	XS61	4063 ⁸²⁴⁸	.020	277cc			
437cc				2008-06 Freestyle Session 300F (Fan)	XS61	4063 ⁸²⁴⁸	.018
SA2-440 1/2" Reach 35 h.p.	----	411	.020	280cc			
SA2-440 3/4" Reach 35 h.p.	XS61	4063 ⁸²⁴⁸	.020	2005 Skandic Tundra 280F (Fan) ...	XS61	4063 ⁸²⁴⁸	.018
SA2-440C 1/2" Reach 42 h.p.	----	411	.020	292cc			
SA2-440C 3/4" Reach 42 h.p.	XS61	4063 ⁸²⁴⁸	.020	1972 Elan 292 SS	XS4092	4092 ⁸²⁴⁸	.016
SA2-440R 1/2" Reach 45 h.p.	----	411	.020	1972-70 T'NT 292, SS	----	2695	.016
SA2-440R 3/4" Reach 45 h.p.	XS61	4063 ⁸²⁴⁸	.020	293cc			
647cc				1975 Elan 300	XS4092	4092 ⁸²⁴⁸	.016
SA3-650RX	XS61	4063 ⁸²⁴⁸	.020	1974-73 T'NT 294	XS4092	4092 ⁸²⁴⁸	.016
736cc				1974 T'NT 294 (Fan)	XS4092	4092 ⁸²⁴⁸	.016
SA2-740C 60 h.p.	----	2695	.020	1973 T'NT 294S	XS4092	4092 ⁸²⁴⁸	.016
SCORPION (Cuyuna)				294cc			
295cc				1979-78 Citation 300	XS4093	4093 ⁸²⁴⁸	.025
1979 Lil' Whip	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	295cc			
1978-77 Lil' Whip	XS61	4063 ⁸²⁴⁸	.020	1977-75 Olympique 300, E (Twin) ...	XS4093	4093 ⁸²⁴⁸	.025
340cc				1978 Olympique 300 T (Twin)	XS4093	4093 ⁸²⁴⁸	.025
1979 Whip	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	299cc			
1978-77 Whip Normal Serv.	XS61	4054 ⁸²⁴⁸	.020	1978-67 Olympique 300, S (Single) .	----	2695	.025
1978-77 Whip Severe Serv.	XS61	4063 ⁸²⁴⁸	.020	335cc			
1980 340 TK	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.020	1973-70 Olympique 335, E	----	2695	.016
400cc				1973 Scandic 337	----	2695	.016
1979 Sting	XS61	4054 ⁸²⁴⁸	.020	1978-73 T'NT 340 FA (CDI)	XS61	4063 ⁸²⁴⁸	.016
1978-77 Range Whip	XS61	4054 ⁸²⁴⁸	.020	1974-70 T'NT 340	----	2695	.016
440cc				1973-70 T'NT 340 S	----	2695	.016
1981 Sidewinder	XS61	4063 ⁸²⁴⁸	.020	337cc			
1980 Sting	XS61	4054 ⁸²⁴⁸	.020	1976 T'NT 340 RV	XS61	4063 ⁸²⁴⁸	.016
1979 Sting	XS61	4054 ⁸²⁴⁸	.020	339cc			
1980-79 Whip	XS61	4054 ⁸²⁴⁸	.020	1978 Blizzard 6500	XS61	4051 ⁸²⁴⁸	.016
1979 Whip TK, TKX	XS61	4054 ⁸²⁴⁸	.020	1981-80 Blizzard 7500 Plus	XS61	4051 ⁸²⁴⁸	.016
1978-77 Whip	XS61	4054 ⁸²⁴⁸	.020	1979-77 Everest 340, 340E	XS4092	4092 ⁸²⁴⁸	.016
1978-77 Range Whip Sting, TK	XS61	4054 ⁸²⁴⁸	.020	1979-73 Olympique 340, 340E	XS4092	4092 ⁸²⁴⁸	.016
1980 440 TK	XS61	4054 ⁸²⁴⁸	.020	1973 Olympique 340S, 340ES	XS4092	4092 ⁸²⁴⁸	.016
SKI-DOO				1978-73 T'NT 340 FA			
118cc				1976-70 T'NT 340, E (Fan)	XS4092	4092 ⁸²⁴⁸	.016
2008-98 Mini Z w/Honda 4 hp OHV ..	XS63	4263 ⁸²⁴⁸	.030	1973 T'NT 340 S	XS4092	4092 ⁸²⁴⁸	.016
247cc				345cc			
1979-73 Elan 250 Deluxe	XS4093	4093 ⁸²⁴⁸	.020	1978 RV 340 FA	XS61	4063 ⁸²⁴⁸	.020
248cc				363cc			
1992-85 Citation	XS61	4063 ⁸²⁴⁸	.016	1995 Touring E	XS61	4063 ⁸²⁴⁸	.020
1988-85 Citation LS, LSE	XS61	4063 ⁸²⁴⁸	.016	368cc			
1992-89 Safari Citation, E	XS61	4063 ⁸²⁴⁸	.016	2001-00 Formula Deluxe 380 (Fan) .	XS61	4063 ⁸²⁴⁸	.020
1992-85 Tundra, LT, LTS	XS61	4063 ⁸²⁴⁸	.016	2000-96 Formula S, Electric	XS61	4063 ⁸²⁴⁸	.020
250cc				2003-02 Grand Touring 380F (Fan) ..	XS61	4063 ⁸²⁴⁸	.020
1996-71 Elan	----	2695	.020	2004-02 Legend, GT 380F (Fan)	XS61	4063 ⁸²⁴⁸	.020
1989-80 Elan 250	----	2695	.020	2004-01 MX Z 380F (Fan)	XS61	4063 ⁸²⁴⁸	.018
				1988-84 Safari 377 E, L, DL	XS61	4062 ⁸²⁴⁸	.018
				1994-90 Safari L, LE, DL	XS62	4252 ⁸²⁴⁸	.018



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SKI-DOO (Cont'd)				SKI-DOO (Cont'd)			
1989 Safari Saga	XS61	4063 ⁸²⁴⁸	.018	1994-93 Formula MXZ, ST	XS61	4063 ⁸²⁴⁸	.018
1992-89 Safari Scout/E	XS61	4063 ⁸²⁴⁸	.018	1991-85 Formula SS, SP	XS61	4062 ⁸²⁴⁸	.016
1987-82 Skandic 377, E, R	XS61	4063 ⁸²⁴⁸	.016	1992-90 Safari GLX, LCE (Liquid) ...	XS61	4054 ⁸²⁴⁸	.018
2000-95 Skandic 380	XS61	4063 ⁸²⁴⁸	.016	1984 SS 25 462 (Liquid)	XS61	4054 ⁸²⁴⁸	.016
1994-92 Skandic II 377, R	XS61	4063 ⁸²⁴⁸	.018	1994 Summit 470	XS61	4063 ⁸²⁴⁸	.018
2000-96 Touring E, E LT(2)	XS62	4252 ⁸²⁴⁸	.020	496cc			
1995 Touring LE	XS61	4063 ⁸²⁴⁸	.020	1995 Alpine II	XS61	4063 ⁸²⁴⁸	.018
2001 Touring 380, Touring Cargo 380 (Fan)	XS61	4063 ⁸²⁴⁸	.020	2004-03 Skandic Sport, SUV, SWT, WT	XS61	4063 ⁸²⁴⁸	.020
369cc				1996 Skandic 380	XS61	4063 ⁸²⁴⁸	.016
1983-80 Citation 4500, E	XS61	4063 ⁸²⁴⁸	.016	1994-93 Skandic II, 503R, RSLT	XS61	4063 ⁸²⁴⁸	.018
1983-80 Citation SS	XS61	4054 ⁸²⁴⁸	.016	1995 Skandic 500, WT	XS61	4063 ⁸²⁴⁸	.016
1983-82 Nordik	XS4093	4093 ⁸²⁴⁸	.016	1995 Touring SLE	XS61	4063 ⁸²⁴⁸	.016
380cc				497cc			
2006-05 GSX 380F (Fan)	XS61	4063 ⁸²⁴⁸	.018	1987-83 Alpine 503, ER	XS61	4054 ⁸²⁴⁸	.016
2006-05 GTX 380F (Fan)	XS61	4063 ⁸²⁴⁸	.018	1994-88 Alpine II	XS61	4063 ⁸²⁴⁸	.018
2006-05 MX Z 380F (Fan)	XS61	4063 ⁸²⁴⁸	.018	1984-80 Blizzard 5500, MX	XS61	4063 ⁸²⁴⁸	.016
386cc				1988-87 Escapade, Stratos, E	XS63	4263 ⁸²⁴⁸	.016
1969-68 Olympique 370	XS4093	4093 ⁸²⁴⁸	.016	1983-80 Everest 500, 500E	XS61	4054 ⁸²⁴⁸	.016
399cc				2001-99 Formula Deluxe 500 (Fan) ..	XS61	4063 ⁸²⁴⁸	.020
1970 Alpine 399 ER, R	XS4093	4093 ⁸²⁴⁸	.016	1999-96 Formula SL	XS62	4252 ⁸²⁴⁸	.016
1971 Alpine 399 ER, R	----	2695	.020	2002 Grand Touring 500F (Fan)	XS61	4063 ⁸²⁴⁸	.020
1970 Nordic 399, E	XS4093	4093 ⁸²⁴⁸	.016	2002 Legend 500F (Fan)	XS61	4063 ⁸²⁴⁸	.020
1971 Nordic 399, E	----	2695	.020	2002-01 MX Z 500F (Fan)	XS61	4063 ⁸²⁴⁸	.020
1972-70 Olympique 399, E, ES, S ...	XS4093	4093 ⁸²⁴⁸	.016	1991-88 Nordik 60	XS61	4054 ⁸²⁴⁸	.016
1974-73 Olympique 400, E, ES	----	411	.016	1993 Safari 503 Rally E	XS61	4063 ⁸²⁴⁸	.018
1974-73 Olympique 400 S	----	411	.016	1988 Safari 503, R	XS61	4063 ⁸²⁴⁸	.016
1973 T'NT 396 FA	XS61	4063 ⁸²⁴⁸	.016	1991-89 Safari Cheyenne	XS61	4063 ⁸²⁴⁸	.016
1970-69 T'NT 399	----	411	.016	1989 Safari Voyageur Escapade	XS62	4252 ⁸²⁴⁸	.016
1974-72 T'NT 400 FA (CDI)	XS61	4063 ⁸²⁴⁸	.016	2002-96 Skandic 500F, WT (Fan) ...	XS61	4063 ⁸²⁴⁸	.020
436cc				1987 Skandic 503	XS61	4063 ⁸²⁴⁸	.016
2003 MZ ZX 440 (Fan)	XS61	4063 ⁸²⁴⁸	.020	1996 Skandic Mountain SP	XS61	4063 ⁸²⁴⁸	.016
2004-03 Skandic LT	XS61	4063 ⁸²⁴⁸	.020	2002-97 Skandic SWT (Fan)	XS61	4063 ⁸²⁴⁸	.020
437cc				2002-01 Summit 500F (Fan)	XS61	4063 ⁸²⁴⁸	.020
1982-80 Blizzard 9500 Plus	XS61	4063 ⁸²⁴⁸	.016	2000-96 Touring SLE	XS61	4063 ⁸²⁴⁸	.016
1975-73 Elite 440 ER	----	2695	.016	2001 Touring 500, Touring Cargo 500 (Fan)	XS61	4063 ⁸²⁴⁸	.020
1981-80 Elite 444 E (Liquid)	XS61	4054 ⁸²⁴⁸	.016	499cc			
1979-74 Everest 440 E	----	2695	.016	1998-97 Formula Deluxe 500 (Fan) ..	XS61	4063 ⁸²⁴⁸	.018
1974 Everest 440 SL	----	2695	.016	2001-99 Formula 500 LC, Deluxe 500 (Liquid)	XS61	4063 ⁸²⁴⁸	.020
1979-75 Everest 440, E (Fan)	----	2695	.020	1996 Formula SLS	XS61	4063 ⁸²⁴⁸	.016
1979-78 Everest 444 E (Liquid)	XS61	4054 ⁸²⁴⁸	.016	2003-01 Grand Touring 500 Sport (Liquid)	XS61	4063 ⁸²⁴⁸	.020
2001-96 MX Z 440 (Fan)	XS61	4063 ⁸²⁴⁸	.020	1999-96 Grand Touring 500 (Liquid) .	XS61	4063 ⁸²⁴⁸	.018
1997-96 MX Z 440 (Liquid)	XS61	4063 ⁸²⁴⁸	.016	2004 GSX Sport 500SS (Liquid)	XS61	4063 ⁸²⁴⁸	.020
1972 Nordic 440, E, ES, S	----	2695	.016	2004-02 Legend Sport 500SS (Liquid)	XS61	4063 ⁸²⁴⁸	.020
1991-88 Nordik 50	XS61	4063 ⁸²⁴⁸	.016	2004-03 MX Z500 Adrenaline	XS61	4063 ⁸²⁴⁸	.020
1977 Olympique 440	----	2695	.016	2004-98 MX Z 500 Sport, Trail (Liquid)	XS61	4063 ⁸²⁴⁸	.020
1973 Olympique 440	----	2695	.016	2000-97 Skandic Wide Trak (Liquid) .	XS61	4063 ⁸²⁴⁸	.018
1986-84 Safari 447, GL	XS61	4062 ⁸²⁴⁸	.016	1999-96 Summit 500, GT500 (Liquid)	XS61	4063 ⁸²⁴⁸	.016
1991-90 Safari LX, LXE	XS61	4063 ⁸²⁴⁸	.016	2000 Touring 500 LC (Liquid)	XS61	4063 ⁸²⁴⁸	.018
2002-01 Skandic LT 440F (Fan)	XS61	4063 ⁸²⁴⁸	.020	503cc			
1975-74 T'NT 440 E	----	2695	.020	1995 Formula S, SL	XS62	4252 ⁸²⁴⁸	.016
1973-71 T'NT 440 S	----	2695	.020	507cc			
1978-77 T'NT 440, E	----	2695	.020	1990 Alpine IV	XS4164	4164 ⁸²⁴⁸	.026
1977 T'NT FA	XS61	4063 ⁸²⁴⁸	.016	521cc			
1975-74 T'NT FA	XS61	4063 ⁸²⁴⁸	.016	1984-83 Blizzard 9700	XS61	4054 ⁸²⁴⁸	.016
2000-96 Touring LE	XS61	4063 ⁸²⁴⁸	.016	1991-85 Formula Plus Series	XS61	4063 ⁸²⁴⁸	.016
1972 Valmont 440 ER	----	2695	.020	1986-85 Safari GL (Liquid)	XS61	4063 ⁸²⁴⁸	.016
440cc				553cc			
2007-05 Skandic LT 440F (Fan)	XS61	4063 ⁸²⁴⁸	.018	2011 Expedition 550F Sport (Fan) ...	XS61	4063 ⁸²⁴⁸	.018
462cc				2008-05 Expedition 550F Sport (Fan)	XS61	4063 ⁸²⁴⁸	.018
1995 Grand Touring 470	XS61	4063 ⁸²⁴⁸	.016				
463cc							
1981 Elite 464 E (Liquid)	XS61	4054 ⁸²⁴⁸	.016				
1982 Elite 464 ER (Liquid)	XS4092	4092 ⁸²⁴⁸	.016				
1983-80 Everest 464, E (Liquid)	XS61	4054 ⁸²⁴⁸	.016				
1990-85 Formula LT, MX, MXZ	XS61	4063 ⁸²⁴⁸	.016				
1995-91 Formula MX Series	XS61	4063 ⁸²⁴⁸	.018				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SKI-DOO (Cont'd)				SKI-DOO (Cont'd)			
2009-07 Freestyle Backcountry, Park 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2009 MX Z 600 HO SDI 50th Anniversary	XS61	4063⁸²⁴⁸	.031
2011-10 Grand Touring 550 (Fan) ...	XS61	4063⁸²⁴⁸	.020	2011 MX Z 600 HO TNT	XS61	4063⁸²⁴⁸	.031
2003 Grand Tour 550 (Fan)	XS61	4063⁸²⁴⁸	.020	2011-10 MX Z X 600 HO (Liquid)	XS61	4063⁸²⁴⁸	.020
2010 GSX 550F Sport (Fan)	XS61	4063⁸²⁴⁸	.018	2011-10 MX Z X-RS 600 HO (Liquid)	XS61	4063⁸²⁴⁸	.020
2009-05 GSX 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2004-03 MX ZX 600 HO RER	XS61	4063⁸²⁴⁸	.020
2009-05 GTX 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2011-10 Renegade 600 HO Adrenaline (Liquid)	XS61	4063⁸²⁴⁸	.020
2004-03 Legend, GT 550 (Fan)	XS61	4063⁸²⁴⁸	.020	2011-10 Renegade 600 HO Backcountry, X (Liquid)	XS61	4063⁸²⁴⁸	.020
2009-05 MX Z, 550 X 550F (Fan) ...	XS61	4063⁸²⁴⁸	.018	2011-10 Renegade 600 HO X (Liquid)	XS61	4063⁸²⁴⁸	.020
2004-03 MX Z 550 (Fan)	XS61	4063⁸²⁴⁸	.018	2008 Skandic 600 HO SUV (Liquid) ..	XS61	4063⁸²⁴⁸	.020
2011-10 MX Z 550F Sport (Fan)	XS61	4063⁸²⁴⁸	.018	2007 Skandic 600 HO SUV, WT (Liquid)	XS61	4063⁸²⁴⁸	.020
2011-10 MX Z 550F TNT (Fan)	XS61	4063⁸²⁴⁸	.018	2011 Skandic 600 HO Tundra Xtreme (Liquid)	XS61	4063⁸²⁴⁸	.020
2011-10 Renegade Sport 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2011 Skandic 600 HO WT (Liquid) ..	XS61	4063⁸²⁴⁸	.020
2010-08 Skandic SUV, SWT, Tundra LT, WT 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2008-07 Summit 600 HO SDI Adrenaline	XS61	4063⁸²⁴⁸	.018
2007-05 Skandic SUV, SWT, WT 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2006-05 Summit 600 HO Adrenaline	XS61	4063⁸²⁴⁸	.018
2011 Skandic Tundra 550F (Fan) ...	XS61	4063⁸²⁴⁸	.018	2004-03 Summit 600 HO Adrenaline ..	XS61	4063⁸²⁴⁸	.020
2011 Skandic Tundra LT 550F (Fan) .	XS61	4063⁸²⁴⁸	.018	2011-09 Summit 600 HO Everest (Liquid)	XS61	4063⁸²⁴⁸	.020
2011-10 Skandic Tundra Sport 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2011-09 Summit 600 HO X (Liquid) ..	XS61	4063⁸²⁴⁸	.020
2011 Skandic WT 550F (Fan)	XS61	4063⁸²⁴⁸	.018	595cc			
2009-05 Summit 550F (Fan)	XS61	4063⁸²⁴⁸	.018	2009 GTX LE (Liquid)	XS61	4063⁸²⁴⁸	.020
2004-03 Summit 550 (Fan)	XS61	4063⁸²⁴⁸	.020	597cc			
580cc				2001-00 Formula Deluxe 600 (Liquid)	XS61	4063⁸²⁴⁸	.020
1995-94 Formula STX LT(2), Z	XS61	4063⁸²⁴⁸	.018	2000 Formula Z 600 (Liquid)	XS61	4063⁸²⁴⁸	.018
581cc				2011-10 Grand Touring Sport 600 (Liquid)	XS61	4063⁸²⁴⁸	.020
1999-97 Formula Deluxe 583 (Liquid)	XS61	4063⁸²⁴⁸	.018	2003-00 Grand Touring Sport 600, GS, SE (Liquid)	XS61	4063⁸²⁴⁸	.020
1990-89 Formula Mach 1, XTC	XS62	4252⁸²⁴⁸	.016	2010 GSX 600 Sport (Liquid)	XS61	4063⁸²⁴⁸	.018
1993-92 Formula Plus Series	XS61	4063⁸²⁴⁸	.018	2009-05 GSX 500SS Sport	XS61	4063⁸²⁴⁸	.018
1993 Formula Plus X	XS61	4063⁸²⁴⁸	.018	2009-05 GTX 500SS Sport	XS61	4063⁸²⁴⁸	.018
1998-96 Formula STX LT(2), Z 583 (Liquid)	XS61	4063⁸²⁴⁸	.018	2004-02 Legend Sport, GS, GT, SE 600 HO (Liquid)	XS61	4063⁸²⁴⁸	.020
1996-94 Grand Touring 580, XTC ...	XS61	4063⁸²⁴⁸	.018	2011-10 MX Z 600 TNT (Liquid)	XS61	4063⁸²⁴⁸	.018
1999-97 Grand Touring 583	XS61	4063⁸²⁴⁸	.018	2009-08 MX Z 500SS TNT, Trail (Liquid)	XS61	4063⁸²⁴⁸	.018
1998-96 MX Z 583	XS61	4063⁸²⁴⁸	.018	2007 MX Z 500SS Adrenaline, Trail (Liquid)	XS61	4063⁸²⁴⁸	.018
1998-94 Summit 583	XS61	4063⁸²⁴⁸	.018	2006-05 MX Z 500SS Adrenaline, Renegade, Trail (Liquid)	XS61	4063⁸²⁴⁸	.018
582cc				2004-02 MX Z Renegade, Sport, Trail 600 (Liquid)	XS61	4063⁸²⁴⁸	.020
1993-92 Formula Plus Series	XS61	4063⁸²⁴⁸	.018	2011-10 MX Z 600 Sport (Liquid) ...	XS61	4063⁸²⁴⁸	.020
594cc				2010-08 Skandic 600 WT (Liquid) ...	XS61	4063⁸²⁴⁸	.020
2011 Expedition 600 HO LE (Liquid) .	XS61	4063⁸²⁴⁸	.031	2005-03 Skandic SUV	XS61	4063⁸²⁴⁸	.020
2010-07 Expedition 600 HO SDI TUV, Rev-XU, SE, Yeti II (Liquid)	XS61	4063⁸²⁴⁸	.031	2004-01 Skandic WT 600 (Liquid) ...	XS61	4063⁸²⁴⁸	.020
2011 Expedition 600 HO SE (Liquid) ..	XS61	4063⁸²⁴⁸	.031	2011-10 Summit 600 Sport (Liquid) ..	XS61	4063⁸²⁴⁸	.020
2011-10 Grand Touring 600 HO LE (Liquid)	XS61	4063⁸²⁴⁸	.031	2002-99 Summit Sport 600, MX Z 600, Trail (Liquid)	XS61	4063⁸²⁴⁸	.020
2011-10 GSX 600 HO LE (Liquid) ...	XS61	4063⁸²⁴⁸	.031	598cc			
2009-08 GSX 600 HO SDI Limited, Limited Touring	XS61	4063⁸²⁴⁸	.031	1999-96 Formula III 600, 600 LT (Liquid)	XS62	4252⁸²⁴⁸	.018
2007-04 GSX 600 HO SDI Limited, Sport	XS61	4063⁸²⁴⁸	.031	600cc			
2008-05 GTX 600 HO SDI Limited, Sport	XS61	4063⁸²⁴⁸	.031	2011 Expedition 600 Sport (4-Stroke)	XS4303	4303	.020
2010-08 MX Z 600 HO SDI Adrenaline, Renegade, Renegade X, X	XS61	4063⁸²⁴⁸	.031	2011 Grand Touring 600 Sport (4-Stroke)	XS4303	4303	.020
2007 MX Z 600 HO SDI Adrenaline, Blizzard	XS61	4063⁸²⁴⁸	.031	2011 MX Z 600 Sport (4-Stroke)	XS4303	4303	.020
2006-05 MX Z 600 HO SDI Adrenaline, Trail	XS61	4063⁸²⁴⁸	.018				
2007-05 MX Z 600 HO SDI Renegade, X	XS61	4063⁸²⁴⁸	.031				
2004-03 MX Z 600 HO Adrenaline ..	XS61	4063⁸²⁴⁸	.020				
2004-03 MX Z 600 HO Renegade ...	XS61	4063⁸²⁴⁸	.020				
2004-03 MX Z 600 HO Sport	XS61	4063⁸²⁴⁸	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SKI-DOO (Cont'd)				SKI-DOO (Cont'd)			
2011 MX Z 600 TNT (4-Stroke)	XS4303	4303	.020	797cc			
2011 Renegade 600 Sport (4-Stroke)	XS4303	4303	.020	1973-71 Blizzard Series (14mm Hds).	XS61	4051 ⁸²⁴⁸	.020
2011 Skandic 600 Tundra LT (4-Stroke)	XS4303	4303	.020	799cc			
2011 Skandic 600 Tundra WT (4-Stroke)	XS4303	4303	.020	2003-02 Grand Touring 800 SE, SDI (Liquid)	XS61	4063 ⁸²⁴⁸	.020
617cc				2004 GSX Limited 800 HO	XS61	4063 ⁸²⁴⁸	.020
1993-91 Formula Mach 1 Series . . .	XS61	4063 ⁸²⁴⁸	.018	2004-02 Legend GT 800, SE, SDI (Liquid)	XS61	4063 ⁸²⁴⁸	.020
635cc				2004-01 MX Z 800 RER Sport, Renegade, Sport, Trail	XS61	4063 ⁸²⁴⁸	.020
1982 Alpine 640 ER	XS61	4063 ⁸²⁴⁸	.020	2004-01 MX Z 800, Adrenaline 800 . .	XS61	4063 ⁸²⁴⁸	.020
1981-78 Alpine 640 ER	---	2695	.020	2002-01 MX Z X 800	XS61	4063 ⁸²⁴⁸	.020
1978 Alpine 640 ER	XS4093	4093 ⁸²⁴⁸	.020	2003 MX Z X Renegade, RER	XS61	4063 ⁸²⁴⁸	.020
1977-73 Alpine 640 ER	---	2695	.020	2004-03 Summit 800 Adrenaline HO, HO X, Highmark Xtreme	XS61	4063 ⁸²⁴⁸	.020
1972-70 Alpine 640 ER	---	2695	.020	2004 Summit Highmark 151 800 HO	XS61	4063 ⁸²⁴⁸	.020
1974-70 Nordic 640 E, ER, ES	---	2695	.020	2002 Summit 800 RER Sport, Sport .	XS61	4063 ⁸²⁴⁸	.020
1971-70 T'NT 640, S	---	2695	.020	2003-01 Summit 800, 800 Highmark, Highmark X, X 800	XS61	4063 ⁸²⁴⁸	.020
1972-71 Valmont 640 ER	---	2695	.020	800cc			
643cc				2009-07 Expedition V-800 Sport, TUV, Yeti II (4-Stroke)	XS4162	4162	.020
1992 Formula Mach 1, 1X	XS61	4063 ⁸²⁴⁸	.018	2008-07 GSX 800 Limited HO Power T.E.K. Limited	XS61	4063 ⁸²⁴⁸	.018
669cc				2006-05 GSX 800 HO Limited	XS61	4063 ⁸²⁴⁸	.018
1999 Formula Deluxe 670 (Liquid) . .	XS61	4063 ⁸²⁴⁸	.016	2007 GTX 800 HO Power T.E.K. Limited	XS61	4063 ⁸²⁴⁸	.018
1999-98 Formula III 700 (Liquid) . . .	XS61	4063 ⁸²⁴⁸	.018	2006-05 GTX 800 HO Limited	XS61	4063 ⁸²⁴⁸	.018
1996-95 Formula SS	XS61	4063 ⁸²⁴⁸	.016	2009-07 Legend V-800 Touring, Trail (4-Stroke)	XS4162	4162	.020
1998 Formula Z 670 (Liquid)	XS61	4063 ⁸²⁴⁸	.016	2009-08 MX Z 800 HO Power T.E.K. Adrenaline, Renegade, Renegade X, X	XS61	4063 ⁸²⁴⁸	.018
1999-98 Grand Touring 700 (Liquid) .	XS61	4063 ⁸²⁴⁸	.018	2007 MX Z 800 HO Power T.E.K. Adrenaline, Blizzard, Renegade . .	XS61	4063 ⁸²⁴⁸	.018
1996-94 Grand Touring SE	XS61	4063 ⁸²⁴⁸	.018	2006-05 MX Z 800 HO Adrenaline, Renegade, X	XS61	4063 ⁸²⁴⁸	.018
1998-97 Grand Touring SE	XS61	4063 ⁸²⁴⁸	.018	2010 MK Z 800R Power T.E.K. Adrenaline	XS4162	4162	.020
1999-97 Mach 1 (Liquid)	XS61	4063 ⁸²⁴⁸	.020	2011 MK Z X 800R (Liquid)	XS4162	4162	.020
1996-93 Mach I	XS61	4063 ⁸²⁴⁸	.018	2011 MK Z TNT 800R (Liquid)	XS4162	4162	.020
1993 Mach I XTC, II	XS61	4063 ⁸²⁴⁸	.020	2011 MK Z TNT 800R Power T.E.K. (Liquid)	XS4162	4162	.020
1999-97 MX Z 670 H.O. (Liquid) . . .	XS61	4063 ⁸²⁴⁸	.020	2010 MK Z X 800R Power T.E.K. (Liquid)	XS4162	4162	.020
1999-95 Summit 670, X (Liquid)	XS61	4063 ⁸²⁴⁸	.020	2011-10 MK Z X-RS 800R (Liquid) . .	XS4162	4162	.020
1969 T'NT 669	---	2695	.020	2011 Renegade 800R Adrenaline (Liquid)	XS4162	4162	.020
697cc				2011-10 Renegade 800R Power T.E.K. Adrenaline (Liquid)	XS4162	4162	.020
2003 Grand Tour 700 Sport	XS61	4063 ⁸²⁴⁸	.020	2011 Renegade 800R Backcountry X (Liquid)	XS4162	4162	.020
2003 Grand Touring 700 SE	XS61	4063 ⁸²⁴⁸	.020	2011 Renegade 800R X (Liquid)	XS4162	4162	.020
2004-03 Legend 700 GT Sport, SE . .	XS61	4063 ⁸²⁴⁸	.020	2011-10 Renegade 800R Backcountry, X (Liquid)	XS4162	4162	.020
2003 MX Z 700 Adrenaline	XS61	4063 ⁸²⁴⁸	.020	2011-10 Renegade 800R Power T.E.K. Backcountry (Liquid)	XS4162	4162	.020
2003 Summit 700 Adrenaline	XS61	4063 ⁸²⁴⁸	.020	2011 Renegade 800R Power T.E.K. SP (Liquid)	XS4162	4162	.020
2003 Summit 700 Highmark	XS61	4063 ⁸²⁴⁸	.020	2011 Skandic V-800 SWT (4-Stroke)	XS4162	4162	.020
2003 Summit 700 X	XS61	4063 ⁸²⁴⁸	.020	2010-08 Skandic V-800 SWT, Tundra, Tundra LT (4-Stroke)	XS4162	4162	.020
698cc				2007 Skandic V-800 SWT, Tundra (4-Stroke)	XS4162	4162	.020
2001-00 Formula Deluxe GS 700 (Liquid)	XS61	4063 ⁸²⁴⁸	.020	2009 Summit 800 50th Anniversary (Liquid)	XS61	4063 ⁸²⁴⁸	.031
2000 Formula Z 700 (Liquid)	XS61	4063 ⁸²⁴⁸	.020				
2002 Legend Sport, GS 700 (Liquid)	XS61	4063 ⁸²⁴⁸	.020				
2002-00 MX Z 700 Renegade, Sport, Trail (Liquid)	XS61	4063 ⁸²⁴⁸	.020				
2002-01 Summit Sport 700 (Liquid) .	XS61	4063 ⁸²⁴⁸	.020				
2001 Summit High Mark 700 (Liquid)	XS61	4063 ⁸²⁴⁸	.020				
699cc							
2002-00 Grand Touring Sport 700, GS (Liquid)	XS61	4063 ⁸²⁴⁸	.020				
771cc							
1972-71 T'NT 775, S	---	2695	.020				
Other Blizzard Series, 14mm Hds. . .	XS61	4051 ⁸²⁴⁸	.020				
774cc							
1996-93 Formula Mach Z, Z LT	XS61	4051 ⁸²⁴⁸	.018				
776cc							
1971-70 Blizzard Series (14mm Hds).	XS61	4051 ⁸²⁴⁸	.020				
796cc							
2001-99 Grand Touring SE 800 (Liquid)	XS61	4063 ⁸²⁴⁸	.020				
2003-97 Mach Z Sport 800, LT, Tech Plus (Liquid)	XS61	4051 ⁸²⁴⁸	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SKI-DOO (Cont'd)				SNO JET (See Hirth)			
2009 Summit 800 Everest (Liquid) ..	XS61	4063 ⁸²⁴⁸	.031	292cc			
2011 Summit 800R Everest (Liquid) ..	XS61	4063 ⁸²⁴⁸	.031	Thru 1974 S292 24 h.p.	XS61	4063 ⁸²⁴⁸	.020
2011 Summit 800R Freeride (Liquid) ..	XS61	4063 ⁸²⁴⁸	.031	Thru 1974 Y292	XS61	4054 ⁸²⁴⁸	.020
2011 Summit 800R X (Liquid)	XS61	4063 ⁸²⁴⁸	.031	295cc			
2010-09 Summit 800 X-RS Hill Climb (Liquid)	XS61	4063 ⁸²⁴⁸	.031	Y295	XS61	4054 ⁸²⁴⁸	.020
2007 Summit 800 Power T.E.K. Adrenaline (Liquid)	XS61	4063 ⁸²⁴⁸	.031	338cc			
2011 Summit 800 Power T.E.K. Everest (Liquid)	XS61	4063 ⁸²⁴⁸	.031	1976 Astro SS Y338	XS4093	4093 ⁸²⁴⁸	.020
2010-08 Summit 800 Power T.E.K. Everest, X (Liquid)	XS61	4063 ⁸²⁴⁸	.031	Thru 1972 S338	XS61	4063 ⁸²⁴⁸	.020
2006-05 Summit 800 HO SDI Adrenaline, X (Liquid)	XS61	4063 ⁸²⁴⁸	.031	1974-73 S338 24 h.p.	XS61	4054 ⁸²⁴⁸	.020
2011 Summit 800 Power T.E.K. SP (Liquid)	XS61	4063 ⁸²⁴⁸	.031	1975-74 SX338	XS61	4062 ⁸²⁴⁸	.020
989cc				1975-74 Y338	XS4092	4092 ⁸²⁴⁸	.020
2003 Grand Touring V-1000 Sport (4-Stroke)	XS4162	4162	.020	Thru 1971 Y338	XS61	4063 ⁸²⁴⁸	.020
1000cc				Y338 22 h.p.	XS4092	4092 ⁸²⁴⁸	.020
2006-05 Expedition V-1000 TUV (4-Stroke)	XS4162	4162	.020	340cc			
2005 Legend V-1000 SE, Sport (4-Stroke)	XS4162	4162	.020	1977 340-T	XS61	4054 ⁸²⁴⁸	.020
2005 Legend GT V-1000 SE, Sport (4-Stroke)	XS4162	4162	.020	SX340	XS61	4051 ⁸²⁴⁸	.020
2008 Mach Z 1000 SDI Adrenaline, LT, X (Liquid)	XS61	4063 ⁸²⁴⁸	.031	Y340	XS4093	4093 ⁸²⁴⁸	.020
2007 Mach Z 1000 SDI Adrenaline (Liquid)	XS61	4063 ⁸²⁴⁸	.031	433cc			
2006-05 Mach Z 1000 SDI Adrenaline, Mach Z X (Liquid)	XS61	4063 ⁸²⁴⁸	.031	1975-74 S433	XS61	4063 ⁸²⁴⁸	.020
2007 MX Z 1000 SDI Renegade	XS61	4063 ⁸²⁴⁸	.031	1973 S433 37 h.p.	XS61	4054 ⁸²⁴⁸	.020
2006-05 Summit 1000 SDI Highmark	XS61	4063 ⁸²⁴⁸	.031	1976 S433E SST Fan	XS61	4062 ⁸²⁴⁸	.020
2006-05 Summit 1000 SDI Highmark, X	XS61	4063 ⁸²⁴⁸	.031	1975-74 Y433 Astro SS 440	XS4093	4093 ⁸²⁴⁸	.018
1004cc				1975-74 Y433 Except Astro SS 440 ..	XS61	4063 ⁸²⁴⁸	.018
2004 Legend GT Sport, SE V-1000 (4-Stroke)	XS4162	4162	.020	Thru 1973 Y433 30-33h.p.	XS4092	4092 ⁸²⁴⁸	.020
2004-03 Legend Sport, SE V-1000 Sport (4-Stroke)	XS4162	4162	.020	440cc			
1171cc				1977 440T-1	XS61	4054 ⁸²⁴⁸	.020
2011-10 Expedition SE (4-Stroke) ...	XS4303	4303	.020	1974 S443	XS61	4063 ⁸²⁴⁸	.020
2011 Expedition LE (4-Stroke)	XS4303	4303	.020	Thru 1972 S443	XS61	4063 ⁸²⁴⁸	.020
2011-10 Grand Touring LE, SE (4-Stroke)	XS4303	4303	.020	1975-74 SX433	XS61	4062 ⁸²⁴⁸	.020
2009 GSX Limited (4-Stroke)	XS4303	4303	.020	SX440	XS61	4051 ⁸²⁴⁸	.020
2011-10 GSX LE (4-Stroke)	XS4303	4303	.020	Y440	XS4093	4093 ⁸²⁴⁸	.020
2011-10 GSX SE (4-Stroke)	XS4303	4303	.020	SNOWBUG			
2009 GTX LE (4-Stroke)	XS4303	4303	.020	290	----	2695	.020
2009 GTX SE (4-Stroke)	XS4303	4303	.020	293, 292	XS61	4063 ⁸²⁴⁸	.020
2010 MX Z Adrenaline (4-Stroke) ...	XS4303	4303	.020	340	XS61	4063 ⁸²⁴⁸	.020
2009 MX Z Renegade (4-Stroke) ...	XS4303	4303	.020	SNO-RUNNER			
2011-09 MX Z TNT (4-Stroke)	XS4303	4303	.020	134cc			
2011-10 MX Z X (4-Stroke)	XS4303	4303	.020	1982-80 Chrysler 82030	AP425 ⁸²⁴⁹	425	.025
2011-10 Renegade Adrenaline (4-Stroke)	XS4303	4303	.020	6000SR, 6001SR	AP425 ⁸²⁴⁹	425	.025
2011-10 Renegade X (4-Stroke)	XS4303	4303	.020	6002SR, 6003SR	AP425 ⁸²⁴⁹	425	.025
1500cc				SOLO			
2005-04 Elite 1500 Sport (4-Stroke) ..	XS4162	4162	.020	180cc			
SKIROULE				206 16 h.p.	XS4092	4092 ⁸²⁴⁸	.020
300cc				220cc			
Scamp KB300	XS61	4063 ⁸²⁴⁸	.020	209 17 h.p.F985	XS4092	4092 ⁸²⁴⁸	.020
Scamp KS300	XS61	4063 ⁸²⁴⁸	.020	340cc			
300cc				216	XS4092	4092 ⁸²⁴⁸	.020
336cc				440cc			
359cc				217	XS4092	4092 ⁸²⁴⁸	.020
360cc				SPORTCRAFT			
360cc				134cc			
360cc				w/Chrysler 82017 Eng.	AP425 ⁸²⁴⁹	425	.025
360cc				SUZUKI			
360cc				292cc			
360cc				292 20 h.p.	XS4092	4092 ⁸²⁴⁸	.020
360cc				336cc			
360cc				340 26 h.p.	XS4092	4092 ⁸²⁴⁸	.020
360cc				359cc			
360cc				360 (SM10) 28 h.p.	XS4092	4092 ⁸²⁴⁸	.020



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUZUKI (Cont'd)				YAMAHA (See Sno Jet) (Cont'd)			
395cc XR400 33 h.p.	XS4092	4092 ⁸²⁴⁸	.020	1973-72 EW433, -C	XS4093	4093 ⁸²⁴⁸	.020
432cc XR440 36 h.p.	XS4092	4092 ⁸²⁴⁸	.020	1981-76 EX440, -C	XS61	4063 ⁸²⁴⁸	.020
SM-440M	XS61	4062 ⁸²⁴⁸	.020	1974-72 GP433	XS61	4063 ⁸²⁴⁸	.020
TECUMSEH				437cc			
HS40 4 h.p.	XST458 ⁸²⁵¹	456	.030	SR437E	XS61	4063 ⁸²⁴⁸	.020
TRAIL ROAMER				439cc			
725cc w/Kohler 28 h.p. (V-Twin)	XS3924	3924	.040	1981 SRX440	XS61	4062 ⁸²⁴⁸	.020
YAMAHA (See Sno Jet)				485cc			
79cc 1990-88 Snoscoot, SV80	XS4092	4092 ⁸²⁴⁸	.030	2001 Phazer Mountain Lite, Deluxe (Fan)	XS62	4252 ⁸²⁴⁸	.030
123cc 1991-90 Snowsport, SV125	XS4092	4092 ⁸²⁴⁸	.030	2001-84 Phazer, 500, SS, Elec., PZ480	XS62	4252 ⁸²⁴⁸	.030
246cc 2000-90 Bravo, LT, BR250	XS4092	4092 ⁸²⁴⁸	.025	2000-91 Venture XL, TR Elec., VT480 (Liquid)	XS61	4063 ⁸²⁴⁸	.030
1989 Bravo, BR250	XS61	4054 ⁸²⁴⁸	.030	493cc 1995-94 VMax, VX500	XS63	4263 ⁸²⁴⁸	.030
1988-82 Bravo, BR250	XS4092	4092 ⁸²⁴⁸	.030	494cc 2001-00 SX 500R (Liquid)	XS61	4063 ⁸²⁴⁸	.030
1981-77 ET250	XS4092	4092 ⁸²⁴⁸	.030	2001-97 Venture 500, VT500 (Liquid)	XS61	4063 ⁸²⁴⁸	.030
1974 GP246F	XS4092	4092 ⁸²⁴⁸	.030	2000-99 VMax 500, SX (Liquid)	XS61	4063 ⁸²⁴⁸	.030
292cc 1974-72 GP292, B, F, SS	XS61	4063 ⁸²⁴⁸	.030	1999-96 VMax 500 XT, XTC, VX500	XS61	4063 ⁸²⁴⁸	.030
1978 GP300	XS61	4063 ⁸²⁴⁸	.030	2001-98 VMax 500 XTC Deluxe (Liquid)	XS61	4063 ⁸²⁴⁸	.030
1978-77 GS300, -A	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	499cc 2007 Phazer, FX, GT, Mountain Lite 4-Stroke (Liquid)	XS4302	4302	.030
1973-71 SL292	XS61	4054 ⁸²⁴⁸	.030	2011-08 Phazer GT, MTX, RTX 4-Stroke (Liquid)	XS4302	4302	.030
1974-73 SM292	XS61	4054 ⁸²⁴⁸	.030	2011-07 Venture Lite 4-Stroke (Liquid)	XS4302	4302	.030
1973 SR292	XS61	4054 ⁸²⁴⁸	.030	535cc 1991-80 SR540	XS61	4063 ⁸²⁴⁸	.030
SS292	XS61	4063 ⁸²⁴⁸	.030	1991-88 VK540	XS61	4063 ⁸²⁴⁸	.030
294cc 1981-79 ET300	XS61	4063 ⁸²⁴⁸	.030	2005-93 VK540, II, III (Fan)	XS61	4063 ⁸²⁴⁸	.030
1984-83 Enticer, ET300	XS61	4063 ⁸²⁴⁸	.030	1987-83 VMax, VMX540	XS61	4063 ⁸²⁴⁸	.030
1990-86 Inviter, CF300	XS61	4054 ⁸²⁴⁸	.030	1990-85 XL540	XS61	4063 ⁸²⁴⁸	.030
337cc 1980-78 ET340	XS61	4063 ⁸²⁴⁸	.030	1979 XLV	XS61	4063 ⁸²⁴⁸	.030
1981 Excel III, EC340	XS61	4063 ⁸²⁴⁸	.030	545cc 1980 EC540D	XS61	4063 ⁸²⁴⁸	.030
1988-82 Enticer, ET340	XS61	4063 ⁸²⁴⁸	.030	569cc 1993-87 Exciter EX570	XS63	4263 ⁸²⁴⁸	.030
1988-83 Excel III, EC340	XS62	4252 ⁸²⁴⁸	.030	593cc 2002-00 Mountain Max 600 (Liquid)	XS61	4063 ⁸²⁴⁸	.030
1990-89 Ovation LE, CS340	XS61	4063 ⁸²⁴⁸	.030	2003-00 SX 600R (Liquid)	XS61	4063 ⁸²⁴⁸	.030
1999-92 Ovation LE, CS340	XS61	4063 ⁸²⁴⁸	.030	2006-04 SX Venom, ER (Liquid)	XS61	4063 ⁸²⁴⁸	.030
338cc 1978-76 EX340	XS61	4063 ⁸²⁴⁸	.030	2006-99 Venture 600 (Liquid)	XS61	4063 ⁸²⁴⁸	.030
1974-73 GP338	XS61	4063 ⁸²⁴⁸	.030	2000-99 VMax 600 SX, VX600	XS61	4063 ⁸²⁴⁸	.030
1975-74 GPX338F	XS61	4063 ⁸²⁴⁸	.030	2003-99 VMax 600 XTC Deluxe, ER	XS61	4063 ⁸²⁴⁸	.030
1977-76 GS340, -C	XS4093	4093 ⁸²⁴⁸	.030	598cc 1999-97 Mountain Max 600, MM600 (Liquid)	XS61	4063 ⁸²⁴⁸	.030
S340F	XS61	4063 ⁸²⁴⁸	.030	1999-98 SRX 600	XS61	4063 ⁸²⁴⁸	.030
1974-70 SL338	XS4093	4093 ⁸²⁴⁸	.020	1998 Venture 600, VT600	XS61	4063 ⁸²⁴⁸	.030
1976 SRX340	XS61	4063 ⁸²⁴⁸	.030				
1970 SS338	XS61	4063 ⁸²⁴⁸	.030				
348cc 1968 SL350	XS4093	4093 ⁸²⁴⁸	.020				
SL351	XS4093	4093 ⁸²⁴⁸	.020				
SL352	XS4092	4092 ⁸²⁴⁸	.020				
396cc 1971 GP396	XS4093	4093 ⁸²⁴⁸	.020				
1970 SL396	XS4093	4093 ⁸²⁴⁸	.020				
1970 SS396	XS61	4063 ⁸²⁴⁸	.020				
1971 SW396	XS4093	4093 ⁸²⁴⁸	.020				
408cc 1995-92 Enciter II, LT, ET410	XS61	4063 ⁸²⁴⁸	.030				
1990-89 Enticer LTR, ET400	XS62	4252 ⁸²⁴⁸	.030				
433cc 1973 EL433	XS4093	4093 ⁸²⁴⁸	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Snowmobiles

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
YAMAHA (See Sno Jet) (Cont'd)				YAMAHA (See Sno Jet) (Cont'd)			
1997 Venture 600, VT600	XS61	4063 ⁸²⁴⁸	.030	2010-09 FX Nytro XTX 4-Stroke (Liquid)	XS4302	4302	.030
1998 VMax 600 SX, VX600	XS61	4063 ⁸²⁴⁸	.030	2011 RS Vector GT, LTX GT 4-Stroke (Liquid)	XS4302	4302	.030
1997-94 VMax 600 SX, VX600	XS62	4252 ⁸²⁴⁸	.030	2011 RS Venture GT 4-Stroke (Liquid)	XS4302	4302	.030
1998 VMax 600 XTC Deluxe	XS61	4063 ⁸²⁴⁸	.030				
1999-98 VMax 600 XTC, XT	XS61	4063 ⁸²⁴⁸	.030				
1997-94 VMax 600 XTC, XT	XS62	4252 ⁸²⁴⁸	.030				
643cc							
EW643	XS61	4054 ⁸²⁴⁸	.030				
1973-72 GP643	XS61	4054 ⁸²⁴⁸	.030				
1973-72 SR643	XS61	4063 ⁸²⁴⁸	.030				
696cc							
2002-98 SRX 700, Mountain SRX 700 (Liquid)	XS61	4051 ⁸²⁴⁸	.030				
2004-02 SX Viper, ER (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
2006-03 SX Viper Mountain (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
2004 SX Viper S	XS61	4063 ⁸²⁴⁸	.030				
698cc							
2004-97 Mountain Max 700, MM700 (Liquid)	XS62	4252 ⁸²⁴⁸	.030				
2001-00 SX 700R (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
2004-98 Venture 700 (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
2000-97 VMax 700 SX, VX700 (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
2002-98 VMax 700 XTC, Deluxe, ER, XT (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
743cc							
1994-93 VMax-4, VX750	XS61	4063 ⁸²⁴⁸	.030				
750cc							
1992 VMax-4, VX750	XS61	4063 ⁸²⁴⁸	.030				
791cc							
1997-95 VMax, VX800 (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
1997 Mountain Max, MM800 (Liquid)	XS61	4063 ⁸²⁴⁸	.030				
973cc							
2007-06 Nytro, ER 4-Stroke (Liquid)	XS4303	4303	.030				
2007-05 RS Rage 4-Stroke (Liquid)	XS4303	4303	.030				
2010-08 RS Vector, GT, LTX, LTX GT 4-Stroke (Liquid)	XS4303	4303	.030				
2010-05 RS Vector, ER, GT, Mountain, SE 4-Stroke (Liquid)	XS4303	4303	.030				
2011 RS Venture 4-Stroke (Liquid)	XS4303	4303	.030				
2010-05 RS Venture, GT 4-Stroke (Liquid)	XS4303	4303	.030				
2011-08 RS Viking Professional 4-Stroke (Liquid)	XS4303	4303	.030				
2007-05 Viking Professional 4-Stroke (Liquid)	XS4303	4303	.030				
998cc							
2011 Apex, SE, XTX 4-Stroke (Liquid)	XS4302	4302	.030				
2010-08 Apex GT, LTX, LTX GT, MTX, MTX SE, RTX 4-Stroke (Liquid)	XS4302	4302	.030				
2009-06 Apex ER, GT, RTX, Mountain, SE 4-Stroke (Liquid)	XS4302	4302	.030				
2007-06 Attak, GT 4-Stroke (Liquid)	XS4302	4302	.030				
2005-03 RX-1, RX-1 ER 4-Stroke (Liquid)	XS4302	4302	.030				
2005-03 RX-1 Mountain 4-Stroke (Liquid)	XS4302	4302	.030				
2005-04 RX, RX-1 Warrior 4-Stroke (Liquid)	XS4302	4302	.030				
1049cc							
2011 FX Nytro, MTX SE, RTX, XTX 4-Stroke (Liquid)	XS4302	4302	.030				
2010-08 FX Nytro, MTX, RTX SE 4-Stroke (Liquid)	XS4302	4302	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Power Sport - Outboards



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
AERO MARINE				BARRACUDA (Cont'd)			
4 h.p.				5 h.p.			
1973-70 AM4000	AP86 ⁸²⁴⁹	86	.035	1961 1112 1-Cyl.	XST458 ⁸²⁵¹	456	.030
5.5 h.p.				6 h.p.			
1973-71 AM5000M, AM5000E	----	216	.035	1962 1118 1-Cyl.	XST458 ⁸²⁵¹	456	.030
7.5 h.p.				BEAVER			
1973-70 AM7750M, AM7500E	XST255 ⁸²⁵¹	255	.035	2 h.p.			
9 h.p.				1-Cyl.	XST458 ⁸²⁵¹	308	.025
1973-71 AM9000	XST255 ⁸²⁵¹	255	.035	4 h.p.			
1973-71 Jet Pak	XS85	85	.035	1978-76 1-Cyl.	XST258 ⁸²⁵¹	258	.025
AIR-BOY				5.5 h.p.			
20, 40 Air Propeller	XST458 ⁸²⁵¹	456	.030	1978-76 1-Cyl.	XS85	85	.025
50	----	353	.030	7.5 h.p.			
90 w/B&S Engs.	XST458 ⁸²⁵¹	456	.025	1978-76 1-Cyl.	XS85	85	.025
90 w/OMC Engs.	AP46 ⁸²⁴⁹	46	.025	BENDIX (See Eclipse)			
120	----	216	.025			
180	AP46 ⁸²⁴⁹	46	.025	BLUEJET			
ALSPORT				3 h.p.			
14mm Heads	----	421 ⁹⁵²⁶	.020	1961 1103 1-Cyl.	XST258 ⁸²⁵¹	258	.025
18mm Heads	----	373	.020	5 h.p.			
APACHE				1963 1123 1-Cyl.	XST458 ⁸²⁵¹	456	.030
5 h.p.				1961 1104 1-Cyl.	XST458 ⁸²⁵¹	456	.030
1965 J5	XST458 ⁸²⁵¹	308	.030	BRIGGS & STRATTON			
1965-64 J9	XST458 ⁸²⁵¹	308	.030	AA0100-0001 4-Stroke OHV	XS3924	3924	.020
APOLLO				BRITISH ANZANI			
4 h.p.				0.5 h.p.			
1977 TR4NE 1-Cyl.	XS85	85	.030	1979-55 Minor 1-Cyl.	AP425 ⁸²⁴⁹	425	.025
5.5 h.p.				3 h.p.			
1977 TR5.5NE 1-Cyl.	XS85	85	.030	Jet 3, Seamaid 1-Cyl.	AP425 ⁸²⁴⁹	425	.025
7.5 h.p.				2.5 h.p.			
1977 TR7.5T6 1-Cyl.	XS85	85	.030	Pilot 1-Cyl.	AP425 ⁸²⁴⁹	425	.025
AQUABUG				5 h.p.			
1.2 h.p.				1979-42 Super Single 1-Cyl.	----	386	.025
2001-77 Aquabug 120 1-Cyl.	XST255 ⁸²⁵¹	255	.030	6.5 h.p.			
1.75 h.p.				1967-64 65	XST254 ⁸²⁵¹	303	.030
1990-77 Superbug 175 1-Cyl.	XST255 ⁸²⁵¹	255	.030	10 h.p.			
3 h.p.				1967-51 Unitwin 2- Cyl.	----	414	.025
2001-82 Superbug 300 1-Cyl.	XST255 ⁸²⁵¹	255	.030	15 h.p.			
ARCHIMEDES-PENTA (See Volvo Penta)				Supertwin 2- Cyl.	----	414	.025
ARROW				18 h.p.			
4 h.p.				1967-64 180	----	216	.030
1984-76 1-Cyl.	XS85	85	.030	1960-58 Magnitwin 2- Cyl.	----	414	.025
5.5 h.p.				20 h.p.			
1984-76 1-Cyl.	XS85	85	.030	Fleetwin 2- Cyl.	----	414	.025
7.5 h.p.				30 h.p.			
1984-76 1-Cyl.	XS85	85	.030	Triton 3- Cyl.	----	4056 ⁸²⁴⁸	.025
ATCO BOATIMPELLER				40 h.p.			
0.75 h.p.				1967-64 400 2- Cyl.	----	414	.025
1952-51 79, 804, Junior	----	386	.025	BRITISH SEAGULL			
BARRACUDA				2, 3, 4, 5, 6 h.p.	----	386	.025
3 h.p.				1981-66 Silver Century	----	386	.025
1961 1111 1-Cyl.	XST458 ⁸²⁵¹	456	.030	1981-66 Silver Century Plus	----	386	.025
4 h.p.				1981-56 Forty Plus	----	386	.025
1962 1119 1-Cyl.	XST458 ⁸²⁵¹	456	.030	1981-55 Forty Minus, Forty Fthwght .	----	386	.025
				1970-57 Century Plus	----	386	.025
				1970-56 Century	----	386	.025

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BROOKLURE				BUCCANEER (Cont'd)			
1.5 h.p.				12 h.p. (Cont'd)			
1950 230-50-1 1-Cyl.	----	353	.030	1956 12S12B, 12D13B, 12DE13B 2-Cyl.	----	353	.030
3 h.p.				1956 12D14B, 12DE14B 2-Cyl.	----	353	.030
1958 50Z3323 1-Cyl.	----	353	.030	1955-54 12D11B 2-Cyl.	----	353	.030
1957 50T3337 1-Cyl.	----	353	.030	1953-51 12D10B, 12S10B 2-Cyl.	----	353	.030
1956 50T3341 1-Cyl.	----	353	.030	1950 2B8 2-Cyl.	----	353	.030
1955 230-51-3DB 1-Cyl.	----	353	.030	15 h.p.			
1954-53 230-51-3DA 1-Cyl.	----	353	.030	1963 Buccaneer 15 2-Cyl.	----	353	.030
1952-51 230-51-3D 1-Cyl.	----	353	.030	1962 15D13B 2-Cyl.	----	353	.030
1950 230-50-3 1-Cyl.	----	353	.030	1961 15D11B 2-Cyl.	----	353	.030
5 h.p.				1960 15D10B 2-Cyl.	----	353	.030
1958 50Z3324 2-Cyl.	----	353	.030	25 h.p.			
1957 50T3343B 2-Cyl.	----	353	.030	1963 Buccaneer 25 2-Cyl.	----	353	.030
1956 50T3342, 50T3343, 50T3343A 2-Cyl.	----	353	.030	1962 25D19B, 25DE19B 2-Cyl.	----	353	.030
1955 230-55-5D 2-Cyl.	----	353	.030	1961 25D18B, 25DE18B 2-Cyl.	----	353	.030
1954-51 230-51-5D 2-Cyl.	----	353	.030	1960 22D17B, 22DE17B 2-Cyl.	----	353	.030
1954-51 230-51-5S 2-Cyl.	----	353	.030	1959 22D16B, 22DE16B 2-Cyl.	----	353	.030
1950 230-50-5 2-Cyl.	----	353	.030	1958 22D15B, 22DE15B 2-Cyl.	----	353	.030
12 h.p.				1957 22D14B, 22DE14B, 22DE14BL 2-Cyl.	----	353	.030
1958 50Z3325 2-Cyl.	----	353	.030	1956 22D11B, 22DE11B, 22DE13B 2-Cyl.	----	353	.030
1957 50T3338 2-Cyl.	----	353	.030	35 h.p.			
1956 50T3344 2-Cyl.	----	353	.030	1960 35D13B, 35DE13B, 35DG13B 2-Cyl.	----	353	.030
1954-51 230-51-12D 2-Cyl.	----	353	.030	1958 35DE10B 2-Cyl.	----	353	.030
1953 230-51-12S 2-Cyl.	----	353	.030	1959 35D11B, 35DE11B, 35D12B, 35DE12B 2-Cyl.	----	353	.030
1950 230-50-12 2-Cyl.	----	353	.030	40 h.p.			
22 h.p.				1963 Buccaneer 40, Sovereign 40 2-Cyl.	----	353	.030
1955 230-55-22DE, 230-55-22DS 2-Cyl.	----	353	.030	1962 40D15B, 40DE15B, 40DG15B 2-Cyl.	----	353	.030
25 h.p.				1961 40D14B, 40DE14B, 40DG14B 2-Cyl.	----	353	.030
1957 50T3339, 50T3340 2-Cyl.	----	353	.030	60 h.p.			
1958 50Z3326, 50Z3328 2-Cyl.	----	353	.030	1963 Sovereign 60 4 Cyl.	----	353	.030
BUCCANEER				1962-61 60D11B, 60DE11B, 60DG11B 4 Cyl.	----	353	.030
1.5 h.p.				1960 60D10B, 60DE10B, 60DG10B 4 Cyl.	----	353	.030
1950 1B10 1-Cyl.	----	353	.030	BUNDY			
3 h.p.				All Models	----	2665 ⁹⁵²⁶	.025
1963 Buccaneer 3 1-Cyl.	----	353	.030	CAILLE			
1962 3D18B 1-Cyl.	----	353	.030	1934-29 All Models w/18mm Threads	----	386	.025
1961 3D17B 1-Cyl.	----	353	.030	1920-13 All Models w/7/8"-18 Threads	----	3076	.025
1960 3D16B 1-Cyl.	----	353	.030	1929-13 All Models w/1/2"-14 Pipe Threads	----	3095	.025
1959-58 3D15B 1-Cyl.	----	353	.030	CAL-JET			
1957 3D14B 1-Cyl.	----	353	.030	4 h.p.			
1956 3D13B 1-Cyl.	----	353	.030	Econojet, Ramjet 1-Cyl.	XST458 ⁸²⁵¹	456	.030
1955-53 3D11B 1-Cyl.	----	353	.030	Jetmaster 1-Cyl.	----	216	.030
1952-51 3D10B 1-Cyl.	----	353	.030	CARNITI			
1951 3S10B 1-Cyl.	----	353	.030	3, 5, 9.5 h.p.			
1950 1B9 1-Cyl.	----	353	.030	AP425 ⁸²⁴⁹	425	.028
5 h.p.				15, 25, 40, 50 h.p.			
1963 Buccaneer 5 2-Cyl.	----	353	.030	----	421 ⁹⁵²⁶	.028
1962 5D20B 2-Cyl.	----	353	.030	70, 85, 100 h.p.			
1961 5D18B 2-Cyl.	----	353	.030	----	421 ⁹⁵²⁶	.028
1960 5D17B 2-Cyl.	----	353	.030	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
1959 5D16B 2-Cyl.	----	353	.030	8249 Single Platinum 8251 Xtreme Start 9526 Inductive suppressor			
1958 5D15B, 5S14B 2-Cyl.	----	353	.030				
1957 5D14B, 5S13B 2-Cyl.	----	353	.030				
1956 5D12B, 5S12D, 5D13B 2-Cyl.	----	353	.030				
1955 5S11B 2-Cyl.	----	353	.030				
1954-53 5S10B 2-Cyl.	----	353	.030				
1954-51 5D10B 2-Cyl.	----	353	.030				
1951 5S10B 2-Cyl.	----	353	.030				
1950 2B7 2-Cyl.	----	353	.030				
12 h.p.							
1959 12D18B 2-Cyl.	----	353	.030				
1959-57 12D17B, 12S13B 2-Cyl.	----	353	.030				
1957 12D15B, 12D15BL 2-Cyl.	----	353	.030				
1957 12DE15B, 12DE15BL 2-Cyl.	----	353	.030				

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CARNITS				CHAMPION (Cont'd)			
90 h.p.	---	421 ⁹⁵²⁶	.025	7.9 h.p.			
CHAMPION				1951-48 4K 2-Cyl.	---	373	.025
2.8 h.p.				1949 4KS 2-Cyl.	---	386	.025
1937 S1C 1-Cyl.	---	386	.025	1950 4L-HD 2-Cyl.	---	386	.025
2.9 h.p.				1950 4L-S 2-Cyl.	---	373	.025
1938 S1D 1-Cyl.	---	386	.025	8.5 h.p.			
1939 S1E 1-Cyl.	---	386	.025	1952-51 4L 2-Cyl.	---	386	.025
3 h.p.				1952-51 4L-HD 2-Cyl.	---	386	.025
1941 DIG, M1G 1-Cyl.	---	216	.025	1952-51 4L-S-1X (except racing)			
1941 S1G 1-Cyl.	---	216	.025	2-Cyl.	---	373	.025
3.2 h.p.				14 h.p.			
1935 A 1-Cyl.	---	386	.025	1954 6M-GS 2-Cyl.	XST458 ⁸²⁵¹	456	.030
1936 1B 1-Cyl.	---	386	.025	15 h.p.			
1937 D1C, R1C 1-Cyl.	---	386	.025	1953 6M-GS 2-Cyl.	XST458 ⁸²⁵¹	456	.030
1938 D1D 1-Cyl.	---	386	.025	1954-53 6M-HD 2-Cyl.	XST458 ⁸²⁵¹	456	.030
1939 D1E 1-Cyl.	---	386	.025	1953 6M-HR 2-Cyl.	XST458 ⁸²⁵¹	456	.030
1940 B1F, D1F, S1F 1-Cyl.	---	386	.025	16.5 h.p.			
3.4 h.p.				1955 6MM-GS, 6MM-HR, 6MS-GS			
1937 S2C 1-Cyl.	---	386	.025	2-Cyl.	XST458 ⁸²⁵¹	456	.030
1938 S2D 1-Cyl.	---	386	.025	1957-56 6N-D, 6N-HR, 6N-MS			
1940 S2F 1-Cyl.	---	386	.025	2-Cyl.	XST458 ⁸²⁵¹	456	.030
3.5 h.p.				D4G, S4G	---	216	.025
1953 2M 1-Cyl.	---	386	.025	CHIEF			
1955-54 2MM 1-Cyl.	---	386	.025	1.5 h.p.			
1955 3MM-GS 1-Cyl.	XST254 ⁸²⁵¹	303	.030	1978-75 K150 1-Cyl.	XST255 ⁸²⁵¹	255	.025
3.6 h.p.				2 h.p.			
1941 DAG400, M4G, SAG400				1970 J200, J200 LS 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1-Cyl.	---	386	.025	1973-72 K200 1-Cyl.	XST255 ⁸²⁵¹	255	.030
3.9 h.p.				1980-77 K201 1-Cyl.	XST458 ⁸²⁵¹	458	.025
1942 1H 1-Cyl.	---	216	.025	3 h.p.			
4.2 h.p.				1971 J300 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1947-46 1J, 2J 1-Cyl.	---	386	.025	1965 J5 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1949-48 1K 1-Cyl.	---	386	.025	1975-74 K300 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1952-50 1L 1-Cyl.	---	386	.025	3.5 h.p.			
1952-48 2K 1-Cyl.	---	386	.025	1971-70 J350, J350 LS 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1952-50 2L-HD 1-Cyl.	---	386	.025	1980-76 K350 1-Cyl.	XST255 ⁸²⁵¹	255	.025
1957-56 2N 1-Cyl.	---	386	.025	4 h.p.			
4.4 h.p.				1971-70 J400 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1936 2B 2-Cyl.	---	386	.025	1973-72 K400 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1937 D2C 2-Cyl.	---	386	.025	5 h.p.			
1939-38 D2D 2-Cyl.	---	386	.025	1971-70 J500, J500 LS 1-Cyl.	XST255 ⁸²⁵¹	255	.030
5 h.p.				1965-59 J9 1-Cyl.	XST458 ⁸²⁵¹	458	.030
1954-53 3M-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1976-74 K500 1-Cyl.	XS85	85	.030
5.3 h.p.				1973-72 K500 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1941 2G, M2G 2-Cyl.	---	386	.025	5.5 h.p.			
5.5 h.p.				1980-78 K505 1-Cyl.	XS85	85	.025
1940 D2F 1-Cyl.	---	386	.025	1979-76 K550 1-Cyl.	XS85	85	.025
5.8 h.p.				7 h.p.			
1941 2H 1-Cyl.	---	386	.025	1971-70 J700 1-Cyl.	XST255 ⁸²⁵¹	255	.030
6 h.p.				1975-74 K700 1-Cyl.	XS85	85	.030
1957-56 3N-S 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1973-72 K700 1-Cyl.	XST255 ⁸²⁵¹	255	.030
6.1 h.p.				7.5 h.p.			
1941 3G 2-Cyl.	---	216	.025	1975-74 K750 1-Cyl.	XS85	85	.030
6.6 h.p.				1980-76 K751 1-Cyl.	XS85	85	.025
1937 D3C 2-Cyl.	---	386	.025	1980-76 K753 1-Cyl.	XS85	85	.025
1939-38 D3D 2-Cyl.	---	386	.025	9 h.p.			
7 h.p.				1980-77 K900 1-Cyl.	XS85	85	.025
1942 3H 1-Cyl.	---	216	.025	9.9 h.p.			
7.5 h.p.				1975-73 K990 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1954-53 4M-GS, 4M-HD, 4M-HR				CHRIS-CRAFT			
2-Cyl.	XST254 ⁸²⁵¹	303	.030	5.5 h.p.			
1955 4MM-GS, 4MM-HR 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1953-49 Challenger 2-Cyl.	XST458 ⁸²⁵¹	458	.028
7.6 h.p.				10 h.p.			
1936 3B 1-Cyl.	---	386	.025	1953-50 Commander 2-Cyl.	XST458 ⁸²⁵¹	458	.028
7.8 h.p.							
1957-56 4N-D 2-Cyl.	XST254 ⁸²⁵¹	303	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CHRYSLER				CHRYSLER (Cont'd)			
3.5 h.p.				65 h.p.			
1984-80 1-Cyl.	----	422 ⁹⁵²⁶	.030	1978-77 2-Cyl.	----	421 ⁹⁵²⁶	.040
1969-65 1-Cyl.	----	216	.030	70 h.p.			
3.6 h.p.				1980-79 3-Cyl.	----	421 ⁹⁵²⁶	.040
1976-70 1-Cyl.	----	216	.030	1973-69 3-Cyl.	----	421 ⁹⁵²⁶	.040
4 h.p.				75 h.p.			
1986-76 1-Cyl.	----	422 ⁹⁵²⁶	.030	1984-74 3-Cyl.	----	421 ⁹⁵²⁶	.040
4.4 h.p.				1968 3-Cyl.	----	421 ⁹⁵²⁶	.040
1968 2-Cyl.	----	421 ⁹⁵²⁶	.030	1967-66 3-Cyl.	XST458 ⁸²⁵¹	308	.040
5 h.p.				80 h.p.			
1976-74 1-Cyl.	AP425 ⁸²⁴⁹	425	.030	1965 4-Cyl.	XST458 ⁸²⁵¹	308	.040
1970-69 1-Cyl.	----	421 ⁹⁵²⁶	.030	85 h.p.			
6 h.p.				1986-84 3-Cyl.	----	421 ⁹⁵²⁶	.040
1982-79 2-Cyl.	----	422 ⁹⁵²⁶	.030	1983-78 3-Cyl.	----	421 ⁹⁵²⁶	.040
1980 Sailor 150 2-Cyl.	----	421 ⁹⁵²⁶	.030	1973-69 3-Cyl.	----	421 ⁹⁵²⁶	.040
1978 2-Cyl.	----	421 ⁹⁵²⁶	.030	90 h.p.			
1977-71 2-Cyl.	----	421 ⁹⁵²⁶	.030	1984-83 3-Cyl.	----	421 ⁹⁵²⁶	.040
1967-65 2-Cyl.	----	216	.030	1977-74 3-Cyl.	----	421 ⁹⁵²⁶	.040
6.6 h.p.				100 h.p.			
1968 2-Cyl.	----	421 ⁹⁵²⁶	.030	1984-80 4-Cyl.	----	421 ⁹⁵²⁶	.040
7 h.p.				105 h.p.			
1970-69 2-Cyl.	----	421 ⁹⁵²⁶	.030	1983-77 4-Cyl.	----	421 ⁹⁵²⁶	.040
7.5 h.p.				1976-75 4-Cyl.	----	421 ⁹⁵²⁶	.040
1984-79 2-Cyl.	----	421 ⁹⁵²⁶	.030	1974-68 4-Cyl.	----	421 ⁹⁵²⁶	.040
8 h.p.				115 h.p.			
1978-71 2-Cyl.	----	422 ⁹⁵²⁶	.030	1984-83 4-Cyl.	----	421 ⁹⁵²⁶	.040
9 h.p.				1982-78 4-Cyl.	----	421 ⁹⁵²⁶	.040
1965 2-Cyl.	----	216	.030	120 h.p.			
9.2 h.p.				1977 4-Cyl.	----	421 ⁹⁵²⁶	.040
1967-66 2-Cyl.	XST458 ⁸²⁵¹	308	.030	1976-75 4-Cyl.	----	421 ⁹⁵²⁶	.040
9.9 h.p.				125 h.p.			
1986-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	1986-81 4-Cyl.	----	421 ⁹⁵²⁶	.040
10 h.p.				130 h.p.			
1978-74 2-Cyl.	----	421 ⁹⁵²⁶	.030	1973-72 4-Cyl.	----	421 ⁹⁵²⁶	.040
12 h.p.				135 h.p.			
1979 2-Cyl.	----	421 ⁹⁵²⁶	.030	1977-70 4-Cyl.	----	421 ⁹⁵²⁶	.040
12.9 h.p.				140 h.p.			
1973-71 2-Cyl.	----	421 ⁹⁵²⁶	.030	1984-78 4-Cyl.	----	421 ⁹⁵²⁶	.040
15 h.p.				150 h.p.			
1984-74 2-Cyl.	----	421 ⁹⁵²⁶	.030	1976-72 4-Cyl.	----	421 ⁹⁵²⁶	.040
20 h.p.				CLINTON			
1982-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	1.5 h.p.			
1967-65 2-Cyl.	XST458 ⁸²⁵¹	308	.030	1978-75 K150 1-Cyl.	XST458 ⁸²⁵¹	458	.025
25 h.p.				2 h.p.			
1984-73 2-Cyl.	----	421 ⁹⁵²⁶	.030	1970 J200, J200LS 1-Cyl.	XST255 ⁸²⁵¹	255	.030
30 h.p.				1973-72 K200 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1982-73 2-Cyl.	----	421 ⁹⁵²⁶	.030	1980-77 K201 1-Cyl.	XST458 ⁸²⁵¹	458	.025
35 h.p.				2.5 h.p.			
1986 2-Cyl.	----	421 ⁹⁵²⁶	.030	1954 24, 25 1-Cyl.	----	216	.035
1984-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	1955 29, 29-R 1-Cyl.	----	216	.035
1967-65 2-Cyl.	XST458 ⁸²⁵¹	308	.030	1956 30, 30-R 1-Cyl.	----	216	.035
45 h.p.				3 h.p.			
1984-78 2-Cyl.	----	421 ⁹⁵²⁶	.040	1971 J300 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1978-71 (Mag. Ign.) 2-Cyl.	----	421 ⁹⁵²⁶	.040	1965 J5 Clinton III, Sprite 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1977-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	1975-74 K300 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1967-65 2-Cyl.	XST458 ⁸²⁵¹	308	.030	3.5 h.p.			
50 h.p.				1969 BJ9 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1986-82 2-Cyl.	----	421 ⁹⁵²⁶	.040	1971-70 J350 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1966-65 2-Cyl.	XST458 ⁸²⁵¹	308	.030	1970 J350LS 1-Cyl.	XST255 ⁸²⁵¹	255	.030
55 h.p.				1980-76 K350 1-Cyl.	XST255 ⁸²⁵¹	255	.025
1983-82 2-Cyl.	----	421 ⁹⁵²⁶	.040	4 h.p.			
1981-69 (Mag. Ign.) 2-Cyl.	----	421 ⁹⁵²⁶	.040	1973-72 K400 1-Cyl.	XST255 ⁸²⁵¹	255	.030
1976-67 (Std. Ign.) 2-Cyl.	----	421 ⁹⁵²⁶	.030	1954 39, 40 1-Cyl.	----	216	.035
60 h.p.				1955 49-R 1-Cyl.	----	216	.035
1984 2-Cyl.	----	421 ⁹⁵²⁶	.040	1956 50-R 1-Cyl.	----	216	.035
1976-74 2-Cyl.	----	421 ⁹⁵²⁶	.040				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CLINTON (Cont'd)				CORSAIR (Cont'd)			
5 h.p.				5 h.p.			
1969 AJ9 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1952 2725 2 Cyl.	----	216	.032
1965 J5 Apache 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1951 5127 2 Cyl.	----	216	.032
1957 J7 1-Cyl.	----	216	.030	1950 5027 2 Cyl.	----	216	.032
1958 J8 1-Cyl.	----	216	.030	1949 4927 2 Cyl.	----	216	.032
1965-59 J9 1-Cyl.	XST458 ⁸²⁵¹	458	.030	7.5 h.p.			
1971-70 J500 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1956 2365 2-Cyl.	----	216	.032
1970 J500LS 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1955 2355 2-Cyl.	----	216	.032
1976-74 K500 1-Cyl.	XS85	85	.030	1954 2345 2-Cyl.	----	216	.032
1973-72 K500 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1953 2335 2-Cyl.	----	216	.032
5.5 h.p.				1952 2325 2-Cyl.	----	216	.032
1980-78 K505 1-Cyl.	XS85	85	.025	1951 5123 2-Cyl.	----	216	.032
1980-76 K550 1-Cyl.	XS85	85	.025	1950 5023 2-Cyl.	----	216	.032
1955 59-R, 61-RR 1-Cyl.	----	216	.035	1949 4123 2-Cyl.	----	216	.032
1956 60-R, 62-RR 1-Cyl.	----	216	.035	1948 4823 2-Cyl.	----	216	.032
7 h.p.				10 h.p.			
1971-70 J700 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1955 2855 2-Cyl.	----	216	.030
1970 J700LS 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1954 2845 2-Cyl.	----	216	.030
1975-71 K700 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1953 2835 2-Cyl.	----	216	.030
7.5 h.p.				1952 2825 2-Cyl.	XST255 ⁸²⁵¹	255	.035
1975-74 K750 1-Cyl.	XS85	85	.030	1951 5128 2-Cyl.	XST255 ⁸²⁵¹	255	.035
1980-76 K751 1-Cyl.	XS85	85	.025	1950 5028 2-Cyl.	XST255 ⁸²⁵¹	255	.035
1980-76 K753 1-Cyl.	XS85	85	.025	16 h.p.			
9 h.p.				1956 2965 2-Cyl.	----	373	.035
1980-77 K900 1-Cyl.	XST255 ⁸²⁵¹	255	.030	1955 2955 2-Cyl.	----	373	.035
W100, W140, W250	----	421 ⁹⁵²⁶	.025	1954 2945 2-Cyl.	----	373	.035
COAST-TO-COAST				30 h.p.			
4 h.p.				1956 2665, 2665-3 2-Cyl.	XST254 ⁸²⁵¹	303	.030
1965 1140 1-Cyl.	XST458 ⁸²⁵¹	456	.030	CRESCENT (Also See VOLVO PENTA)			
6 h.p.				3.9 h.p.			
1965 1141 1-Cyl.	XST458 ⁸²⁵¹	456	.030	1975-72 1-Cyl.	----	306	.032
COLT				5 h.p.			
3 h.p.				1975-72 1-Cyl.	----	306	.032
1963 1125 1-Cyl.	XST458 ⁸²⁵¹	456	.030	14 h.p.			
5 h.p.				1975-72 2-Cyl.	----	306	.032
1963 1126 1-Cyl.	XST255 ⁸²⁵¹	255	.030	25 h.p.			
COMMANDO				1974-72 2-Cyl.	----	306	.032
4 h.p.				40 h.p.			
1966 Commando VII	----	306	.025	1974-67 3-Cyl.	----	306	.032
COMMODORE				45 h.p.			
2 h.p.				1974-67 3-Cyl.	----	306	.032
1964-62 1-Cyl.	----	216	.030	60 h.p.			
7.5 h.p.				1974-73 3-Cyl.	----	306	.032
1964-62 2-Cyl.	----	216	.030	70 h.p.			
10 h.p.				1976-74 3-Cyl.	----	306	.032
1964-62 2-Cyl.	----	216	.030	CROFTON			
18 h.p.				5 h.p.			
1964-62 2-Cyl.	----	353	.030	1961 J10 1-Cyl.	XST254 ⁸²⁵¹	303	.025
40 h.p.				45 h.p.			
.....	----	353	.030	1960-59 53, 53VIP 4-Cyl.	XST254 ⁸²⁵¹	303	.025
.....	----	353	.030	1962 53VIP 4-Cyl.	XST254 ⁸²⁵¹	303	.025
CORSAIR				CROSS			
3.6 h.p.				All Models	----	386	.025
1951 5120 1-Cyl.	----	216	.032	CRUISE 'N CARRY			
1950 5020 1-Cyl.	----	216	.032	1.5 h.p.			
1948 4820, 4821 1-Cyl.	----	216	.032	1989-81 1-Cyl.	XST258 ⁸²⁵¹	258	.025
4 h.p.				1.75 h.p.			
1951 5121 1-Cyl.	----	216	.032	Xenoah Eng.	XST458 ⁸²⁵¹	308	.025
1950 5021 1-Cyl.	----	216	.032	2.7 h.p.			
1949 4921 1-Cyl.	----	216	.032	1988-84 1-Cyl.	XST458 ⁸²⁵¹	308	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CRUISE 'N CARRY (Cont'd)				ELGIN (Cont'd)			
6 h.p.				7.5 h.p. (Cont'd)			
1989-87 1-Cyl. --- 275 .025				6008, 6009, 6010, 6060, 6061 2-Cyl. --- 216 .030			
CUYUNA				8 h.p.			
40 h.p. XS4064 4054 ⁸²⁴⁸ .030				1961-60 59011, 59301 2-Cyl. --- 216 .030			
DRAGONFLY				9 h.p.			
2.05 h.p.				1966 60660, 60670 2-Cyl. XST255 ⁸²⁵¹ 255 .030			
1964-55 1 Cyl. XST458 ⁸²⁵¹ 458 .030				10 h.p.			
3.5 h.p.				1962-61 59891, 59892 2-Cyl. --- 216 .040			
1955 1 Cyl. XST458 ⁸²⁵¹ 458 .030				12 h.p.			
4 h.p.				58801, 58891, 59561, 58991, 59881			
1959-56 1 Cyl. XST458 ⁸²⁵¹ 458 .030				2-Cyl. --- 216 .040			
5 h.p.				6012 2-Cyl. XST254 ⁸²⁵¹ 303 .040			
1964-58 1 Cyl. XST458 ⁸²⁵¹ 458 .030				14 h.p.			
DYNAFOIL				6013, 6014, 6015 2-Cyl. XST254 ⁸²⁵¹ 303 .040			
w/Xenoah 340cc Eng. 3/4" Rch. --- 4056 ⁸²⁴⁸ .030				1965-64 60150, 60690 2-Cyl. XST254 ⁸²⁵¹ 303 .040			
w/Xenoah 440cc Eng. 3/4" Rch. XS4063 4063 ⁸²⁴⁸ .030				16 h.p.			
ECLIPSE (BENDIX)				1954-53 58822, 58823, 58824,			
2 h.p.				58843, 58844, 58851 2-Cyl. XST458 ⁸²⁵¹ 308 .030			
1937 SB 1-Cyl. --- 216 .025				1952-50 58821, 58841, 58842 2-Cyl. XST458 ⁸²⁵¹ 308 .030			
1936 SB 1-Cyl. XST458 ⁸²⁵¹ 458 .025				18 h.p.			
2.25 h.p.				1962-61 59651, 59671 2-Cyl. --- 353 .040			
1939-37 SM 1-Cyl. --- 216 .025				25 h.p.			
4.5 h.p.				1961 59861, 59871, 60330, 60350			
1939-38 TMD 2-Cyl. --- 216 .025				2-Cyl. --- 216 .040			
ELGIN				1959 60250, 60251, 60260, 60261,			
1.25 h.p.				60270, 60271, 62080, 62081			
1951-50 58301 1-Cyl. XST458 ⁸²⁵¹ 308 .030				2-Cyl. XST254 ⁸²⁵¹ 303 .040			
1946 58301 1-Cyl. XST458 ⁸²⁵¹ 308 .030				1960 60290, 60300, 60310, 60320			
2 h.p.				2-Cyl. XST254 ⁸²⁵¹ 303 .040			
1958-52 58201, 58202, 58211,				27.7 h.p.			
58221, 58231, 58232 1-Cyl. XST458 ⁸²⁵¹ 308 .030				6033, 6035 2-Cyl. XST254 ⁸²⁵¹ 303 .040			
1963-59 58241, 58251, 58321,				28 h.p.			
58331, 59241 1-Cyl. --- 216 .035				1964-63 60340, 60360, 60370, 60380			
2.5 h.p.				2-Cyl. XST254 ⁸²⁵¹ 303 .040			
1951-50 58401 1-Cyl. XST458 ⁸²⁵¹ 308 .030				1966 60701, 60702 2-Cyl. --- 353 .040			
1946 58401 1-Cyl. XST458 ⁸²⁵¹ 308 .030				30 h.p.			
3.5 h.p.				1957 59421, 59431, 59621, 59631,			
1948-46 58501, 58511, 58521 2-Cyl. XST458 ⁸²⁵¹ 308 .030				59801G, 59811GL 2-Cyl. --- 216 .040			
1964 60030 1-Cyl. --- 216 .030				35 h.p.			
6091, 6092, 60900 1-Cyl. XST255 ⁸²⁵¹ 255 .030				1959-58 5944, 5945L, 5982, 5983L,			
3.6 h.p.				5990, 5991L, 59441, 59451 2-Cyl. --- 216 .040			
1963-60 60000, 60010, 60020, 60021				1961-60 59821, 59831, 59901, 59911			
1-Cyl. --- 216 .030				2 Cyl. --- 216 .040			
5.5 h.p.				40 h.p.			
1961-57 58563, 59521, 59531,				59421, 594001, 594011 2-Cyl. --- 353 .040			
59532, 59541, 6001 2-Cyl. --- 216 .030				59461, 59471, 594031 2-Cyl. --- 353 .040			
1948-46 58601, 58611, 58621 2-Cyl. XST458 ⁸²⁵¹ 308 .030				6040, 6043, 6047 2-Cyl. XST254 ⁸²⁵¹ 303 .040			
1959-57 5950, 5953, 5954 2-Cyl. ... --- 216 .030				43.7 h.p.			
6 h.p.				1961 60500, 60510 2-Cyl. --- 353 .040			
1951-50 58641, 58701 2-Cyl. XST458 ⁸²⁵¹ 308 .030				45 h.p.			
1954-53 58642, 59651, 58652				6054, 6055, 6056, 6057 2-Cyl. --- 353 .040			
2-Cyl. XST458 ⁸²⁵¹ 308 .030				6062, 6063 2-Cyl. --- 2852 ---			
1948 58721 2-Cyl. XST458 ⁸²⁵¹ 308 .030				60 h.p.			
1966-60 60051, 60060, 60680				1961-59 60600, 60601, 60610,			
2-Cyl. --- 216 .030				606011, 60620, 60630 3-Cyl. XST254 ⁸²⁵¹ 303 .040			
7.5 h.p.				75 h.p.			
58431, 59791 2-Cyl. --- 216 .030				1966 60640, 60641, 60650, 60651			
1955-49 58731, 58751, 58761,				3-Cyl. --- 2852 ---			
58771, 58722 2-Cyl. XST458 ⁸²⁵¹ 308 .030				1963 60740, 60741, 60750, 60751			
				3-Cyl. --- 353 .040			
				1965-64 60760, 60761, 60770,			
				60771, 60772, 60780, 60790			
				3-Cyl. --- 353 .040			
				75.2 h.p.			
				1962 60720, 60730 3-Cyl. --- 353 .040			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ELGIN (Canadian)				EVINRUDE			
6 h.p.	XST255 ⁸²⁵¹	255	.030	2 h.p.			
3.5, 7.5, 12, 30 h.p.	---	216	.030	1998-91 1-Cyl.	---	4122 ⁹⁵²⁶	.030
9.2, 20, 45, 50, 80 h.p.	---	353	.030	1990-71 Jr., Colt	---	306	.030
				2.3 h.p.			
				1997-91 1-Cyl.	---	4122 ⁹⁵²⁶	.030
				2.5 h.p.			
				1988-87	---	2665 ⁹⁵²⁶	.030
				3 h.p.			
				1997-89 2-Cyl.	---	2665 ⁹⁵²⁶	.030
				3.3 h.p.			
				1998-91 1-Cyl.	---	4122 ⁹⁵²⁶	.030
				4 h.p.			
				1998-89 2-Cyl.	---	2665 ⁹⁵²⁶	.030
				1988	---	2645 ⁹⁵²⁶	.030
				1987-77	---	2665 ⁹⁵²⁶	.030
				1976-69	---	306	.030
				1988-87 Ultra, Excel	---	2645 ⁹⁵²⁶	.030
				4.5 h.p.			
				1985-80	---	2665 ⁹⁵²⁶	.030
				5 h.p.			
				2001-97 4-Stroke SOHC (128cc)	---	4173 ⁸²⁴⁸	.027
				1997-90	---	2665 ⁹⁵²⁶	.030
				1998	---	2645 ⁹⁵²⁶	.030
				6 h.p.			
				2001-97 4-Stroke SOHC (128cc)	---	4173 ⁸²⁴⁸	.027
				1998-77 2-Stroke	---	2665 ⁹⁵²⁶	.030
				6.5 h.p.			
				1993-81 COM.	---	2645 ⁹⁵²⁶	.030
				7.5 h.p.			
				1997-77	---	2665 ⁹⁵²⁶	.030
				8 h.p.			
				2003-96 4-Stroke SOHC (210cc)	---	4173 ⁸²⁴⁸	.027
				1998-77	---	2665 ⁹⁵²⁶	.030
				1998-77 Com.	---	2665 ⁹⁵²⁶	.030
				9.9 h.p.			
				1998-96 4-Stroke (211cc)	---	4173 ⁸²⁴⁸	.030
				2001-95 4-Stroke SOHC (305cc)	XS4164	4164 ⁸²⁴⁸	.030
				1998-77	---	421 ⁹⁵²⁶	.030
				1976-74	---	421 ⁹⁵²⁶	.030
				10 h.p.			
				1997-94 COM.	---	421 ⁹⁵²⁶	.030
				1993-92 COM.	---	2645 ⁹⁵²⁶	.030
				14 h.p.			
				1991-81 COM.	---	2645 ⁹⁵²⁶	.030
				1989-88	---	2645 ⁹⁵²⁶	.030
				15 h.p.			
				2011-10 HO 2-Cyl. E-Tec DI	XS985	985	.032
				2001-95 4-Stroke SOHC (305CC)	XS4164	4164 ⁸²⁴⁸	.030
				1998-94	---	421 ⁹⁵²⁶	.030
				1998-94 COM.	---	421 ⁹⁵²⁶	.030
				1998-95 Kero	---	2892	---
				1992-77	---	2645 ⁹⁵²⁶	.030
				1993-92 COM.	---	2645 ⁹⁵²⁶	.030
				1976-74	---	421 ⁹⁵²⁶	.030
				18 h.p.			
				1998-95 Jet (25 h.p.)	---	421 ⁹⁵²⁶	.030
				1973-57	---	306	.030
				20 h.p.			
				1998-78 2-Cyl.	---	421 ⁹⁵²⁶	.030
				1993-78	---	421 ⁹⁵²⁶	.030
				25 h.p.			
				2011-09 2-Cyl. E-Tec DI	XS985	985	.032
				1998-95 1998-95 3-Cyl.	---	2665 ⁹⁵²⁶	.030
				1998-77 1998-77 2-Cyl.	---	421 ⁹⁵²⁶	.030
				1998-81 1998-81 COM.	---	2852	---
				1977 2-Cyl.	---	421 ⁹⁵²⁶	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EVINRUDE (Cont'd)				EVINRUDE (Cont'd)			
28 h.p.				85 h.p.			
1998-92 Jet (40 h.p.)	----	4122 ⁹⁵²⁶	.030	1995-94 V-4 Backtroller	----	421 ⁹⁵²⁶	.030
1997-78	----	421 ⁹⁵²⁶	.030	1993-86	----	2645 ⁹⁵²⁶	.030
30 h.p.				1980-68	----	2645 ⁹⁵²⁶	.030
2011-09 2-Cyl. E-Tec DI	XS985	985	.032	88 h.p.			
1998-78 2-Cyl.	----	421 ⁹⁵²⁶	.030	1997-79 CV4	----	421 ⁹⁵²⁶	.030
35 h.p.				90 h.p.			
1997-93 Jet (50 h.p.)	----	4122 ⁹⁵²⁶	.030	2011-08 3-Cyl. E-Tec DI	XS985	985	.032
1998-95 3-Cyl.	----	2665 ⁹⁵²⁶	.030	2007-04 3-Cyl.	APP3926 ⁸²⁵³	3926	.032
1997-77 2-Cyl.	----	2645 ⁹⁵²⁶	.030	1997-94 Turbojet CV4	----	421 ⁹⁵²⁶	.030
1976	----	421 ⁹⁵²⁶	.030	2003-98 4-Cyl. LV4 F.F.I.	XS985	985	.035
40 h.p.				1998-95 LV4	----	4122 ⁹⁵²⁶	.030
2011-04 2-Cyl. E-Tec DI	XS985	985	.032	1998-79 CV4	----	422 ⁹⁵²⁶	.030
2001-99 4-Stroke DOHC (815cc)	XS4164	4164 ⁸²⁴⁸	.035	100 h.p.			
1998-89 2-Cyl.	----	4122 ⁹⁵²⁶	.030	2004 4-Cyl. LV4 D.I.	XS985	985	.035
1988-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030	1998-84 COM.	----	2852	---
1998-84 COM. (45 cid)	----	2852	---	1980-79 V-4	----	2645 ⁹⁵²⁶	.030
1990-81 COM. (43 cid)	----	421 ⁹⁵²⁶	.030	1972-67	----	2645 ⁹⁵²⁶	.030
1976-74	----	421 ⁹⁵²⁶	.030	105 h.p.			
45 h.p.				1997 COM. LV4	----	4122 ⁹⁵²⁶	.030
1997-86 COM.	----	2852	---	1998-93 Jet LV6	----	4122 ⁹⁵²⁶	.030
48 h.p.				110 h.p.			
1997-94 SPL	----	4122 ⁹⁵²⁶	.030	1997-79 CV4	----	421 ⁹⁵²⁶	.030
1997-89 2-Cyl.	----	4122 ⁹⁵²⁶	.030	112 h.p.			
1988-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030	1997-79 CV4	----	421 ⁹⁵²⁶	.030
50 h.p.				115 h.p.			
2011-04 2-Cyl. E-Tec DI	XS985	985	.032	2011-04 4-Cyl. LV4 E-Tec D.I.	XS985	985	.035
2001-99 4-Stroke DOHC (815cc)	XS4164	4164 ⁸²⁴⁸	.035	2011-09 4-Cyl. LV4 E-Tec D.I. HO	XS985	985	.035
1998-95 3-Cyl.	----	4122 ⁹⁵²⁶	.030	2003-98 4-Cyl. LV4 F.F.I.	XS985	985	.035
1998-89 2-Cyl.	----	4122 ⁹⁵²⁶	.030	1998-94 Turbojet CV4	----	421 ⁹⁵²⁶	.030
1988-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030	1998-79 CV4	----	421 ⁹⁵²⁶	.030
1975-71	----	2645 ⁹⁵²⁶	.030	1998-95 Intruder LV4	----	4122 ⁹⁵²⁶	.030
55 h.p.				1993-86	----	2645 ⁹⁵²⁶	.030
2011-09 2-Cyl. E-Tec	XS985	985	.035	1985	----	2892	---
1995-94 2-Cyl. COM	----	4122 ⁹⁵²⁶	.030	1979-73	----	2645 ⁹⁵²⁶	.030
1997-86 COM.	----	2852	---	1970-69	----	2645 ⁹⁵²⁶	.030
1989-76 2-Cyl.	----	2645 ⁹⁵²⁶	.030	1984-75 COM.	----	2645 ⁹⁵²⁶	.030
1969-68 3-Cyl.	----	2645 ⁹⁵²⁶	.030	120 h.p.			
60 h.p.				1997-85 LV4	----	4122 ⁹⁵²⁶	.030
2011-08 2-Cyl. E-Tec DI	XS985	985	.035	125 h.p.			
2007-04 2-Cyl.	APP3926 ⁸²⁵³	3926	.032	1972-71	----	2645 ⁹⁵²⁶	.030
1985-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030	130 h.p.			
1998-94 3-Cyl. 56 cid	----	4122 ⁹⁵²⁶	.030	2011-06 4Cyl. LV4 E-Tec D.I.	XS985	985	.032
1993-89 3-Cyl. 56 cid	----	2645 ⁹⁵²⁶	.030	1998-85 LV4	----	4122 ⁹⁵²⁶	.030
1989-75 3-Cyl. 49 cid	----	2645 ⁹⁵²⁶	.030	135 h.p.			
1971-70 3-Cyl.	----	2645 ⁹⁵²⁶	.030	2006-04 6-Cyl. LV6 D.I.	XS985	985	.032
65 h.p.				2003-01 6-Cyl. LV6 F.F.I.	XS985	985	.032
2011-09 2-Cyl. E-Tec	XS985	985	.035	1984-73	----	2852	---
1997-92 Jet CV4	----	421 ⁹⁵²⁶	.030	140 h.p.			
1995-94 COM. 3-Cyl.	----	4122 ⁹⁵²⁶	.030	1997-85 LV4	----	4122 ⁹⁵²⁶	.030
1997-88 COM. HC LC	----	2852	---	1984-73	----	2852	---
1987-84 COM. HC LC	----	2645 ⁹⁵²⁶	.030	150 h.p.			
1973-72 3-Cyl.	----	2645 ⁹⁵²⁶	.030	2011-04 6-Cyl. LV6 E-Tec D.I.	XS985	985	.032
1968 V-4	----	2645 ⁹⁵²⁶	.030	2011-04 6-Cyl. LV6 E-Tec D.I. HO	XS985	985	.032
70 h.p.				2003-99 6-Cyl. LV6 F.F.I.	XS985	985	.032
2001-99 4-Stroke SOHC (1298cc)	XS63	4263 ⁸²⁴⁸	.035	1998-97 6-Cyl. LV6 F.F.I.	XS985	985	.032
1998-94 3-Cyl. 56 cid	----	4122 ⁹⁵²⁶	.030	1998-91 Intruder LV6	----	4122 ⁹⁵²⁶	.030
1993-89 3-Cyl. 56 cid	----	2645 ⁹⁵²⁶	.030	1991-88 CV6	----	2645 ⁹⁵²⁶	.030
1989-75 3-Cyl. 49 cid	----	2645 ⁹⁵²⁶	.030	1987-78 CV6	----	2852	---
75 h.p.				1998-93 COM. LV6	----	4122 ⁹⁵²⁶	.030
2011-04 3-Cyl. E-Tec DI	XS985	985	.032	155 h.p.			
2003-01 4-Cyl. LV4 F.F.I.	XS985	985	.035	1992-89 COM. CV6	----	2852	---
1989-75 3-Cyl. 49 cid	----	2645 ⁹⁵²⁶	.030	1987-78 CV6	----	2852	---
80 h.p.				175 h.p.			
1998-79 Jet CV4	----	421 ⁹⁵²⁶	.030	2011-04 6-Cyl. LV6 E-Tec D.I.	XS985	985	.032
1967-66	----	306	.030	2003-99 6-Cyl. LV6 F.F.I.	XS985	985	.032
				1998 6-Cyl. LV6 F.F.I.	XS985	985	.032



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EVINRUDE (Cont'd)				EVINRUDE (Cont'd)			
175 h.p. (Cont'd)				Models with Standard Ignition: (Cont'd)			
1998-91 Intruder LV6	---	4122 ⁹⁵²⁶	.030	5 h.p.	---	306	.030
1991-88 CV6	---	2645 ⁹⁵²⁶	.030	1968-65	---	306	.030
1987-77	---	2852	---	5.5 h.p.	---	306	.030
185 h.p.	---	2645 ⁹⁵²⁶	.030	1964-54	---	306	.030
1993-90 COM.	---	2892	---	6 h.p.	---	306	.030
1987-77	---	---	---	1976-65	---	306	.030
200 h.p.	---	---	---	1976-71 6R, 6RL	---	306	.030
2011-04 6-Cyl. LV6 E-Tec D.I.	XS985	985	.032	1928-25 2-Cyl.	---	3076	.025
2011-04 6-Cyl. LV6 E-Tec D.I. HO	XS985	985	.032	7 h.p.	---	3076	.025
2003-99 6-Cyl. LV6 F.F.I.	XS985	985	.032	1928-25 2-Cyl.	---	3076	.025
1998-94 Vindicator LV6	---	4122 ⁹⁵²⁶	.030	7.5 h.p.	---	306	.030
1993-86 V-6	---	2645 ⁹⁵²⁶	.030	1958-52	---	306	.030
1983-76	---	2852	---	8 h.p.	---	3076	.025
1998-93 COM.	---	4122 ⁹⁵²⁶	.030	1927 2-Cyl.	---	3076	.025
1992 COM.	---	2852	---	9 h.p.	---	2645 ⁹⁵²⁶	.030
225 h.p.	---	---	---	1974 9R, 9RL, 9E, 9EL	---	2645 ⁹⁵²⁶	.030
2011-04 6-Cyl. LV6 E-Tec D.I.	XS985	985	.032	9.5 h.p.	---	306	.030
2011-04 6-Cyl. LV6 E-Tec D.I. HO	XS985	985	.032	1973-64	---	306	.030
2003 6-Cyl. LV6 F.F.I. HO	XS985	985	.032	10 h.p.	---	2645 ⁹⁵²⁶	.030
2003-99 6-Cyl. LV6 F.F.I.	XS985	985	.032	1976-75 10E, 10EL, 10R, 10RL	---	2645 ⁹⁵²⁶	.030
1998-94 Vindicator LV6	---	4122 ⁹⁵²⁶	.030	1963-52	---	306	.030
1993-86 V-6	---	2645 ⁹⁵²⁶	.030	11 h.p.	---	3076	.025
235 h.p.	---	---	---	1928 2-Cyl.	---	3076	.025
1985-78	---	2852	---	12 h.p.	---	3076	.025
250 h.p.	---	---	---	1928 2-Cyl.	---	3076	.025
2011-04 6-Cyl. LV6 E-Tec D.I.	XS985	985	.032	14-18 h.p.	---	306	.030
2011-08 6-Cyl. LV6 E-Tec D.I. HO	XS985	985	.032	1972-52	---	306	.030
2003-01 6-Cyl. LV6 F.F.I.	XS985	985	.032	15 h.p.	---	306	.030
2003 6-Cyl. LV6 F.F.I. HO	XS985	985	.032	1956-54	---	306	.030
1997-85 V-8	---	4122 ⁹⁵²⁶	.030	16 h.p.	---	3076	.025
275 h.p.	---	---	---	1928 2-Cyl.	---	3076	.025
1988-85	---	4122 ⁹⁵²⁶	.030	18 h.p.	---	3076	.025
300 h.p.	---	---	---	1928 4-Cyl.	---	3076	.025
1997-85 V-8	---	4122 ⁹⁵²⁶	.030	1973-57	---	306	.030
2011-04 6-Cyl. LV6 E-Tec D.I.	XS985	985	.032	20 h.p.	---	306	.030
3.6 Liter	---	2645 ⁹⁵²⁶	.030	1973 20R, 20RL	---	306	.030
1986-85	---	---	---	1973-66	---	306	.030
Models with Standard Ignition:	---	---	---	20-25 h.p.	---	306	.030
1 h.p.	---	306	.030	1972-71 20RL, 25RL	---	306	.030
1970-68 1R	---	---	---	1972-69 20R, 25R	---	306	.030
1.2 h.p.	---	306	.030	25 h.p.	---	306	.030
1990-86 Magneto	---	---	---	1976-75 25E, 25EL, 25R, 25RL	---	306	.030
1.5 - 2 h.p.	---	306	.030	1974-73 25E, 25EL, 25R, 25RL	---	306	.030
1970-68	---	---	---	1972 25E, 25EL	---	306	.030
1.5 h.p.	---	3076	.025	1976-69	---	306	.030
1912-09 1-Cyl.	---	---	---	1955-52	---	306	.030
2 h.p.	---	306	.030	28 h.p.	---	306	.030
1984-71 2R	---	---	---	1964-62	---	306	.030
1970-66 Aquanaut Diving Unit	XST258 ⁸²⁵¹	258	.030	30 h.p.	---	306	.030
1928-13 1-Cyl.	---	3076	.025	1971-56	---	306	.030
2.5 h.p.	---	3076	.025	33-40 h.p.	---	306	.030
1928-23 1-Cyl.	---	---	---	1971-65 33R, 33E, 40ES	---	306	.030
3 - 5.2 h.p.	---	306	.030	35 h.p.	---	306	.030
1974-52	---	---	---	1959-57	---	306	.030
3 h.p.	---	306	.030	40 h.p.	---	2645 ⁹⁵²⁶	.030
1968-52	---	---	---	1976-75 40E, 40EL, 40R, 40RL	---	2645 ⁹⁵²⁶	.030
1925-23 2-Cyl.	---	3076	.025	1974 40E, 40EL, 40R, 40RL	---	306	.030
3.5 h.p.	---	3076	.025	1973-69 40R, 40E, 40EL, 40RL	---	306	.030
1922-13 1-Cyl.	---	---	---	1973-60	---	306	.030
4 h.p.	---	2645 ⁹⁵²⁶	.030	50 h.p.	---	306	.030
1984-81	---	---	---	1959-58	---	306	.030
1976-69 4R, 4W	---	306	.030	60 h.p.	---	306	.030
1967-58 V4, V4A, V4M	---	---	---	1967-64 V-4	---	306	.030
1967-58 V4S, VX, VXH	---	306	.030	75 h.p.	---	306	.030
1917-16 2-Cyl.	---	3076	.025	1965-60 V-4	---	306	.030
1928-23 2-Cyl.	---	3076	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EVINRUDE (Cont'd)				EXPLORER (Cont'd)			
Models with Standard Ignition: (Cont'd)				15 h.p. (Cont'd)			
80 h.p.				1973 1912A 2-Cyl.	XS85	85	.030
1967-66	----	306	.030	FAGEOL			
90 h.p.				35 h.p.			
1965-64	----	306	.030	1956 44 4-Cyl.	XST254 ⁸²⁵¹	303	.025
100 h.p.				1958-57 FO-4A 4-Cyl.	XST254 ⁸²⁵¹	303	.025
1966	----	306	.030	55 h.p.			
1968 SC	----	306	.030	1958-57 60 4-Cyl.	XST254 ⁸²⁵¹	303	.025
1968-67 JHF, JWF	----	306	.030	53	XST254 ⁸²⁵¹	303	.025
1968-65 LD	----	306	.030	FEDERALS			
1968-65 RXE	----	306	.030	3.5 h.p.			
1968-64 MQ	----	306	.030	1972 1770B 1-Cyl.	XS85	85	.035
1968-62 RX	----	306	.030	1971 1770A 1-Cyl.	XS85	85	.035
1968-56 FD, FDE	----	306	.030	5 h.p.			
1968-54 CD, JH	----	306	.030	1972 1771B 1-Cyl.	XS85	85	.035
1968-52 JW	----	306	.030	1971 1771A 1-Cyl.	XS85	85	.035
1968-52 RD, RDE, RDS, RJE, RK ..	----	306	.030	7 h.p.			
1966-52 TN, AD, QD, V4H, V4ML ...	----	306	.030	1972 1772B 1-Cyl.	XS85	85	.035
1951-37 All Models w/14mm Threads				1971 1772A 1-Cyl.	XS85	85	.035
(3/8" Reach)	XST458 ⁸²⁵¹	458	.025	FIAT NAUTICA			
1951-37 All Models w/14mm Threads				3.5 h.p.			
(1/2" Reach)	----	216	.025	1980-72	AP425 ⁸²⁴⁹	425	.028
1938-29 All Models w/18mm				6 h.p.			
Threads	----	386	.025	1980-72	AP425 ⁸²⁴⁹	425	.028
Air Buoy Diving Unit	XST258 ⁸²⁵¹	258	.025	8 h.p.			
				1980-72	AP425 ⁸²⁴⁹	425	.028
				12 h.p.			
				1980-77	AP425 ⁸²⁴⁹	425	.028
				14 h.p.			
				1980	AP425 ⁸²⁴⁹	425	.030
				24 h.p.			
				1980	AP425 ⁸²⁴⁹	425	.030
				FIRESTONE			
				3.5 h.p.			
				1948 133-8-486, -487 1 Cyl.	----	216	.030
				1947 133-7-476, -477 1 Cyl.	----	216	.030
				1946 133-6-460, -462, -463, -464 1			
				Cyl.	----	216	.030
				3.6 h.p.			
				1959 10-A-111 1 Cyl.	----	216	.030
				1958 1085 1 Cyl.	----	216	.030
				1957-56 10-A-111 1 Cyl.	----	216	.030
				1955-50 10-A-71 1 Cyl.	----	216	.030
				1949 10-A-1, -2 1 Cyl.	----	216	.030
				5 h.p.			
				1966-63 Featherweight 5 2-Cyl.	XST254 ⁸²⁵¹	303	.030
				1959 10-A-112 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				1958 1785 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				1957-56 10-A-1122-Cyl.	XST254 ⁸²⁵¹	303	.025
				1955 10-A-102 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				1954 10-A-102 2-Cyl.	----	216	.035
				1953-50 10-A-73 2-Cyl.	----	216	.035
				1949 10-A-52 2-Cyl.	----	216	.035
				5.5 h.p.			
				1973-71 AM5000M, AM5000E			
				2-Cyl.	----	216	.035
				7.5 h.p.			
				1960 2-Cyl.	----	216	.030
				1955-53 10-A-103 2 Cyl.	----	216	.030
				1952-50 10-A-74 2 Cyl.	----	216	.030
				1949 10-A-53 2 Cyl.	----	216	.030
				1948 133-8-489 2 Cyl.	----	216	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			
FIRESTONE (Cont'd)				FORCE (U.S. Marine) (Cont'd)						
7.5 h.p. (Cont'd)				4 h.p.						
1947 133-7-479 2 Cyl.	----	216	.030	1987-84	----	2665 ⁹⁵²⁶	.030			
8 h.p.				5 h.p.						
1960 Viscount 8 2-Cyl.	----	216	.030	1999-94	----	4122 ⁹⁵²⁶	.035			
10 h.p.				1993-88				4122 ⁹⁵²⁶	.030	
1959 10-A-120 2 Cyl.	----	216	.035	7.5 h.p.						
1958 1885 2 Cyl.	----	216	.035	1985				2665 ⁹⁵²⁶	.030	
1957-56 10-A-113 2 Cyl.	----	216	.035	9.9 h.p.						
1955-53 10-A-104 2 Cyl.	----	216	.035	1999-94				4122 ⁹⁵²⁶	.035	
1952-50 10-A-75 2 Cyl.	XST254 ⁸²⁵¹	303	.030	1993-84				4122 ⁹⁵²⁶	.030	
12 h.p.				15 h.p.						
1962-60 Viscount 12 2-Cyl.	----	216	.030	1999-94				4122 ⁹⁵²⁶	.035	
16 h.p.				1993-84				4122 ⁹⁵²⁶	.030	
1959 10-A-114 2-Cyl.	----	373	.035	25 h.p.						
1958 1985 2-Cyl.	----	373	.035	1999-96				4122 ⁹⁵²⁶	.035	
1957-56 10-A-114 2-Cyl.	----	373	.035	35 h.p.						
1955-54 10-A-105 2-Cyl.	----	373	.035	1991-86				422 ⁹⁵²⁶	.040	
25 h.p.				40 h.p.						
1960 Viscount 25 2-Cyl.	----	216	.030	1999-92				2852	---	
30 h.p.				50 h.p.						
1956 10-A-115, -116 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1999-91 w/Thunderbolt Ign.				2852	---	
35 h.p.				1991-88 w/Prestolite Ign.				2892	---	
1957 10-A-117, -118, -119 2-Cyl.	----	216	.030	1987-84				421 ⁹⁵²⁶	.030	
38 h.p.				60 h.p.						
1958 1316, 1416 2-Cyl.	----	216	.030	1985				2852	---	
39.1 h.p.				70 h.p.						
1959 10-A-122, -123 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1995-91				2852	---	
40 h.p.				75 h.p.						
1962-59 Viscount 40 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1999-96				2852	---	
FISHER-PIERCE				85 h.p.						
55 h.p.				1989-83				2892	---	
1972-69 Bearcat 55 4-Cyl.	XST458 ⁸²⁵¹	308	.025	90 h.p.						
1968 460A1F, 460A2F 4-Cyl.	XST458 ⁸²⁵¹	308	.025	1999-91 w/Thunderbolt Ign.				2852	---	
1967 460A1E, 460A2E 4-Cyl.	XST458 ⁸²⁵¹	308	.025	1991-90 w/Prestolite Ign.				2892	---	
85 h.p.				120 h.p.						
1972-71 Bearcat 85 4-Cyl.	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	1999-91 w/Thunderbolt Ign.				2852	---	
FLAMBEAU				1991-90 w/Prestolite Ign.				2892	---	
2.5 h.p.				125 h.p.						
1956-55 125520 1-Cyl.	XST458 ⁸²⁵¹	456	.025	1989-83				2892	---	
1954-49 174520 1-Cyl.	XST458 ⁸²⁵¹	456	.025	150 h.p.						
1951 2.5-46-1 1-Cyl.	XST458 ⁸²⁵¹	456	.025	1994-91 w/Thunderbolt Ign.				2852	---	
1949-46 2.5-46-1 1-Cyl.	XST458 ⁸²⁵¹	456	.025	1991-89 w/Prestolite Ign.				2892	---	
5 h.p.				FOREMOST						
1956-49 174050 2-Cyl.	XST458 ⁸²⁵¹	456	.025	3.5 h.p.						
1948-46 5-46-1 2-Cyl.	XST458 ⁸²⁵¹	456	.025	1966 30032 1-Cyl.				216	.030	
FLYING-O (Explorer)				1965 30031 1-Cyl.				216	.030	
3.5, 5 h.p.				6 h.p.						
1969-68	XST458 ⁸²⁵¹	456	.030	1966 30062 2-Cyl.				216	.030	
5 h.p.				1965 30061 2-Cyl.				216	.030	
1974-72	XS85	85	.030	9 h.p.						
5, 7 h.p.				1966 30091 2-Cyl.				353	.030	
1972-70	XS85	85	.030	1965 30092 2-Cyl.				353	.030	
7 h.p.				FURY						
1972	XS85	85	.030	3 h.p.						
1969	XS85	85	.030	1961 1113 1-Cyl.				XST458 ⁸²⁵¹	456	.030
1968	XST458 ⁸²⁵¹	456	.030	5 h.p.						
7.5, 9.9, 15 h.p.				1961 1114 1-Cyl.				XST458 ⁸²⁵¹	456	.030
1974-73	XS85	85	.030	GALE (See Buccaneer)						
FORCE (U.S. Marine)				35, 40, 60 h.p.						
3 h.p.				Buccaneer				----	353	.030
1994-90	----	4122 ⁹⁵²⁶	.040							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GOLDEN ARROW				HANSON MARINE ENGINES			
4 h.p.				85 h.p.			
1963 1129 Golden Arrow 400 1-Cyl. XST458 ⁸²⁵¹ 456 .030				Montana Troller APP3926 ⁸²⁵³ 3926 .037			
6 h.p.				HARTFORD			
1963 1130 Golden Arrow 600 1-Cyl. XST458 ⁸²⁵¹ 456 .030				All Models --- 386 .025			
GOLDEN JET (Also See Eska)				HIAWATHA (Gambles)			
3 h.p.				1.5 h.p.			
1968 1193 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1949-48 1H5 1-Cyl. --- 306 .030			
1967 1161 1-Cyl. XST458 ⁸²⁵¹ 456 .030				2.5 h.p.			
3.5 h.p.				1942-41 121, 122 1-Cyl. --- 306 .030			
1972 1713D 1-Cyl. XS85 85 .030				3 h.p.			
1971 1713C 1-Cyl. XS85 85 .030				1962-56 --- 216 .035			
1970 1713B 1-Cyl. XS85 85 .030				1955-53 3D11 XST254 ⁸²⁵¹ 303 .030			
1969 1713, 1713A 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1953 3D10 XST254 ⁸²⁵¹ 303 .030			
4 h.p.				1951 3D10 XST254 ⁸²⁵¹ 303 .030			
1965 1144, 1144A, 1144B 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1950 1H9 XST254 ⁸²⁵¹ 303 .030			
1963 1121 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1949 1H9 --- 306 .030			
5 h.p.				1949-48 1H6 --- 306 .030			
1970 1715D 1-Cyl. XS85 85 .030				1948-47 1H4 --- 306 .030			
1970 1715C 1-Cyl. XS85 85 .030				1947 1H1 --- 306 .030			
1970 1715B 1-Cyl. XS85 85 .030				1946-45 131 --- 306 .030			
1969 1715 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1942-41 121, 122 --- 306 .030			
1967 1195 1-Cyl. XST458 ⁸²⁵¹ 456 .030				3.5 h.p.			
1967 1169 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1969 1188, 1188A, 1188B 1-Cyl. XS85 85 .030			
1965 1167 1-Cyl. XST458 ⁸²⁵¹ 456 .030				3.6 h.p.			
1965 1142, 1142A, 1142B, 1148 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1962-56 --- 216 .035			
6 h.p.				3.5 h.p.			
1965 1146 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1969 1188, 1188A 1-Cyl. XST458 ⁸²⁵¹ 456 .030			
1963 1124 1-Cyl. XST458 ⁸²⁵¹ 456 .030				5 h.p.			
7 h.p.				1969 1189, 1189B 1-Cyl. XS85 85 .030			
1972 1727B 1-Cyl. XS85 85 .030				1962-56 --- 216 .035			
1971 1727A 1-Cyl. XS85 85 .030				1954-51 5D10 XST254 ⁸²⁵¹ 303 .030			
1970 1717B 1-Cyl. XS85 85 .030				1953 5S10 XST254 ⁸²⁵¹ 303 .030			
1969 1717 1-Cyl. XS85 85 .030				1950 2H7 XST254 ⁸²⁵¹ 303 .030			
1968 1197 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1949-48 2H7 --- 306 .030			
1967 1170 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1948-47 2H3 --- 306 .030			
1966 1157 1-Cyl. XST458 ⁸²⁵¹ 456 .030				1947 2H2 --- 306 .030			
GUPPY				1946-45 251A, 252A --- 306 .030			
All Models XST458 ⁸²⁵¹ 458 .030				1942-41 251, 252 --- 306 .030			
HANIMEX (Australia)				6 h.p.			
4.5 h.p.				1962-56 --- 216 .035			
1976 14029A 1-Cyl. XS85 85 .030				7 h.p.			
1975 1941B 1-Cyl. XS85 85 .030				1970 1199B 1-Cyl. XS85 85 .030			
1974 1941A 1-Cyl. XS85 85 .030				1969 1199 1-Cyl. XS85 85 .030			
5.5 h.p.				7.5 h.p.			
1976 14030A 1-Cyl. XS85 85 .030				1962-56 --- 216 .035			
1975 1969A 1-Cyl. XS85 85 .030				12 h.p.			
1974 1965B 1-Cyl. XS85 85 .030				1962-58 XST254 ⁸²⁵¹ 303 .035			
1973 1965A 1-Cyl. XS85 85 .030				1955-54 12D11 XST254 ⁸²⁵¹ 303 .030			
7.5 h.p.				1953-51 12D10 XST254 ⁸²⁵¹ 303 .030			
1976 14031A, 14060A 1-Cyl. XS85 85 .030				1950 2H8 XST254 ⁸²⁵¹ 303 .030			
1975 1966C, 14023A 1-Cyl. XS85 85 .030				1949-48 2H8 --- 306 .030			
1974 1966B 1 Cyl. XS85 85 .030				16 h.p.			
1973 1966A 1 Cyl. XS85 85 .030				1960-56 --- 373 .030			
15 h.p.				25 h.p.			
1976 14033A 2-Cyl. XS85 85 .030				1962-58 XST254 ⁸²⁵¹ 303 .035			
1975 1968C 2-Cyl. XS85 85 .030				30 h.p.			
1974 1968B 2-Cyl. XS85 85 .030				1956 XST254 ⁸²⁵¹ 303 .030			
1973 1968A 2-Cyl. XS85 85 .030				35 h.p.			
				1957 XST254 ⁸²⁵¹ 303 .030			
				38 h.p.			
				1962-58 --- 353 .035			
				40 h.p.			
				1962-58 --- 353 .035			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁸²⁵³ Double Platinum

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HIAWATHA (Gambles) (Cont'd)				J.C. PENNEY			
60 h.p.				3 h.p.			
1962-58	----	353	.035	1980 945 1-Cyl.	XS85	85	.030
HOMELITE (See Fisher-Pierce)				1977 1000B 1-Cyl.	XS85	85	.030
55 h.p.				1976 1000A 1-Cyl.	XS85	85	.030
1966-62 4 Cyl.	XST254 ⁸²⁵¹	303	.025	1975 1000 1-Cyl.	XS85	85	.030
HONDA				3.5 h.p.			
2 h.p.				1979 0901A 1-Cyl.	XS85	85	.030
BF2 OHV 4-Stroke 1-Cyl.	----	4194	.025	1978 901 1-Cyl.	XS85	85	.030
BF20F 4-Stroke 1-Cyl.	XST258 ⁸²⁵¹	258	.025	5 h.p.			
5 h.p.				1979 0902A 1-Cyl.	XS85	85	.030
BF5, BF50 OHV 4-Stroke 1-Cyl.	XS65	4265 ⁸²⁴⁸	.028	1978 902 1-Cyl.	XS85	85	.030
7.5 h.p.				1977 1022 1-Cyl.	XS85	85	.030
B75, BF75 SOHC 4-Stroke 2-Cyl.	----	4173 ⁸²⁴⁸	.025	5.5 h.p.			
8 h.p.				1976 1001A 1-Cyl.	XS85	85	.030
BF8D1, BFP8D1 SOHC 4-Stroke				1975 1001 1-Cyl.	XS85	85	.030
2-Cyl.	XS4303	4303	.035	7.5 h.p.			
BF8 SOHC 4-Stroke 2-Cyl.	----	4173 ⁸²⁴⁸	.025	1979 0903A 1-Cyl.	XS85	85	.030
9.9 h.p.				1978 903 1-Cyl.	XS85	85	.030
BF9.9D1, BFP9.9D1 SOHC 4-Stroke				1977 1023 2-Cyl.	XS85	85	.030
2-Cyl.	XS4303	4303	.035	1976 1002A 1-Cyl.	XS85	85	.030
BF9.9 SOHC 4-Stroke 2-Cyl.	----	4173 ⁸²⁴⁸	.024	1975 1002 1-Cyl.	XS85	85	.030
BF100 SOHC 4-Stroke 2-Cyl.	----	4173 ⁸²⁴⁸	.025	9.9 h.p.			
15 h.p.				1979 904 2-Cyl.	XS85	85	.030
BF15 SOHC 4-Stroke 2-Cyl.	----	4173 ⁸²⁴⁸	.024	1977 1003B 2-Cyl.	XS85	85	.030
20 h.p.				1976 1003A 2-Cyl.	XS85	85	.030
BF20 SOHC 4-Stroke 2-Cyl.	XS4163	4163 ⁸²⁴⁸	.028	1975 1003 1-Cyl.	XS85	85	.030
25 h.p.				15 h.p.			
BF25 SOHC 4-Stroke 3-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	1977 1004B 2-Cyl.	XS85	85	.030
30 h.p.				1976 1004A 2-Cyl.	XS85	85	.030
BF30 SOHC 4-Stroke 3-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	1975 1004 2-Cyl.	XS85	85	.030
35 h.p.				JOHNSON			
BF35AM SOHC 4-Stroke 3-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	2 h.p.			
40 h.p.				2001-91 1-Cyl.	----	4122 ⁹⁵²⁶	.030
BF40 SOHC SOHC 4-Stroke 3-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	1990-71 Jr., Colt	----	306	.030
45 h.p.				2.3 h.p.			
BF45AM SOHC 4-Stroke 3-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	1997-91 1-Cyl.	----	4122 ⁹⁵²⁶	.030
50 h.p.				2.5 h.p.			
BF50 SOHC 4-Stroke 3-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	2007-07 4-Stroke	----	4194	.030
60 h.p.				1988-87	----	2665 ⁹⁵²⁶	.030
BF60 SOHC 4-Stroke 3-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	3 h.p.			
65 h.p.				1997-89 2-Cyl.	----	2665 ⁹⁵²⁶	.030
BF65 Jet SOHC 4-Stroke 4-Cyl.	XS4163	4163 ⁸²⁴⁸	.028	3.3 h.p.			
75 h.p.				2001-91 1-Cyl.	----	4122 ⁹⁵²⁶	.030
BF75 SOHC 4-Stroke 4-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	3.5 h.p.			
90 h.p.				2006-01 1-Cyl. 2-Stroke	----	4122 ⁹⁵²⁶	.030
BF90 SOHC 4-Stroke 4-Cyl.	XS4164	4164 ⁸²⁴⁸	.028	4 h.p.			
105 h.p.				2007-03 4-Stroke OHV	XS63	4263 ⁸²⁴⁸	.030
BF105 Jet DOHC 4-Stroke 4-Cyl.	XS5224	5224	.032	2001-89 2-Cyl.	----	2665 ⁹⁵²⁶	.030
115 h.p.				1988	----	2645 ⁹⁵²⁶	.030
BF115 SOHC 4-Stroke 4-Cyl.	XS5224	5224	.032	1987-77	----	2665 ⁹⁵²⁶	.030
130 h.p.				1976-69	----	306	.030
BF130 SOHC 4-Stroke 4-Cyl.	XS5224	5224	.032	1988-87 Ultra, Excel	----	2645 ⁹⁵²⁶	.030
135 h.p.				4.5 h.p.			
BF135 DOHC 4-Stroke 4-Cyl.	XS5224	5224	.032	1985-80	----	2665 ⁹⁵²⁶	.030
150 h.p.				5 h.p.			
BF150 DOHC 4-Stroke 4-Cyl.	XS5224	5224	.032	2007-07 4-Stroke	XS63	4263 ⁸²⁴⁸	.030
200 h.p.				1997 4-Stroke	----	4173 ⁸²⁴⁸	.027
BF200 SOHC 4-Stroke V-6	XS5224	5224	.032	1997-90	----	2665 ⁹⁵²⁶	.030
225 h.p.				2001-98 1-Cyl.	----	2645 ⁹⁵²⁶	.030
BF225 SOHC 4-Stroke V-6	XS5224	5224	.032	6 h.p.			
INDIAN				2007-02 4-Stroke OHV (128cc)	----	4173 ⁸²⁴⁸	.027
All Models	----	386	.025	2005-77 2-Cyl. 2-Stroke	----	2665 ⁹⁵²⁶	.030
				6.5 h.p.			
				1993-81 COM.	----	2645 ⁹⁵²⁶	.030
				7.5 h.p.			
				1997-77	----	2665 ⁹⁵²⁶	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JOHNSON (Cont'd)				JOHNSON (Cont'd)			
8 h.p.				50 h.p. (Cont'd)			
2004-02 4-Stroke SOHC (210cc) ...	----	4173 ⁸²⁴⁸	.027	1998-95 3-Cyl.	----	4122 ⁹⁵²⁶	.030
1998-96 4-Stroke	----	4173 ⁸²⁴⁸	.027	2005-89 2-Cyl. 2-Stroke	----	4122 ⁹⁵²⁶	.030
2005-77 2-Cyl. 2-Stroke	----	2665 ⁹⁵²⁶	.030	1988-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030
2005-77 Com.	----	2665 ⁹⁵²⁶	.030	1975-71	----	2645 ⁹⁵²⁶	.030
9.9 h.p.				55 h.p.			
2009-02 4-Stroke 2-Cyl. SOHC	XS4164	4164 ⁸²⁴⁸	.035	2001-99 2-Cyl. COM. (45 cid)	----	2852	---
1998-96 4-Stroke (211cc)	----	4173 ⁸²⁴⁸	.030	1995-94 2-Cyl. COM	----	4122 ⁹⁵²⁶	.030
1998-95 4-Stroke OHC (305cc)	XS4164	4164 ⁸²⁴⁸	.030	1997-86 COM.	----	2852	---
2007-77 2-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.030	1989-76 2-Cyl.	----	2645 ⁹⁵²⁶	.030
1976-74	----	421 ⁹⁵²⁶	.030	1969-68 3-Cyl.	----	2645 ⁹⁵²⁶	.030
10 h.p.				60 h.p.			
1997-94 COM.	----	421 ⁹⁵²⁶	.030	2005-02 4-Stroke 4-Cyl. SOHC	XS4164	4164 ⁸²⁴⁸	.030
1993-92 COM.	----	2645 ⁹⁵²⁶	.030	1985-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030
14 h.p.				65 h.p.			
1991-81 COM.	----	2645 ⁹⁵²⁶	.030	1997-92 Jet CV4	----	421 ⁹⁵²⁶	.030
1989-88	----	2645 ⁹⁵²⁶	.030	1995-94 COM. 3-Cyl.	----	4122 ⁹⁵²⁶	.030
15 h.p.				70 h.p.			
2007-02 4-Stroke 2-Cyl. SOHC	XS4164	4164 ⁸²⁴⁸	.035	2001-88 COM. HC LC	----	2852	---
1998-95 4-Stroke OHC	XS4164	4164 ⁸²⁴⁸	.030	1987-84 COM. HC LC	----	2645 ⁹⁵²⁶	.030
2007-94 2-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.030	1973-72 3-Cyl.	----	2645 ⁹⁵²⁶	.030
2000-94 COM.	----	421 ⁹⁵²⁶	.030	1968 V-4	----	2645 ⁹⁵²⁶	.030
1998-95 Kero	----	2892	---	75 h.p.			
1992-77	----	2645 ⁹⁵²⁶	.030	1989-75 3-Cyl. 49 cid	----	2645 ⁹⁵²⁶	.030
1993-92 COM.	----	2645 ⁹⁵²⁶	.030	80 h.p.			
1976-74	----	421 ⁹⁵²⁶	.030	2001-79 Jet CV4	----	421 ⁹⁵²⁶	.030
18 h.p.				85 h.p.			
1998-95 Jet (25 h.p.)	----	421 ⁹⁵²⁶	.030	1995-94 V-4 Backtroller	----	421 ⁹⁵²⁶	.030
1973-57	----	306	.030	1993-86	----	2645 ⁹⁵²⁶	.030
20 h.p.				88 h.p.			
2001-99 Jet 2 Cyl.	----	421 ⁹⁵²⁶	.030	1997-79 CV4	----	421 ⁹⁵²⁶	.030
1998-78 2-Cyl.	----	421 ⁹⁵²⁶	.030	90 h.p.			
1993-78	----	421 ⁹⁵²⁶	.030	2005-03 4-Stroke 4-Cyl. DOHC	XS3923	3923	.030
25 h.p.				95 h.p.			
2007-04 4-Stroke 3 Cyl. SOHC	XS4164	4164 ⁸²⁴⁸	.035	1997-94 Turbojet CV4	----	421 ⁹⁵²⁶	.030
2001-95 3-Cyl.	----	2665 ⁹⁵²⁶	.030	1998 LV4 F.F.I.	XP5405 ⁸²⁵⁰	AP5405 ⁸²⁴⁹	.035
2005-77 2-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.030	2006-95 LV4 2-Stroke	----	4122 ⁹⁵²⁶	.030
2005-81 2-Cyl. Com.	----	2852	---	1998-79 CV4	----	422 ⁹⁵²⁶	.030
1977 2-Cyl.	----	421 ⁹⁵²⁶	.030	100 h.p.			
28 h.p.				105 h.p.			
1998-92 Jet (40 h.p.)	----	4122 ⁹⁵²⁶	.030	2001-84 COM.	----	2852	---
1997-78	----	421 ⁹⁵²⁶	.030	1980-79 V-4	----	2645 ⁹⁵²⁶	.030
30 h.p.				110 h.p.			
2007-04 4-Stroke 3 Cyl. SOHC	XS4164	4164 ⁸²⁴⁸	.035	1972-67	----	2645 ⁹⁵²⁶	.030
2001-99 Jet 2-Cyl.	----	4122 ⁹⁵²⁶	.030	115 h.p.			
2005-78 2-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.030	2005-03 4-Stroke 4-Cyl. DOHC	XS3923	3923	.030
35 h.p.				120 h.p.			
1997-93 Jet (50 h.p.)	----	4122 ⁹⁵²⁶	.030	1998 LV4 F.F.I.	XP5405 ⁸²⁵⁰	AP5405 ⁸²⁴⁹	.035
2001-95 3-Cyl.	----	2665 ⁹⁵²⁶	.030	1998-94 Turbojet CV4	----	421 ⁹⁵²⁶	.030
1997-77 2-Cyl.	----	2645 ⁹⁵²⁶	.030	1998-79 CV4	----	421 ⁹⁵²⁶	.030
1976	----	421 ⁹⁵²⁶	.030	2006-95 Fast Strike LV4 2-Stroke ...	----	4122 ⁹⁵²⁶	.030
40 h.p.				125 h.p.			
2005-02 4-Stroke 3-Cyl. DOHC	XS4164	4164 ⁸²⁴⁸	.035	1993-86	----	2645 ⁹⁵²⁶	.030
2001-99 Jet 3-Cyl.	----	4122 ⁹⁵²⁶	.030	1985	----	2892	---
2005-89 2-Cyl. 2-Stroke	----	4122 ⁹⁵²⁶	.030	1979-73	----	2645 ⁹⁵²⁶	.030
1988-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030	130 h.p.			
2002-84 2-Cyl. COM. (45 cid)	----	2852	---	135 h.p.			
1990-81 COM. (43 cid)	----	421 ⁹⁵²⁶	.030	140 h.p.			
1976-74	----	421 ⁹⁵²⁶	.030	145 h.p.			
45 h.p.				150 h.p.			
1997-86 COM.	----	2852	---	155 h.p.			
48 h.p.				160 h.p.			
1997-94 SPL	----	4122 ⁹⁵²⁶	.030	165 h.p.			
1997-89 2-Cyl.	----	4122 ⁹⁵²⁶	.030	170 h.p.			
1988-80 2-Cyl.	----	2645 ⁹⁵²⁶	.030	175 h.p.			
50 h.p.				180 h.p.			
2005-02 4-Stroke 3-Cyl. DOHC	XS4164	4164 ⁸²⁴⁸	.035	185 h.p.			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JOHNSON (Cont'd)				JOHNSON (Cont'd)			
115 h.p. (Cont'd)				Models with Standard Ignition: (Cont'd)			
1970-69	---	2645 ⁹⁵²⁶	.030	4 h.p.	---	2645 ⁹⁵²⁶	.030
1984-75 COM.	---	2645 ⁹⁵²⁶	.030	1984-81	---	306	.030
120 h.p.				1976-69 4R, 4W	---	306	.030
1997-85 LV4	---	4122 ⁹⁵²⁶	.030	1967-58 V4, V4A, V4M	---	306	.030
125 h.p.				1967-58 V4S, VX, VXH	---	306	.030
1972-71	---	2645 ⁹⁵²⁶	.030	5 h.p.			
130 h.p.				1968-65	---	306	.030
2000-85 LV4	---	4122 ⁹⁵²⁶	.030	5.5 h.p.			
135 h.p.				1964-54	---	306	.030
1984-73	---	2852	---	6 h.p.			
140 h.p.				1976-65	---	306	.030
2005-03 4-Stroke 4-Cyl. DOHC	XS3923	3923	.030	1976-71 6R, 6RL	---	306	.030
1997-85 LV4	---	4122 ⁹⁵²⁶	.030	7.5 h.p.			
1984-73	---	2852	---	1958-52	---	306	.030
150 h.p.				9 h.p.			
1998-97 LV6 F.F.I.	XP5405 ⁸²⁵⁰	AP5405 ⁸²⁴⁹	.032	1974 9R, 9RL, 9E, 9EL	---	2645 ⁹⁵²⁶	.030
2006-91 Fast Strike LV6 2-Stroke	---	4122 ⁹⁵²⁶	.030	9.5 h.p.			
1991-88 CV6	---	2645 ⁹⁵²⁶	.030	1973-64	---	306	.030
1987-78 CV6	---	2852	---	10 h.p.			
2000-93 COM. LV6	---	4122 ⁹⁵²⁶	.030	1976-75 10E, 10EL, 10R, 10RL	---	2645 ⁹⁵²⁶	.030
155 h.p.				1963-52	---	306	.030
1992-89 COM. CV6	---	2852	---	14-18 h.p.			
1987-78 CV6	---	2852	---	1972-52	---	306	.030
175 h.p.				15 h.p.			
2006-91 Fast Strike LV6 2-Stroke	---	4122 ⁹⁵²⁶	.030	1956-54	---	306	.030
1991-88 CV6	---	2645 ⁹⁵²⁶	.030	18 h.p.			
1987-77	---	2852	---	1973-57	---	306	.030
185 h.p.				20 h.p.			
1993-90 COM.	---	2645 ⁹⁵²⁶	.030	1973 20R, 20RL	---	306	.030
1987-77	---	2892	---	1973-66	---	306	.030
200 h.p.				20-25 h.p.			
2005-04 4-Stroke V6 DOHC	APP3926 ⁸²⁵³	3926	.032	1972-71 20RL, 25RL	---	306	.030
2001-94 Venom LV6	---	4122 ⁹⁵²⁶	.030	1972-69 20R, 25R	---	306	.030
1993-86 V-6	---	2645 ⁹⁵²⁶	.030	25 h.p.			
1983-76	---	2852	---	1976-75 25E, 25EL, 25R, 25RL	---	306	.030
2000-93 COM.	---	4122 ⁹⁵²⁶	.030	1974-73 25E, 25EL, 25R, 25RL	---	306	.030
1992 COM.	---	2852	---	1972 25E, 25EL	---	306	.030
225 h.p.				1976-69	---	306	.030
2005-04 4-Stroke V6 DOHC	APP3926 ⁸²⁵³	3926	.032	1955-52	---	306	.030
2001-94 Venom LV6	---	4122 ⁹⁵²⁶	.030	28 h.p.			
1993-86 V-6	---	2645 ⁹⁵²⁶	.030	1964-62	---	306	.030
235 h.p.				30 h.p.			
1985-78	---	2852	---	1971-56	---	306	.030
250 h.p.				33-40 h.p.			
2001-99 LV6	---	2852	---	1971-65 33R, 33E, 40ES	---	306	.030
1997-85 V-8	---	4122 ⁹⁵²⁶	.030	35 h.p.			
275 h.p.				1959-57	---	306	.030
1988-85	---	4122 ⁹⁵²⁶	.030	40 h.p.			
300 h.p.				1976-75 40E, 40EL, 40R, 40RL	---	2645 ⁹⁵²⁶	.030
1997-85 V-8	---	4122 ⁹⁵²⁶	.030	1974 40E, 40EL, 40R, 40RL	---	2645 ⁹⁵²⁶	.030
3.6 Liter				1973-69 40R, 40E, 40EL, 40RL	---	306	.030
1986-85	---	2645 ⁹⁵²⁶	.030	1973-60	---	306	.030
Models with Standard Ignition:				50 h.p.			
1 h.p.				1959-58	---	306	.030
1970-68 1R	---	306	.030	60 h.p.			
1.2 h.p.				1967-64 V-4	---	306	.030
1990-86 Magneto	---	306	.030	75 h.p.			
1.5 - 2 h.p.				1965-60 V-4	---	306	.030
1970-68	---	306	.030	80 h.p.			
2 h.p.				1967-66	---	306	.030
1984-71 2R	---	306	.030	90 h.p.			
1970-66 Aquanaut Diving Unit	XST258 ⁸²⁵¹	258	.030	1965-64	---	306	.030
3 - 5.2 h.p.				100 h.p.			
1974-52	---	306	.030	1966	---	306	.030
3 h.p.				1968 SC	---	306	.030
1968-52	---	306	.030	1968-67 JHF, JWF	---	306	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JOHNSON (Cont'd)				MARINER			
Models with Standard Ignition: (Cont'd)				2 h.p.			
1968-65 LD	----	306	.030	2A (646), 2B (6A1)	----	2665 ⁹⁵²⁶	.024
1968-65 RXE	----	306	.030	2.5 h.p.			
1968-64 MQ	----	306	.030	2009-89 1-Cyl. (Export)	----	4122 ⁹⁵²⁶	.040
1968-62 RX	----	306	.030	2009-06 1-Cyl. 4-Stroke OHV (Export)	XS4164	4164 ⁸²⁴⁸	.035
1968-56 FD, FDE	----	306	.030	3 h.p.			
1968-54 CD, JH	----	306	.030	1992-90	----	2665 ⁹⁵²⁶	.040
1968-52 JW	----	306	.030	3.3 h.p.			
1968-52 RD, RDE, RDS, RJE, RK	----	306	.030	2009-93 1-Cyl. (Export)	----	4122 ⁹⁵²⁶	.040
1966-52 TN, AD, QD, V4H, V4ML	----	306	.030	3.5 h.p.			
Prior to 1952 All Models w/14mm Threads (3/8" Reach)	XST458 ⁸²⁵¹	458	.025	2009-06 1-Cyl. 4-Stroke OHV (Export)	XS4164	4164 ⁸²⁴⁸	.035
Prior to 1952 All Models w/14mm Threads (1/2" Reach)	----	216	.025	642	----	2665 ⁹⁵²⁶	.040
Prior to 1952 All Models w/18mm Threads	----	386	.025	4 h.p.			
Prior to 1952 All Models w/7/8"-18 Threads	----	3076	.025	2009-99 1-Cyl. 4-Stroke OHV (Export)	XS4164	4164 ⁸²⁴⁸	.035
Air Buoy Diving Unit	XST258 ⁸²⁵¹	258	.025	2009-90 1-Cyl. (Export)	----	4122 ⁹⁵²⁶	.040
K & P (See Mini Motor)				4A (6E0)			
LAROS				5 h.p.			
All Models	----	386	.025	2009-99 1-Cyl. 4-Stroke OHV (Export)	XS4164	4164 ⁸²⁴⁸	.035
LAUSON				2009-90 1-Cyl. (Export)			
2.5 h.p.				5B (661), 5C (6E3)			
1947-46 OB-410 Sport King 1 Cyl.	XST458 ⁸²⁵¹	458	.025	6 h.p.			
1940 OB-410 Sport King 1 Cyl.	XST458 ⁸²⁵¹	458	.025	2009-00 1-Cyl. 4-Stroke OHV (Export)	XS4164	4164 ⁸²⁴⁸	.035
3 h.p.				2009-92 2-Cyl. (Export)			
1956-53 S353, 1 Cyl.	XST458 ⁸²⁵¹	458	.025	6B (678)	----	422 ⁹⁵²⁶	.024
1952 S351 1 Cyl.	XST458 ⁸²⁵¹	458	.025	6C (6H8), 6D (6H6)	----	422 ⁹⁵²⁶	.040
1950 S350 1 Cyl.	XST458 ⁸²⁵¹	458	.025	8 h.p.			
1949 S300 1 Cyl.	XST458 ⁸²⁵¹	458	.025	2009-05 2-Cyl. 4-Stroke SOHC (Export)	XS4164	4164 ⁸²⁴⁸	.035
1948 Sport King 1 Cyl.	XST458 ⁸²⁵¹	458	.025	2006-95 8 BoDensee (Export)	----	4194	.026
4 h.p.				2009-93 2-Cyl. (Export)			
1941 S410 1 Cyl.	XST458 ⁸²⁵¹	458	.025	Marathon 8 (677)	----	422 ⁹⁵²⁶	.024
6 h.p.				8A (647, 655)			
1956-48 2 Cyl.	XST458 ⁸²⁵¹	458	.025	8B, W8 (677)	----	422 ⁹⁵²⁶	.024
MAJESTIC				8C (6G1)			
3.5 h.p.				K8 (680)			
1953 M-2L Fisherman Special 1-Cyl.	----	386	.030	9.9 h.p.			
1955-54 M-2LL Fisherman Special 1-Cyl.	----	386	.030	2009-95 2-Cyl. (Export)	----	4121 ⁹⁵²⁶	.060
4.2 h.p.				2009-95 2-Cyl. Big Foot, Sail Power 4-Stroke SOHC (Export)			
1957-56 M-2N 1-Cyl.	----	386	.030	1994-87	XS4164	4164 ⁸²⁴⁸	.035
1952-50 1MBB 1-Cyl.	----	386	.030	9.9C (682) CDI	----	4121 ⁹⁵²⁶	.040
1952-50 2MB 1-Cyl.	----	386	.030	9.9C (682)	----	422 ⁹⁵²⁶	.038
7.9 h.p.				9.9C (682)			
1952-50 4MB 2-Cyl.	----	386	.030	10 h.p.			
8.5 h.p.				2007-91 2-Cyl. Magnum, Marathon (Export)			
1953 M-4L-GS 2-Cyl.	----	386	.030	15 h.p.			
5 h.p.				2009-04 2-Cyl. Marathon (Export)			
1953 M-3L-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	2009-98 2-Cyl. Big Foot 4-Stroke SOHC (Export)	XS4164	4164 ⁸²⁴⁸	.035
5.5 h.p.				2000-89 2-Cyl.			
1955-54 M-3LL-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	K15 (6M7), K15C (6K4)	----	422 ⁹⁵²⁶	.040
6 h.p.				W15 (684)			
1957-56 M-3N-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	15B (662,664)	----	422 ⁹⁵²⁶	.024
7.5 h.p.				15A, 15C (651, 684), K15 (669)			
1955-54 M-4LL-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	15C (682), Marathon (684) CDI	----	422 ⁹⁵²⁶	.024
7.8 h.p.				2001-92 2-Cyl. Marathon 15 (Export)			
1955-54 M-4N-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	Marathon 15 (684)	----	4121 ⁹⁵²⁶	.040
15 h.p.				2008 2-Cyl. 4-Stroke SOHC (Export)			
1955-54 M-6LL-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	2005-85 2-Cyl. (Export)	XS4164	4164 ⁸²⁴⁸	.035
				2000-95 2-Cyl. 20 Jet			

Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor



Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MARINER (Cont'd)				MARINER (Cont'd)			
20 h.p. (Cont'd)				60 h.p. (Cont'd)			
20A (653), 20C (6A9)	AP425 ⁸²⁴⁹	425	.024	2009-91 3-Cyl. Marathon 69 (Export)	---	4121 ⁹⁵²⁶	.040
25 h.p.				2009-95 3-Cyl. 60 Big Foot (Export) ..			
2009-98 3-Cyl. Big Foot 4-Stroke				60 (6FO)	---	421 ⁹⁵²⁶	.040
SOHC (Export)	XS4164	4164 ⁸²⁴⁸	.035	60E 2-Cyl. S/N 000780 & Below	---	421 ⁹⁵²⁶	.024
2000-85 2-Cyl. 25	---	4121 ⁹⁵²⁶	.040	60E 2-Cyl. S/N 000781 & Above	---	421 ⁹⁵²⁶	.040
K25 (6A4), W25 (648)	---	422 ⁹⁵²⁶	.024	60EL 2-Cyl. S/N 302050 & Below	---	421 ⁹⁵²⁶	.024
W25 (694), W25 (695)	---	2645 ⁹⁵²⁶	.024	60EL 2-Cyl. S/N 302051 & Above	---	421 ⁹⁵²⁶	.040
2009-93 2-Cyl. Marathon 25 (Export)	---			1990-84 3-Cyl.	---	2852	---
Marathon 25 (648)	---	4121 ⁹⁵²⁶	.040	65 h.p.			
Marathon 25 (694), (695)	---	2645 ⁹⁵²⁶	.040	2000-95 3-Cyl. 65 Jet	---	2872	---
25A (648), 25B (690)	---	2645 ⁹⁵²⁶	.024	70 h.p.			
25C (695)	---	2645 ⁹⁵²⁶	.024	3-Cyl.	---	2872	---
28 h.p.				75 h.p.			
664	---	422 ⁹⁵²⁶	.040	2009-00 4-Cyl. 4-Stroke DOHC			
30 h.p.				(Export)			
2009-99 3-Cyl. 4-Stroke SOHC				XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³		.043
(Export)	XS4164	4164 ⁸²⁴⁸	.035	2009-03 Optimax DFI 3-Cyl.			
2000-95 2-Cyl. 30 Jet	---	4121 ⁹⁵²⁶	.040	(Export)	XS5224	5224	.040
30A (689)	---	422 ⁹⁵²⁶	.040	2000-87 3-Cyl.	---	2872	---
W30 (689A), W30 (689B)	---	422 ⁹⁵²⁶	.040	2007-91 3-Cyl. Marathon 75			
2009-95 2-Cyl. 30, Marathon 30				(Export)	---	2872	---
(Export)	---	4121 ⁹⁵²⁶	.040	75-80 h.p.			
Marathon 30 (698B)	---	422 ⁹⁵²⁶	.024	4-Cyl.	---	2872	---
40 h.p.				80 h.p.			
2009-98 3-Cyl. 4-Stroke SOHC				2008 4-Cyl. MFI 4-Stroke DOHC			
(Export)	XS4164	4164 ⁸²⁴⁸	.035	(Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
2009-98 4-Cyl. Big Foot 4-Stroke				2000-95 4-Cyl. 80 Jet	---	4121 ⁹⁵²⁶	.040
SOHC (Export)	XS4164	4164 ⁸²⁴⁸	.035	85 h.p.			
K40 (6F5), W40, W40 (6F6)	---	422 ⁹⁵²⁶	.024			
2009-95 2-Cyl. 40, Marathon 40						
(Export)	---	4121 ⁹⁵²⁶	.040			
2006-97 3-Cyl. (Export)	---	4121 ⁹⁵²⁶	.040			
1994-85 Marathon 40 (6F6)	---	421 ⁹⁵²⁶	.040			
1997-89 40 4-Cyl.	---	2872	---			
40A(676A), 40B (675B)	---	421 ⁹⁵²⁶	.024			
40C (6E9), W40 (676A)	---	421 ⁹⁵²⁶	.040	90 h.p.			
45 h.p.				2009-00 4-Cyl. 4-Stroke DOHC			
2005-95 4-Cyl. 45 BoDensee				(Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
(Export)	XS4164	4164 ⁸²⁴⁸	.035	1999-88 4-Cyl.	---	4121 ⁹⁵²⁶	.040
2000-95 3-Cyl. 45 Jet	---	4121 ⁹⁵²⁶	.040	105 h.p.			
1989-86 4-Cyl.	---	2872	---			
48 h.p.				115 h.p.			
48, W48 (670)	---	422 ⁹⁵²⁶	.040	2009-00 4-Cyl. MFI 4-Stroke DOHC			
50 h.p.				(Export)			
1990-86 3-Cyl.	---	2872	---	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³		.043
1985-80 4-Cyl.	---	2872	---	2009-03 Optimax DFI 3-Cyl.	XS5224	5224	.040
2009-00 4-Cyl. 4-Stroke SOHC				2009-89 4-Cyl. (Export)	---	4121 ⁹⁵²⁶	.040
(Export)	XS4164	4164 ⁸²⁴⁸	.035	6-Cyl.	---	2852	---
2009-95 4-Cyl. Big Foot 4-Stroke				125 h.p.			
SOHC (Export)	XS4164	4164 ⁸²⁴⁸	.035	2009-94 4-Cyl. (Export)			
2009-91 3-Cyl. (Export)	---	4121 ⁹⁵²⁶	.040			
55 h.p.				135 h.p.			
2007-04 3-Cyl. Marathon (Export) ..	---	4121 ⁹⁵²⁶	.040	2009-06 Verado 4-Stroke 4-Cyl.			
2000-91 3-Cyl. Marathon 55 (Export)				DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
.....	---	4121 ⁹⁵²⁶	.040	2009-98 OptiMax DFI V-6 (Export) ..	XS5224	5224	.040
M55 (663)	---	422 ⁹⁵²⁶	.040	2001-00 135 V-6	---	4121 ⁹⁵²⁶	.040
W55 (663)	---	421 ⁹⁵²⁶	.040	1999-86 135 V-6, Marathon, W135 ..	---	2852	---
55E S/N 004040 & Below	---	421 ⁹⁵²⁶	.024	140 h.p.			
55E S/N 004041 & Above	---	421 ⁹⁵²⁶	.038	1999-95 140 Jet			
55EL S/N 315378 & Below	---	421 ⁹⁵²⁶	.024	V-6 (Export)			
55EL S/N 315379 & Above	---	421 ⁹⁵²⁶	.038			
60 h.p.				150 h.p.			
2009-01 4-Cyl. 4-Stroke SOHC, Big				2009-06 Verado 4-Stroke 4-Cyl.			
Foot (Export)	XS4164	4164 ⁸²⁴⁸	.035	DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
				2009-98 OptiMax DFI V-6 (Export) ..			
				XP5224			
				2000-97 Super Magnum EFI V-6			
				2009-00 Magnum EFI V-6, II, III			
				(Export)			

				4121 ⁹⁵²⁶			
				.040			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MARINER (Cont'd)				MARTIN (Cont'd)			
150 h.p. (Cont'd)				7.2 h.p.			
1999-85 Magnum EFI V-6, II, III	----	2852	---	1951-50 60 Hi-Speed 2-Cyl.	XST254 ⁸²⁵¹	303	.035
2005-00 V-6, V150, W150 (Export)	----	4121 ⁹⁵²⁶	.040	1950-46 60 2-Cyl.	XST458 ⁸²⁵¹	456	.035
1999-79 V-6, V150, W150	----	2852	---	1950 66 2-Cyl.	XST458 ⁸²⁵¹	456	.035
175 h.p.				7.5 h.p.			
2009-06 Verado 4-Stroke 4-Cyl. DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	1954-51 75 2-Cyl.	XST458 ⁸²⁵¹	456	.035
2009-01 OptiMax DFI V-6 (Export)	XS5224	5224	.040	10 h.p.			
2002-00 Magnum EFI V-6, 175 SKI (Export)	----	4121 ⁹⁵²⁶	.040	1954-50 100 2-Cyl.	XST254 ⁸²⁵¹	303	.035
1999-89 Magnum EFI V-6, 175 SKI	----	2852	---	1951 100 Hi-Speed 2-Cyl.	XST254 ⁸²⁵¹	303	.035
2000-78 V-6, V175	----	2852	---	20 h.p.			
200 h.p.				1953 200-EH03, 200-EHA 2-Cyl.	----	353	.025
2009-05 Verado 4-Stroke 6-Cyl. DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	1954 200-EHD9000, EHA-9000 2-Cyl.	----	353	.025
2009-97 OptiMax DFI V-6 (Export)	XS5224	5224	.040	McCULLOCH			
2000 Super Magnum EFI V-6	----	4121 ⁹⁵²⁶	.040	3.5 h.p.			
1999-97 Super Magnum EFI V-6	----	2852	---	1969-64 1-Cyl.	----	216	.030
2009-00 Magnum EFI V-6, V200 (Export)	----	4121 ⁹⁵²⁶	.040	4 h.p.			
1999-89 Magnum EFI V-6, V200	----	2852	---	1969-65 1-Cyl.	AP86 ⁸²⁴⁹	86	.035
1988-80	----	2852	---	1969-64 w/Long Shaft 1-Cyl.	----	216	.030
2005-78 V-6 (Export)	----	2852	---	7.5 h.p.			
220 h.p.				1969-58 2-Cyl.	----	216	.035
1988-87 Magnum EFI, V220	----	2852	---	9 h.p.			
225 h.p.				1969-66 2-Cyl.	XST255 ⁸²⁵¹	255	.035
2009-05 Verado 4-Stroke 6-Cyl. DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	9 h.p.			
2001-94 3.0L Marathon V-6 (Export)	----	2645 ⁹⁵²⁶	.035	1969-66 Manual Start 2-Cyl.	XST458 ⁸²⁵¹	456	.035
2009-98 OptiMax DFI V-6, DTS (Export)	XS5224	5224	.040	9.5 h.p.			
2000-97 Super Magnum EFI V-6	----	2852	---	1969-64 2-Cyl.	XST255 ⁸²⁵¹	255	.035
2009-95 3.0L Magnum EFI/Carb. V-6 (Export)	----	2645 ⁹⁵²⁶	.035	14 h.p.			
245 h.p.				1969-63 2-Cyl.	----	353	.035
1995 2.5L Carb. V-6	----	2852	---	28 h.p.			
250 h.p.				1969-63 Manual Start 2-Cyl.	----	353	.035
2009-04 Verado 4-Stroke 6-Cyl. DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	45 h.p.			
2009-97 3.0L EFI V-6 Marathon (Export)	----	2645 ⁹⁵²⁶	.035	1967-63 Manual Start 2-Cyl.	----	353	.035
1990-89 3.4L V-6	----	2852	---	1969-63 Electric Start 2-Cyl.	----	2852	---
260 h.p.				75 h.p.			
1998-95 2.5L EFI V-6	----	2852	---	1969-64 3-Cyl.	----	2852	---
265 h.p.				590/630	----	353	.035
1997 2.5L EFI V-6	----	2852	---	OX140	----	353	.035
275 h.p.				OX450	----	2852	---
2009-05 Verado 4-Stroke 6-Cyl. DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	MERCURY			
1994-91 3.4L V-6	----	2852	---	Merc Series with Thunderbolt Ignition			
300 h.p.				2.2 h.p.			
2009-08 Verado 4-Stroke 6-Cyl. DOHC Supercharged (Export)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	1989-84	----	4122 ⁹⁵²⁶	.040
1998-97 2.5L Drag EFI V-6	----	2852	---	2.5 h.p.			
1998-97 3.0L Super Magnum EFI V-6	----	421 ⁹⁵²⁶	.035	2005-93 1-Cyl. Classic	----	4122 ⁹⁵²⁶	.040
3.0L				2011-06 1-Cyl. 4-Stroke OHV	XS4164	4164 ⁸²⁴⁸	.035
1999-95 Marathon V-6	----	421 ⁹⁵²⁶	.035	3 h.p.			
M1G, M4G	----	216	.025	1992-90	----	4122 ⁹⁵²⁶	.040
M2G	----	386	.025	3.3 h.p.			
MARTIN				2005-93 1-Cyl. Classic	----	4122 ⁹⁵²⁶	.040
2.3 h.p.				3.5 h.p.			
1954-48 20 1-Cyl.	XST254 ⁸²⁵¹	303	.035	1985-83	----	4122 ⁹⁵²⁶	.040
4.5 h.p.				2011-06 1-Cyl. 4-Stroke OHV	XS4164	4164 ⁸²⁴⁸	.035
1954-47 40 2-Cyl.	XST458 ⁸²⁵¹	456	.035	3.6 h.p.			
1954-51 45 2-Cyl.	XST458 ⁸²⁵¹	456	.035	1982-80	----	4122 ⁹⁵²⁶	.040
				4 h.p.			
				2011-00 1-Cyl. 4-Stroke OHV	XS4164	4164 ⁸²⁴⁸	.035
				2005-88 1-Cyl. Classic	----	4122 ⁹⁵²⁶	.040
				1987-86	----	2872	---
				1982-80	----	4122 ⁹⁵²⁶	.035
				1979-76	----	2665 ⁹⁵²⁶	.050
				1974-70	----	2872	---
				4.5 h.p.			
				1985-75	----	2872	---



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MERCURY (Cont'd)				MERCURY (Cont'd)			
Merc Series with Thunderbolt Ignition (Cont'd)				Merc Series with Thunderbolt Ignition (Cont'd)			
5 h.p.				40 h.p. (Cont'd)			
2011-00 1-Cyl. 4-Stroke OHV	XS4164	4164 ⁸²⁴⁸	.035	2005-97 3-Cyl. Classic, 40 Jet	---	4121 ⁹⁵²⁶	.040
2005-88 1-Cyl. Classic	---	4122 ⁹⁵²⁶	.040	1997-88 4-Cyl.	---	2872	---
6 h.p.				1983-70			
2011-00 1-Cyl. 4-Stroke OHV	XS4164	4164 ⁸²⁴⁸	.035	45 h.p.			
2003-86 2-Cyl. Classic	---	4121 ⁹⁵²⁶	.040	2006-95 4-Cyl. 45 BoDensee	XS4164	4164 ⁸²⁴⁸	.035
7.5 h.p.				(Export)			
1985-79	---	2645 ⁹⁵²⁶	.040	2003-95 3-Cyl. 45 Jet	---	4121 ⁹⁵²⁶	.040
1978-70	---	2872	---	1989-86	---	2872	---
8 h.p.				50 h.p.			
2011-05 2-Cyl. 4-Stroke SOHC	XS4164	4164 ⁸²⁴⁸	.035	2011-00 4-Cyl. 4-Stroke SOHC, Big	---	---	---
2006-95 8 BoDensee (Export)	---	4194	.026	Foot	XS4164	4164 ⁸²⁴⁸	.035
2005-86 2-Cyl. Classic	---	4121 ⁹⁵²⁶	.040	2009-95 4-Cyl. Big Foot 4-Stroke	---	---	---
9.8 h.p.				SOHC			
1985-79	---	2645 ⁹⁵²⁶	.040	2009-91 3-Cyl. Classic	XS4164	4164 ⁸²⁴⁸	.035
1978-70	---	2872	---	1990-70	---	2852	---
9.9 h.p.				1969-67 500SS			
2005-95 2-Cyl. Classic	---	4121 ⁹⁵²⁶	.060	55 h.p.			
2011-01 2-Cyl. 4-Stroke SOHC	XS4164	4164 ⁸²⁴⁸	.035	2006-92 3-Cyl. 55 Sea Pro (Export)	---	4121 ⁹⁵²⁶	.040
2011-05 2-Cyl. 4-Stroke SOHC Big	---	---	---	60 h.p.			
Foot, Pro Kicker	XS4164	4164 ⁸²⁴⁸	.035	2011-01 4-Cyl. 4-Stroke SOHC, Big	---	---	---
2006-95 2-Cyl. Big Foot, Sail Power	---	---	---	Foot	XS4164	4164 ⁸²⁴⁸	.035
4-Stroke SOHC	XS4164	4164 ⁸²⁴⁸	.035	2011-10 4-Cyl. 4-Stroke SOHC,	---	---	---
1994-86	---	4121 ⁹⁵²⁶	.040	Flyway	XS4164	4164 ⁸²⁴⁸	.035
10 h.p.				2005-95 3-Cyl. 60 Big Foot			
1996-91	---	4121 ⁹⁵²⁶	.060	2007-91 3-Cyl. 60 Sea Pro (Export),	---	---	---
1998 XR10	---	4121 ⁹⁵²⁶	.060	Classic	---	4121 ⁹⁵²⁶	.040
2006-91 2-Cyl. 10 Sea Pro (Export)	---	4121 ⁹⁵²⁶	.060	1990-84	---	2852	---
15 h.p.				65 h.p.			
2011-00 2-Cyl. 4-Stroke SOHC	XS4164	4164 ⁸²⁴⁸	.035	2010-95 3-Cyl. 65 Jet 2-Stroke	---	2872	---
2011-10 2-Cyl. Prokicker 4-Stroke	---	---	---	1976-70	---	2852	---
SOHC	XS4164	4164 ⁸²⁴⁸	.035	1969-67 650SS	---	2852	---
2009-98 2-Cyl. Big Foot 4-Stroke	---	---	---	70 h.p.			
SOHC	XS4164	4164 ⁸²⁴⁸	.035	1989-87	---	2872	---
2006-97 2-Cyl. 15 Sea Pro (Export),	---	---	---	1983-77	---	2852	---
Classic 2-Cyl.	---	4121 ⁹⁵²⁶	.060	75 h.p.			
1996-89 2-Cyl. 15 Sea Pro (Export),	---	---	---	2011-03 Optimax DFI 3-Cyl.	XS5224	5224	.040
Classic 2-Cyl.	---	4121 ⁹⁵²⁶	.040	2011-00 4-Cyl. 4-Stroke DOHC	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
18 h.p.				2006-87 75 Sea Pro (Export), Classic			
1985-80	---	4121 ⁹⁵²⁶	.040	3-Cyl.	---	2872	---
20 h.p.				1986-84 4-Cyl.			
2011-08 2-Cyl. 4-Stroke SOHC	XS4164	4164 ⁸²⁴⁸	.035	80 h.p.			
2005-95 2-Cyl. 20 Jet 2-Cyl.	---	4121 ⁹⁵²⁶	.040	2011-08 Optimax Jet 3 Cyl.	XS5224	5224	.040
2003-86 2-Cyl. Classic	---	4121 ⁹⁵²⁶	.040	80 h.p.			
1981-70	---	2872	---	2005-95 80 Jet 4 Cyl.	---	4121 ⁹⁵²⁶	.040
25 h.p.				1989-78			
2011-97 3-Cyl. Big Foot, Jet 4-Stroke	---	---	---	1972-69	---	2852	---
SOHC	XS4164	4164 ⁸²⁴⁸	.035	85 h.p.			
2011-10 3-Cyl. Flyway 4-Stroke	---	---	---	1977-73	---	2852	---
SOHC	XS4164	4164 ⁸²⁴⁸	.035	90 h.p.			
2006-80 2-Cyl. 25 Sea Pro (Export),	---	---	---	2011-03 Optimax DFI 3-Cyl.	XS5224	5224	.040
Classic	---	4121 ⁹⁵²⁶	.040	2011-00 4-Cyl. 4-Stroke DOHC	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
30 h.p.				2009-87 3-Cyl. Classic			
2001 3-Cyl. 2-Stroke	---	4121 ⁹⁵²⁶	.040	1986-78 6-Cyl.	---	2852	---
2011-99 3-Cyl. 4-Stroke SOHC	XS4164	4164 ⁸²⁴⁸	.035	95 h.p.			
2001-98 2-Cyl. 30 Jet	---	4121 ⁹⁵²⁶	.040	1967-66 950SS	---	2852	---
1997-95 2-Cyl. 30 Jet	---	2872	---	1966 950	---	2852	---
2005-95 2-Cyl. 30 Sea Pro (Export)	---	4121 ⁹⁵²⁶	.040	100 h.p.			
35 h.p.				1999-88 4-Cyl.			
1991-84	---	2852	---	1969-68 1000SS	---	4121 ⁹⁵²⁶	.040
40 h.p.				1968 1000BP			
2011-98 3-Cyl. 4-Stroke SOHC	XS4164	4164 ⁸²⁴⁸	.035	105 h.p.			
2011-98 4-Cyl. Big Foot, Jet 4-Stroke	---	---	---	1998-95 105 Jet	---	2852	---
SOHC	XS4164	4164 ⁸²⁴⁸	.035	110 h.p.			
2006-95 2-Cyl. 40 Sea Pro (Export),	---	---	---	2011-08 Optimax Jet V-6	XS5224	5224	.040
Classic 2-Cyl.	---	4121 ⁹⁵²⁶	.040	1967 1100SS	---	2852	---



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MERCURY (Cont'd)				MERCURY (Cont'd)			
Merc Series with Thunderbolt Ignition (Cont'd)				Merc Series with Thunderbolt Ignition (Cont'd)			
115 h.p.				225 h.p. (Cont'd)			
2011-03 Optimax DFI 3-Cyl.	XS5224	5224	.040	2005-95 XRi MFI V-6	---	2645 ⁹⁵²⁶	.040
2011-00 4-Cyl. MFI 4-Stroke DOHC	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	2001-00 2.5L Pro Max 225, SS, X, Offshore	---	2852	---
2000 OptiMax DFI V-6	XS5224	5224	.040	2000-94 V-6	---	2645 ⁹⁵²⁶	.040
2011-10 OptiMax Pro XS DFI 3-Cyl. .	XS5224	5224	.040	1981-80	---	2852	---
2005-89 4-Cyl. Classic	---	4121 ⁹⁵²⁶	.040	2005 2.5L OptiMax 2.5XS	XS5224	5224	.040
1988-70 6-Cyl.	---	2852	---	245 h.p.			
125 h.p.				1996-95 2.5L	---	2852	---
2005-94 4-Cyl. Classic	---	4121 ⁹⁵²⁶	.040	1991 2.5L	---	2852	---
2011-10 Optimax DFI 3-Cyl.	XS5224	5224	.040	250 h.p.			
1968 1250BP	---	2852	---	2011-08 OptiMax, DFI V-6	XS5224	5224	.040
1969-68 1250SS	---	2852	---	2011-07 OptiMax Pro XS DFI V-6 ...	XS5224	5224	.040
135 h.p.				2011-04 Verado 4-Stroke 6-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
2009-05 Verado 4-Stroke 4-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	2011-03 3.0L Optimax XS EFI	XS5224	5224	.040
2011-98 OptiMax DFI V-6	XS5224	5224	.040	2005-95 XRi MFI V-6	---	2645 ⁹⁵²⁶	.035
2003-00 V-6 Classic	---	4121 ⁹⁵²⁶	.040	2003-00 Pro XB EFI	---	2645 ⁹⁵²⁶	.035
1999-86 V-6 Classic	---	2852	---	1990-89 3.4L	---	2852	---
1971-70	---	2852	---	260 h.p.			
140 h.p.				1998-95 2.5L Offshore	---	2852	---
1999-95 140 Jet	---	2852	---	265 h.p.			
1980-70	---	2852	---	1997 2.5L SS Drag EFI	---	2852	---
150 h.p.				275 h.p.			
2011-98 OptiMax DFI V-6	XS5224	5224	.040	2010-04 Verado 4-Stroke 6-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
2011 OptiMax Pro XS DFI V-6	XS5224	5224	.031	1994-89	---	2852	---
2011-05 Verado 4-Stroke 4-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	280 h.p.			
2009-00 V-6 Classic (Carb./EFI) ...	---	4121 ⁹⁵²⁶	.040	2005-99 2.5L Offshore Race EFI	---	2645 ⁹⁵²⁶	.035
2005-93 XRi MFI V-6	---	2852	---	2005-00 2.5L Sport, SS EFI	---	2645 ⁹⁵²⁶	.035
2002-85 XR2, XR4, XR6 V-6	---	2852	---	2003-97 2.0L EFI	---	2852	---
2000-99 2.5L Pro Max	---	2852	---	290 h.p.			
1999-78 V-6 Classic	---	2852	---	2005-00 2.5L Champ Race EFI	---	2852	---
1977-73	---	2852	---	300 h.p.			
1999 2.0L	---	2852	---	2011-08 Verado 4-Stroke 6-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
175 h.p.				2011-06 3.2L Optimax 300XS EFI ...	XS5224	5224	.040
2010-08 OptiMax DFI V-6	XS5224	5224	.040	2005-00 2.5L Drag Race EFI	---	2852	---
2011-05 Verado 4-Stroke 4-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	2005-00 3.0L Pro Max 300, X	---	2645 ⁹⁵²⁶	.035
2010-01 OptiMax Pro XS DFI V-6 ...	XS5224	5224	.040	2003-97 2.5L S3000 EFI	---	2852	---
2002-91 XRi MFI V-6	---	2852	---	2003-01 3.0L 300X	---	2645 ⁹⁵²⁶	.035
2001-00 V-6 MFI	---	4121 ⁹⁵²⁶	.040	1999-97 3.0L Champ Race	---	2645 ⁹⁵²⁶	.035
1999-76 V-6	---	2852	---	1988-84 3.4L	---	2852	---
180 h.p.				1983-80	---	2852	---
2005-97 2.0L SST120 EFI, S2000 ...	---	2852	---	350 h.p.			
200 h.p.				2011-08 2.6L Verado Sci 4-Stroke 6-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043
2011-96 OptiMax, DFI V-6	XS5224	5224	.040	Merc Series with Standard Ignition			
2011-04 Verado 4-Stroke 4-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	2.5 h.p.			
2006-97 2.5L 200XS	XS5224	5224	.040	1940 K1	---	306	.025
2006-00 2.5L Optimax 200XS	XS5224	5224	.040	2.9 h.p.			
2005-89 XRi MFI V-6	---	2852	---	1941 KB1	---	306	.025
2005-00 V-6 Classic	---	4121 ⁹⁵²⁶	.040	3 h.p.			
2000-97 2.0L XR2 SS EFI	---	2852	---	1940 K2, K3	---	306	.025
1999-78 V-6 Classic	---	2852	---	3.1 h.p.			
2011-10 OptiMax Pro XS DFI V-6 ...	XS5224	5224	.031	1941 KB1A	---	306	.025
1997 2.0L Duece High EFI	---	2852	---	3.2 h.p.			
220 h.p.				1941 KB2	---	306	.025
1988-87 XRi	---	2852	---	1942-41 KB3	---	306	.025
225 h.p.				1947-46 KD3	---	306	.025
2011-98 OptiMax DFI V-6	XS5224	5224	.031	1947 KD3S	---	306	.025
2011-06 3.0L Optimax Sport XS EFI .	XS5224	5224	.040	3.5 h.p.			
2011-06 OptiMax Pro XS DFI V-6 ...	XS5224	5224	.031	1950-49 KF3	---	306	.025
2011-04 Verado 4-Stroke 6-Cyl. DOHC Supercharged	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043	3.6 h.p.			
2006-95 3.0L Sea Pro (Export) V-6 ...	---	2645 ⁹⁵²⁶	.035	1948-47 KE3	---	306	.025
2006-00 V6 4-Stroke EFI DOHC ...	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.043				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MERCURY (Cont'd)				MERCURY (Cont'd)			
Merc Series with Standard Ignition (Cont'd)				Merc Series with Standard Ignition (Cont'd)			
3.9 h.p.				25 h.p. (Cont'd)			
1968-67 39	AP425 ⁸²⁴⁹	425	.030	1950-49 KF9Q	XST254 ⁸²⁵¹	303	.030
1966-64 39	---	306	.025	1952-50 KG9Q, KG9QS	XST254 ⁸²⁵¹	303	.030
4 h.p.				30 h.p.			
1969 40	AP425 ⁸²⁴⁹	425	.030	1958-56 Mark 30, Mark 30E, Mark 30H	XST254 ⁸²⁵¹	303	.030
5 h.p.				35 h.p.			
1952-49 KF5	---	306	.025	1960 300	XST254 ⁸²⁵¹	303	.025
1955-53 Mark 5	---	306	.025	1969-67 350	---	422 ⁹⁵²⁶	.030
5.8 h.p.				40 h.p.			
1942-41 KB4	---	306	.025	1966 350	---	353	.025
5.9 h.p.				45 h.p.			
1955 Mark 6	---	306	.025	1965-63 350 2 Cyl.	XST254 ⁸²⁵¹	303	.025
6 h.p.				50 h.p.			
1968-67 60	---	2665 ⁹⁵²⁶	.030	1959 Mark 35A	XST254 ⁸²⁵¹	303	.030
1966-61 60	---	306	.025	1961 350 4-Cyl.	XST254 ⁸²⁵¹	303	.025
1940 K4, K5	---	306	.025	1954 Mark 50, Mark 50E	XST254 ⁸²⁵¹	303	.030
1941 KB-5	---	306	.025	1958-55 Mark 55, Mark 55E, Mark 55H	XST254 ⁸²⁵¹	303	.030
1947-46 KD4	---	306	.025	1959 Mark 55A	XST254 ⁸²⁵¹	303	.030
1947 KD4S	---	306	.025	45 h.p.			
1947 KE4A	---	306	.025	1961-60 400	XST254 ⁸²⁵¹	303	.025
1958-56 Mark 6	---	306	.025	1958 Mark 58	XST254 ⁸²⁵¹	303	.030
1959 Mark 6A	---	306	.025	1959 Mark 58A	XST254 ⁸²⁵¹	303	.030
7.5 h.p.				50 h.p.			
1969 75	---	2665 ⁹⁵²⁶	.030	1961 500	XST254 ⁸²⁵¹	303	.025
1952-47 KE4	---	306	.025	1967 500M	---	422 ⁹⁵²⁶	.030
1952-50 KG4	---	306	.025	60 h.p.			
1952-50 KG4H	XST254 ⁸²⁵¹	303	.030	1960 600	XST254 ⁸²⁵¹	303	.025
1955-53 Mark 7	---	306	.025	1958-57 Mark 75E, Mark 75H	XST254 ⁸²⁵¹	303	.030
9.8 h.p.				65 h.p.			
1969-67 110	---	422 ⁹⁵²⁶	.030	1959 Mark 75A	XST254 ⁸²⁵¹	303	.030
1966-62 110	---	306	.025	1966-63 650	---	353	.025
10 h.p.				70 h.p.			
1960 100	---	306	.025	1967 650S	---	422 ⁹⁵²⁶	.030
1949-47 KE7	---	306	.025	70 h.p.			
1950-49 KF7	---	306	.025	1962-60 700	XST254 ⁸²⁵¹	303	.025
1950-49 KF7HD, KF7Q	XST254 ⁸²⁵¹	303	.030	1958 Mark 78E, Mark 78EL	XST254 ⁸²⁵¹	303	.030
1952-50 KG7	---	306	.025	1959 Mark 78A	XST254 ⁸²⁵¹	303	.030
1952-50 KG7H, KG7Q	XST254 ⁸²⁵¹	303	.030	80 h.p.			
1952 KH7	---	306	.025	1961-60 800E S/N 1403610	---	353	.025
1958-57 Mark 10	---	306	.025	1961-60 800E S/N 1403611	---	353	.025
1959 Mark 10A	---	306	.025	1961-60 800EL S/N 1405606	---	353	.025
1953 Mark 15	---	306	.025	1961-60 800EL S/N 1405607	---	353	.025
1959 Mark 15A	---	306	.025	85 h.p.			
15 h.p.				90 h.p.			
1961-60 150	---	306	.025	1964-62 850	---	353	.025
16 h.p.				90 h.p.			
1955-53 Mark 20	XST254 ⁸²⁵¹	303	.030	1965 900	---	353	.025
18 h.p.				100 h.p.			
1955 Mark 25, Mark 25E	XST254 ⁸²⁵¹	303	.030	1965-62 1000	---	353	.025
20 h.p.				110 h.p.			
1969-67 200	---	422 ⁹⁵²⁶	.030	1966 1100	---	422 ⁹⁵²⁶	.030
1966-63 200	XST254 ⁸²⁵¹	303	.025	MID-JET			
1958-56 Mark 25	XST254 ⁸²⁵¹	303	.030	M2, M3	---	353	.030
1957-56 Mark 25E	XST254 ⁸²⁵¹	303	.030	M4	---	421 ⁹⁵²⁶	.030
22 h.p.				MILBURN			
1961-60 200	XST254 ⁸²⁵¹	303	.025	2.5 h.p.			
1958-57 Mark 28	XST254 ⁸²⁵¹	303	.030	1950-49 Cub	---	306	.018
1959 Mark 28A	XST254 ⁸²⁵¹	303	.030	MINI MOTOR (K & P)			
25 h.p.				1973 Aqua Bug II			
1962 250	XST254 ⁸²⁵¹	303	.025	XST2956 ⁸²⁵¹	2956	.025	
1956-54 Mark 20H	XST254 ⁸²⁵¹	303	.030	1973-72 Aqua Bug	XST258 ⁸²⁵¹	258	.030
1950-49 KF9	---	306	.025	1973-69 Mini Motor	XST258 ⁸²⁵¹	258	.030
1952-50 KG9	---	306	.025				
1951 KG9-1	---	306	.025				
1954-53 Mark 40	XST254 ⁸²⁵¹	303	.030				
1955-53 Mark 40H	XST254 ⁸²⁵¹	303	.030				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MIGHTY MITE III				MUNCIE (Cont'd)			
1.7 h.p.				2 h.p. (Cont'd)			
MM, MM II	XST458 ⁸²⁵¹	456	.025	1946-45 15-B-2	---	386	.025
2 h.p.				4 h.p.			
MM III	XST458 ⁸²⁵¹	456	.025	1941 11-B-4	XST254 ⁸²⁵¹	303	.025
MONARCH				6 h.p.			
All Models	---	306	.025	1946-45 15-B-4	XST254 ⁸²⁵¹	303	.025
MONARK (Also See VOLVO PENTA)				9.5 h.p.			
3.9 h.p.				16 h.p.			
1975-72 1-Cyl.	---	306	.032	1941 11-A-6, 11-AA-6, 11-B-6	XST254 ⁸²⁵¹	303	.025
5 h.p.				9.5 h.p.			
1975-72 1-Cyl.	---	306	.032	1941 11-A-9, 11-AA-9, 11-B-9	XST254 ⁸²⁵¹	303	.025
14 h.p.				16 h.p.			
1975-72 2-Cyl.	---	306	.032	1946-45 15-A-9, 15-AA-9	XST254 ⁸²⁵¹	303	.025
25 h.p.				17-B-1			
1974-72 2-Cyl.	---	306	.032	1941 11-A-16, 11-B-16	---	386	.025
40 h.p.				17-B-1			
1974-67 3-Cyl.	---	306	.032	1941 11-A-16, 11-B-16	XST254 ⁸²⁵¹	303	.025
45 h.p.				MT-TE-IV			
1974-67 3-Cyl.	---	306	.032	All Models	XST458 ⁸²⁵¹	458	.030
60 h.p.				NEPTUNE			
1974-73 3-Cyl.	---	306	.032	1.2 h.p.			
70 h.p.				1940 10A1 1-Cyl.			
1976-74 3-Cyl.	---	306	.032	XST458 ⁸²⁵¹	456	.025	
MONO				1938 1A38, 1B38, 1C38 1-Cyl.			
M5A, M6A	XST458 ⁸²⁵¹	456	.030	XST458 ⁸²⁵¹	456	.025	
M50	XST254 ⁸²⁵¹	303	.030	1939 1A39, 1B39 1-Cyl.	XST458 ⁸²⁵¹	456	.025
M75	XS85	85	.030	1.5 h.p.			
MOTO ATTREZZI				1941 11A1 1-Cyl.			
Mac 10 (Wankel)	---	2665 ⁹⁵²⁶	.025	---	306	.025	
MOTORGO				1946 15A1, 15B1 1-Cyl.			
1.25 h.p.				XST254 ⁸²⁵¹			
1922-14 810, 811 1-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
1927-23 812 1-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
2.75 h.p.				1951-49 A1 1-Cyl.			
1928 890 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
3 h.p.				1960-57 AA1A Cyl.			
1932 7203 2-Cyl.	---	386	.025	XST254 ⁸²⁵¹	303	.025	
2.75 h.p.				1949 B1 1-Cyl.			
1929 5771 2-Cyl.	---	386	.025	XST254 ⁸²⁵¹	303	.025	
6 h.p.				1962 Mighty Mite 1-Cyl.			
1932-31 7206 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
1930 8206 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
10 h.p.				1970 Mighty Mite 1-Cyl.			
1929 5770 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
14 h.p.				1975-71 Mighty Mite 500 1-Cyl.			
1932-31 7214 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
1930 8214 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
20 h.p.				1977-75 Mighty Mite II 1-Cyl.			
1932-31 7220 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
1930 8220 2-Cyl.	---	386	.025	XST458 ⁸²⁵¹	456	.025	
MUNCIE				1969-63 WC1 1-Cyl.			
1.5 h.p.				1961 WC1 1-Cyl.			
1941 11-A-1, 11-B-1	---	306	.025	XST458 ⁸²⁵¹	456	.025	
1946-45 15-A-1, 15-B-1	---	306	.025	2 h.p.			
1.7 h.p.				1935 OB1 1-Cyl.			
1950-48 A-1, B-1, WC-1	XST458 ⁸²⁵¹	456	.025	---	386	.025	
2 h.p.				1936 OB11 1-Cyl.			
1941 11-A-2, 11-AA-2, 11-B-2	---	386	.025	---	386	.025	
				1937 OB12, OB12A 1-Cyl.			
				XST254 ⁸²⁵¹			

				386			
				2.5 h.p.			
				1946 15B2 1-Cyl.			

				306			
				1930 OB2 2-Cyl.			

				386			
				1931-30 OB2A 2-Cyl.			

				386			
				1931 OB2CB 2-Cyl.			

				386			
				2.7 h.p.			
				1947 17A2 1-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				3.3 h.p.			
				1949 A2 1-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				1951-49 AA2 1-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				3.5 h.p.			
				1946 15A3 2-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				1947 17A3 1-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				1948 18AA3 2-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				1948 18AA3 2-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				4 h.p.			
				1946 15A4 2-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				1947 15B4 2-Cyl.			
				XST254 ⁸²⁵¹			
				303			
				1932 OB3, OB3B, OB3BU 2-Cyl.			

				386			
				1934-33 OB31A 2-Cyl.			

				386			
				1935 OB32A 2-Cyl.			

				386			
				1936 OB34 2-Cyl.			

				386			
				1937 OB35, OB35A 2-Cyl.			



				386			
				1933-32 OB3A, OB3U 2-Cyl.			

				386			
				1933 OB4, OB4B, OB4BU 2-Cyl.			

				386			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NEPTUNE (Cont'd)				NISSAN (Cont'd)			
4 h.p. (Cont'd)				6 h.p.			
1934 OB5, OB5U 2-Cyl.	----	386	.025	2011-01 NFS6, Sail Pro 1-Cyl. OHV 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
5 h.p.				8 h.p.			
1951-49 AA4 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2011-04 NFS8, 2-Cyl. 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
6 h.p.				2003-85 2-Cyl.	----	275	.040
1947 15A6, 15AA6 2-Cyl.	XST254 ⁸²⁵¹	303	.025	9.8 h.p.			
1951-48 18AA6 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2003-98 2-Cyl.	----	275	.040
1948 18AA6 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2011-04 NFS9.8, 2-Cyl. 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
1932-31 OB4A 2-Cyl.	----	386	.025	9.9 h.p.			
1934 OB61A 2-Cyl.	----	386	.025	2003-00 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
1935 OB63 2-Cyl.	----	386	.025	1998-85 2-Cyl.	----	4122 ⁹⁵²⁶	.040
1936 OB64 2-Cyl.	----	386	.025	12 h.p.			
1937 OB65, OB65A 2-Cyl.	----	386	.025	1994 2-Cyl.	----	422 ⁹⁵²⁶	.040
7 h.p.				1987-85 2 Cyl.	----	422 ⁹⁵²⁶	.040
1951-49 AA6 2-Cyl.	XST254 ⁸²⁵¹	303	.025	15 h.p.			
9.5 h.p.				2011-00 NFS15, 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
1947-46 15A9, 15AA9 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2001-85 2-Cyl.	----	4122 ⁹⁵²⁶	.040
1946 15AAA10 2-Cyl.	XST254 ⁸²⁵¹	303	.025	18 h.p.			
1948 18AA10 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2002-86 2-Cyl.	----	4122 ⁹⁵²⁶	.040
1948 18AA10 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2009-01 NFS18, 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
10.5 h.p.				20 h.p.			
1951-49 AA10 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2011-08 NFS20 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
16 h.p.				25 h.p.			
1940 10A16 2-Cyl.	----	386	.025	2011-02 NFS25, 3-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
1941 11A16, 11B16 2-Cyl.	----	386	.025	2002-86 2-Cyl.	----	4122 ⁹⁵²⁶	.040
1939 16A39, 16B39 2-Cyl.	----	386	.025	30 h.p.			
1934 OB15, OB15B 2-Cyl.	----	386	.025	2011-02 NFS30, 3-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
1934-31 OB15A 2-Cyl.	----	386	.025	2002-86 2-Cyl.	----	4122 ⁹⁵²⁶	.040
1936-35 OB16A 2-Cyl.	----	386	.025	35 h.p.			
1937 OB17, OB17A 2-Cyl.	----	386	.025	1995-94 2-Cyl.	----	422 ⁹⁵²⁶	.040
101	XST458 ⁸²⁵¹	456	.025	40 h.p.			
102	----	386	.025	1998-85 2-Cyl.	----	422 ⁹⁵²⁶	.040
104, 106	XST254 ⁸²⁵¹	303	.025	2003-93 3-Cyl.	----	422 ⁹⁵²⁶	.040
111	----	306	.025	2011-03 NSD40, 3-Cyl. TLDI	XS985	985	.040
112	----	386	.025	45 h.p.			
113, 114, 116	XST254 ⁸²⁵¹	303	.025	1995-94	----	422 ⁹⁵²⁶	.040
139, 189	XST458 ⁸²⁵¹	456	.025	50 h.p.			
238, 239, 438, 439	----	386	.025	2011-01 NSD50, 3-Cyl. TLDI	XS985	985	.040
539	XST254 ⁸²⁵¹	303	.025	2002-88 3-Cyl.	----	421 ⁹⁵²⁶	.040
839	----	386	.025	55 h.p.			
939, 1010	XST254 ⁸²⁵¹	303	.025	1986-85 2-Cyl.	----	421 ⁹⁵²⁶	.040
1016	----	386	.025	60 h.p.			
1110	XST254 ⁸²⁵¹	303	.025	1995-87 2-Cyl.	----	421 ⁹⁵²⁶	.040
1638, 1639	----	386	.025	70 h.p.			
11A	----	386	.025	2003-02 3-Cyl. (A) TLDI	XS985	985	.040
15AA3	XST254 ⁸²⁵¹	303	.025	2011-03 NSD70, 3-Cyl. (B) TLDI	XS5224	5224	.040
				2002-86 3-Cyl.	----	421 ⁹⁵²⁶	.040
				90 h.p.			
				2003-01 3-Cyl. (A) TLDI	XS985	985	.040
				2011-03 NSD90, 3-Cyl. (B) TLDI	XS5224	5224	.040
				2002-88 3-Cyl.	----	421 ⁹⁵²⁶	.040
				115 h.p.			
				2011-05 NSD115, 4-Cyl. TLDI	XS5224	5224	.040
				120 h.p.			
				2005-90 4-Cyl.	----	421 ⁹⁵²⁶	.040
				140 h.p.			
				2005-90 4-Cyl.	----	421 ⁹⁵²⁶	.040



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
OLIVER				PEERLESS			
5.5 h.p.				J5, J9 XST258 ⁸²⁵¹ 258 .030			
1956-55 Challenger 55J, J2 2-Cyl.E31 XST458 ⁸²⁵¹ 456 .030				PENTA (See Volvo Penta)			
6 h.p.				PERKINS			
1960-59 Mohawk J5, J6 XST458 ⁸²⁵¹ 456 .030				4.5, 6.5 h.p.			
1958-57 Challenger J3, J4 XST458 ⁸²⁵¹ 456 .030				1965-62 XST458 ⁸²⁵¹ 456 .028			
15 h.p.				6 h.p.			
1956-55 Commander 55K, K2, K2E ---- 216 .030				1961-59 XST458 ⁸²⁵¹ 456 .028			
16 h.p.				16 h.p.			
1960-59 Lancer K5, K5E, K6, K6-E ---- 216 .030				1961-59 ---- 216 .028			
1958-57 Commander K3, K3E, K4, K4-E ---- 216 .030				18 h.p.			
35 h.p.				1965-62 ---- 216 .028			
1960-57 Olympus B, B2, B3, B4-E ---- 373 .030				30 40 h.p.			
				1965-62 ---- 2665 ⁹⁵²⁶ .035			
OTASCO				35 h.p.			
5, 7, 7.5 h.p.				1961 14mm Heads ---- 2665 ⁹⁵²⁶ .035			
1974-70 XS85 4275 ⁸²⁴⁸ .035				1960-59 18mm Heads ---- 386 .035			
9.9, 15 h.p.				40 h.p.			
1974-70 XS85 4275 ⁸²⁴⁸ .035				1961-59 ---- 2665 ⁹⁵²⁶ .035			
3.5, 5 h.p.							
1969 XST458 ⁸²⁵¹ 308 .035				POWER BEE (Chrysler)			
5, 7 h.p.				4.25 h.p.			
1968 XST458 ⁸²⁵¹ 308 .035				5000, 5002, 5004, 5006 XST255 ⁸²⁵¹ 255 .025			
7 h.p.				5010, 5008, 5012, 5014 XST255 ⁸²⁵¹ 255 .025			
1969 XS85 4275 ⁸²⁴⁸ .035				3.3 h.p.			
				50052, 50054 XST255 ⁸²⁵¹ 255 .030			
OTTERBINE				2 h.p.			
2 h.p.				50056 XST255 ⁸²⁵¹ 255 .030			
(B&S Eng.) Jet Drive XST458 ⁸²⁵¹ 458 .025				3 h.p.			
				51001 ---- 216 .030			
OUTBOARD JET				51005, 51007, 51009, 51011 XST458 ⁸²⁵¹ 456 .030			
5.5 h.p.				4 h.p.			
J55, J55B XST254 ⁸²⁵¹ 303 .030				58011 ---- 216 .030			
1992-84 1.6L, 1.8L Sea Drive ---- 2645 ⁹⁵²⁶ .040				58021, 58023, 58029, 58031, 58033 XST458 ⁸²⁵¹ 456 .030			
1992-90 2.0L, 3.0L Sea Drive ---- 2645 ⁹⁵²⁶ .040				58035, 58037, 58039, 58043, 58045 XST458 ⁸²⁵¹ 456 .030			
1990-84 2.6L, 2.7L Sea Drive ---- 2645 ⁹⁵²⁶ .040				58047, 58-48, 58049, 58051, 58053 . XST458 ⁸²⁵¹ 456 .030			
1990-84 3.6L Sea Drive ---- 2645 ⁹⁵²⁶ .040				7.5 h.p.			
1991-90 4.0L Sea Drive ---- 2645 ⁹⁵²⁶ .040				61001, 61002 ---- 421 ⁹⁵²⁶ .030			
1983 1.6L, 2.5L Sea Drive ---- 2852 ---				5.5 h.p.			
1983-81 1AA, 2.6L Sea Drive ---- 2852 ---				61005, 61006, 61014 ---- 2665 ⁹⁵²⁶ .030			
1983-81 1AB, 2.5L Sea Drive ---- 2852 ---				4.7 h.p.			
				61010 ---- 421 ⁹⁵²⁶ .030			
PATHFINDER (Aldens)				8 h.p.			
3 h.p.				61012 ---- 421 ⁹⁵²⁶ .030			
1967 1173 1-Cyl. XST458 ⁸²⁵¹ 456 .030				5 h.p.			
1961 1105 1-Cyl. XST458 ⁸²⁵¹ 456 .030				70019, 70033, 70037, 70039, 70041 XST458 ⁸²⁵¹ 456 .030			
4 h.p.				10 h.p.			
1962 1116, 1120 1-Cyl. XST458 ⁸²⁵¹ 456 .030				82001, 82002 ---- 421 ⁹⁵²⁶ .030			
5 h.p.				7 h.p.			
1970 1194B 1-Cyl. XS85 85 .030				82003 ---- 421 ⁹⁵²⁶ .030			
1969 1194 1 Cyl. XST458 ⁸²⁵¹ 456 .030				6.2 h.p.			
1968 1178 1 Cyl. XST458 ⁸²⁵¹ 456 .030				82005 ---- 2665 ⁹⁵²⁶ .030			
1967 1162, 1175 1 Cyl. XST458 ⁸²⁵¹ 456 .030				82006 ---- 421 ⁹⁵²⁶ .030			
1965 1145, 1145A, 1145B 1 Cyl. XST458 ⁸²⁵¹ 456 .030				6.7 h.p.			
1961 1106 1-Cyl. XST458 ⁸²⁵¹ 456 .030				82007 ---- 2665 ⁹⁵²⁶ .030			
7 h.p.				6.5 h.p.			
1971 1721A 1-Cyl. XS85 85 .030				82008 ---- 2665 ⁹⁵²⁶ .030			
1970 1723B 1-Cyl. XS85 85 .030				6.2 h.p.			
1969 1186 1-Cyl. XS85 85 .030				82009 ---- 2665 ⁹⁵²⁶ .030			
1968 1179 1-Cyl. XST458 ⁸²⁵¹ 456 .030				6.5 h.p.			
1967 1174 1-Cyl. XST458 ⁸²⁵¹ 456 .030				82010 ---- 2665 ⁹⁵²⁶ .030			
				6.2 h.p.			
				82017, 82019, 82021, 82023 ---- 2665 ⁹⁵²⁶ .030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POWER BEE (Chrysler) (Cont'd)				SABER (Cont'd)			
7 h.p. 82026, 82027	----	2665 ⁹⁵²⁶	.030	25 h.p. 1956 22D11M, 22DE11M, 22D13M 2-Cyl.	----	353	.030
6.7 h.p. 82029	----	2665 ⁹⁵²⁶	.030	SCOTT (McCulloch)			
7 h.p. 82030, 82032, 82033, 82034, 82036	----	2665 ⁹⁵²⁶	.030	3.6, 4, 5, 6, 7, 8 h.p. Thru 1964	----	216	.035
10 h.p. 82038, 82039	----	421 ⁹⁵²⁶	.030	9.5 h.p. Thru 1964	XST254 ⁸²⁵¹	303	.035
RILEY				10 h.p. Thru 1964	----	216	.035
75 h.p. 1956-54 Riley 75, 5 Cyl. Radial Eng.	XST254 ⁸²⁵¹	303	.025	12, 14, 14.1 h.p. Thru 1964	XST254 ⁸²⁵¹	303	.035
ROYAL (Atlas)				16 h.p.	----	373	.035
1.5 h.p. 1949-48 1A5 1-Cyl.	XST254 ⁸²⁵¹	303	.025	22, 25 h.p. Thru 1964	XST254 ⁸²⁵¹	303	.035
3 h.p. 1956 3D13A 1-Cyl.	----	353	.030	----	353	.035
1955-53 3D11A 1-Cyl.	----	353	.030	27.7 h.p. 1964	----	353	.035
1952 3D10A 1-Cyl.	----	353	.030	1963-61	XST254 ⁸²⁵¹	303	.035
1950 1A9 1-Cyl.	----	353	.030	28 h.p. Thru 1964	XST254 ⁸²⁵¹	303	.035
5 h.p. 1956 5D12A 2-Cyl.	----	353	.025	30, 33, 40, 60 h.p. Thru 1964	XST254 ⁸²⁵¹	303	.035
1956 5D13A 2-Cyl.	----	353	.025	----	353	.035
1955 5D11A 2-Cyl.	----	353	.025	43.7, 45, 50 h.p. 1964-62 w/Manual Start	----	353	.035
1955 5S11A 2-Cyl.	----	353	.025	60 h.p. 1960-59	XST254 ⁸²⁵¹	303	.035
1954-51 5D10A 2-Cyl.	----	353	.025	75 h.p. 1963-62 Flying Scott	XST254 ⁸²⁵¹	303	.035
1954-33 5S10A 2-Cyl.	----	353	.025	75.2 h.p. 1961 Custom	XST254 ⁸²⁵¹	303	.035
1950 2A7 2-Cyl.	----	353	.025	SCOTT-ATWATER			
1949 2A7 2-Cyl.	XST254 ⁸²⁵¹	303	.025	All Models w/14mm Threads (3/8" Reach)	XST458 ⁸²⁵¹	458	.030
1948-47 2A3 2-Cyl.	XST254 ⁸²⁵¹	303	.025	All Models w/14mm Threads (1/2" Reach)	----	216	.030
12 h.p. 1956 12D13A 2-Cyl.	----	353	.025	All Models w/18mm Threads	----	386	.030
1955-54 12D11A 2-Cyl.	----	353	.025	SEA-BEE (Goodyear)			
1953-51 12D10A 2-Cyl.	----	353	.025	1.5 h.p. 1950 1-Cyl.	----	353	.030
1953 12S10A 2-Cyl.	----	353	.025	1949-48 1-Cyl.	XST458 ⁸²⁵¹	458	.025
1950 2A8 2-Cyl.	----	353	.025	3 h.p. 1960-50 1-Cyl.	----	353	.030
1949-48 2A8 2-Cyl.	----	353	.025	1949-46 1-Cyl.	XST458 ⁸²⁵¹	458	.025
22 h.p. 1955 22D10A, 22D12A, 22DE10A, 22DE12A 2-Cyl.	----	353	.025	5 h.p. 1960-50 2-Cyl.	----	353	.030
25 h.p. 1956 25D11A, 25D13A, 25DE11A, 25DE13A 2-Cyl.	----	353	.025	1949-46 2-Cyl.	XST458 ⁸²⁵¹	458	.025
SABER				12 h.p. 1960-50 2-Cyl.	----	353	.030
3 h.p. 1955 3D13M 1-Cyl.	----	353	.030	1949-48 2-Cyl.	XST458 ⁸²⁵¹	458	.025
1955 3D12M 1-Cyl.	----	353	.030	22 h.p. 1955 2-Cyl.	----	353	.030
1953 3D10D 1-Cyl.	----	353	.030	25 h.p. 1959-56 2-Cyl.	----	353	.030
1953 3D11D 1-Cyl.	----	353	.030	35 h.p. 1960-58 2-Cyl.	----	353	.030
5 h.p. 1956 5D12M 2-Cyl.	----	353	.030	SEABREEZE			
1956 5D13M 2-Cyl.	----	353	.030	7 h.p. 1966 1159 1-Cyl.	XST258 ⁸²⁵¹	258	.035
1955 5D11M 2-Cyl.	----	353	.030				
1956-55 5S12M 2-Cyl.	----	353	.030				
1953 5D10D 2-Cyl.	----	353	.030				
1953 5S10D 2-Cyl.	----	353	.030				
12 h.p. 1956 12D13M 2-Cyl.	----	353	.030				
1955 12D11M 2-Cyl.	----	353	.030				
1953 12D10D 2-Cyl.	----	353	.030				
1953 12S10D 2-Cyl.	----	353	.030				
22 h.p. 1955 22D10M, 22DE10M 2-Cyl.	----	353	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SEACO				SEA FLYER (Goodrich) (Cont'd)			
3.5 h.p.				8.5 h.p.			
1978 14117A 1-Cyl.	XS85	85	.035	1953 G-4L-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030
4.5 h.p.				12 h.p.			
1978 14074B 1-Cyl.	XS85	85	.035	1952-51 12D10 2-Cyl.	XST254 ⁸²⁵¹	303	.030
1977 14074A 1-Cyl.	XS85	85	.035	15 h.p.			
1976 14051A 1-Cyl.	XS85	85	.035	1954 G-6LL-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030
1975 1903C 1-Cyl.	XS85	85	.035	SEAGULL (See British Seagull)			
1974 1903B 1-Cyl.	XS85	85	.035	SEA HAWK			
1973 1903A 1-Cyl.	XS85	85	.035	5 h.p.			
5.5 h.p.				1974 1913B 1-Cyl. XS85 85 .030			
1977 14075A 1-Cyl.	XS85	85	.035	1973 1913A 1-Cyl. XS85 85 .030			
1976 14052A 1-Cyl.	XS85	85	.035	1972 1775A 1-Cyl. XS85 85 .030			
1975 1970A 1-Cyl.	XS85	85	.035	7 h.p.			
7.5 h.p.				1972 1776A 1-Cyl. XS85 85 .030			
1975 1905C 1-Cyl.	XS85	85	.035	7.5 h.p.			
1974 1905B 1-Cyl.	XS85	85	.035	1975 1914C 1-Cyl. XS85 85 .030			
1973 1905A 1-Cyl.	XS85	85	.035	1974 1914B 1-Cyl. XS85 85 .030			
9.9 h.p.				1973 1914A 1-Cyl. XS85 85 .030			
1977 14076A 2-Cyl.	XS85	85	.035	9.9 h.p.			
1976 14053A 2-Cyl.	XS85	85	.035	1974 1916B 2-Cyl. XS85 85 .030			
1975 1906C, 1906D 2-Cyl.	XS85	85	.035	1973 1916A 2-Cyl. XS85 85 .030			
1974 1906B 2-Cyl.	XS85	85	.035	15 h.p.			
1973 1906A 2-Cyl.	XS85	85	.035	1974 1917B 2-Cyl. XS85 85 .030			
15 h.p.				1973 1917A 2-Cyl. XS85 85 .030			
1975 1907C 2-Cyl.	XS85	85	.035	SEA-KING (Montgomery-Ward)			
1974 1907B 2-Cyl.	XS85	85	.035	1.5 Thru 25 h.p.			
1973 1907A 2-Cyl.	XS85	85	.035	1963-50 --- 353 .030			
SEACRUISER (Grants)				2 h.p.			
3.5 h.p.				1980-79 XST458 ⁸²⁵¹ 456 .030			
1974 1929B 1-Cyl.	XS85	85	.030	3.5 h.p.			
1973 1929A 1-Cyl.	XS85	85	.030	1980-79 XST258 ⁸²⁵¹ 258 .030			
1972 1791A 1-Cyl.	XS85	85	.030	1970-64 --- 216 .030			
5 h.p.				4 h.p.			
1974 1930B 1-Cyl.	XS85	85	.030	1984-79 --- 422 ⁹⁵²⁶ .030			
1973 1930A 1-Cyl.	XS85	85	.030	5 h.p.			
1972 1766B 1-Cyl.	XS85	85	.030	1969 XST458 ⁸²⁵¹ 456 .030			
1971 1766A 1-Cyl.	XS85	85	.030	6 cid XS85 85 .030			
7 h.p.				5.8 h.p.			
1974 1931B 1-Cyl.	XS85	85	.030	1970-64 --- 216 .030			
1973 1931A 1-Cyl.	XS85	85	.030	5.9 h.p.			
1972 1767B 1-Cyl.	XS85	85	.030	1980-79 XS85 85 .030			
1971 1767A 1-Cyl.	XS85	85	.030	6 h.p.			
7.5 h.p.				1976-72 --- 422 ⁹⁵²⁶ .030			
1974 1932B 1-Cyl.	XS85	85	.030	1971-67 --- 216 .030			
1973 1932A 1-Cyl.	XS85	85	.030	7 h.p.			
9.9 h.p.				1969 XS85 85 .030			
1974 1933B 2-Cyl.	XS85	85	.030	7.5 h.p.			
1973 1933A 2-Cyl.	XS85	85	.030	1983-79 --- 422 ⁹⁵²⁶ .030			
14 h.p.				1980-79 w/9.2 cid Eng. XS85 85 .030			
1973 1934A 2-Cyl.	XS85	85	.030	1976 --- 422 ⁹⁵²⁶ .030			
15 h.p.				9 h.p.			
1974 1957A 2-Cyl.	XS85	85	.030	1965-64 --- 216 .030			
SEA FLYER (Goodrich)				9.2 h.p.			
3 h.p.				1969-66 --- 353 .030			
1952-51 3D10 1-Cyl.	XST254 ⁸²⁵¹	303	.030	9.6 h.p.			
3.5 h.p.				1974-68 --- 422 ⁹⁵²⁶ .030			
1953 G-2L 1-Cyl.	XST254 ⁸²⁵¹	303	.030	9.9 h.p.			
5 h.p.				1984-83 --- 422 ⁹⁵²⁶ .030			
1953-51 5D10 2-Cyl.	XST254 ⁸²⁵¹	303	.030	10 h.p.			
5.5 h.p.				1976-74 --- 422 ⁹⁵²⁶ .030			
1954 G-3LL, G-3LL-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	15 h.p.			
1953 G-3L-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1984-74 --- 422 ⁹⁵²⁶ .030			
7.5 h.p.							
1954 G-4LL-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SEA-KING (Montgomery-Ward) (Cont'd)				SEARS (Cont'd)			
20 h.p.				5 h.p. (Cont'd)			
1974-68	----	422 ⁹⁵²⁶	.030	58960, 58961, 59520	XS85	85	.030
1967-64	----	353	.030	585420, 585430, 585440	XS85	85	.030
25 h.p.				585431, 585441			
1976-74	----	422 ⁹⁵²⁶	.030	585460, 585470	XS85	85	.030
35 h.p.				4122 ⁹⁵²⁶			
1979-68	----	422 ⁹⁵²⁶	.030	5.5 h.p.			
35 Thru 60 h.p.				601951			
1963-50	----	353	.030	59430, 59431, 59432	XS85	85	.030
45 h.p.				6 h.p.			
1974-68	----	422 ⁹⁵²⁶	.030	6004, 6005, 60060, 59433, 59980,	----	216	.030
55 h.p.				585710			
1974-68	----	422 ⁹⁵²⁶	.030	7 h.p.			
80 h.p.				58531, 58532, 58830			
1967-64	----	353	.030	58870, 59440, 59480	XS85	85	.030
All Models w/18mm Threads	----	386	.025	58530, 585860, 585861	XS85	85	.030
SEARS				7.5 h.p.			
1.2 h.p.				6008, 6010, 6012			
585122	XST255 ⁸²⁵¹	255	.025	581740, 581741	----	4122 ⁹⁵²⁶	.030
585120, 585121	XST458 ⁸²⁵¹	456	.025	581750, 581751	----	4122 ⁹⁵²⁶	.030
2 h.p.				581754			
58241, 58250	----	306	.030	58820, 58880	XS85	85	.030
3 h.p.				58821, 58881			
58540, 58541	XS85	85	.030	585870, 59450	XS85	85	.030
1974-73 58543, 58544	XS85	85	.030	58882, 58890	XS85	85	.030
585210, 585211, 585220	XS85	85	.030	58850, 58891	XS85	85	.030
3.5 h.p.				59491, 585910			
Thru 1965 6091	XST255 ⁸²⁵¹	255	.030	59490, 586110	XS85	85	.030
1966 and up 6091, 6094	XST255 ⁸²⁵¹	255	.030	585880, 585911, 586111	XS85	85	.030
59501, 59900	XST255 ⁸²⁵¹	255	.030	585810, 585840, 595890	XS85	85	.030
6003, 60020, 60030	----	216	.030	585830, 585920	XS85	85	.030
58510, 59860, 59861	XS85	85	.030	585930, 586120	XS85	85	.030
58542, 58550	XS85	85	.030	585811, 585831, 585931	XS85	85	.030
58560, 59862	XS85	85	.030	585840, 585932	XS85	85	.030
585230, 585240, 585241	XS85	85	.030	60070, 60090, 60100	----	216	.030
585280	XS85	85	.030	9.9 h.p.			
3.6 h.p.				586220, 586230, 586231			
58511, 58512	XST458 ⁸²⁵¹	456	.030	586240	XS85	85	.030
58513, 58514	XS85	85	.030	581980, 581981	----	4122 ⁹⁵²⁶	.030
6001, 60000	----	216	.030	581985, 581986	----	4122 ⁹⁵²⁶	.030
4 h.p.				581987, 581988			
58580, 585250	XS85	85	.030	581990, 581991	----	4122 ⁹⁵²⁶	.030
585270	XS85	85	.030	581993, 581994	----	4122 ⁹⁵²⁶	.030
4.5 h.p.				581995, 581996			
59460, 59461, 59462	XS85	85	.030	581997, 581998	----	4122 ⁹⁵²⁶	.030
1973 59463, 59564	XS85	85	.030	586210, 586211	XS85	85	.030
4.8 h.p.				1974-73 58710, 58711			
58970, 58971	XS85	85	.030	587990, 587991	XS85	85	.030
5 h.p.				10.5 h.p.			
	XS85	85	.030	1974-73 58720, 58721	XS85	85	.030
58521, 58610, 58620	----	4122 ⁹⁵²⁶	.030	12 h.p.			
58749, 58750	----	4122 ⁹⁵²⁶	.030	5927	----	216	.030
587490, 587491	----	4122 ⁹⁵²⁶	.030	14 h.p.			
587493, 587494	----	4122 ⁹⁵²⁶	.030	6015	XST254 ⁸²⁵¹	303	.030
587495, 587496	----	4122 ⁹⁵²⁶	.030	14.1 h.p.			
587500, 587501	----	4122 ⁹⁵²⁶	.030	6013, 60140, 60150	XST254 ⁸²⁵¹	303	.030
587502, 587503	----	4122 ⁹⁵²⁶	.030	15 h.p.			
587504, 587505	----	4122 ⁹⁵²⁶	.030	581490, 581491	----	4122 ⁹⁵²⁶	.030
587506	XS85	85	.030	581494, 581495	----	4122 ⁹⁵²⁶	.030
58962, 58990	XS85	85	.030	581496, 581497	----	4122 ⁹⁵²⁶	.030
58991, 58992	XS85	85	.030	581498, 581500	----	4122 ⁹⁵²⁶	.030
59310, 59311	XS85	85	.030	581501, 581503	----	4122 ⁹⁵²⁶	.030
59673, 59680	XS85	85	.030	581504, 581505	----	4122 ⁹⁵²⁶	.030
585410, 585411	XST458 ⁸²⁵¹	456	.030	581506, 581507	----	4122 ⁹⁵²⁶	.030
58520, 59670	XST458 ⁸²⁵¹	456	.030	581508	----	4122 ⁹⁵²⁶	.030
59671, 59672	XST458 ⁸²⁵¹	456	.030	586310, 586311	XS85	85	.030
				586320, 586330, 586331	XS85	85	.030
				586340	XS85	85	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SEARS (Cont'd)				SPIRIT (Cont'd)			
15 h.p. (Cont'd)				20 h.p.			
1974-73 58760, 58761	XS85	85	.030	1981-79	---	421 ⁹⁵²⁶	.040
587150, 587151	---	4122 ⁹⁵²⁶	.030	1978-76	---	2665 ⁹⁵²⁶	.025
602151	---	4122 ⁹⁵²⁶	.030	25 h.p.			
25 h.p.				1981-76			
582500, 582501	---	421 ⁹⁵²⁶	.030	40 h.p.			
582591	---	421 ⁹⁵²⁶	.030	1981-80			
27.7 h.p.				1981-77			
6033, 6035	XST254 ⁸²⁵¹	303	.030	50 h.p.			
28 h.p.				1981-77			
60370, 60380	---	353	.030	65 h.p.			
6037, 6038, 60340, 60360	XST254 ⁸²⁵¹	303	.030	1981-77			
35 h.p.				85 h.p.			
5941	---	353	.030	1981-79			
43.7 h.p.				SPORTFISHER (K-Mart)			
6044, 6045, 6050, 6051	XST254 ⁸²⁵¹	303	.030	3.5 h.p.			
45 h.p.				1970 1732B 1-Cyl.			
6056, 6057, 6058	---	353	.030	AP86 ⁸²⁴⁹	86	.035	
60540, 60550	---	353	.030	5 h.p.			
75 h.p.				1971 1733C 1-Cyl.			
6078, 60740, 60750	---	353	.030	AP86 ⁸²⁴⁹	86	.035	
75.2 h.p.				1970 1733B 1-Cyl.			
6070, 6071	XST254 ⁸²⁵¹	303	.030	AP86 ⁸²⁴⁹	86	.035	
6076, 6077	---	353	.030	AP86 ⁸²⁴⁹	86	.035	
SILVER ARROW				SPRITE			
All Models	---	386	.025	3 h.p.			
SKIPPER				1965 J5 Sprite			
3 h.p.				XST258 ⁸²⁵¹			
1967 1160, 1163 1-Cyl.	XST458 ⁸²⁵¹	456	.030	XST258 ⁸²⁵¹	258	.030	
1966 1153, 1153A 1-Cyl.	XST458 ⁸²⁵¹	456	.030	STAR			
1965 1147 1-Cyl.	XST458 ⁸²⁵¹	456	.030	35 h.p.			
1963 1122, 1122A 1-Cyl.	XST458 ⁸²⁵¹	456	.030	1984			
1962 1115 1-Cyl.	XST458 ⁸²⁵¹	456	.030	---	421 ⁹⁵²⁶	.040	
SOLO				50 h.p.			
840 (81cc)	---	275	.020	1984			
931, 932 (900cc)	---	421 ⁹⁵²⁶	.020	---	421 ⁹⁵²⁶	.040	
SPINWAY				75 h.p.			
All Models	---	386	.025	1984			
SPIRIT				90 h.p.			
2 h.p.				1984			
1981-79	AP425 ⁸²⁴⁹	425	.030	---	421 ⁹⁵²⁶	.040	
1978-77	AP425 ⁸²⁴⁹	425	.025	SUPERBUG			
3.5 h.p.				2.5 h.p.			
1981-79	---	4122 ⁹⁵²⁶	.030	1977 14112A 1-Cyl.			
4.5 h.p.				XST255 ⁸²⁵¹			
1977-76	---	2665 ⁹⁵²⁶	.025	---	255	.025	
5 h.p.				SUZUKI			
1981-78	---	4122 ⁹⁵²⁶	.030	2 h.p.			
7.5 h.p.				1996-77 DT2			
---	---	2665 ⁹⁵²⁶	.025	AP425 ⁸²⁴⁹	425	.030	
8 h.p.				2.2 h.p.			
1981-80	---	4122 ⁹⁵²⁶	.030	1997 DT2.2			
9 h.p.				AP425 ⁸²⁴⁹			
1981-76	---	2665 ⁹⁵²⁶	.025	---	425	.030	
9.9 h.p.				2.5 h.p.			
1980-76	---	2665 ⁹⁵²⁶	.025	2011-06 DF2.5 4-Stroke 1-Cyl. OHV ..			
16 h.p.				---			
1981-76	---	2665 ⁹⁵²⁶	.025	---	4194	.030	
SPIRIT				3.5 h.p.			
2 h.p.				1984-79 DT3.5			
1981-79	---	4122 ⁹⁵²⁶	.030	---	4122 ⁹⁵²⁶	.030	
1978-77	---	2665 ⁹⁵²⁶	.025	4 h.p.			
3.5 h.p.				2011-03 DF4 4-Stroke 1-Cyl. OHV ..			
1981-79	---	4122 ⁹⁵²⁶	.030	XS63	4263 ⁸²⁴⁸	.030	
4.5 h.p.				1998-85 DT4			
1977-76	---	2665 ⁹⁵²⁶	.025	---	4122 ⁹⁵²⁶	.030	
5 h.p.				4.5 h.p.			
1981-78	---	4122 ⁹⁵²⁶	.030	1977 DT4.5			
7.5 h.p.				---			
---	---	2665 ⁹⁵²⁶	.025	---	2665 ⁹⁵²⁶	.030	
8 h.p.				5 h.p.			
1981-80	---	4122 ⁹⁵²⁶	.030	2002-99 DT5 1-Cyl.			
9 h.p.				---			
1981-76	---	2665 ⁹⁵²⁶	.025	---	4122 ⁹⁵²⁶	.040	
9.9 h.p.				1983-78 DT5			
1980-76	---	2665 ⁹⁵²⁶	.025	---	4122 ⁹⁵²⁶	.030	
16 h.p.				6 h.p.			
1981-76	---	2665 ⁹⁵²⁶	.025	2011-03 DF6 4-Stroke 1-Cyl. OHV ..			
SPIRIT				---			
2 h.p.				2002-84 DT6 2 Cyl.			
1981-79	---	4122 ⁹⁵²⁶	.030	XS63	4263 ⁸²⁴⁸	.030	
1978-76	---	2665 ⁹⁵²⁶	.025	---	4122 ⁹⁵²⁶	.040	



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUZUKI (Cont'd)				SUZUKI (Cont'd)			
7.5 h.p.				85 h.p.			
1979-77 DT7.5	----	2665 ⁹⁵²⁶	.030	2000-79 DT85 3-Cyl.	----	421 ⁹⁵²⁶	.040
8 h.p.				1997-95 Jet	----	421 ⁹⁵²⁶	.040
1997-88 DT8C (Sail) 2-Cyl.	----	4122 ⁹⁵²⁶	.030	90 h.p.			
1987-80 DT8 2-Cyl.	----	4122 ⁹⁵²⁶	.030	2008-01 DF90 4-Stroke 4-Cyl.			
9 h.p.				DOHC	XS3923	3923	.030
1981-77	----	422 ⁹⁵²⁶	.030	2011-09 DF90A 4-Stroke 4-Cyl.			
9.9 h.p.				DOHC	XS3923	3923	.030
1982-77 DT9	----	2665 ⁹⁵²⁶	.030	1997-89 DT90 V-4	----	421 ⁹⁵²⁶	.040
1987-83 DT9	----	2665 ⁹⁵²⁶	.030	100 h.p.			
2011-96 DF9.9, 9.9T 4-Stroke 2-Cyl.				2010-09 DF100 4-Stroke 4-Cyl.			
SOHC	XS4164	4164 ⁸²⁴⁸	.035	DOHC	XS3923	3923	.030
1997-88 DT9.9C 2-Cyl.	----	421 ⁹⁵²⁶	.030	2000-89 DT100 V-4	----	421 ⁹⁵²⁶	.040
1997-77 DT9.9C (Sail) 2-Cyl.	----	2665 ⁹⁵²⁶	.030	1991-89 Jet	----	421 ⁹⁵²⁶	.040
15 h.p.				115 h.p.			
1988-83 DT15	----	2665 ⁹⁵²⁶	.030	2011-01 DF115 4-Stroke 4-Cyl.			
2010-96 DF15 4-Stroke 2-Cyl.				DOHC	XS3923	3923	.030
SOHC	XS4164	4164 ⁸²⁴⁸	.035	1997-81 DT115 Carb. 4-Cyl.	----	421 ⁹⁵²⁶	.040
1997-89 DT15C 2-Cyl.	----	421 ⁹⁵²⁶	.040	2001-96 DT115S EFI 4-Cyl.	----	421 ⁹⁵²⁶	.040
16 h.p.				140 h.p.			
1982-77 T16	----	2665 ⁹⁵²⁶	.030	2011-99 DF140 4-Stroke 4-Cyl.			
20 h.p.				DOHC	XS3923	3923	.030
1988-77 DT20	----	421 ⁹⁵²⁶	.040	2001-98 DT140 EFI 4-Cyl.	----	421 ⁹⁵²⁶	.040
25 h.p.				1996-81 DT140 Carb. 4-Cyl.	----	421 ⁹⁵²⁶	.040
2007-00 DF25 4-Stroke 3-Cyl.				1997 Jet EFI 4-Cyl.	----	421 ⁹⁵²⁶	.040
SOHC	XS4164	4164 ⁸²⁴⁸	.035	150 h.p.			
2011-06 DF25VT 4-Stroke 2-Cyl.	XS3923	3923	.030	1994-86 DT150 Carb. V-6	----	421 ⁹⁵²⁶	.040
1987-77 DT25 2-Cyl.	----	421 ⁹⁵²⁶	.040	2003-93 DT150, S EFI V-6	----	421 ⁹⁵²⁶	.040
2000-89 DT25C 3-Cyl.	----	421 ⁹⁵²⁶	.040	2011-06 DF150 4-Stroke EFI V-6	XS3923	3923	.030
30 h.p.				175 h.p.			
2007-00 DF30 4-Stroke 3-Cyl.				1992-87 DT175 V-6	----	421 ⁹⁵²⁶	.040
SOHC	XS4164	4164 ⁸²⁴⁸	.035	2011-06 DF175 4-Stroke EFI V-6	XS3923	3923	.030
1997-88 DT30C 3-Cyl.	----	421 ⁹⁵²⁶	.040	200 h.p.			
35 h.p.				2011-04 DF200 4-Stroke EFI V-6	XS3923	3923	.030
1989 DT35	----	421 ⁹⁵²⁶	.040	1993-86 DT200 Carb. V-6	----	421 ⁹⁵²⁶	.040
1989 Jet	----	421 ⁹⁵²⁶	.040	2000-86 DT200 EFI V-6	----	421 ⁹⁵²⁶	.040
40 h.p.				225 h.p.			
2011-99 DF40 4-Stroke 3-Cyl.				2011-04 DF225 4-Stroke EFI V-6	XS3923	3923	.030
DOHC	XS4164	4164 ⁸²⁴⁸	.035	2003-90 DT225 EFI V-6	----	421 ⁹⁵²⁶	.040
1998-80 DT40 2-Cyl.	----	421 ⁹⁵²⁶	.040	250 h.p.			
1996-95 Jet	----	421 ⁹⁵²⁶	.040	2011-04 DF250 4-Stroke EFI V-6	XS3923	3923	.030
50 h.p.				2011-08 DF250SS 4-Stroke EFI V-6	XS3923	3923	.030
2011-99 DF50 4-Stroke 3-Cyl.				300 h.p.			
DOHC	XS4164	4164 ⁸²⁴⁸	.035	2011-07 DF300 4-Stroke EFI V-6	XS3923	3923	.030
1984-77 DT50	----	421 ⁹⁵²⁶	.040	TANAKA			
55 h.p.				1.2 h.p.			
1997-85 DT55 3-Cyl.	----	421 ⁹⁵²⁶	.040	1999-77 TOB-120, 120B, 120C	XST255 ⁸²⁵¹	255	.025
1997-95 Jet	----	421 ⁹⁵²⁶	.040	2001 TOB-12B	XST255 ⁸²⁵¹	255	.025
60 h.p.				1.75 h.p.			
2011-98 DF60 4-Stroke 4-Cyl.				1991-77 TOB-175	XST255 ⁸²⁵¹	255	.025
SOHC	XS63	4263 ⁸²⁴⁸	.030	2.5 h.p.			
1989 Jet	----	421 ⁹⁵²⁶	.040	1987-77 TOB-25	XST255 ⁸²⁵¹	255	.025
1984-83 DT60	----	421 ⁹⁵²⁶	.040	3 h.p.			
65 h.p.				2001-82 TOB-300	XST255 ⁸²⁵¹	255	.025
1982-78 DT65 2-Cyl.	----	421 ⁹⁵²⁶	.040	5.5 h.p.			
1997-85 DT65 3-Cyl.	----	421 ⁹⁵²⁶	.040	1985 TOB-55L	----	4122 ⁹⁵²⁶	.025
70 h.p.				1987-84 TOB-550	----	4122 ⁹⁵²⁶	.025
2009-98 DF70 4-Stroke 4-Cyl.				1987-86 TOB-550L	----	4122 ⁹⁵²⁶	.025
SOHC	XS63	4263 ⁸²⁴⁸	.030	0.75 h.p.			
2011-09 DF70A 4-Stroke 4-Cyl.				1992 Bumble Bee	XST2956 ⁸²⁵¹	2956	.025
SOHC	XS63	4263 ⁸²⁴⁸	.030				
75 h.p.							
1997-83 DT75 3-Cyl.	----	421 ⁹⁵²⁶	.040				
80 h.p.							
2011-09 DF80A 4-Stroke 4-Cyl.							
DOHC	XS3923	3923	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TAS (See Tanaka)				TOHATSU (Cont'd)			
TECUMSEH				15 h.p.			
AV-51, AV-52, AV58, AV-60	XST458 ⁸²⁵¹	456	.030	M15A, B2, C, D2 2-Cyl.	---	421 ⁹⁵²⁶	.032
AV-75	XS85	85	.035	MFS15A 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
AV-510	---	306	.030	16 h.p.			
1983-69 AV-520	XS85	85	.030	M16	---	421 ⁹⁵²⁶	.030
AV-580	---	306	.030	18 h.p.			
1983-69 AV-600	XS85	85	.030	MFS18, 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
1982-69 AV-750	XS85	85	.030	M18A, C2, D, E2 2-Cyl.	---	421 ⁹⁵²⁶	.032
1983-69 AV-817	XS85	85	.030	20 h.p.			
1983 BV-1150	XS85	85	.030	MFS20 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
1983-69 BV-1500	XS85	85	.030	MFS20 2-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
TERRY TROLLER				M20	---	421 ⁹⁵²⁶	.030
Arrow Jet	XST254 ⁸²⁵¹	303	.030	20-25 h.p.			
T4T, T4TD	XST254 ⁸²⁵¹	303	.030	B40A, B30C	---	2665 ⁹⁵²⁶	.040
T5T (w/Clinton VS3100 Eng.)	---	216	.025	25 h.p.			
T6T	XST254 ⁸²⁵¹	303	.030	MFS25, 3-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
THOR				M25C, C2, C3 2-Cyl.	---	421 ⁹⁵²⁶	.032
2.4 h.p.				30 h.p.			
1939-35 1-Cyl.	---	386	.025	MFS30, 3-Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024
4.1 h.p.				M30A, A3, A4 2-Cyl.	---	421 ⁹⁵²⁶	.032
1939 2-Cyl.	---	3136	.025	35 h.p.			
4.8 h.p.				M35A	---	4122 ⁹⁵²⁶	.040
1938-35 2-Cyl.	---	3136	.025	MD35B2 Jet 3-Cyl.	XS5224	5224	.040
6 h.p.				40 h.p.			
1938 3-Cyl.	---	3136	.025	MD40 TLDI 3-Cyl.	XS985	985	.040
6.2 h.p.				M40C 2-Cyl.	---	4122 ⁹⁵²⁶	.040
1939 3-Cyl.	---	3136	.025	M40D2 3-Cyl.	---	4122 ⁹⁵²⁶	.032
TOHATSU				50 h.p.			
2 h.p.				MD50 TLDI 3-Cyl.	XS985	985	.040
MFS2, 1-Cyl. OHV 4-Stroke	---	4056 ⁸²⁴⁸	.024	M50C, D2 3-Cyl.	---	421 ⁹⁵²⁶	.040
2.5 h.p.				55 h.p.			
MFS2.5, 1-Cyl. OHV 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024	M55A 3-Cyl.	---	421 ⁹⁵²⁶	.040
M2.5A2 1 Cyl.	---	4122 ⁹⁵²⁶	.030	60 h.p.			
3.5 h.p.				M60A, B 3-Cyl.	---	421 ⁹⁵²⁶	.040
MFS3.5 1-Cyl. OHV 4-Stroke	---	4056 ⁸²⁴⁸	.024	70 h.p.			
M3.5A2, B2 1 Cyl.	---	4122 ⁹⁵²⁶	.030	70 (A) TLDI 3 Cyl.	XS985	985	.040
4 h.p.				MD70 (B) TLDI 3 Cyl.	XS5224	5224	.040
MFS4A 1 Cyl. OHV 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024	M70A, A2, B, C 3-Cyl.	---	421 ⁹⁵²⁶	.040
5 h.p.				90 h.p.			
MFS5A 1-Cyl. OHV 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024	90 (A) TLDI 3 Cyl.	XS985	985	.040
M5B, BS	---	4122 ⁹⁵²⁶	.030	MD90 (B) TLDI 3 Cyl.	XS5224	5224	.040
5-8 h.p.				M90A 3-Cyl.	---	421 ⁹⁵²⁶	.040
B13B, 9B	---	2665 ⁹⁵²⁶	.030	115 h.p.			
6 h.p.				M115A2 4-Cyl.	---	421 ⁹⁵²⁶	.040
MFS6, 1-Cyl. OHV 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024	MD115 TLDI 4-Cyl.	XS5224	5224	.040
8 h.p.				120 h.p.			
MFS8 2-Cyl. 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024	M120A 4-Cyl.	---	421 ⁹⁵²⁶	.040
M8A, 8B 2-Cyl.	---	275	.030	140 h.p.			
9.8 h.p.				M140A2 4 Cyl.	---	421 ⁹⁵²⁶	.040
MFS9.8, 2-Cyl. 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024	TOMOS			
2-Cyl.	---	275	.040	2.2 h.p.			
9.9 h.p.				2.2 h.p.			
MFS9.9A 2 Cyl. OHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.024	2.5 h.p.			
M9.9B2, C 2-Cyl.	---	421 ⁹⁵²⁶	.030	3 h.p.			
9.8-12 h.p.				3.4 h.p.			
B18C, D	---	2665 ⁹⁵²⁶	.030	4 h.p.			
12 h.p.				5.5 h.p.			
M12B	---	421 ⁹⁵²⁶	.030	7.3 h.p.			
13 h.p.				7.5 h.p.			
M13 2-Cyl.	---	421 ⁹⁵²⁶	.030	XS85			
				85			
				.030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TOMOS (Cont'd)				VOYAGER			
10 h.p.	----	422 ⁹⁵²⁶	.030	3 h.p. 1961 1109 Voyager 300 1-Cyl.	XST458 ⁸²⁵¹	456	.030
13 h.p.	----	421 ⁹⁵²⁶	.030	3.5 h.p. 1953 V-2L Fisherman Special 1-Cyl. .	----	386	.030
18 h.p.	----	421 ⁹⁵²⁶	.030	1955-54 V-2LL Fisherman Special 1-Cyl.	----	386	.030
TRITON				4.1 h.p. 1952-50 1-V-B 1-Cyl.	----	386	.030
4 h.p. 1984-76 1-Cyl.	XS85	85	.030	4.2 h.p. 1949 1-V-A 1-Cyl.	----	386	.030
5.5 h.p. 1984-76 1-Cyl.	XS85	85	.030	1952-49 2-V-A 1 Cyl.	----	386	.030
7.5 h.p. 1984-76 1-Cyl.	XS85	85	.030	1957-56 V-2N Fisherman Special 1-Cyl.	----	386	.030
VIGOR				5 h.p. 1961 1110 Voyager 600 1-Cyl.	XST458 ⁸²⁵¹	456	.030
6.5 h.p. w/VG168F-1 Engs.	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	5.5 h.p. 1953 V-3L-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030
VIKING (Canadian)				1955-54 V-3LL-GS, V-3N-GS 2-Cyl. .	XST254 ⁸²⁵¹	303	.030
3.5 h.p. 1970-65 1-Cyl.	----	216	.030	7.5 h.p. 1956-54 V-4LL-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030
4 h.p. 1937-36 2-Cyl.	----	386	.025	7.8 h.p. 1957-56 V-4N-GS 2-Cyl.	XST254 ⁸²⁵¹	303	.030
1933 2-Cyl.	----	386	.025	7.9 h.p. 1952-49 4-V-A 2-Cyl.	----	386	.030
6 h.p. 1970-68 2-Cyl.	----	216	.030	8.5 h.p. 1953 V-4L-GS 2-Cyl.	----	386	.030
9 h.p. 1968-65 2-Cyl.	----	216	.030	15 h.p. 1955-54 V-6LL-GS 2-Cyl.	XST458 ⁸²⁵¹	456	.030
9.2 h.p. 1969 2-Cyl.	----	353	.030	1957-56 V-6N-GS 2-Cyl.	XST458 ⁸²⁵¹	456	.030
9.6 h.p. 1970 2-Cyl.	----	421 ⁹⁵²⁶	.030	VOYAGEUR (See Fiat-Nautica)			
15 h.p. 1966-65 2-Cyl.	----	216	.030	WARDS (See Sea-King)			
20 h.p. 1970-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	WATERMAN			
Thru 1967 2-Cyl.	----	353	.030	1916-06 All Models w/1/2"-14 Pipe Threads	----	3095	.025
35 h.p. 1969-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	1916-06 All Models w/7/8"-18 Threads	----	3076	.025
Thru 1967 2-Cyl.	----	353	.030	WATERWITCH (Sears)			
50 h.p. Thru 1967 2-Cyl.	----	353	.030	1945-33 All Models w/14mm Threads (3/8" Reach)	XST458 ⁸²⁵¹	458	.025
55 h.p. 1969-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	1945-33 All Models w/14mm Threads (1/2" Reach)	----	216	.025
VOLVO PENTA				1945-33 All Models w/18mm Threads	----	386	.025
1979-75 39	----	421 ⁹⁵²⁶	.040	WEST BEND			
1979-75 51	----	421 ⁹⁵²⁶	.040	2 h.p. 1963 1-Cyl.	----	216	.030
1979-78 60	----	421 ⁹⁵²⁶	.040	1961-59 1-Cyl.	----	216	.030
1979-75 90	----	2665 ⁹⁵²⁶	.040	1958-55 1-Cyl.	----	306	.030
1979-75 140	----	2665 ⁹⁵²⁶	.040	3.5 h.p. 1965-64 1-Cyl.	----	216	.030
1979-76 200	----	421 ⁹⁵²⁶	.040	1962 1-Cyl.	----	216	.030
1975 250	----	421 ⁹⁵²⁶	.040	5 h.p. 1955 2-Cyl.	XST458 ⁸²⁵¹	458	.030
1976-75 350	----	421 ⁹⁵²⁶	.040	5.5 h.p. 1956 2-Cyl.	----	216	.030
1976-75 450	----	421 ⁹⁵²⁶	.040	6 h.p. 1965-64 2-Cyl.	----	216	.030
1976-75 600	----	421 ⁹⁵²⁶	.040	1959-57 2-Cyl.	----	216	.030
1979-75 700	----	421 ⁹⁵²⁶	.040				
Thru 1974 450, 550X	----	421 ⁹⁵²⁶	.040				
Thru 1974 600, 700	----	421 ⁹⁵²⁶	.040				
Thru 1974 80, 90, 120, 140	----	2665 ⁹⁵²⁶	.040				
Thru 1974 U22	----	421 ⁹⁵²⁶	.040				
Thru 1974 35, 39, 40, 50, 50a, 360 ..	----	421 ⁹⁵²⁶	.040				
Thru 1974 252	----	4122 ⁹⁵²⁶	.040				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
WEST BEND (Cont'd)				WISCONSIN			
7.5 h.p.				2 h.p.			
1963-60 2-Cyl.	----	216	.030	1930-13 J, K, L, M 1-Cyl.	----	3076	.025
1955 2-Cyl.	----	306	.030	3.5 h.p.			
8 h.p.				1930-13 N 1-Cyl.	----	3076	.025
1960-57 2-Cyl.	----	216	.030	WIZARD			
9 h.p.				2.5 h.p.			
1965 2-Cyl.	----	216	.030	1940 WA2 1-Cyl.	----	216	.030
10 h.p.				2.9 h.p.			
1964 2-Cyl.	----	216	.030	1941 WB2 1-Cyl.	XST254 ⁸²⁵¹	303	.025
12 h.p.				3 h.p.			
1963-56 2-Cyl.	----	216	.030	1976 1-Cyl.	XS85	85	.030
16 h.p.				1940 WA3 1-Cyl.	----	216	.030
1959 2-Cyl.	----	216	.030	3.2 h.p.			
18 h.p.				1941 WB3 1-Cyl.	XST254 ⁸²⁵¹	303	.025
1962-60 2-Cyl.	----	353	.030	1946 WD3 1-Cyl.	XST254 ⁸²⁵¹	303	.025
20 h.p.				1958-47 WD3S 1-Cyl.	XST254 ⁸²⁵¹	303	.025
1965-63 2-Cyl.	----	353	.030	3.5 h.p.			
25 h.p.				1974 1-Cyl.	XS85	85	.035
1962-60 2-Cyl.	----	216	.030	1972-70 1-Cyl.	XS85	85	.035
30 h.p.				1969-64 1-Cyl.	----	216	.030
1963 2-Cyl.	----	216	.030	3.6 h.p.			
1957 2-Cyl.	----	216	.030	1963-59 1-Cyl.	----	216	.030
35 h.p.				4.5 h.p.			
1965-64 2-Cyl.	----	353	.030	1975 1-Cyl.	XS85	85	.030
1959-58 2-Cyl.	----	216	.030	5 h.p.			
40 h.p.				1981-70 OC575, OC585 1-Cyl.	XS85	85	.035
1962-61 2-Cyl.	----	353	.030	1969 1706 1-Cyl.	XST458 ⁸²⁵¹	456	.030
1960-59 2-Cyl.	----	216	.030	1956-55 WH6 2-Cyl.	XST254 ⁸²⁵¹	303	.025
45 h.p.				1957 WH6A 2-Cyl.	XST254 ⁸²⁵¹	303	.025
1965-63 2-Cyl.	----	353	.030	5.5 h.p.			
50 h.p.				1976-75 1-Cyl.	XS85	85	.030
1965-64 2-Cyl.	----	353	.030	1958 2-Cyl.	XST458 ⁸²⁵¹	456	.030
80 h.p.				5.8 h.p.			
1965-61 2-Cyl.	----	353	.030	1941 WB4 2-Cyl.	XST254 ⁸²⁵¹	303	.025
1965-61 Inboard/Outboard	----	353	.030	6 h.p.			
WESTERN AUTO (See Wizard)				1972-65 2-Cyl.	----	216	.030
WESTERN FLYER (Western Auto)				1940 WA6 2-Cyl.	----	216	.030
2.5 h.p.				1941 WB6 2-Cyl.	XST254 ⁸²⁵¹	303	.025
1942-41 121W, 122W 1-Cyl.	XST254 ⁸²⁵¹	303	.030	1946 WD4 2-Cyl.	XST458 ⁸²⁵¹	456	.025
5 5 h.p.				1948-47 WD4S 2-Cyl.	XST458 ⁸²⁵¹	456	.025
1942-41 251W, 252W 2-Cyl.	XST254 ⁸²⁵¹	303	.030	1950-49 WF4 2-Cyl.	XST254 ⁸²⁵¹	303	.025
WHITE AUTO STORES (Seahawk)				1954-51 WG4 2-Cyl.	XST254 ⁸²⁵¹	303	.025
4.5, 5.5 h.p.				7 h.p.			
1975	AP86 ⁸²⁴⁹	86	.030	1974-69 1-Cyl.	XS85	85	.030
7.5 h.p.				7.5 h.p.			
1975	AP86 ⁸²⁴⁹	86	.030	1981-74 1-Cyl.	XS85	85	.035
5, 7, 7.5 h.p.				1964-59 2 Cyl.	----	216	.035
1974-72	AP86 ⁸²⁴⁹	86	.030	9 h.p.			
9.9, 15 h.p.				1968-66 2-Cyl.	----	353	.030
1974-72	AP86 ⁸²⁴⁹	86	.040	1965 3/8" Reach 2-Cyl.	----	353	.030
WHITEHEAD (See Fiat-Nautica)				1965 7/16" Reach 2-Cyl.	----	216	.030
WILJO				9.2 h.p.			
3 h.p.				1972-69 2-Cyl.	XST254 ⁸²⁵¹	303	.025
1961 1107 1-Cyl.	XST458 ⁸²⁵¹	456	.030	9.9 h.p.			
5 h.p.				1977-73 2-Cyl.	XS85	85	.030
1961 1108 1-Cyl.	XST458 ⁸²⁵¹	456	.030	10 h.p.			
				1959 2-Cyl.	----	216	.035
				1950 WF7 2-Cyl.	XST458 ⁸²⁵¹	456	.025
				1953-51 WG7 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				1953 WG7A 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				1953-52 WH7 2-Cyl.	XST458 ⁸²⁵¹	456	.025
				1954 WJ7 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				1955 WM7 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				1957-56 WM7A 2-Cyl.	XST254 ⁸²⁵¹	303	.025
				12 h.p.			
				1961-60 2-Cyl.	XST254 ⁸²⁵¹	303	.035



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
WIZARD (Cont'd)				YAMAHA (Cont'd)			
12 h.p. (Cont'd)				50 h.p.			
1954 WK7 2-Cyl.	XST254 ⁸²⁵¹	303	.025	1997-84 50, Pro	----	421 ⁹⁵²⁶	.040
1955 WN7 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2011-95 F50, T50 High Thrust EFI SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.040
1957-56 WN7A 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2009-01 50 3-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.040
14 h.p.				1996-87 Pro 50	----	421 ⁹⁵²⁶	.040
1964-62 2-Cyl.	XST254 ⁸²⁵¹	303	.035	60 h.p.			
15 h.p.				2011-02 F60 EFI SOHC 4-Stroke ...	XS4164	4164 ⁸²⁴⁸	.035
1957 OC-1575 2-Cyl.	----	216	.030	2005-01 60 3 Cyl.	----	421 ⁹⁵²⁶	.040
1958 OC-1585 2-Cyl.	----	216	.030	1999-91 Pro 60	----	421 ⁹⁵²⁶	.040
20 h.p.				2011-03 T60 High Thrust EFI SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.035
1972-68 2-Cyl.	----	421 ⁹⁵²⁶	.030	70 h.p.			
1967-65 2-Cyl.	----	353	.030	2009-84 70 3-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.040
25 h.p.				75 h.p.			
1961-59 2-Cyl.	XST254 ⁸²⁵¹	303	.035	1999-96 Pro 75	----	421 ⁹⁵²⁶	.040
1957-56 WA25, WA25E 2-Cyl.	XST254 ⁸²⁵¹	303	.025	2011-03 F75 EFI DOHC 4-Stroke ...	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
35 h.p.				80 h.p.			
1958 OC-3585, OC-3585E 2-Cyl. ...	----	373	.035	2002-99 F80 DOHC 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
40 h.p.				90 h.p.			
1961-59 2-Cyl.	XST254 ⁸²⁵¹	303	.035	2009-84 90, B90, Inshore 3-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.040
60 h.p.				2011-03 F90 EFI DOHC 4-Stroke ...	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
1961-59 3-Cyl.	XST254 ⁸²⁵¹	303	.035	100 h.p.			
YAMAHA				2002-99 F100 DOHC 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
2 h.p.				115 h.p.			
2002-84	AP425 ⁸²⁴⁹	425	.025	2011-00 F115 EFI DOHC 4-Stroke ..	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
2.5 h.p.				2009-84 115, P115, 115SW 2-Stroke	----	421 ⁹⁵²⁶	.040
2011-03 F2.5 OHV 4-Stroke	----	422 ⁹⁵²⁶	.025	1999-84 B115 Inshore	----	421 ⁹⁵²⁶	.040
3 h.p.				130 h.p.			
2002-88	----	422 ⁹⁵²⁶	.040	2003-89 130, 130SW, L130	----	421 ⁹⁵²⁶	.040
4 h.p.				150 h.p.			
2011-99 F4 OHV 4-Stroke	----	422 ⁹⁵²⁶	.025	2011-04 F150 DOHC 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
1999-84	----	422 ⁹⁵²⁶	.025	2009-99 150SW, P150 (EFI) OX66 2-Stroke	----	421 ⁹⁵²⁶	.040
5 h.p.				1999-96 150, L150, 150SW, P150 (Carb)	----	421 ⁹⁵²⁶	.040
2002-84	----	421 ⁹⁵²⁶	.025	2000-99 DX150 (EFI)	----	421 ⁹⁵²⁶	.040
6 h.p.				1999-98 D150 (Carb.)	----	421 ⁹⁵²⁶	.040
2011-01 F6 SOHC 4-Stroke	----	422 ⁹⁵²⁶	.040	1995-86 L150, 150SW	----	421 ⁹⁵²⁶	.040
2000-86	----	421 ⁹⁵²⁶	.040	1995-84 150	----	421 ⁹⁵²⁶	.040
8 h.p.				1998-86 Pro V 150, P150	----	421 ⁹⁵²⁶	.040
2011-01 F8, T8 High Thrust SOHC 4-Stroke	----	422 ⁹⁵²⁶	.040	2006-97 150 VMAX, TRP OX66	----	421 ⁹⁵²⁶	.040
2009-84 2-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.040	175 h.p.			
9 h.p.				1996-94 P175	----	421 ⁹⁵²⁶	.040
1993-85 9.9	----	421 ⁹⁵²⁶	.040	2000-92 175 VMAX	----	421 ⁹⁵²⁶	.040
9.9 h.p.				2000-84 175, 175SW	----	421 ⁹⁵²⁶	.040
2011-96 F9.9 SOHC 4-Stroke	----	4194	.024	200 h.p.			
2011-01 T9.9 High Thrust SOHC 4-Stroke	----	4194	.024	2011-02 F200 EFI DOHC 4-Stroke ..	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
2009-85 F9.9, T9.9 2-Stroke	----	421 ⁹⁵²⁶	.040	1999-84 200, 200SW (Carb. & EFI) ..	----	421 ⁹⁵²⁶	.040
15 h.p.				2005-00 200SW EFI OX66	----	421 ⁹⁵²⁶	.040
2009-84 15 2-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.040	1998-86 L200	----	421 ⁹⁵²⁶	.040
2006-98 F15 SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.040	1999-91 200 VMAX	----	421 ⁹⁵²⁶	.040
2011-07 F15C SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.040	2005-00 200 VMAX 3.1L OX66	----	421 ⁹⁵²⁶	.040
20 h.p.				2011-10 VF200 VMAX SHO 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
2011-07 F20 SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.040	220 h.p.			
1997-96	----	421 ⁹⁵²⁶	.040	1986-84 V-6 Special	----	421 ⁹⁵²⁶	.040
25 h.p.				225 h.p.			
2004-96 25 3-Cyl.	----	421 ⁹⁵²⁶	.040	2011-02 F225 EFI DOHC 4-Stroke ..	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
2010-84 25 2-Cyl. 2-Stroke	----	421 ⁹⁵²⁶	.040	2006-97 225 EFI V76, SW OX66, VMAX 225 3.1L	----	421 ⁹⁵²⁶	.040
2011-01 T25 High Thrust SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.035	1995-87 225L, V6 Excel, 2.6L, 90 Degree V6	----	421 ⁹⁵²⁶	.040
2006-98 F25 SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.040	1997-96 225L, V6, 2.6L, 90 Degree V6	----	421 ⁹⁵²⁶	.040
30 h.p.							
2005-01 F30 SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.035				
2002-84 30	----	421 ⁹⁵²⁶	.040				
40 h.p.							
2011-99 F40 EFI SOHC 4-Stroke ...	----	421 ⁹⁵²⁶	.040				
2005-84 40 3-Cyl.	----	421 ⁹⁵²⁶	.040				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Outboards

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
YAMAHA (Cont'd)				YAMAHA (Cont'd)			
225 h.p. (Cont'd)				HPDI (Cont'd)			
1996-94 225, 225SW, L225, 3.1L, V76X	----	421 ⁹⁵²⁶	.040	2002-01 Z175TX 800232~	XS3922	3922	.040
2011-10 VF225 VMAX SHO 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040	2002-01 VZ175TL 800105~800201	XS3922	3922	.040
250 h.p.				175 h.p. (Cont'd)			
2011-05 F250 EFI DOHC 4-Stroke ..	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040	2002-01 VZ175TL 800202~	XS3922	3922	.040
2005-02 250 VMAX 3.1L OX66	----	421 ⁹⁵²⁶	.040	2010-06 2.6L V Max	XS3922	3922	.040
2003-97 SX225/250, LX225/259 SW EFI OX66	----	421 ⁹⁵²⁶	.040	200 h.p.			
1996-90 250, 250SW, L250	----	421 ⁹⁵²⁶	.040	2001-00 Z200TL 2000~150689	XS3922	3922	.040
2011-10 VF250 VMAX SHO 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040	2002-01 Z200TL 150690~	XS3922	3922	.040
300 h.p.				2001-00 Z200TX 2000~102420	XS3922	3922	.040
2011-08 F300 EFI DOHC 4-Stroke ..	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040	2002-01 Z200TX 102421~	XS3922	3922	.040
350 h.p.				2001-00 LZ200TX 2000~100874	XS3922	3922	.040
2011-08 F350 EFI DOHC 4-Stroke ..	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040	2002-01 LZ200TX 100875~	XS3922	3922	.040
C Line				2011-06 2.6L 2-Stroke	XS3922	3922	.040
25 h.p.				2009-03 3.3L V Max	XS3922	3922	.040
1997-90 C25	----	421 ⁹⁵²⁶	.025	225 h.p.			
30 h.p.				2009-03 3.3L V Max	XS3922	3922	.040
1997-93 C30	----	421 ⁹⁵²⁶	.040	2005-03 3.3L	XS3922	3922	.040
1992-89 C30	----	421 ⁹⁵²⁶	.025	300 h.p.			
40 h.p.				2007-04 3.3L	XS3922	3922	.040
2002-90 C40	----	421 ⁹⁵²⁶	.025	2009-04 3.3L V Max	XS3922	3922	.040
50 h.p.				Jet Drive			
2001-98 C50	----	421 ⁹⁵²⁶	.025	40 h.p.			
55 h.p.				2001-87 28	----	421 ⁹⁵²⁶	.040
1995-89 C55	----	421 ⁹⁵²⁶	.040	2011-02 F40 SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.035
60 h.p.				50 h.p.			
2001-96 C60	----	421 ⁹⁵²⁶	.040	2001-87 35	----	421 ⁹⁵²⁶	.040
70 h.p.				2002 F50 SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.035
2001-00 C70	----	421 ⁹⁵²⁶	.040	60 h.p.			
75 h.p.				2011-03 F60 SOHC 4-Stroke	XS4164	4164 ⁸²⁴⁸	.035
1999-95 C75	----	421 ⁹⁵²⁶	.040	80 h.p.			
80 h.p.				2002 F80 DOHC 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
1997 C80	----	421 ⁹⁵²⁶	.040	90 h.p.			
85 h.p.				2011-03 F90 DOHC 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
1996-89 C85	----	421 ⁹⁵²⁶	.040	2001-87 65	----	421 ⁹⁵²⁶	.040
90 h.p.				115 h.p.			
2001-98 C90	----	421 ⁹⁵²⁶	.025	2001-87 80	----	421 ⁹⁵²⁶	.040
115 h.p.				2011-02 F115 EFI DOHC 4-Stroke ..	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
2000-91 C115	----	421 ⁹⁵²⁶	.040	150 h.p.			
150 h.p.				2011-10 F150 DOHC 4-Stroke	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.040
1999-96 C150	----	421 ⁹⁵²⁶	.040	2000-98 105	----	421 ⁹⁵²⁶	.040
Enduro Line				200 h.p.			
48 h.p.				1995-87 140	----	421 ⁹⁵²⁶	.040
2000-95 E48	----	421 ⁹⁵²⁶	.025	ZUNDAPP			
60 h.p.				5 h.p.			
2000-95 E60	----	421 ⁹⁵²⁶	.040	----	2665 ⁹⁵²⁶	.025
75 h.p.							
2000-95 E75	----	421 ⁹⁵²⁶	.040				
HPDI							
150 h.p.							
2001-00 Z150TL 2000~800452	XS3923	3923	.040				
2002-01 Z150TL 800453~	XS3923	3923	.040				
2001-00 LZ150TX 2000~800554	XS3923	3923	.040				
2002-01 LZ150TX 800555~	XS3923	3923	.040				
2001-00 VZ150TL 2000~800711	XS3923	3923	.040				
2002-01 VZ150TL 800712~	XS3923	3923	.040				
2001-00 Z150TX 2000~851535	XS3923	3923	.040				
2002-01 Z150TX 851536~	XS3923	3923	.040				
2009-07 2.6L V Max (Carb.)	XS3922	3922	.040				
2011-06 2.6L V Max (EFI)	XS3922	3922	.040				
175 h.p.							
2002-01 Z175TX 800101~800231 ..	XS3922	3922	.040				


Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ACADIA (Canadian)				ANZANI			
225, 318	AP66 ⁸²⁴⁹	66	.035	All Models	---	386	.025
292	AP145 ⁸²⁴⁹	145	.035	ARNOLT			
403	AP86 ⁸²⁴⁹	86	.035	w/Cast Iron Heads	XST458 ⁸²⁵¹	295	.025
All Models w/18mm Threads	---	386	.025	w/Aluminum Heads	---	216	.025
All Models w/7/8"-18 Threads	---	3076	.025	ATLANTIC (Canadian)			
All Models w/1/2"-14 Pipe Threads	---	3095	.025	All Models w/18mm Threads	---	386	.025
AEROCRUISER				All Models w/7/8"-18 Threads	---	3076	.025
Hovercraft				All Models w/1/2"-14 Pipe Threads	---	3095	.025
SA1100	XS4063	4063 ⁸²⁴⁸	.035	ATLAS			
AERO MARINE				Skipper	XST458 ⁸²⁵¹	295	.025
164	---	405	.030	ATOMIC			
240, 455 Series	XS85	85	.030	Model 1 (5 h.p.)	XST458 ⁸²⁵¹	295	.035
1970-69 265 Series	XS85	85	.030	Model 2 (10 h.p.)	XST458 ⁸²⁵¹	295	.035
1971 & Up 265 Series	XP25 ⁸²⁵⁰	25	.030	Model 4 (30 h.p.)	XST458 ⁸²⁵¹	295	.035
304, 360 Jet	XS63	63	.030	AUSTIN			
1971 320 Series	XP25 ⁸²⁵⁰	25	.030	All Models w/14mm Threads	AP425 ⁸²⁴⁹	425	.018
1970-66 320 Series	---	405	.030	All Models w/18mm Threads	---	386	.020
1968-66 350, 165CR Series	---	405	.030	AUTOMATIC			
1971-70 375 Series	XP25 ⁸²⁵⁰	25	.030	All Models w/18mm Threads	---	386	.025
1969-66 375 Series	---	405	.030	All Models w/7/8"-18 Threads	---	3076	.025
427 Jet, 454 Series	XP25 ⁸²⁵⁰	25	.030	B & W			
482 Series	XS63	63	.030	30, 25	---	405	.030
AEROJET				60, 105, 135, 155, 165	XST254 ⁸²⁵¹	303	.025
All Models	XST254 ⁸²⁵¹	303	.025	LH4, LH6, LH Deluxe, 45	---	3076	.025
AEROLITE				LH Super, LH Super Spec., LH Master, LH Dual Ign.	XST254 ⁸²⁵¹	303	.025
All Models	---	386	.025	Mystic, Engineer Models	---	3076	.025
AIRMASTER				Standard Models	---	3076	.025
Airboats				BARKER (Ford Conversion)			
w/Kohler 25 h.p. (V-Twin)	XS3924	3924	.030	Model T	---	3095	.025
ALFCO				Model A	---	3076	.025
All Models	---	3076	.025	BARR			
ALLIS-CHALMERS				(Buick Engines)			
All Models w/18mm Threads	---	386	.025	V-8 Engines			
All Models w/7/8"-18 Threads	---	3076	.025	1969-67 400 & 430 cid	XP25 ⁸²⁵⁰	25	.030
AMANDA				1974-70 455 cid	XP25 ⁸²⁵⁰	25	.030
Water Scooter	AP404 ⁸²⁴⁹	404	.025	(Chevrolet Engines)			
AMECO				6-Cyl. Engines			
302 & 351W cid Ford Eng.	AP45 ⁸²⁴⁹	45	.030	1969-62 194, 230 & 250 cid	XS65	65	.035
AMERICAN CHALLENGER				1970 230 cid	XP25 ⁸²⁵⁰	25	.035
Eagle 400, 600, 800	XP24 ⁸²⁵⁰	24	.020	1984-70 250 cid	XP25 ⁸²⁵⁰	25	.035
ANDERSON				1990-70 292 cid	XP25 ⁸²⁵⁰	25	.035
All Models w/18mm Threads	---	386	.025	1969-63 292 cid	---	405	.035
All Models w/1/2"-14 Pipe Threads	---	3095	.025	V-8 Engines			
ANGLER				1967-55 283 cid	XS85	85	.035
21	XST458 ⁸²⁵¹	295	.025	1969-67 302 cid	XS85	85	.035
				1973-71 307 cid	XP25 ⁸²⁵⁰	25	.035
				1970-68 307 cid	XS85	85	.035
				1969-61 327 cid	XS85	85	.035



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
(Chevrolet Engines) (Cont'd)				BMW (Cont'd)			
V-8 Engines (Cont'd)				B220, G220I, G220S XP64 ⁸²⁵⁰ 64 .025			
1990-71 350 & 400 cid	XP25 ⁸²⁵⁰	25	.035	BRENNAN			
1970 350 cid 4-bbl.	XS85	85	.035	E-4, Goldcup, Master Six XST254 ⁸²⁵¹ 303 .025			
1970-67 350 cid 2-bbl.	XS85	85	.030	Imperial 11, Junior, Frontenac XST254 ⁸²⁵¹ 303 .025			
1970 400 cid	XS85	85	.035	Imperial Inboard/Outboard --- 216 .025			
409 cid (Truck)	AP404 ⁸²⁴⁹	404	.030	Imperial w/Aluminum Heads --- 216 .025			
1990-73 427 cid	XP25 ⁸²⁵⁰	25	.035	Imperial w/Cast Iron Heads XST458 ⁸²⁵¹ 295 .025			
1972-71 427 cid	XP24 ⁸²⁵⁰	24	.035	Kid XST458 ⁸²⁵¹ 295 .025			
1989-79 454 cid	XP25 ⁸²⁵⁰	25	.035	All Models w/18mm Threads --- 386 .025			
(Chrysler Engines)				BRIDGEPORT			
1971-60 383 cid 2-bbl.	AP86 ⁸²⁴⁹	86	.035	All Models w/7/8"-18 Threads --- 3076 .025			
1971-68 383 cid 4-bbl.	XS85	85	.035	All Models w/1/2"-14 Pipe Threads .. --- 3095 .025			
1967-66 383 cid Hi-Perf.	XS85	85	.035	BRILL			
1965-63 413 cid	AP86 ⁸²⁴⁹	86	.035	All Models --- 386 .025			
1965-63 413 cid Hi-Perf.	XS85	85	.035	BRITISH SEAGULL			
1964-63 413 cid Two 4-bbl.	XS85	85	.035	1981-79 ST110 --- 386 .035			
1979-72 440 cid	XS85	85	.035	BRUCE STEWART (Canadian)			
1971-66 440 cid 350 h.p.	XS85	85	.035	All Models --- 3095 .025			
1971-66 440 cid 375 h.p.	XS85	85	.035	BUCHANAN (Canadian)			
(Ford Engines)				110 --- 405 .035			
"L" Head Engs.	---	216	.030	185, 283, 327 XST254 ⁸²⁵¹ 303 .025			
OHV Engs. (Thru 1954)	---	216	.030	430, 431 AP45 ⁸²⁴⁹ 45 .035			
(Oldsmobile Engines)				Jr. 4 18mm Threads --- 386 .025			
V-8 Engines				1966-65 Jr. 4A, 4B 14mm Threads .. XST458 ⁸²⁵¹ 456 .028			
1974-71 350 cid	XS85	85	.040	1963-55 Rocket K, Meteor KL XST458 ⁸²⁵¹ 456 .028			
1970-68 350 cid 4-bbl.	XS85	85	.030	All Models w/7/8"-18 Threads --- 3076 .025			
1970-68 350 & 455 cid 2-bbl.	XS85	85	.030	All Models w/1/2"-14 Pipe Threads .. --- 3095 .025			
1978-76 455 cid	AP86 ⁸²⁴⁹	86	.040	BUCHANAN BULL DOG			
1974-72 455 cid 4-bbl.	AP86 ⁸²⁴⁹	86	.040	All Models w/18mm Threads --- 386 .025			
1974-72 455 cid Hi-Perf.	XS85	85	.040	All Models w/7/8"-18 Threads --- 3076 .025			
1971 455 cid 2-bbl.	AP86 ⁸²⁴⁹	86	.040	BUDA			
1971-70 455 cid 4-bbl.	XS85	85	.040	All Models w/18mm Threads --- 386 .025			
(Pontiac Engines)				All Models w/7/8"-18 Threads --- 3076 .025			
1967-60 389 cid	XS85	85	.035	BUFFALO			
1974-72 400 & 455 cid	XP25 ⁸²⁵⁰	25	.040	All Models --- 3076 .025			
1971-67 400 cid	XS85	85	.035	CADILLAC			
1966-63 421 cid	XS85	85	.035	CM 230 Series XST254 ⁸²⁵¹ 303 .025			
1969-67 428 cid	XS85	85	.035	CADY			
1971 455 cid 2-bbl.	AP86 ⁸²⁴⁹	86	.035	CA, COX, COXC, ACE, 44 --- 3076 .025			
1971-70 455 cid 4-bbl.	AP86 ⁸²⁴⁹	86	.035	All Other Models --- 3095 .025			
(Willys Engines)				CAL-JET			
All Models	XST458 ⁸²⁵¹	295	.030	w/British Anzani Engs. --- 216 .025			
BERKELEY				CAPITOL			
1994-76 Chevrolet 350 & 454 cid ...	XP25 ⁸²⁵⁰	25	.035	All Models w/7/8"-18 Threads --- 3076 .025			
1994-74 Ford 302 & 351 Packajet				All Models w/1/2"-14 Pipe Threads .. --- 3095 .025			
14mm Heads	XP24 ⁸²⁵⁰	24	.035				
1977-74 Ford 302 & 351 Packajet							
18mm Heads	AP45 ⁸²⁴⁹	45	.035				
1994-75 Ford 460 Packajet	XP24 ⁸²⁵⁰	24	.034				
1977-75 Ford Jet Drive 460	XP24 ⁸²⁵⁰	24	.034				
1977-69 Oldsmobile 350 cid	AP86 ⁸²⁴⁹	86	.040				
Oldsmobile 455-2 Packajet	XS85	85	.030				
Oldsmobile 455-3 Packajet	AP86 ⁸²⁴⁹	86	.040				
BMW							
B130, G130I, G130S	XS63	63	.025				
B190, G190T, G190S	XP64 ⁸²⁵⁰	64	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CASTOLDI				CHRIS-CRAFT (Also See Volvo Penta & Mercruiser) (Cont'd)			
1974 1966cc (113 h.p.)	AP45 ⁸²⁴⁹	45	.035	w/8.1 Liter Horizon	XP5245 ⁸²⁵⁰	5245	.060
1974 2261E	----	405	.035	w/8.2 Liter MPI/Carb.	XP25 ⁸²⁵⁰	25	.035
1974 2264E	XS65	65	.035	181 & 153 Thru Serial No. 603191	----	405	.035
1974 2614E	XS63	63	.025	181 From Serial No. 603192	AP23 ⁸²⁴⁹	23	.035
1976-74 1100/04	----	405	.035	225 Series	XS85	85	.035
1600/04, 3000/05	XS63	63	.035	283, 302, 307 & 327 w/Gasket			
2000/05	AP45 ⁸²⁴⁹	45	.035	Heads	XS85	85	.025
CATERPILLAR				496 Mag	XP5245 ⁸²⁵⁰	5245	.060
All Models w/14mm Threads	----	306	.025	496 Mag HO	XP5245 ⁸²⁵⁰	5245	.060
All Models w/18mm Threads	----	386	.022	1986-77 305, GLV, K Series	XP25 ⁸²⁵⁰	25	.035
All Models w/7/8"-18 Threads	----	3076	.025	307, 350 & 454 w/Tapered Seat			
CHEVROLET				Heads	AP23 ⁸²⁴⁹	23	.035
4-Cyl. Engines				1976-75 307, GLV, K (215 h.p.)	XP25 ⁸²⁵⁰	25	.035
1973-72 All Models	AP145 ⁸²⁴⁹	145	.030	1986-75 350, GLV, K Series (250 h.p.)			
6-Cyl. Engines				1986-75 350, GLV, K Series (250 h.p.)	XP25 ⁸²⁵⁰	25	.035
1969-62 194, 230 & 250 cid	XS65	65	.035	1986-75 350, FLV (300 h.p.) Hi-Perf.	XP25 ⁸²⁵⁰	25	.035
1970 230 cid	XP25 ⁸²⁵⁰	25	.030	1991-79 350 Q Series	XP25 ⁸²⁵⁰	25	.035
1984-70 250 cid	XP25 ⁸²⁵⁰	25	.035	350 Mag MPI Gen+ 0L002008 and Above	XP104 ⁸²⁵⁰	104	.045
1991-70 292 cid	XP25 ⁸²⁵⁰	25	.035	350 Mag MPI (Horizon) 0L304700 and Above	XP104 ⁸²⁵⁰	104	.035
1969-63 292 cid	----	405	.035	350 Hi-Perf.	XP24 ⁸²⁵⁰	24	.035
V-8 Engines				427, 431 Series	AP124 ⁸²⁴⁹	124	.030
1967-55 283 cid	XS85	85	.035	430 Series	AP45 ⁸²⁴⁹	45	.030
1969-67 302 cid	XS85	85	.035	454 Series	XP25 ⁸²⁵⁰	25	.035
1973-71 307 cid	XP25 ⁸²⁵⁰	25	.035	A, B, BA, BAS, BL, BLR, BLR3 w/Regular Heads	XST458 ⁸²⁵¹	456	.025
1970-68 307 cid	XS85	85	.035	BR, BR3, BS, C, H, K, KA, KAO w/Regular Heads	XST458 ⁸²⁵¹	456	.025
1969-61 327 cid	XS85	85	.035	KAR, KARO, KAS, KASO, KB w/Regular Heads	XST458 ⁸²⁵¹	456	.025
1993-71 350 & 400 cid	XP25 ⁸²⁵⁰	25	.035	KBL, KBO, KC, KFL, KL, KLC w/Regular Heads	XST458 ⁸²⁵¹	456	.025
1970 350 cid 4-bbl.	XS85	85	.035	KLO, KLR, KLRO, KLS, KLSO w/Regular Heads	XST458 ⁸²⁵¹	456	.025
1970-67 350 cid 2-bbl.	XS85	85	.030	KO, KR, KRO, KS, KSO w/Regular Heads	XST458 ⁸²⁵¹	456	.025
1970 400 cid	XS85	85	.035	A, B, BA, BAS, BL, BLR, BLR3 w/Aluminum Heads	----	216	.025
1990-73 427 cid	XP25 ⁸²⁵⁰	25	.035	BR, BR3, BS, C, H, K, KA, KAO w/Aluminum Heads	----	216	.025
1972-71 427 cid	AP23 ⁸²⁴⁹	23	.035	KAR, KARO, KAS, KASO, KB w/Aluminum Heads	----	216	.025
1993-79 454 cid	XP24 ⁸²⁵⁰	24	.035	KBL, KBO, KC, KFL, KL, KLC w/Aluminum Heads	----	216	.025
CHRIS-CRAFT (Also See Volvo Penta & Mercruiser)				KLO, KLR, KLRO, KLS, KLSO w/Aluminum Heads	----	216	.025
w/3.0 Liter OMC Cobra	XP25 ⁸²⁵⁰	25	.035	KO, KR, KRO, KS, KSO w/Aluminum Heads	----	216	.025
w/4.3 Liter OMC Cobra	XP25 ⁸²⁵⁰	25	.035	L, LA, LB, LBS, LC, LCS, LD, LO w/Regular Heads	XST458 ⁸²⁵¹	456	.025
4.3L GIPNCA (.460" Reach)	XP25 ⁸²⁵⁰	25	.045	LR, LRO, LS, M, MA, MAR, MARD w/Regular Heads	XST458 ⁸²⁵¹	456	.025
4.3L GIPNCS (.708" Reach)	XP605 ⁸²⁵⁰	605	.060	MAS, MB, MBL, MCL, MCLO w/Regular Heads	XST458 ⁸²⁵¹	456	.025
w/5.0 Liter OMC Cobra	XP25 ⁸²⁵⁰	25	.035	MCLR, MCLRO, MCLS, MCLSO w/Regular Heads	XST458 ⁸²⁵¹	456	.025
w/5.0 Liter FL	XP25 ⁸²⁵⁰	25	.045	MCS, ML, MLO, MLR, MLRO, MLS w/Regular Heads	XST458 ⁸²⁵¹	456	.025
w/5.0 Liter EFI OMC Cobra	XP25 ⁸²⁵⁰	25	.035	MLSO, MO, MR, MRO, MS, MSO w/Regular Heads	XST458 ⁸²⁵¹	456	.025
w/5.0 Liter 0L000000 and Below	XP25 ⁸²⁵⁰	25	.035	L, LA, LB, LBS, LC, LCS, LD, LO w/Aluminum Heads	----	216	.025
w/5.0 Liter Gen+ 0L015751	XP104 ⁸²⁵⁰	104	.045	LR, LRO, LS, M, MA, MAR, MARD w/Aluminum Heads	----	216	.025
w/5.0 Liter EFI Gen+ 0L012052	XP104 ⁸²⁵⁰	104	.045				
w/5.0 Liter MPI	XP605 ⁸²⁵⁰	605	.060				
w/5.0L GXi	XP605 ⁸²⁵⁰	605	.060				
w/5.7 Liter TBI/Carb.	XP25 ⁸²⁵⁰	25	.035				
w/5.7 Liter Gi	XP25 ⁸²⁵⁰	25	.045				
w/5.7 Liter GS	XP25 ⁸²⁵⁰	25	.045				
w/5.7 Liter GSi	XP104 ⁸²⁵⁰	104	.045				
w/5.7 Liter GXi	XP104 ⁸²⁵⁰	104	.045				
w/5.8 Liter OMC Cobra	XP103 ⁸²⁵⁰	103	.035				
w/5.8 Liter EFI OMC Cobra	XP103 ⁸²⁵⁰	103	.035				
w/5.8 Liter EFI OMC King Cobra	XP103 ⁸²⁵⁰	103	.035				
w/6.2 Liter MX MPI	XP103 ⁸²⁵⁰	103	.045				
w/7.4 Liter OMC Cobra	XP25 ⁸²⁵⁰	25	.035				
w/7.4 Liter Gi	XP25 ⁸²⁵⁰	25	.045				
w/7.4 Liter EFI OMC Cobra	XP25 ⁸²⁵⁰	25	.035				
w/8.1 Liter Gi	XP5245 ⁸²⁵⁰	5245	.060				
w/8.1 Liter GXi	XP5245 ⁸²⁵⁰	5245	.060				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CHRIS-CRAFT (Also See Volvo Penta & Mercruiser) (Cont'd)				CHRYSLER (Cont'd)			
MAS, MB, MBL, MCL, MCLO w/ Aluminum Heads	----	216	.025	M-80	AP86 ⁸²⁴⁹	86	.035
MCLR, MCLRO, MCLS, MCLSO w/ Aluminum Heads	----	216	.025	All Models w/18mm Threads	----	386	.025
MCS, ML, MLO, MLR, MLRO, MLS w/Aluminum Heads	----	216	.025	All Models w/7/8"-18 Threads	----	3076	.025
MLSO, MO, MR, MRO, MS, MSO w/Aluminum Heads	----	216	.025	All Models w/1/2"-14 Pipe Threads	----	3095	.025
W, WB, WBO, WBR, WBRO, WBR2 w/Regular Heads	XST458 ⁸²⁵¹	456	.025	CHRYSLER VOLVO			
WB20, WBS, WBSO, WD w/Regular Heads	XST458 ⁸²⁵¹	456	.025	110, 115, 120, 130, 165, 170	----	422 ⁹⁵²⁶	.028
WRD, WR2, WR20, WS, WSO w/Regular Heads	XST458 ⁸²⁵¹	456	.025	CLIMAX			
W, WB, WBO, WBR, WBRO, WBR2 w/Aluminum Heads	----	216	.025	98 cid	XS63	63	.030
WB20, WBS, WBSO, WD w/Aluminum Heads	----	216	.025	302 & 351 cid	AP124 ⁸²⁴⁹	124	.030
WRD, WR2, WR20, WS, WSO w/Aluminum Heads	----	216	.025	460 cid	AP45 ⁸²⁴⁹	45	.030
All Models w/14mm Threads 3/8" Reach (Shielded)	----	2244	.025	CLINTON			
All Models w/18mm Threads	----	386	.025	All Models	XST458 ⁸²⁵¹	295	.025
CHRYSLER				CON-O-LIFT			
4-Cyl. Engines				Marine Hydraulic Trailers			
M91D, M91F	XS63	63	.035	w/Honda 5.5 h.p. OHV	XP64 ⁸²⁵⁰	64	.030
M122A, M122B	----	422 ⁹⁵²⁶	.035	CORNELL			
6-Cyl. Engines				Marine Hoists			
M-170	----	405	.035	w/Chrysler 225 cid	XP25 ⁸²⁵⁰	25	.035
M-183B	----	422 ⁹⁵²⁶	.035	w/Ford 300 cid	AP124 ⁸²⁴⁹	124	.030
Thru 74 M-225A, M-225D, M225GD	----	405	.035	w/Wisc. Engs.	----	386	.025
1979-75 M-225D	AP23 ⁸²⁴⁹	23	.035	COULTER-AUTOMATIC			
M-265, M-265A	XST254 ⁸²⁵¹	303	.035	All Models	----	3076	.025
M46-3, M46S-3, M46-4	XST254 ⁸²⁵¹	303	.035	COVENTRY VICTOR			
M47-3, M47S-3, M47-4	XST254 ⁸²⁵¹	303	.035	All Models	----	373	.025
V-8 Engines				CROFTON			
273 & 318 cid:				All Models	XST254 ⁸²⁵¹	303	.025
M-273A, M-273B, M-273BT	XS63	63	.035	CROSLEY			
LM-318A, LM-318AC, LM-318B	XS63	63	.035	All Models	XST458 ⁸²⁵¹	295	.025
LM-318BC, LM-318BJ, LM-318BT	XS63	63	.035	CRUSADER			
LM-318BV, LM-318D	XS63	63	.035	1979 200 cid	AP23 ⁸²⁴⁹	23	.035
M-318A, M-318B	AP86 ⁸²⁴⁹	86	.035	1984-79 229 cid V6	XP24 ⁸²⁵⁰	24	.035
M-318C, M-318GD	AP86 ⁸²⁴⁹	86	.035	1998-85 262 cid V6	AP23 ⁸²⁴⁹	23	.035
340 & 360 cid:				1980-71 292 cid Model 185	AP23 ⁸²⁴⁹	23	.035
LM-340B, LM-340BJ	XS63	63	.035	1996-76 305 cid Model 220, 190	XP24 ⁸²⁵⁰	24	.035
LM-340BT, LM-340BV	XS63	63	.035	1980-71 307 cid Model 210	AP23 ⁸²⁴⁹	23	.035
M-360A, M-360B, M-360BC	XS63	63	.035	1998-71 350 cid Model 270	XP24 ⁸²⁵⁰	24	.035
M-360BJ, M-360BT, M-360BV	XS63	63	.035	1981-68 427 cid Model 427	AP23 ⁸²⁴⁹	23	.035
400 & 440 cid:				1998-81 454 cid V8	XP24 ⁸²⁵⁰	24	.035
M-400B, M-400BV, M-400S	AP86 ⁸²⁴⁹	86	.035	1980-72 454 cid Model 350	AP23 ⁸²⁴⁹	23	.035
M-440B, M-440BJ, M-440BV	AP86 ⁸²⁴⁹	86	.035	1998-89 502 cid V8	XP24 ⁸²⁵⁰	24	.035
M-440D, M-440S	AP86 ⁸²⁴⁹	86	.035	Boat Builder Series			
383, 413 & 426 cid:				170J, 185, 200J, 210	XST254 ⁸²⁵¹	303	.025
M-383B, M-383BV	AP86 ⁸²⁴⁹	86	.035	185, 190, 220, 230, 250	XST254 ⁸²⁵¹	303	.025
M-413B, M-413D	AP86 ⁸²⁴⁹	86	.035	230, 230J	XST254 ⁸²⁵¹	303	.025
M-413E	----	405	.035	CS 100, 150, 165, 280	AP404 ⁸²⁴⁹	404	.032
M-426B, M-426D, M-426SKI	AP86 ⁸²⁴⁹	86	.035	CS 180, 220, 250; CM Cadillac	XST254 ⁸²⁵¹	303	.032
460 cid				CS 320	XS4063	4063 ⁸²⁴⁸	.032
M460B	XP24 ⁸²⁵⁰	24	.035	Captain's Choice Series			
Other:				5.0L MPI (275 h.p.)	XP104 ⁸²⁵⁰	104	.045
M44, M44-3	XST254 ⁸²⁵¹	303	.035	5.7L MPI	XP104 ⁸²⁵⁰	104	.045
M45, M45S, M45-3, M45S-3	----	405	.035				
M45SP-3, M-81	----	405	.035				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CRUSADER (Cont'd)				DETROIT MARINE			
Captain's Choice Series (Cont'd)				All Models --- 386 .025			
6.0L MPI (375 h.p.), HO	XP5245 ⁸²⁵⁰	5245	.060	DISPRO (Canadian)			
8.1L MPI (385 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	All Models --- 3095 .025			
8.1L MPI (425 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	DODGE WATER CAR			
Champion Series				All Models w/18mm Threads --- 386 .025			
305 cid	XP24 ⁸²⁵⁰	24	.035	All Models w/7/8"-18 Threads --- 3076 .025			
350 cid	XP24 ⁸²⁵⁰	24	.035	DOMAN			
350 cid HT	XP24 ⁸²⁵⁰	24	.035	All Models w/7/8"-18 Threads --- 3076 .025			
454 cid	XP24 ⁸²⁵⁰	24	.035	DUBRIE			
Charger Series				All Models --- 3095 .025			
CS 185, 220, 250	XST254 ⁸²⁵¹	303	.025	DYNAFOIL			
CS 280	AP404 ⁸²⁴⁹	404	.035	w/Xenoah G440-BW (432cc) AP404 ⁸²⁴⁹ 404 .025			
CS 320	AP404 ⁸²⁴⁹	404	.034	EASTHOPE (Canadian)			
Classic Series				All Models w/14mm Threads --- 306 .025			
5.7L Plus MPI (350 cid)	XP104 ⁸²⁵⁰	104	.045	All Models w/18mm Threads --- 386 .025			
5.7L Plus EFI (350cid)	XP104 ⁸²⁵⁰	104	.045	All Models w/1/2"-14 Pipe Threads .. --- 3095 .025			
5.7L Carb. (300 & 310 h.p.)	XP24 ⁸²⁵⁰	24	.035	EATON INTERCEPTOR			
7.4L MPI (454cid)	XP104 ⁸²⁵⁰	104	.045	144, 170 cid (Sidedraft Carb.) AP46 ⁸²⁴⁹ 46 .030			
7.4L HO-MPI (454cid)	XP104 ⁸²⁵⁰	104	.045	170 (Downdraft Carb.), 200, 221, 256 cid AP124 ⁸²⁴⁹ 124 .030			
8.1L MPI (385 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	272, 289, 292, 312, 352, cid AP124 ⁸²⁴⁹ 124 .030			
8.1L MPI (425 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	260, 302, 390 cid AP45 ⁸²⁴⁹ 45 .030			
8.2L MPI (502 cid)	XP104 ⁸²⁵⁰	104	.045	427 cid 300 h.p. AP124 ⁸²⁴⁹ 124 .030			
Platinum Series				427 cid 330 h.p. AP124 ⁸²⁴⁹ 124 .030			
5.7L Plus MPI (350 cid)	XP104 ⁸²⁵⁰	104	.045	427 cid 400 h.p. AP45 ⁸²⁴⁹ 45 .030			
7.4L MPI (454cid)	XP104 ⁸²⁵⁰	104	.045	V4-104, V6-122 cid --- 275 .030			
7.4L HO-MPI (454cid)	XP25 ⁸²⁵⁰	25	.045	ECKEROTH			
8.1L MPI (385 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	All Models XST458 ⁸²⁵¹ 295 .030			
8.1L MPI HO (425 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	ECON-O-POWER (See Lehman)			
8.2L MPI (502 cid)	XP25 ⁸²⁵⁰	25	.045	ELCO			
XL & XLi Series:				All Models w/14mm Threads XST458 ⁸²⁵¹ 295 .025			
262 cid Carb.	AP23 ⁸²⁴⁹	23	.035	All Models w/18mm Threads --- 386 .025			
305 cid	XP24 ⁸²⁵⁰	24	.035	All Models w/7/8"-18 Threads --- 3076 .025			
350 cid	XP24 ⁸²⁵⁰	24	.035	ELGIN (Canadian)			
350 cid HT	XP24 ⁸²⁵⁰	24	.035	Stern Drive XST254 ⁸²⁵¹ 303 .030			
454 cid	XP24 ⁸²⁵⁰	24	.035	ELIPSE			
454 cid	XP24 ⁸²⁵⁰	24	.035	All Models XST458 ⁸²⁵¹ 295 .030			
454 cid HO	XP24 ⁸²⁵⁰	24	.035	ELLINWOOD			
502 cid	XP24 ⁸²⁵⁰	24	.035	All Models XST458 ⁸²⁵¹ 295 .030			
CUYUNA				EMPEROR			
Jet Drive Engines				4-15, 4-25, 4-55, 4-70, 6-70, 6-90, 6-95, 6-145 Jeep XST458 ⁸²⁵¹ 295 .030			
Model 430LC 40 h.p.	XS4063	4063 ⁸²⁴⁸	.030	4-40, 4-50, 4-60, 6-125 --- 3076 .025			
CURTIS OX5				215, 235, 280, 300, 315, 345 cid XS85 85 .025			
All Models	---	386	.025	DAYTONA			
CYCLONE				Models 100, 150 --- 405 .035			
All Models	---	3076	.025	Models 200, 300 XST254 ⁸²⁵¹ 303 .035			
DAVIS				Models 400, 400 Turbo XS4063 4063 ⁸²⁴⁸ .035			
All Models	---	3076	.025	Models 427, 427 Turbo XS4064 4054 ⁸²⁴⁸ .035			
DEARBORN				DETROIT MARINE			
Interceptor	AP45 ⁸²⁴⁹	45	.033	All Models --- 386 .025			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EMPEROR (Cont'd)				FLAGSHIP (Cont'd)			
Buick 300 cid V6 & Chevrolet 283, 327, 409 cid XST254 ⁸²⁵¹ 303 .035 Chrysler 170 cid AP66 ⁸²⁴⁹ 66 .035 Ford 289, 312, 390 cid AP45 ⁸²⁴⁹ 45 .035 Mercury Conv. V8 ---- 216 .025				High Performance Engines (Cont'd) 181 cid 145FEFI XP103 ⁸²⁵⁰ 103 .032 181 cid 140FME XP103 ⁸²⁵⁰ 103 .032 262 cid 200FMC AP23 ⁸²⁴⁹ 23 .035 262 cid 225FEFI XP103 ⁸²⁵⁰ 103 .032 262 cid 225FME Vortec XP103 ⁸²⁵⁰ 103 .032 262 cid 235FEFI AP23 ⁸²⁴⁹ 23 .035 262 cid 250FEFI Gen 1+ E Vortec ... XP103 ⁸²⁵⁰ 103 .032 305 cid 225FMC AP23 ⁸²⁴⁹ 23 .035 305 cid 250FEFI Vortec XP103 ⁸²⁵⁰ 103 .040 305 cid 250FME Vortec XP103 ⁸²⁵⁰ 103 .040 350 cid 260FMC, 300FMC AP23 ⁸²⁴⁹ 23 .035 350 cid 300FEFI AP23 ⁸²⁴⁹ 23 .035 350 cid 300FME Vortec XP103 ⁸²⁵⁰ 103 .040 350 cid 320FEFI Gen 1+ XP103 ⁸²⁵⁰ 103 .035 350 cid 350FEFI XP103 ⁸²⁵⁰ 103 .040 350 cid 355FEFI Gen 1+ K Vortec ... XP103 ⁸²⁵⁰ 103 .032 364 cid 350FME Vortec XP103 ⁸²⁵⁰ 103 .032 364 cid 475FMESC Vortec XP103 ⁸²⁵⁰ 103 .032 454 cid 370FMC, 375FEFI AP23 ⁸²⁴⁹ 23 .035 454 cid 375FEFI ---- AR134 .032 454 cid 425FEFI AP23 ⁸²⁴⁹ 23 .035 454 cid 485FEFI ---- AR134 .035 454 cid 500FAW ---- AR134 .035 454 cid 525FAS ---- AR134 .035 496 cid 375FEFI Vortec XP5245 ⁸²⁵⁰ 5245 .060 496 cid 375FME Vortec XP5245 ⁸²⁵⁰ 5245 .060 496 cid 420FME Vortec XP5245 ⁸²⁵⁰ 5245 .060 496 cid 450FEFI Vortec XP5245 ⁸²⁵⁰ 5245 .060 496 cid 450FME Vortec XP5245 ⁸²⁵⁰ 5245 .060 496 cid 500FEFI Vortec XP5245 ⁸²⁵⁰ 5245 .060 496 cid 500FME Vortec XP5245 ⁸²⁵⁰ 5245 .060 496 cid 525FME XP5245 ⁸²⁵⁰ 5245 .060 496 cid 575FME XP5245 ⁸²⁵⁰ 5245 .060 496 CID HP3 8100 525+ h.p. Vortec . XP5245 ⁸²⁵⁰ 5245 .032 496 CID 725FSEFI Vortec XP5245 ⁸²⁵⁰ 5245 .032 525 cid 525FEFI XP5245 ⁸²⁵⁰ 5245 .060 502 cid 380FMC, 400FMC AP23 ⁸²⁴⁹ 23 .035 502 cid 400FEFI XP25 ⁸²⁵⁰ 25 .035 502 cid 450FEFI Gen VI ---- AR134 .032 502 cid 475FEFI ---- AR134 .035 502 cid 500FEFI Gen VI ---- AR134 .035 502 cid 515FEFI ---- AR134 .035 502 cid 600FSEFI Supercharged ... ---- AR134 .035 510 cid 525FEFI ---- AR134 .035 510 cid 550FEFI ---- AR134 .035 502 cid 600FSEFI Supercharged ... ---- AR134 .035 510 cid 650FASI ---- AR134 .035 510 cid 850FASIF ---- AR134 .035 520 cid 575FEFI Vortec XP5245 ⁸²⁵⁰ 5245 .060 520 cid 600FME XP5245 ⁸²⁵⁰ 5245 .060 535 cid 600FEFI Vortec XP5245 ⁸²⁵⁰ 5245 .060 540 cid 625FEFI ---- AR134 .035 540 cid 700FSEFI Supercharged ... ---- AR134 .035 540 cid 725FSEFI ---- AR134 .035 572 cid 800FSEFI Supercharged ... ---- AR134 .035 572 cid 620FME AP66 ⁸²⁴⁹ 66 .035 575 cid 650FEFI ---- AR134 .035 575 cid 675FEFI ---- AR134 .035 575 cid 825FSEFI ---- AR134 .035 1993-75 350 cid 295FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
ERD				High Performance Engines (Cont'd)			
All Models w/7/8"-18 Threads ---- 3076 .025				181 cid 125FMC AP23 ⁸²⁴⁹ 23 .035			
ESCORT				High Performance Engines (Cont'd)			
1978-76 All Models XP24 ⁸²⁵⁰ 24 .030 1975-72 G155, 170, 190, 220, 225, 232 AP124 ⁸²⁴⁹ 124 .030				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
EVANSVILLE				High Performance Engines (Cont'd)			
All Models w/1/2"-14 Pipe Threads .. ---- 3095 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
EVINRUDE				High Performance Engines (Cont'd)			
4, 5 h.p. ---- 3076 .025 CU, SU 153 cid (110-120 h.p.) ---- 405 .035 DU 89 cid (88-90 h.p.) ---- 353 .030 HU 225 cid (150-155 h.p.) XS85 85 .035 KU 283 cid (185 h.p.) XST254 ⁸²⁵¹ 303 .035 NU 1600cc (80 & 90 h.p.) XS63 63 .025 TU-14, -15, -16 300 cid (200 h.p.) ... XS85 85 .035 TU-17 & Up 283 & 307 cid (210 h.p.) XST254 ⁸²⁵¹ 303 .035 All Models w/7/8"-18 Threads ---- 3076 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
EXPRESS				High Performance Engines (Cont'd)			
1981-80 Chevrolet 350-2, 350-4, 454-2, 454-4 XP25 ⁸²⁵⁰ 25 .035				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
FAGEOL				High Performance Engines (Cont'd)			
All Models w/14mm Threads (3/8" Reach) XST254 ⁸²⁵¹ 303 .020 All Models w/14mm Threads (1/2" Reach) AP425 ⁸²⁴⁹ 425 .015				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
FALCON (See U.S. Falcon)				High Performance Engines (Cont'd)			
All Models w/18mm Threads ---- 386 .025 All Models w/7/8"-18 Threads ---- 3076 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
FARR				High Performance Engines (Cont'd)			
All Models w/18mm Threads ---- 386 .025 All Models w/7/8"-18 Threads ---- 3076 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
FAY & BOWEN				High Performance Engines (Cont'd)			
All Models w/18mm Threads ---- 386 .025 All Models w/7/8"-18 Threads ---- 3076 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
FAYBOW				High Performance Engines (Cont'd)			
All Models w/18mm Threads ---- 386 .025 All Models w/7/8"-18 Threads ---- 3076 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
FEDERAL				High Performance Engines (Cont'd)			
All Models ---- 216 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			
FLAGSHIP				High Performance Engines (Cont'd)			
All Models ---- 216 .025				1993-75 350 cid 335, 380FAS AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC400-1 AP23 ⁸²⁴⁹ 23 .035 1993-75 350 cid TC450-1 ---- AR134 .035 1993-75 350 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC500-1 ---- AR134 .035 1993-75 454 cid TC550-1 AP23 ⁸²⁴⁹ 23 .035			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
FLAGSHIP (Cont'd)				GOFF			
High Performance Engines (Cont'd)				1973-69 GMP 225 AP86 ⁸²⁴⁹ 86 .035			
1993-75 454 cid TC600-1 ---- AR134 23 .035				1973 GMP 455 AP86 ⁸²⁴⁹ 86 .040			
1993-75 454 cid 450FAS AP23 ⁸²⁴⁹ 23 .035				1972-71 GMP 455 AP86 ⁸²⁴⁹ 86 .040			
1993-75 454 cid 450FAJ AP23 ⁸²⁴⁹ 23 .035				1970-61 GMP 455 AP86 ⁸²⁴⁹ 86 .030			
1977-75 454 cid TC650 ---- AR134 23 .035				GRAYMARINE			
1977-75 460, 454 & 400 cid 550FAS AP23 ⁸²⁴⁹ 23 .035				GM232, GM258 XS63 63 .025			
1977-75 460, 454, 400 cid 550FAJ .. AP23 ⁸²⁴⁹ 23 .035				GM304, GM360 XS65 65 .035			
1977-75 460 cid TC800 ---- AR131 23 .035				Lugger Series			
1981-75 466 cid TC700-I-O ---- AR131 23 .035				Four 22, 52, 112 ---- 386 .025			
1981-75 466 cid TCX950 ---- AR131 23 .035				Four 40, 75, 80, 85TD, 140, 162 ---- 386 .025			
1981-75 466 cid 675FAJ (Normal) .. AP23 ⁸²⁴⁹ 23 .035				Four 69, Seascout 45, 91 ---- 306 .035			
1977-75 466 cid 675FAJ (Racing) ... ---- AR131 23 .035				Six 51, 121, 186, 226, 330 ---- 386 .025			
1981-75 466 cid 675FAS (Normal) ... AP23 ⁸²⁴⁹ 23 .035				Six 71, 77 ---- 373 .025			
1977-75 466 cid 675FAS (Racing) ... ---- AR134 23 .035				Six 91, 244 ---- 386 .025			
1981-75 490 cid 500FAS AP23 ⁸²⁴⁹ 23 .035				Express Series			
1981-75 490 cid 500FAJ AP23 ⁸²⁴⁹ 23 .035				Four 52, 112 ---- 386 .025			
Transdrive, Inboard & V-Drive				Four 140, 162 ---- 373 .025			
1993-77 305 cid AP23 ⁸²⁴⁹ 23 .045				Six 71, 77, 80, 111, 427 ---- 386 .025			
1993-75 350 & 454 cid AP23 ⁸²⁴⁹ 23 .045				Six 91, 224 ---- 373 .025			
1977-75 181FL XP25 ⁸²⁵⁰ 25 .035				Six 121, 186; Super 117, Super 427 . ---- 373 .025			
1977-75 280E AP23 ⁸²⁴⁹ 23 .035				Sea Scout 91 ---- 306 .035			
1974-71 292 cid XP24 ⁸²⁵⁰ 24 .035				Phantom Series			
1974-71 307 & 350 cid AP23 ⁸²⁴⁹ 23 .035				Four 45 XST254 ⁸²⁵¹ 303 .025			
1974-71 427 & 454 cid AP23 ⁸²⁴⁹ 23 .035				Four 62 ---- 373 .025			
Model 300 (427 cid) XS4063 4063 ⁸²⁴⁸ 405 .035				Four 75, 85, 86, 162, 620, 750 ---- 386 .025			
Model 155 (292 cid) ---- 405 .035				Six 70, 80, 100, 109, 109TD, 110, 116 ---- 386 .025			
FORD				Six 88, 90, 103, 104, 112, 125 ---- 373 .025			
67 & 98 cid XS63 63 .035				Six 115, 135, 200 ---- 373 .025			
104 cid XS63 63 .035				Six 118, 120, 122, 135, 136, 150, 165 ---- 386 .025			
158 & 201 cid AP404 ⁸²⁴⁹ 404 .035				Six 175, 185 ---- 386 .025			
172 cid ---- 216 .035				Fireball Series			
250 cid AP124 ⁸²⁴⁹ 124 .035				FB455 XS85 85 .025			
1994-81 302, 351 & 460 cid XP24 ⁸²⁵⁰ 24 .035				Four 50 XST458 ⁸²⁵¹ 456 .025			
Thru 1974 302, 351W & 427 cid AP45 ⁸²⁴⁹ 45 .035				Four 90 ---- 386 .025			
1989-75 427 & 429 cid XP24 ⁸²⁵⁰ 24 .035				Six 116, 150, Super 330 ---- 373 .020			
1981-77 477 cid ---- 824 .035				Six 140, 160 ---- 373 .020			
Thru 1976 477 cid AP124 ⁸²⁴⁹ 124 .035				Six 232, Stern Drive XS63 63 .025			
Early 1976 534 cid AP124 ⁸²⁴⁹ 124 .035				V-8 Models C, CF, CH, 135, 138, 138A XST254 ⁸²⁵¹ 303 .025			
Mid 1976 On 534 cid ---- 824 .035				V-8 Models 170, 175, 178, 178B, 188 XST254 ⁸²⁵¹ 303 .025			
GARWOOD				V-8 Models 195, 215, 220, 225, 238 . XST254 ⁸²⁵¹ 303 .025			
All Models w/18mm Threads ---- 386 .025				V-8 Models 260, 280, 310, 427 XST254 ⁸²⁵¹ 303 .025			
All Models w/7/8"-18 Threads ---- 3076 .025				V-8 Models 304, 360 XS65 65 .025			
GIFFORD WOOD				All Models w/7/8"-18 Threads ---- 3076 .025			
All Models w/14mm Threads XST254 ⁸²⁵¹ 303 .025				GREAT LAKES			
All Models w/18mm Threads ---- 386 .025				All Models w/14mm Threads ---- 306 .025			
GLADDEN				All Models w/18mm Threads ---- 386 .025			
All Models (Unshielded) XST458 ⁸²⁵¹ 295 .025				GUARDIAN MARINE			
All Models (Shielded) ---- 2242 .025				Ford 302 & 351W cid XP24 ⁸²⁵⁰ 24 .035			
GM				Ford 460 cid XP24 ⁸²⁵⁰ 24 .035			
181cid Vortec 3000 XP103 ⁸²⁵⁰ 103 .045				Chevrolet 454 cid XP25 ⁸²⁵⁰ 25 .035			
262cid Vortec 4300 XP605 ⁸²⁵⁰ 605 .060				Oldsmobile 455 cid AP86 ⁸²⁴⁹ 86 .040			
305cid Vortec 5000 XP605 ⁸²⁵⁰ 605 .060				HALL-SCOTT			
350cid Vortec 5700 XP605 ⁸²⁵⁰ 605 .060				All Models w/18mm Threads (Unshielded) ---- 386 .025			
364cid Vortec 6000 XP5245 ⁸²⁵⁰ 5245 .060				All Models w/18mm Threads (Shielded) ---- 2225 .025			
496cid Vortec 8100 XP5245 ⁸²⁵⁰ 5245 .060							
496cid Vortec 8100 HO XP5245 ⁸²⁵⁰ 5245 .060							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HALL-SCOTT (Cont'd)				IMC			
All Models w/7/8"-18 Threads ---- 3076 .025				Jet & Personal Watercraft Engines			
HARBOR MASTER (See Murray & Tregurtha)				850cc Engs. XS4064 4054 ⁸²⁴⁸ .030			
HARDIN MARINE				1300cc Engs. XS4064 4054 ⁸²⁴⁸ .030			
1993-69 H240J, H240V Gasket Seat 350 cid AP86 ⁸²⁴⁹ 86 .035				INDMAR			
1993-69 H240J, H240V Tapered Seat 350 cid XP24 ⁸²⁵⁰ 24 .035				Cadillac 4.6L MPI Northstar Engs. XP605 ⁸²⁵⁰ 605 .050			
1976-69 H295J, H295V Oldsmobile 455 cid AP86 ⁸²⁴⁹ 86 .035				Cadillac 6.0L HO Vortec Engs. XP5245 ⁸²⁵⁰ 5245 .060			
1990-77 H300J, H300V Oldsmobile 403 cid AP86 ⁸²⁴⁹ 86 .035				Chevrolet 4.3L EFI Engs. XP24 ⁸²⁵⁰ 24 .035			
1993-79 H305I, H350I, H454I XP25 ⁸²⁵⁰ 25 .035				Chevrolet 5.0L Gen 1 (Carb. & EFI) Engs. XP103 ⁸²⁵⁰ 103 .045			
1992-79 H320J, H320V Ford 460 cid 1990-78 H320TC Ford 460 cid Turbo ---- 144 .028				Chevrolet 5.0L Carb. Engs. XP24 ⁸²⁵⁰ 24 .045			
1976-75 H324J, H324V Oldsmobile 455 cid AP86 ⁸²⁴⁹ 86 .035				Chevrolet 5.7 Gen+ Carb. Engs. XP103 ⁸²⁵⁰ 103 .030			
1976-69 H325J, H325V Oldsmobile 455 cid XS85 85 .030				Chevrolet 5.7 Gen+ HO EFI Engs. XP103 ⁸²⁵⁰ 103 .030			
1976-69 H345J, H345V Oldsmobile 455 cid XS85 85 .030				Chevrolet 5.7 Gen+ EFI Engs. XP103 ⁸²⁵⁰ 103 .045			
1974-73 H390, H410 Oldsmobile 455 cid XS85 85 .030				Chevrolet 5.7L EFI Engs. XP24 ⁸²⁵⁰ 24 .045			
1990-78 H405TC Chevrolet 454 cid Turbo ---- 144 .028				Chevrolet 5.7L EFI HO Engs. XP103 ⁸²⁵⁰ 103 .045			
1976 H455J (ET), H455V (ET) Oldsmobile 455 cid AP86 ⁸²⁴⁹ 86 .035				Chevrolet 5.7L LT-1 EFI Engs. XP103 ⁸²⁵⁰ 103 .045			
1991-83 HM225I Chevrolet 305 cid XP25 ⁸²⁵⁰ 25 .035				Chevrolet 5.7L LS-1 EFI Engs. XP104 ⁸²⁵⁰ 104 .045			
1986-80 HM225J, HM225V, H225IO Chevrolet 305 cid XP25 ⁸²⁵⁰ 25 .035				Chevrolet 5.7L Carb. Engs. XP24 ⁸²⁵⁰ 24 .045			
1990-83 HM225TS, HM260TS, HM280TS Chevrolet 305 & 350 cid XP25 ⁸²⁵⁰ 25 .035				Chevrolet 5.7L HO Carb. Engs. XP103 ⁸²⁵⁰ 103 .045			
1994-84 HM260I, HM280I Chevrolet 350 cid XP24 ⁸²⁵⁰ 24 .035				Chevrolet 5.7L Vortec XP605 ⁸²⁵⁰ 605 .060			
1986-80 HM260J, HM260V, H260IO Chevrolet 350 cid XP25 ⁸²⁵⁰ 25 .035				Chevrolet 7.4L Engs. XP103 ⁸²⁵⁰ 103 .045			
1986-80 HM280J, HM280V, H280I Chevrolet 350 cid XP25 ⁸²⁵⁰ 25 .035				Chevrolet 8.1L MPI HO Engs. XP5245 ⁸²⁵⁰ 5245 .060			
1990-83 HM333I, HM425, HM405I Chevrolet 454 cid XP24 ⁸²⁵⁰ 24 .035				Chevrolet 8.2L Engs. XP103 ⁸²⁵⁰ 103 .045			
1990-76 HM333J, HM333V Chevrolet 454 cid XP25 ⁸²⁵⁰ 25 .035				Prior to 1998 Chevrolet 7.4L Carb. Engs. XP24 ⁸²⁵⁰ 24 .045			
1992-83 HM400, HM430 XP24 ⁸²⁵⁰ 24 .035				Prior to 1998 Chevrolet 7.4L HO Carb. Engs. XP24 ⁸²⁵⁰ 24 .045			
1990-74 HM405J, HM405V Chevrolet 454 cid XP25 ⁸²⁵⁰ 25 .035				Prior to 1998 Chevrolet 7.4L EFI Engs. XP24 ⁸²⁵⁰ 24 .045			
HARMAN HOUSE				Prior to 1998 Chevrolet 7.4L HO EFI Engs. XP24 ⁸²⁵⁰ 24 .045			
Chevrolet 350 cid Engs. XP24 ⁸²⁵⁰ 24 .040				Prior to 1998 Chevrolet 8.2L EFI Engs. XP24 ⁸²⁵⁰ 24 .045			
Chevrolet 454 cid Engs. XP25 ⁸²⁵⁰ 25 .035				Prior to 1998 Chevrolet 8.2L HO EFI . XP24 ⁸²⁵⁰ 24 .045			
Ford 460 cid Engs. XP24 ⁸²⁵⁰ 24 .035				Chevrolet 400 cid Engs. XP24 ⁸²⁵⁰ 24 .045			
HAWBOLDT (Canadian)				Ford 5.0L Engs. XP24 ⁸²⁵⁰ 24 .044			
All Models ---- 3095 .025				Ford 5.0L HO Engs. XP24 ⁸²⁵⁰ 24 .044			
HETTINGER				Ford 5.8L Engs. XP24 ⁸²⁵⁰ 24 .044			
All Models ---- 3076 .025				Ford 5.8L HO Engs. XP103 ⁸²⁵⁰ 103 .044			
HOVER AIR AMERICA				Ford 7.5L Engs. XP24 ⁸²⁵⁰ 24 .044			
3 Plus 1 w/4.3L Mercruiser XP25 ⁸²⁵⁰ 25 .035				GM 8.1L Vortec XP5245 ⁸²⁵⁰ 5245 .060			
				1982-76 Oldsmobile 350 & 403 cid Engs. AP86 ⁸²⁴⁹ 86 .040			
				1976-75 Oldsmobile 455 cid Engs. AP86 ⁸²⁴⁹ 86 .040			
				INTERCEPTOR			
				V-4 104, V-6 122 ---- 4122 ⁹⁵²⁶ .030			
				144, 170 Side Draft Carb. AP45 ⁸²⁴⁹ 45 .030			
				170 Down Draft Carb. AP124 ⁸²⁴⁹ 124 .030			
				200, 256, 272, 289, 292, 312, 352 AP124 ⁸²⁴⁹ 124 .030			
				390, 302 AP45 ⁸²⁴⁹ 45 .030			
				427 (300 h.p.) Normal Operation AP124 ⁸²⁴⁹ 124 .030			
				427 (400 h.p.) Normal Operation AP45 ⁸²⁴⁹ 45 .030			
				JET-PAC			
				1996-76 302 cid Ford XP24 ⁸²⁵⁰ 24 .035			
				305 cid 230, 230SP XP25 ⁸²⁵⁰ 25 .035			
				1988-78 350 cid Chevrolet AP23 ⁸²⁴⁹ 23 .040			
				1996-91 350 cid 275, 275SP, 300, 300SP XP25 ⁸²⁵⁰ 25 .035			
				1982-76 350 cid Oldsmobile AP86 ⁸²⁴⁹ 86 .040			
				1994-78 350-2, 350-4 Chevrolet XP25 ⁸²⁵⁰ 25 .035			
				1996-87 351 cid Ford XP24 ⁸²⁵⁰ 24 .035			
				1996-90 351 cid Ford 285 H.O. XP103 ⁸²⁵⁰ 103 .035			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁹⁵²⁶ Inductive suppressor

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JET-PAC (Cont'd)				KODIAK MARINE (Cont'd)			
1987-83 351 cid Ford w/18mm Heads	AP124 ⁸²⁴⁹	124	.035	454 cid, 454 JP	XP25 ⁸²⁵⁰	25	.045
1993-76 400 cid Chevrolet	XP24 ⁸²⁵⁰	24	.035	KOHLER			
1982-76 403 cid Oldsmobile	AP86 ⁸²⁴⁹	86	.040	L160	XST458 ⁸²⁵¹	295	.025
1996-78 454 cid Chevrolet	XP25 ⁸²⁵⁰	25	.035	SK440-2LC (2-Cycle)	XS4063	4063 ⁸²⁴⁸	.020
1983-78 454-2, 454-4 Chevrolet	XP25 ⁸²⁵⁰	25	.035	KREMER			
1976-75 455 cid Oldsmobile	AP86 ⁸²⁴⁹	86	.040	All Models w/14mm Threads (Distillate)	----	306	.025
1994-76 460 cid Ford	XP24 ⁸²⁵⁰	24	.035	All Models w/14mm Threads (Gasoline)	XST458 ⁸²⁵¹	295	.025
JOHNSON				All Models w/7/8"-18 Threads	----	3076	.025
CU, SU 153 cid (110-120 h.p.)	----	405	.035	LATHROP (See B & W)			
DU 89 cid (88-90 h.p.)	----	353	.030	All Models w/14mm Threads	XST254 ⁸²⁵¹	303	.025
HU 225 cid (150-155 h.p.)	XS85	85	.035	All Models w/18mm Threads	----	386	.025
KU 283 cid (185 h.p.)	XS85	85	.035	All Models w/7/8"-18 Threads	----	3076	.025
NU 1600cc (80-90 h.p.)	XS63	63	.025	LAUSON			
TU-14, -15, -16 300 cid (200 h.p.)	XS85	85	.035	PAM, PMM, RSM, TLM	XST458 ⁸²⁵¹	295	.030
TU-17 & Up 283 & 307 cid (210 h.p.)	XS85	85	.035	LEHMAN ECON-O-POWER			
JOHNSTON				(Ford Engines)			
All Models w/14mm Threads	XST254 ⁸²⁵¹	303	.025	6-Cyl. Engines			
All Models w/18mm Threads	----	386	.025	1973-60 170 cid	AP124 ⁸²⁴⁹	124	.035
All Models w/7/8"-18 Threads	----	3076	.030	1973-60 200, 240, 250 & 300 cid	AP124 ⁸²⁴⁹	124	.035
K.R.W.				V-8 Engines			
All Models w/14mm Threads	----	216	.025	1954 256 cid	----	216	.035
All Models w/18mm Threads	----	386	.025	1968-63 260 & 289 cid	AP124 ⁸²⁴⁹	124	.035
KERMATH				1962-56 292 & 312 cid	AP45 ⁸²⁴⁹	45	.035
Bird Dog, Sea Man, Queen, Rover, Sea Eagle (Canadian)	----	3076	.025	1971-69 302 cid 14mm Threads	AP23 ⁸²⁴⁹	23	.035
Cub, Sea Cub, Flyer, Sea Flyer, Sea Chief 4 Fisherman	XST458 ⁸²⁵¹	456	.025	1973-68 302 & 351 cid 18mm Threads	AP124 ⁸²⁴⁹	124	.035
Mercury, Sea Chief 4 Super Speed, Zephyr	----	216	.025	1968-58 428, 427, 410 & 390 cid	AP124 ⁸²⁴⁹	124	.035
Model V8 14mm Threads	----	216	.025	1973-70 460, 429 & 351 cid 14mm Threads	XP24 ⁸²⁵⁰	24	.035
Sea Captain, Sea Farer, Sea King 14mm Threads	XST458 ⁸²⁵¹	456	.025	1973-68 460 & 429 cid 18mm Threads	AP124 ⁸²⁴⁹	124	.035
Sea Chief 4 High Speed, Sea Chief 6 & 8 Victor	XST254 ⁸²⁵¹	303	.025	(Chevrolet Engines)			
Sea Farer 18mm Threads	----	373	.025	1973-71 307 cid	XP25 ⁸²⁵⁰	25	.035
Sea Farer Special, Sea Rover Special	XST254 ⁸²⁵¹	303	.025	1988-73 350 cid	XP25 ⁸²⁵⁰	25	.035
Sea Jeep, Sea Pup, Sixteen-5	XST254 ⁸²⁵¹	303	.025	1973-71 400 cid	XP25 ⁸²⁵⁰	25	.035
Sea Master, Sea Hawk	----	386	.025	1970-57 400, 350, 327, 307 & 283 cid	XS85	85	.035
Sea Mate, Sea Mate Special, Sea Prince, Sea Prince Special (Canadian)	XST458 ⁸²⁵¹	456	.025	Series C, E, L, M	----	216	.025
Sea Mate, Sea Mate Special, Sea Prince, Sea Prince Special (U.S.)	XST254 ⁸²⁵¹	303	.025	Series J	XST458 ⁸²⁵¹	295	.025
Sea Pup One-18, Two-34	XST458 ⁸²⁵¹	456	.025	LOCKWOOD			
Sea Twin (10 h.p.)	XST458 ⁸²⁵¹	456	.025	All Models	----	386	.025
All Other Models w/7/8"-18 Threads	----	3076	.025	LODGE MOTORS			
KING				All Models	----	3076	.025
1973-71 350 cid, 240 h.p.	AP86 ⁸²⁴⁹	86	.040	LONG ISLAND			
1986-73 454 cid, 450 h.p.	XP25 ⁸²⁵⁰	25	.035	All Models w/18mm Threads	----	386	.025
1973-71 455 cid, 270 h.p.	AP86 ⁸²⁴⁹	86	.040	All Models w/7/8"-18 Threads	----	3076	.025
1973-72 455 cid, 325 h.p.	AP86 ⁸²⁴⁹	86	.040	All Models w/1/2"-14 Pipe Threads	----	3095	.025
1973-72 455 cid, 410 h.p.	AP86 ⁸²⁴⁹	86	.035	KODIAK MARINE			
KODIAK MARINE				181 cid, 140 h.p.	XP26 ⁸²⁵⁰	26	.045
181 cid, 140 h.p.	XP26 ⁸²⁵⁰	26	.045	262 cid, 262 LK, 220 h.p.	XP25 ⁸²⁵⁰	25	.045
262 cid, 262 LK, 220 h.p.	XP25 ⁸²⁵⁰	25	.045	350 cid, 350 MK, 310 h.p.	XP103 ⁸²⁵⁰	103	.045
350 cid, 350 MK, 310 h.p.	XP103 ⁸²⁵⁰	103	.045				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LYCOMING				MARINOBILE			
All Models	----	386	.025	All Models w/Ford Model A Engs.	----	3076	.025
				All Models w/Ford Model T Engs.	----	3095	.025
LYON & TUTTLE				MARINETEK			
All Models	----	386	.025	Chrysler Engines			
MACK				1988-75 318 cid XS65 65 .035			
All Models w/6 Cyl. Engs.	----	386	.025	1974-66 318 cid AP86 ⁸²⁴⁹ 86 .035			
MAELSTROM				1988-75 360 cid XS65 65 .035			
6/69	XST254 ⁸²⁵¹	303	.030	Ford Engines			
6/130	AP45 ⁸²⁴⁹	45	.035	1995-81 302 cid XP25 ⁸²⁵⁰ 25 .035			
SD73, SD135	----	275	.025	1980-75 302 cid XP24 ⁸²⁵⁰ 24 .035			
MARINE DRIVES SYSTEMS (MDS)				1974-68 302 cid AP45 ⁸²⁴⁹ 45 .035			
Stern Drive Models 85, 110	----	4122 ⁹⁵²⁶	.025	1987-75 351 cid XP24 ⁸²⁵⁰ 24 .035			
MARINE POWER				1974-69 351 cid AP45 ⁸²⁴⁹ 45 .035			
2007-98 4.3L Vortec (225 h.p.)	XP104 ⁸²⁵⁰	104	.035	1987-75 460 cid XP24 ⁸²⁵⁰ 24 .035			
2007-98 5.7L Vortec (325 h.p.)	XP104 ⁸²⁵⁰	104	.035	1974-73 460 cid AP45 ⁸²⁴⁹ 45 .035			
2007-03 6.0L Vortec (350 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	GM Engines			
1999-98 7.4L Vortec MPI (325 h.p.)	XP25 ⁸²⁵⁰	25	.035	1997-90 181 cid 3.0L HO XP104 ⁸²⁵⁰ 104 .045			
2007-98 7.4L Vortec MPI (340 h.p.)	XP25 ⁸²⁵⁰	25	.035	1984-80 229 cid XP25 ⁸²⁵⁰ 25 .035			
2007-01 8.1L Vortec MPI (385 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	1980-70 250 cid XP25 ⁸²⁵⁰ 25 .035			
2007-01 8.1L Vortec MPI (425 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	1992-85 262 cid XP25 ⁸²⁵⁰ 25 .035			
2007-92 181 Tapered Seat (.708" Reach) 140 h.p.	XP104 ⁸²⁵⁰	104	.035	1995-76 305 cid XP25 ⁸²⁵⁰ 25 .035			
1991-75 181 Tapered Seat (.460" Reach)	XP25 ⁸²⁵⁰	25	.035	1995-87 350 cid HO XP24 ⁸²⁵⁰ 24 .035			
1978-75 181 Gasket Seat	AP404 ⁸²⁴⁹	404	.035	1995-71 350 cid XP25 ⁸²⁵⁰ 25 .035			
Thru 2002 262 (200 & 225 h.p.)	XP25 ⁸²⁵⁰	25	.035	1970-67 350 cid AP86 ⁸²⁴⁹ 86 .035			
1997-96 350 Premium (294 h.p.)	XP104 ⁸²⁵⁰	104	.035	1993-92 454 cid Gen V XP24 ⁸²⁵⁰ 24 .035			
2007-92 350 (260, 300, 315 & 325 h.p.)	XP25 ⁸²⁵⁰	25	.035	1991-84 454 cid HO XP24 ⁸²⁵⁰ 24 .035			
2007-92 454 (330, 340, 380, 390 & 440 h.p.)	XP25 ⁸²⁵⁰	25	.035	1987-73 454 cid XP25 ⁸²⁵⁰ 25 .035			
2007-75 454, B, BM (330 h.p.)	XP25 ⁸²⁵⁰	25	.035	MERCUISER			
Thru 2002 502 (410, 415 & 475 h.p.)	XP25 ⁸²⁵⁰	25	.035	Stern Drive Engines			
2007-99 502 500X (500 h.p.)	XP25 ⁸²⁵⁰	25	.035	MCM Renault 4-Cyl. Engines			
2007-00 502 700X (700 h.p.)	XP25 ⁸²⁵⁰	25	.035	60 ---- 421 ⁹⁵²⁶ .025			
Thru 97 540 (540 h.p.)	XP24 ⁸²⁵⁰	24	.035	80 XS63 63 .025			
MARINE REPOWER				90 XS63 63 .032			
Chrysler Engines				GM 4-Cyl. 98 cid			
318 cid	XS65	65	.035	1.6L Vazer XS4063 4063 ⁸²⁴⁸ .035			
360 cid	XS65	65	.035	GM 4-Cyl. 153 cid			
440 cid	AP86 ⁸²⁴⁹	86	.035	110 AP404 ⁸²⁴⁹ 404 .035			
Ford Engines				120 3825578 and Below AP404 ⁸²⁴⁹ 404 .035			
302 cid	XP24 ⁸²⁵⁰	24	.035	120 3825579 and Above XP25 ⁸²⁵⁰ 25 .035			
351W cid	AP45 ⁸²⁴⁹	45	.035	2.5L XP25 ⁸²⁵⁰ 25 .035			
460 cid	XP24 ⁸²⁵⁰	24	.035	GM 4-Cyl. 181 cid			
GM Engines				140 3826282 and Below AP404 ⁸²⁴⁹ 404 .035			
250 cid V-6	XP25 ⁸²⁵⁰	25	.035	140 3826283 and Above XP25 ⁸²⁵⁰ 25 .035			
229 cid V-6	XP25 ⁸²⁵⁰	25	.035	3.0L OF353100 and Below XP25 ⁸²⁵⁰ 25 .035			
262 cid V-6	XP25 ⁸²⁵⁰	25	.035	3.0L OL010042 and Above XP104 ⁸²⁵⁰ 104 .035			
292 cid (Tapered Seat)	XP25 ⁸²⁵⁰	25	.035	3.0LX XP104 ⁸²⁵⁰ 104 .035			
292 cid (Gasket Seat)	AP404 ⁸²⁴⁹	404	.035	Mercury Marine 4-Cyl. 224 cid			
305 cid	XP25 ⁸²⁵⁰	25	.035	470, 165, 170 XP24 ⁸²⁵⁰ 24 .035			
327 cid	XS85	85	.035	485 XP24 ⁸²⁵⁰ 24 .035			
350 cid	XP25 ⁸²⁵⁰	25	.035	488, 180, 190 XP24 ⁸²⁵⁰ 24 .035			
454 cid	XP24 ⁸²⁵⁰	24	.035	3.7L XP24 ⁸²⁵⁰ 24 .035			
MARINE POWER				3.7LX XP24 ⁸²⁵⁰ 24 .035			
Chrysler Engines				GM 6-Cyl. 194, 230 & 292 cid			
Ford Engines				140 AP404 ⁸²⁴⁹ 404 .035			
GM Engines				150 AP404 ⁸²⁴⁹ 404 .035			
250 cid V-6				160 AP404 ⁸²⁴⁹ 404 .035			
229 cid V-6				165 2771483 and Below AP404 ⁸²⁴⁹ 404 .035			
262 cid V-6				165 2771484 and Above XP25 ⁸²⁵⁰ 25 .035			
292 cid (Tapered Seat)				200 AP404 ⁸²⁴⁹ 404 .035			
292 cid (Gasket Seat)				GM V-6 229 cid			
305 cid				185 XP25 ⁸²⁵⁰ 25 .035			
327 cid				GM V-6 262 cid			
350 cid				175, 185 XP25 ⁸²⁵⁰ 25 .035			
454 cid							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Inboard/Stern Drives



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MERCURISER (Cont'd)				MERCURISER (Cont'd)			
Stern Drive Engines (Cont'd)				Stern Drive Engines (Cont'd)			
GM V-6 262 cid (Cont'd)				GM V-8 283, 327, 305, 350 & 377 cid (Cont'd)			
205	XP25 ⁸²⁵⁰	25	.035	5.7L Gen+ 0L010037 and Above	XP104 ⁸²⁵⁰	104	.045
262 Mag EFI Gen+ 0F803800-0L000000	XP104 ⁸²⁵⁰	104	.045	5.7L EFI Gen+ 0L010035 and Above	XP104 ⁸²⁵⁰	104	.045
4.3L 0F802999 & Below	XP25 ⁸²⁵⁰	25	.040	5.7LX	XP25 ⁸²⁵⁰	25	.040
4.3LX 0F802999 and Below	XP25 ⁸²⁵⁰	25	.040	5.7LX EFI	XP25 ⁸²⁵⁰	25	.040
4.3L Gen+ 0L010065 and Above	XP104 ⁸²⁵⁰	104	.045	5.7LX EFI Gen+	XP104 ⁸²⁵⁰	104	.045
4.3L EFI Gen+ 0L012009-0L322780	XP104 ⁸²⁵⁰	104	.045	MX 6.2L MPI 0M320613 and Below	XP104 ⁸²⁵⁰	104	.045
4.3L MPI Gen+ 0M322781 and Above	XP605 ⁸²⁵⁰	605	.060	MX 6.2L MPI 0M320614 and Above	XP605 ⁸²⁵⁰	605	.060
4.3LH Gen+ 0L010044 and Above	XP104 ⁸²⁵⁰	104	.045	(Horizon)	XP605 ⁸²⁵⁰	605	.060
4.3LX Gen+ 0F803000-0L000000	XP104 ⁸²⁵⁰	104	.045	GM V-8 427, 454, 482 & 496 cid			
4.3LXH Gen+ 0F803000-0L000000	XP104 ⁸²⁵⁰	104	.045	325 3043030 and Above	----	144	.035
Ford V-8 302 & 351 cid				330	XP25 ⁸²⁵⁰	25	.035
888 4169596 and Below	AP124 ⁸²⁴⁹	124	.030	330 (B-W)	XP25 ⁸²⁵⁰	25	.035
888 4169597 and Above 14mm Threads	XP25 ⁸²⁵⁰	25	.030	370, 400	XP25 ⁸²⁵⁰	25	.035
888 4169597 and Above 18mm Threads	AP124 ⁸²⁴⁹	124	.030	390	XS61	4252	.035
215	AP124 ⁸²⁴⁹	124	.030	400 Cyclone	XP25 ⁸²⁵⁰	25	.035
225	AP124 ⁸²⁴⁹	124	.030	420	XP25 ⁸²⁵⁰	25	.032
233 14mm Threads	XP25 ⁸²⁵⁰	25	.030	HP425	XP25 ⁸²⁵⁰	25	.035
233 18mm Threads	AP124 ⁸²⁴⁹	124	.030	440 Cyclone	XP25 ⁸²⁵⁰	25	.035
255 4175498 and Below	AP124 ⁸²⁴⁹	124	.030	HP450	XP25 ⁸²⁵⁰	25	.040
255 4175499 and Above 14mm Heads	XP25 ⁸²⁵⁰	25	.030	454 Mag Alpha	XP25 ⁸²⁵⁰	25	.040
255 4175499 and Above 18mm Heads	AP124 ⁸²⁴⁹	124	.030	454 Mag Bravo	XP25 ⁸²⁵⁰	25	.035
GM V-8 283, 327, 305, 350 & 377 cid				454 Mag EFI/MP	XP25 ⁸²⁵⁰	25	.040
190	XS85	85	.035	454 Mag MPI	XP25 ⁸²⁵⁰	25	.040
898, 200	XP25 ⁸²⁵⁰	25	.035	454 Mag MPI 0L604250 and Above (Horizon)	XP25 ⁸²⁵⁰	25	.035
225 2278646 and Below	----	353	.035	460 Cyclone	----	144	.035
225 2278647 and Above	XS85	85	.035	475 Turbo	----	144	.035
228, 230	XP25 ⁸²⁵⁰	25	.035	496 Mag	XP5245 ⁸²⁵⁰	5245	.060
250 2639854 and Below	----	353	.030	496 Mag HO	XP5245 ⁸²⁵⁰	5245	.060
250 4768000 and Above	XP25 ⁸²⁵⁰	25	.035	HP525 SC	----	144	.035
255	XP25 ⁸²⁵⁰	25	.035	7.4L Alpha	XP25 ⁸²⁵⁰	25	.035
260	XP25 ⁸²⁵⁰	25	.035	7.4L Bravo	XP25 ⁸²⁵⁰	25	.040
270 w/Gasket Heads	----	353	.030	7.4L TR 0B771113-0C407646	XP25 ⁸²⁵⁰	25	.035
270 w/Tapered Heads	----	144	.035	7.4L MPI (L29) 0L010003 and Above	XP104 ⁸²⁵⁰	104	.045
280	XP25 ⁸²⁵⁰	25	.035	7.4LX EFI	XP25 ⁸²⁵⁰	25	.040
300 Tempest	XP25 ⁸²⁵⁰	25	.035	7.4LX MPI	XP25 ⁸²⁵⁰	25	.040
320 EFI	XP25 ⁸²⁵⁰	25	.035	GM V-8 502, 540, 557 & 572 cid			
350 Mag (Carb)	XP25 ⁸²⁵⁰	25	.040	HP465	XP25 ⁸²⁵⁰	25	.035
350 Mag EFI/MP 0F602199 and Below	XP25 ⁸²⁵⁰	25	.040	HP500 (502 cid)	XP25 ⁸²⁵⁰	25	.040
350 Mag EFI Gen+ 0F800500 and Above	XP104 ⁸²⁵⁰	104	.045	HP500 EFI (502 cid)	XP25 ⁸²⁵⁰	25	.035
350 Mag MPI Gen+ 0F602000-0M320489	XP104 ⁸²⁵⁰	104	.045	HP500 Bulldog (540 cid)	----	144	.035
350 Mag MPI Gen+ 0M320590 and Above	XP605 ⁸²⁵⁰	605	.060	502 Mag (Carb.)	XP25 ⁸²⁵⁰	25	.040
350 Mag MPI Gen+ 0L604000- 0M321479 (Horizon)	XP104 ⁸²⁵⁰	104	.035	502 Mag EFI/MP	XP25 ⁸²⁵⁰	25	.040
350 Mag MPI Gen+ 0M321480 and Above	XP605 ⁸²⁵⁰	605	.060	502 Mag MPI	XP25 ⁸²⁵⁰	25	.040
Scorpion 377 0L416146 And Above	XP104 ⁸²⁵⁰	104	.045	EU662 Sci (502 cid)	AP404 ⁸²⁴⁹	404	.035
5.0L 0L000000 and Below	XP25 ⁸²⁵⁰	25	.035	HP525 SC (454 cid)	----	144	.035
5.0L Gen+ 0L015751 and Above	XP104 ⁸²⁵⁰	104	.045	HP525 EFI (502cid)	----	144	.035
5.0L EFI Gen+ 0L012052-0M320414	XP104 ⁸²⁵⁰	104	.045	HP575	----	144	.035
5.0L MPI Gen+ 0M10035 and Above	XP605 ⁸²⁵⁰	605	.060	HP575 SCi	----	144	.035
5.0LX	XP25 ⁸²⁵⁰	25	.035	HP600 SCi Bobtail (502 cid)	----	144	.035
5.7L 0L000000 and Below	XP25 ⁸²⁵⁰	25	.040	HP700 SCi (502 cid)	AP404 ⁸²⁴⁹	404	.035
5.7L EFI 0L000000 and Below	XP25 ⁸²⁵⁰	25	.040	HP800 SC (572 cid)	----	144	.035
				HP850 SCi (557 cid)	XS61	4252	.030
				HR900 SC	----	AR52	.025
				HR900 SC (Dry Sump)	----	AR52	.025
				HP1075 SCi (Dry Sump) 0M905359 and Above	XS61	4252	.030
				HP1200 SCi (557 cid)	XS61	4252	.030
				Inboard Engines			
				Mercury Marine 4-Cyl. 224 cid			
				470	AP23 ⁸²⁴⁹	23	.035
				Ford V-8 302 & 351 cid			
				215	AP124 ⁸²⁴⁹	124	.030

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Power Sport - Inboard/Stern Drives



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MERCURISER (Cont'd)				MERCURISER (Cont'd)			
Inboard Engines (Cont'd)				Inboard Engines (Cont'd)			
Ford V-8 302 & 351 cid (Cont'd)				GM V-8 427, 454, 496 & 502 cid (Cont'd)			
225	AP124 ⁸²⁴⁹	124	.030	7.4L MPI 0L000000 and Below	XP25 ⁸²⁵⁰	25	.040
233 w/14mm Threads	XP25 ⁸²⁵⁰	25	.035	7.4L MPI (L29) 0L002006 and			
233 w/18mm Threads	AP124 ⁸²⁴⁹	124	.030	Above	XP104 ⁸²⁵⁰	104	.045
255	XP25 ⁸²⁵⁰	25	.035	7.4LX MPI	XP104 ⁸²⁵⁰	104	.045
GM V-8 305, 327,350 & 377 cid				8.1S Horizon			
198	XP25 ⁸²⁵⁰	25	.035	8.1S HO	XP5245 ⁸²⁵⁰	5245	.060
225	----	353	.035	8.2L Carb.	XP25 ⁸²⁵⁰	25	.040
228, 230	XP25 ⁸²⁵⁰	25	.035	8.2L MPI	XP25 ⁸²⁵⁰	25	.040
250 2317201-2797056	----	353	.040	Jet Drive			
255	XP25 ⁸²⁵⁰	25	.035	1995-93 Sportjet 90	----	2645 ⁹⁵²⁶	.040
260	XP25 ⁸²⁵⁰	25	.035	1999-96 Sportjet 95XR	----	2645 ⁹⁵²⁶	.040
270 Gasket Heads	----	353	.030	1995 Sportjet 120	----	2645 ⁹⁵²⁶	.040
270 Tapered Heads	XP25 ⁸²⁵⁰	25	.035	1999-96 Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
5.0L	XP25 ⁸²⁵⁰	25	.035	1999-97 Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
5.7L 0L000000 and Below	XP25 ⁸²⁵⁰	25	.040	2007-00 175 h.p. 175XR2	----	2645 ⁹⁵²⁶	.040
5.7L Gen+ 0L002003 and Above	XP104 ⁸²⁵⁰	104	.045	2010-02 200 h.p. OptiMax DFI	XS5224	5224	.040
5.7L EFI Gen+	XP104 ⁸²⁵⁰	104	.045	2007-00 210 h.p.	----	2852	.040
350 Mag MPI Gen+				2007-00 240 h.p. EFI	----	421 ⁹⁵²⁶	.040
0L002008-0M309999	XP104 ⁸²⁵⁰	104	.045	2010-02 250 h.p. OptiMax M2 DFI ..	XS5224	5224	.040
350 Mag MPI Gen+ 0L310000 and				<hr/>			
Above	XP605 ⁸²⁵⁰	605	.060	MICHIGAN			
350 Mag MPI Gen+ 0L304700-				Junior & Senior Four	XST254 ⁸²⁵¹	303	.025
0M309999 (Horizon)	XP104 ⁸²⁵⁰	104	.035	Senior Six	----	216	.025
350 Mag MPI Gen+ 0L310000 and				Senior Twin	----	3076	.025
Above (Horizon)	XP605 ⁸²⁵⁰	605	.060	<hr/>			
390	XS61	4252	.030	MILLER			
MX 6.2L MPI 0M309999 and Below ..	XP104 ⁸²⁵⁰	104	.045	All Models w/Ford Engs.	XST458 ⁸²⁵¹	295	.025
MX 6.2L MPI 0M310000 and Above ..	XP605 ⁸²⁵⁰	605	.060	All Models w/Jeep Engs.	----	216	.025
MX 6.2L MPI 0M310000 and Above				All Models w/7/8"-18 Threads	----	3076	.025
(Horizon)	XP605 ⁸²⁵⁰	605	.060	<hr/>			
GM V-8 350, 377 & 454 cid Tow Sports Eng				MOHAWK			
350 Mag (Carb)	XP25 ⁸²⁵⁰	25	.040	All Models w/14mm Threads	----	216	.025
350 Mag EFI 0F799999 & Below	XP25 ⁸²⁵⁰	25	.040	All Models w/18mm Threads	AP124 ⁸²⁴⁹	124	.025
350 Mag EFI/MP 0F799999 & Below ..	XP25 ⁸²⁵⁰	25	.040	All Models w/7/8"-18 Threads	----	3076	.025
350 Mag MPI 0F799999 & Below	XP25 ⁸²⁵⁰	25	.040	<hr/>			
350 Mag EFI Gen+ 0F800000 &				MONMOUTH			
Above	XP104 ⁸²⁵⁰	104	.045	All Models	----	3076	.025
350 Mag MPI Gen+				<hr/>			
0L002600-0L309999	XP104 ⁸²⁵⁰	104	.045	M. & T.			
350 Mag MPI Gen+ 0L310000 and				All Models w/18mm Threads	----	386	.025
Above	XP605 ⁸²⁵⁰	605	.060	All Models w/7/8"-18 Threads	----	3076	.025
5.7L Black Scorpion				<hr/>			
0F800000-0M300000	XP104 ⁸²⁵⁰	104	.045	MURRAY & TREGURTHA			
5.7L Black Scorpion 0M391778 &				04H	XST254 ⁸²⁵¹	303	.050
Above	XP605 ⁸²⁵⁰	605	.060	041	----	306	.030
Scorpion 377	XP104 ⁸²⁵⁰	104	.045	02, 0-B w/18mm Threads	----	386	.025
5.7L Comp 0L000000 and Below	XP25 ⁸²⁵⁰	25	.040	02, 0-B w/7/8"-18 Threads	----	3076	.025
5.7L Comp Gen+ 0L002005 and				All Other Models w/14mm Threads ..	XST458 ⁸²⁵¹	295	.025
Above	XP104 ⁸²⁵⁰	104	.045	All Other Models w/18mm Threads ..	----	386	.025
454 EFI/MP	XP25 ⁸²⁵⁰	25	.040	All Other Models w/7/8"-18 Threads ..	----	3076	.025
454 MPI	XP25 ⁸²⁵⁰	25	.040	<hr/>			
6.2L Black Scorpion MX	XP104 ⁸²⁵⁰	104	.045	NADLER			
6.2L Black Scorpion 0M391778 &				All Models	----	3095	.030
Above	XP605 ⁸²⁵⁰	605	.060	<hr/>			
GM V-8 427, 454, 496 & 502 cid				NIAGARA			
325 2762442 and Above	----	144	.035	All Models w/18mm Threads	----	386	.025
330	XP25 ⁸²⁵⁰	25	.035	All Models w/7/8"-18 Threads	----	3076	.025
340	XP25 ⁸²⁵⁰	25	.035	All Models w/1/2"-14 Pipe Threads ..	----	3095	.025
350	----	144	.035	<hr/>			
400 Jet	XP25 ⁸²⁵⁰	25	.035	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en			
454 Mag MPI (Horizon) 0L002200				español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor			
and Above	XP25 ⁸²⁵⁰	25	.040				
7.4L	XP25 ⁸²⁵⁰	25	.040				
7.4L EFI	XP25 ⁸²⁵⁰	25	.040				
7.4L EFI/MP	XP25 ⁸²⁵⁰	25	.040				

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NISSAN MARINE				O.M.C. (Cont'd)			
1989-87 HA120	AP404 ⁸²⁴⁹	404	.035	Jet Drive			
NORDBERG (See Universal)				1999-94 Turbojet 90	----	421 ⁹⁵²⁶	.030
Colt	XST458 ⁸²⁵¹	456	.025	1999-94 Turbojet 115	----	421 ⁹⁵²⁶	.030
All Models Except Colt	XST254 ⁸²⁵¹	303	.025	Sail Drive			
All Models (Shielded)	----	2242	.025	15S10G, 15S10S, 15S11C	----	4122 ⁹⁵²⁶	.045
O.M.C.				15S13A, 15S14M	----	4122 ⁹⁵²⁶	.045
Stern Drive Engines				Sea Drive			
1990-87 2.3L Cobra	XP104 ⁸²⁵⁰	104	.035	1.6L 115-SD	----	2645 ⁹⁵²⁶	.030
1996 3.0L SX Cobra	XP104 ⁸²⁵⁰	104	.045	1.8L	----	2645 ⁹⁵²⁶	.030
1995-90 3.0L Cobra HO	XP104 ⁸²⁵⁰	104	.045	2.0L 140-SD	----	2645 ⁹⁵²⁶	.030
1994-93 3.0L Cobra	XP104 ⁸²⁵⁰	104	.045	2.5L	----	2892	---
1992-87 3.0L Cobra	XP25 ⁸²⁵⁰	25	.045	2.6L 190-SD	----	2892	---
1996 4.3L SX Cobra (Short Reach .460") Eng. Tag NCA	XP25 ⁸²⁵⁰	25	.035	2.7L 225-SD	----	2645 ⁹⁵²⁶	.030
1996 4.3L SX Cobra (Short Reach .708") Eng. Tag NCS	XP104 ⁸²⁵⁰	104	.035	3.0L 225-SD	----	2645 ⁹⁵²⁶	.030
1995-86 4.3L Cobra	XP25 ⁸²⁵⁰	25	.035	3.6L 275-SD	----	2645 ⁹⁵²⁶	.030
1991-90 4.3L Cobra HO	XP25 ⁸²⁵⁰	25	.035	4.0L 275-SD	----	2645 ⁹⁵²⁶	.030
1994-93 4.3L Cobra HO	XP25 ⁸²⁵⁰	25	.045	OSCO			
1996 5.0L SX Cobra (Carb.)	XP25 ⁸²⁵⁰	25	.035	w/Ford Engs.	----	216	.025
1996 5.0L SX Cobra (EFI)	XP104 ⁸²⁵⁰	104	.045	w/Willys Engs.	XST458 ⁸²⁵¹	295	.030
1995-86 5.0L Cobra (Carb.)	XP25 ⁸²⁵⁰	25	.035	OWENS YACHT (See Flagship)			
1995-89 5.0L Cobra (Carb.) HO	XP25 ⁸²⁵⁰	25	.035	PACEMAKER			
1995-94 5.0L Cobra EFI	XP104 ⁸²⁵⁰	104	.045	Model 185, 230	XST254 ⁸²⁵¹	303	.032
1993 5.0L Cobra EFI	XP25 ⁸²⁵⁰	25	.045	Model 280	AP404 ⁸²⁴⁹	404	.032
1996 5.7L SX Cobra	XP25 ⁸²⁵⁰	25	.035	PACKARD			
1992-86 5.7L Cobra, King	XP25 ⁸²⁵⁰	25	.035	All Models w/10mm Threads	----	3136	.025
1996 5.8L SX Cobra (Carb.)	XP25 ⁸²⁵⁰	25	.035	All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
1996 5.8L SX Cobra (EFI)	XP103 ⁸²⁵⁰	103	.045	All Models w/18mm Threads	----	386	.025
1995-89 5.8L Cobra (Carb.)	XP25 ⁸²⁵⁰	25	.035	All Models w/7/8"-18 Threads	----	3076	.025
1995-92 5.8L Cobra EFI	XP103 ⁸²⁵⁰	103	.045	PALMER-GREENWICH			
1995-93 5.8L King Cobra HO EFI	XP103 ⁸²⁵⁰	103	.045	75, 120 (18mm Threads)	----	386	.030
1996 7.4L SX Cobra	XP25 ⁸²⁵⁰	25	.045	133	----	386	.030
1995-90 7.4L Cobra (Carb.)	XP25 ⁸²⁵⁰	25	.045	135, 150 (18mm Threads)	----	386	.030
1995 7.4L King Cobra EFI	XP25 ⁸²⁵⁰	25	.045	230, 320, 339,404	----	386	.030
1993-91 7.4L Cobra HO (Carb.)	XP25 ⁸²⁵⁰	25	.045	BH, BH25, BHT, BHW, D21	----	386	.030
1990-86 7.5L Cobra	XP25 ⁸²⁵⁰	25	.035	F	----	3076	.030
1996 8.2L SX Cobra	XP25 ⁸²⁵⁰	25	.045	Ford V8 Conversions 14mm Threads	----	216	.030
1994-92 8.2L King Cobra	XP25 ⁸²⁵⁰	25	.045	GW, HH	----	386	.030
1985-73 All Models 14mm Tapered Seat	XP25 ⁸²⁵⁰	25	.035	IH60	----	386	.030
All Models 18mm Tapered Seat	AP124 ⁸²⁴⁹	124	.030	IHC Engs. 240, 264, 308	XST254 ⁸²⁵¹	303	.030
DU 89 cid (88-90 h.p.)	----	353	.030	IHC Engs. V345, V461, V549	XST254 ⁸²⁵¹	303	.030
CU, SU Series	AP404 ⁸²⁴⁹	404	.035	LH, LLH	----	386	.030
LU Series 153 cid (100 h.p.)	AP404 ⁸²⁴⁹	404	.035	M-60	----	3116	.030
GU, VU Series 153 cid (120 h.p.)	AP404 ⁸²⁴⁹	404	.035	M196, M265, M304, M392, M549	XS85	85	.030
JU, WU Series 250 cid (165 h.p.)	XP25 ⁸²⁵⁰	25	.035	M345B, M392B	XS85	85	.030
HU Series 225 cid (155 h.p.)	AP86 ⁸²⁴⁹	86	.035	MKIV-115, M304, M345 Normal Service	XS85	85	.030
KU Series 283 cid (185 h.p.)	AP86 ⁸²⁴⁹	86	.035	MKIV-115, M304, M345 Light Service	AP86 ⁸²⁴⁹	86	.030
NU Series 1600cc (80-90 h.p.)	XS63	63	.025	MKVI-150 Normal Service	XS85	85	.030
All Other Models 3/4" Reach Heads	AP404 ⁸²⁴⁹	404	.035	MKVI-150 Light Service	AP86 ⁸²⁴⁹	86	.030
TU-14, -15, -16 300 cid (200 h.p.)	AP86 ⁸²⁴⁹	86	.035	MKVIII 200, 225 Normal Service	XS85	85	.030
TU-17 Up 283 & 307 cid (210 h.p.)	AP86 ⁸²⁴⁹	86	.035	MKVIII 275, 300 Normal Service	XS85	85	.030
TU-20, -21	XP25 ⁸²⁵⁰	25	.035	MKVIII 200, 225 Light Service	AP86 ⁸²⁴⁹	86	.030
XU-20S	AP86 ⁸²⁴⁹	86	.035	MKVIII 275, 300 Light Service	AP86 ⁸²⁴⁹	86	.030
XU-20C	XP25 ⁸²⁵⁰	25	.035	NK	----	3076	.030
1986-78 Stringer Models	XP25 ⁸²⁵⁰	25	.035	P60	----	3116	.030
1986-78 4.3L Stringer Models	XP25 ⁸²⁵⁰	25	.035	P302, P351	AP45 ⁸²⁴⁹	45	.030
Inboard Engines				PA190, PA220, PA255	AP124 ⁸²⁴⁹	124	.032
1982-74 All Models	XP25 ⁸²⁵⁰	25	.035				
AT, TT, T.J, AJ 14mm, 3/8" Reach Heads	AP86 ⁸²⁴⁹	86	.035				
AT, TT, T.J, AJ 14mm, Tapered Seat	XP25 ⁸²⁵⁰	25	.035				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
PALMER-GREENWICH (Cont'd)				PMC			
PA350	XP24 ⁸²⁵⁰	24	.032	(Chrysler Engines)			
PAL, PB	----	386	.030	225 cid (Gasket Seat)	AP404 ⁸²⁴⁹	404	.035
PB-V-215 (V-8)	XS4093	414	.035	225 cid (Tapered Seat)	AP23 ⁸²⁴⁹	23	.035
PH45 18mm Threads	----	386	.030	318 cid	XS65	65	.035
PH134	----	386	.030	340 cid	XS63	63	.035
PHC 7/8" Threads	----	3076	.030	360 cid	XS65	65	.035
PNR	----	386	.030	440 cid	AP86 ⁸²⁴⁹	86	.035
PW27 (18mm Heads)	----	386	.030	(Ford Engines)			
PW27 (14mm Heads)	XS85	85	.035	302, 351 & 460 cid 14mm Threads ..	XP25 ⁸²⁵⁰	25	.035
SK, YT, ZR	----	386	.030	302, 351 & 460 cid 18mm Threads ..	AP124 ⁸²⁴⁹	124	.030
Y304, Y345, Y392	XS85	85	.030	5.8L HO EFI	XP103 ⁸²⁵⁰	103	.035
All Other Models w/14mm Threads ..	XST458 ⁸²⁵¹	295	.025	390 cid	AP45 ⁸²⁴⁹	45	.030
All Other Models w/18mm Threads ..	----	386	.025	(GM Engines)			
All Other Models w/7/8"-18 Threads ..	----	3076	.025	229 cid V-6	XP25 ⁸²⁵⁰	25	.035
PANTHER				(PONTIAC)			
1980-78 F-110, F-140	XP25 ⁸²⁵⁰	25	.035	All Models	----	3076	.025
1980-76 F-185, F-235, M-360	XS65	65	.035	POWER PAK			
1980-76 M-460	XP24 ⁸²⁵⁰	24	.035	All Models	----	306	.025
1980-76 M-454, M405	XP25 ⁸²⁵⁰	25	.035	POWER PRODUCTS			
1980-76 400 Plus-F	XP24 ⁸²⁵⁰	24	.035	626	XST458 ⁸²⁵¹	456	.025
1980-76 400 Plus-C, 500 Plus	XP25 ⁸²⁵⁰	25	.035	1000	----	306	.025
1980-78 500 Plus-7	----	144	.035	3000	----	216	.025
PCM				REDLINE			
2.6L 140 h.p.	XS63	63	.035	302 cid	XP24 ⁸²⁵⁰	24	.035
5.0L 225 h.p.	XP25 ⁸²⁵⁰	25	.035	350 cid Alum. Head	XS3924	3924	.035
5.4L	XP103 ⁸²⁵⁰	103	.035	351 cid	XP24 ⁸²⁵⁰	24	.035
5.4L Supercharged	XP103 ⁸²⁵⁰	103	.035	351 cid EFI, MAG & HO	XP104 ⁸²⁵⁰	104	.035
5.7L HO Ski TBI 275 h.p.	XP25 ⁸²⁵⁰	25	.035	460 cid	XP24 ⁸²⁵⁰	24	.035
5.7L HO MPI 320+ h.p.	XP104 ⁸²⁵⁰	104	.035	460 cid MAG	XP24 ⁸²⁵⁰	24	.035
5.7L Carb. 300+ h.p.	XP103 ⁸²⁵⁰	103	.035	RED WING THOROBRED			
5.8L HO MPI 310 h.p.	XP104 ⁸²⁵⁰	104	.035	AA	----	3076	.025
5.8L Carb. 290 h.p.	AP23 ⁸²⁴⁹	23	.035	Arrow Super 6	XST254 ⁸²⁵¹	303	.025
6.0L MPI Vortec, HO	XP5245 ⁸²⁵⁰	5245	.060	Arrowhead XH	----	3076	.025
7.4L Carb. 400 h.p.	XP25 ⁸²⁵⁰	25	.035	Arrowhead Jr., XHJ	----	386	.025
7.4L HO TBI 350 h.p.	XP25 ⁸²⁵⁰	25	.035	B, BB4, BB6, BBS6	----	3076	.025
7.4L MPI	XP104 ⁸²⁵⁰	104	.035	BC Super 4, BC Super 6	----	3076	.025
8.1L MPI (385 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	BC6, BC24, BCS4, BCS6	----	3076	.025
8.1L MPI (425 h.p.)	XP5245 ⁸²⁵⁰	5245	.060	DS, F	----	3076	.025
302, 351 & 460 cid 14mm Threads ..	XP25 ⁸²⁵⁰	25	.035	Hiawatha Special BK	----	386	.025
302, 351 & 460 cid 18mm Threads ..	AP124 ⁸²⁴⁹	124	.035	K	----	3076	.025
305, 350 & 454 cid	XP25 ⁸²⁵⁰	25	.035	Meteor CK	----	306	.025
502 cid 435 h.p.	XP25 ⁸²⁵⁰	25	.035	REGAL			
Models 150, 200, 220, 229	XP25 ⁸²⁵⁰	25	.035	DV, XB, XC	XST458 ⁸²⁵¹	295	.025
Models 230, 250, 280, 350	XP25 ⁸²⁵⁰	25	.035	BA, GB, GC, GF, HA, MTF, NA, NB, V	----	3076	.025
PEEK				All Other Models w/7/8"-18 Threads ..			
Wildcat	XST254 ⁸²⁵¹	303	.020	PERFORMANCE JET SYSTEMS			
PEERLESS				Viper 5000, 6000, 7000HT			
All 4 Cyl. Engs.	----	3076	.025	Viper 8000, 9000HT			
All 6 Cyl. Engs.	----	3095	.025	PIAGGIO BERKELEY			
PIAGGIO BERKELEY				KS150, KS200			
KS150, KS200	XS4063	4063 ⁸²⁴⁸	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
REID All Models w/18mm Threads	----	386	.025	STAR MARINE (See Emperor)			
REO All Models	XST458 ⁸²⁵¹	295	.025	STEARNS All Models	----	3076	.025
REVLEY R225, R300, R401	XS85	85	.035	STERLING All Models w/7/8"-18 Threads	----	3076	.025
ROBERTS All Models w/18mm Threads	----	386	.025	All Models w/1/2"-14 Pipe Threads ..	----	3095	.025
All Models w/7/8"-18 Threads	----	3076	.025	ST. LAWRENCE (Canadian) All Models w/14mm Threads	----	216	.025
All Models w/1/2"-14 Pipe Threads ..	----	3095	.025	All Models w/18mm Threads	----	386	.025
ROLLS ROYCE LM-841 Engs.	----	405	.025	All Models w/7/8"-18 Threads	----	3076	.025
RUSSELL (Canadian) All Models w/7/8"-18 Threads	----	3076	.025	All Models w/1/2"-14 Pipe Threads ..	----	3095	.025
All Models w/1/2"-14 Pipe Threads ..	----	3095	.025	STOKES All Models w/Ford & Willys Conversions	----	216	.025
SALSBUURY All Models	----	306	.025	STUDEBAKER All Models	XST458 ⁸²⁵¹	295	.025
SANDERSON CYCLE All Models	----	3076	.025	STUART TURNER All Models w/14mm Threads	AP425 ⁸²⁴⁹	425	.020
SCRIPPS All Models w/14mm Threads	----	216	.025	All Models w/18mm Threads	----	386	.020
All Models w/18mm Threads	----	386	.025	TOYOTA MOTOR SPORTS Epic 21, 22, S22, X22 w/Toyota VT300i 4.0L DOHC V-8	XS3924	3924	.044
All Models w/7/8"-18 Threads	----	3076	.025	TURBO-MARINE 1973 Ford 104 cid Engs.	XS63	63	.025
SEA-MITE All Models	XST458 ⁸²⁵¹	295	.025	1973 Ford 302 cid V-8 Escort	AP124 ⁸²⁴⁹	124	.028
SEAMASTER 170, 227 h.p. (300, 534)	AP124 ⁸²⁴⁹	124	.030	1973-71 Kohler K-399-2	----	373	.020
SIMPLEX All Models w/10mm Threads	----	3136	.025	TWENTIETH CENTURY All Models	----	3076	.025
All Models w/14mm Threads (3/8" Reach)	XST458 ⁸²⁵¹	295	.025	UNIVERSAL AFT, AFT Blue Jacket Twin	----	386	.030
All Models w/14mm Threads (1/2" Reach)	----	216	.025	Atomic 1, 2, 4, Atomic Stevedore ...	XST458 ⁸²⁵¹	295	.035
All Models w/7/8"-18 Threads	----	3076	.025	Big King V8 277	AP124 ⁸²⁴⁹	124	.035
SPEEDWAY All Models w/14mm Threads	XST254 ⁸²⁵¹	303	.025	BN, BNM, BNMR, BNR Utility Four ..	----	386	.035
All Models w/18mm Threads	----	386	.025	Bullet, Arrow, Bluefin	XST254 ⁸²⁵¹	303	.030
All Models w/7/8"-18 Threads	----	3076	.025	Colt, Elf	XST458 ⁸²⁵¹	295	.025
All Models w/1/2"-14 Pipe Threads ..	----	3095	.025	EV, EV15, EV20, EV25 V8	----	216	.035
STANDARD All Models	----	3076	.025	HF, HFR Unlimited	XST458 ⁸²⁵¹	295	.035
STARBUCK BOATS w/Chevrolet 350 cid Engs.	XP25 ⁸²⁵⁰	25	.035	Knight, Tarpon, Marlin	XST254 ⁸²⁵¹	303	.030
w/Chevrolet 454 cid Engs.	XP24 ⁸²⁵⁰	24	.035	LEV, LEVH 188 h.p. Little King	XST254 ⁸²⁵¹	303	.028
				NKEV 277 h.p. Big King	AP45 ⁸²⁴⁹	45	.035
				OK, OKH, OKHR, OKHVD, OKR, OKVD Explorer Six	XST254 ⁸²⁵¹	303	.030
				OL, OLH, OLHR, OLHVD, OLR, OLVD Master Six	XST254 ⁸²⁵¹	303	.030
				Sabre V6 140 h.p., 198 cid	XS85	85	.035
				Strato-King	XST254 ⁸²⁵¹	303	.028
				Super Sabre V6 155 h.p., 225 cid ...	XS85	85	.035
				UJ, UJR, UJS, UJVD Atomic Four ...	XST458 ⁸²⁵¹	295	.035
				Z, ZH, ZHR, ZHVD, ZR, ZVD Super Six Commodore Series	XST254 ⁸²⁵¹	303	.025
				ZS, ZSH, ZSHR, ZSHVD, ZSR, ZSVD Super Six Stevedore Series	XST254 ⁸²⁵¹	303	.025
				WM, WMG Fisherman	----	386	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
UNIVERSAL (Cont'd)				VOLVO PENTA (Cont'd)			
All Models w/7/8"-18 Threads	----	3076	.025	AQ Series (Cont'd)			
All Models w/1/2"-14 Pipe Threads	----	3095	.025	205A	XP25 ⁸²⁵⁰	25	.035
U.S. FALCON				210A Thru Serial No. 177314	XS85	85	.025
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	210A From Serial No. 177315 on	AP23 ⁸²⁴⁹	23	.025
All Models w/18mm Threads	----	386	.025	211A, 211/DP, 231/DP, 271/DP	XP25 ⁸²⁵⁰	25	.035
All Models w/7/8"-18 Threads	----	3076	.025	225, A, C	XP25 ⁸²⁵⁰	25	.025
U.S. MARINE				225D 305 cid	XP25 ⁸²⁵⁰	25	.035
181F 3.0L	AP404 ⁸²⁴⁹	404	.035	225E, F	XP25 ⁸²⁵⁰	25	.035
305K 5.0L	XP24 ⁸²⁵⁰	24	.035	230A	XS62	63	.035
350K 5.7L	XP25 ⁸²⁵⁰	25	.035	231A, B	XP25 ⁸²⁵⁰	25	.035
454 7.5L	XP25 ⁸²⁵⁰	25	.035	240A Ford	XP25 ⁸²⁵⁰	25	.025
U.S. MOTORS				255B, 280A	XP25 ⁸²⁵⁰	25	.025
2M-1 & Others w/B&S Eng. 14mm Threads	XST458 ⁸²⁵¹	295	.025	260, A, B	XP25 ⁸²⁵⁰	25	.035
AM-1 & Others w/B&S Eng. 18mm Threads	----	373	.025	271A, B, C, D	XP25 ⁸²⁵⁰	25	.035
BXM-3, BXS-3 & Others w/Hercules Eng. 14mm Threads	----	306	.025	290, A, B	XP25 ⁸²⁵⁰	25	.035
MZ-3 & Others w/B&S Eng. 18mm Threads	----	373	.025	311, A, B	XP25 ⁸²⁵⁰	25	.035
Water Cooled OK, TK Series & Others w/Hercules Eng. 7/8" Threads	----	3076	.025	430, 531	XP25 ⁸²⁵⁰	25	.035
ZM-1 w/B&S Eng. 14mm Threads	----	306	.025	500A, 501A,	XP25 ⁸²⁵⁰	25	.035
VALMET (Vire)				570A, 571A, 572, 740A	XP25 ⁸²⁵⁰	25	.035
6, 7 h.p. Sailboat Auxiliary	----	421 ⁹⁵²⁶	.020	B/BB Series			
VAN BLERCK JR.				16A, 16C	AP86 ⁸²⁴⁹	86	.025
All Models w/18mm Threads	----	386	.025	18A, 18C, 30B	----	422 ⁹⁵²⁶	.025
All Models w/7/8"-18 Threads	----	3076	.025	25, 70	XST254 ⁸²⁵¹	303	.025
VIMALERT				70 Sustained High Speed	----	353	.025
All Models	----	386	.025	100, A	----	422 ⁹⁵²⁶	.025
VIVIAN (Canadian)				115A, B, 165A	----	4122 ⁹⁵²⁶	.025
All Models	----	3095	.025	140	XS63	63	.035
VOLVO PENTA				145, A	XS62	63	.035
AQ Series				170A, B, C	----	4122 ⁹⁵²⁶	.025
80	XST254 ⁸²⁵¹	303	.025	225, A, B, C	XP25 ⁸²⁵⁰	25	.035
90	----	422 ⁹⁵²⁶	.025	231A	XP25 ⁸²⁵⁰	25	.035
95, 95A, 100	----	4122 ⁹⁵²⁶	.025	260, A, B, C	XP25 ⁸²⁵⁰	25	.035
105A, 110, 115A, 120	----	4122 ⁹⁵²⁶	.025	261	XP25 ⁸²⁵⁰	25	.035
120 (B21)	XS62	63	.035	C Series			
125 A, B, 145	XS62	63	.035	C5, C10, C23	----	386	.025
130, A, B, C, D	----	4122 ⁹⁵²⁶	.025	DPX Series			
131, A, B, C, D	XS62	63	.035	7.4L DPX 385	XP25 ⁸²⁵⁰	25	.045
140, A, 145A, B	XS62	63	.035	8.1L DPX 375	XP5245 ⁸²⁵⁰	5245	.060
150, A, B	AP86 ⁸²⁴⁹	86	.035	8.1L DPX 420	XP5245 ⁸²⁵⁰	5245	.060
151 A, B, C	XS62	63	.035	8.2L DPX 415	XP25 ⁸²⁵⁰	25	.045
165 A	----	4122 ⁹⁵²⁶	.025	502 cid DPX 500	----	AR12	.035
170, A, B, C	----	4122 ⁹⁵²⁶	.025	540 cid DPX 600	----	AR12	.035
171 A, C	XS63	63	.035	Duoprop Series			
175, 175A	XP25 ⁸²⁵⁰	25	.035	4.3L GIPNCA (.460" Reach)	XP25 ⁸²⁵⁰	25	.045
180	XS85	85	.025	4.3L GIPNCS (.708" Reach)	XP605 ⁸²⁵⁰	605	.060
190 Ford	XP25 ⁸²⁵⁰	25	.025	5.0L FL	XP25 ⁸²⁵⁰	25	.035
190A Ford	XP25 ⁸²⁵⁰	25	.025	5.0L Fi	XP605 ⁸²⁵⁰	605	.060
200, A, B, C, D, F	XP25 ⁸²⁵⁰	25	.025	5.0L GL Gen 1+	XP104 ⁸²⁵⁰	104	.035
				5.0L Gi Gen 1+	XP605 ⁸²⁵⁰	605	.060
				5.0L Gxi	XP605 ⁸²⁵⁰	605	.060
				5.7L Gi	XP25 ⁸²⁵⁰	25	.045
				5.7L GL	XP25 ⁸²⁵⁰	25	.035
				5.7L GLi	XP25 ⁸²⁵⁰	25	.045
				5.7L GS	XP25 ⁸²⁵⁰	25	.035
				5.7L GS Gen 1+	XP104 ⁸²⁵⁰	104	.035
				5.7L GSi Gen 1+	XP605 ⁸²⁵⁰	605	.060
				5.7L GXi	XP605 ⁸²⁵⁰	605	.060
				5.8L FL	XP25 ⁸²⁵⁰	25	.045
				5.8L FSi	XP605 ⁸²⁵⁰	605	.060
				7.4L Gi, GL	XP25 ⁸²⁵⁰	25	.045
				7.4L Gi L29	XP605 ⁸²⁵⁰	605	.060
				7.4L GSi	XP25 ⁸²⁵⁰	25	.045
				8.1L Gi	XP5245 ⁸²⁵⁰	5245	.060
				8.1L GSi (375 h.p.)	XP5245 ⁸²⁵⁰	5245	.060
				8.1L GSi (420 h.p.)	XP5245 ⁸²⁵⁰	5245	.060
				8.1L GXi	XP5245 ⁸²⁵⁰	5245	.060



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
VOLVO PENTA (Cont'd)				VOLVO PENTA (Cont'd)			
Duoprop Series (Cont'd)				SX Cobra Series			
8.2L GSI	XP25 ⁸²⁵⁰	25	.045	3.0L GL	XP104 ⁸²⁵⁰	104	.045
High Horsepower Series				3.0L GS	XP104 ⁸²⁵⁰	104	.045
7.4L DPX 385	XP25 ⁸²⁵⁰	25	.035	4.3L GIPNCA (.460" Reach)	XP25 ⁸²⁵⁰	25	.045
8.2L DPX 415	XP25 ⁸²⁵⁰	25	.035	4.3L GIPNCS (.708" Reach)	XP605 ⁸²⁵⁰	605	.060
8.1L DPX420	XP5245 ⁸²⁵⁰	5245	.060	5.0L FL	XP25 ⁸²⁵⁰	25	.035
8.2L DPX 500	----	144	.035	5.0L Fi	XP605 ⁸²⁵⁰	605	.060
8.2L DPX 525	----	144	.035	5.0L Gi Gen 1+	XP605 ⁸²⁵⁰	605	.060
8.8L DPX 600	----	144	.035	5.0L GL Gen 1+	XP104 ⁸²⁵⁰	104	.035
Inboard Series				5.0L GXi	XP605 ⁸²⁵⁰	605	.060
5.7L GSI Gen 1+	XP605 ⁸²⁵⁰	605	.060	5.7L Gi	XP25 ⁸²⁵⁰	25	.045
5.7L Gi	XP25 ⁸²⁵⁰	25	.045	5.7L GL	XP25 ⁸²⁵⁰	25	.035
5.7L GSI	XP605 ⁸²⁵⁰	605	.060	5.7L GLi	XP25 ⁸²⁵⁰	25	.045
5.7L GXi	XP605 ⁸²⁵⁰	605	.060	5.7L GS	XP25 ⁸²⁵⁰	25	.035
5.8L FL/HS1	XP25 ⁸²⁵⁰	25	.035	5.7L GS Gen 1+	XP104 ⁸²⁵⁰	104	.035
5.8L FSi/HS1	XP103 ⁸²⁵⁰	103	.045	5.7L GSI Gen 1+	XP605 ⁸²⁵⁰	605	.060
7.4L GL, Gi/HS1	XP25 ⁸²⁵⁰	25	.035	5.7L GXi	XP605 ⁸²⁵⁰	605	.060
7.4L Gi L29 (Standard Eng.)	XP605 ⁸²⁵⁰	605	.060	5.8L FL	XP25 ⁸²⁵⁰	25	.045
7.4L Gi L29 (Platinum Eng.)	XP605 ⁸²⁵⁰	605	.060	5.8L Fi, FSi	XP103 ⁸²⁵⁰	103	.045
8.1L Gi	XP5245 ⁸²⁵⁰	5245	.060	7.4L GL, Gi	XP25 ⁸²⁵⁰	25	.035
8.1L GSI	XP5245 ⁸²⁵⁰	5245	.060	7.4L Gi L29	XP605 ⁸²⁵⁰	605	.060
8.1L GXi	XP5245 ⁸²⁵⁰	5245	.060	All Models w/18mm Threads	----	386	.025
8.2L GL/HS1	XP25 ⁸²⁵⁰	25	.035	WAUKESHA (Also See Pleasurecraft Marine)			
Inboard Performance Series				155 h.p. WRA, WLA, 302/2b	AP124 ⁸²⁴⁹	124	.035
8.1L IPS500G	XP5245 ⁸²⁵⁰	5245	.060	165 h.p. WRE, WLE	AP124 ⁸²⁴⁹	124	.035
8.1L IPS550G	XP5245 ⁸²⁵⁰	5245	.060	165 h.p. 302/2a	AP124 ⁸²⁴⁹	124	.035
M Series				185 h.p. WRB, WLB	AP124 ⁸²⁴⁹	124	.035
MB10, MB10A	----	275	.025	185 h.p. 302/2	AP124 ⁸²⁴⁹	124	.035
MB20A, M20B, MB20C	----	275	.025	215 h.p. WRC, WLC, 302/4	AP124 ⁸²⁴⁹	124	.035
MB36A, MB36B	XS85	85	.025	255 h.p. WRD, WLD, 351/4	AP124 ⁸²⁴⁹	124	.035
MB250S (Sail Drive)	----	4173 ⁸²⁴⁸	.025	350 h.p. WRF, WLF	XP24 ⁸²⁵⁰	24	.035
PZ-200 I/O w/Chevrolet 305 cid Eng.	XP25 ⁸²⁵⁰	25	.035	350 h.p. 460/4	XP24 ⁸²⁵⁰	24	.035
Kerosene Eng.: AQ60F, BB30F, MB18F	XS4093	414	.035	WEST BEND			
Ocean Series				Shark-O-Matic	XST254 ⁸²⁵¹	303	.035
4.3L Osi/XDP	XP605 ⁸²⁵⁰	605	.060	WILLIAMS			
5.0L Osi/XDP	XP605 ⁸²⁵⁰	605	.060	Trollabout MK-1, MK-11	XST458 ⁸²⁵¹	295	.025
5.7L Osi/XDP	XP605 ⁸²⁵⁰	605	.060	Trollcruiser MK-IV	XST458 ⁸²⁵¹	295	.025
5.7L OSXi/XDP	XP605 ⁸²⁵⁰	605	.060	Trolling MK-III	XST458 ⁸²⁵¹	295	.025
8.1L OSi/XDP	XP5245 ⁸²⁵⁰	5245	.060	Trollmaster MK-II, MK-XII	XST458 ⁸²⁵¹	295	.025
PJX Water Jet				WINTON			
4.3L Gi (.708" Reach)	XP605 ⁸²⁵⁰	605	.060	All Models	----	3076	.025
4.3L GS (.708" Reach)	XP104 ⁸²⁵⁰	104	.045	WISCONSIN			
Sterndrive Series				ABM, AEM, AKM	----	386	.030
3.0L GL	XP104 ⁸²⁵⁰	104	.045	TFM, THDM, TJDM	----	386	.030
3.0L GXiC	XP104 ⁸²⁵⁰	104	.045	VH4DM, VH4M	----	386	.030
4.3L GIPNCA (.460" Reach)	XP25 ⁸²⁵⁰	25	.045	All Models w/7/8"-18 Threads	----	3076	.025
4.3L GIPNCS (.708" Reach)	XP605 ⁸²⁵⁰	605	.060	WOLVERINE			
5.0L GL Gen 1+	XP104 ⁸²⁵⁰	104	.035	All Models	----	3095	.025
5.0L GXi	XP605 ⁸²⁵⁰	605	.060	WRIGHT			
5.0L GXiCE	XP605 ⁸²⁵⁰	605	.060	All Models	----	386	.030
5.0L GXIE	XP605 ⁸²⁵⁰	605	.060	XTERMINATOR			
5.7L Gi	XP25 ⁸²⁵⁰	25	.045	All Models	XS85	85	.025
5.7L GiCE	XP25 ⁸²⁵⁰	25	.045				
5.7L GiE	XP25 ⁸²⁵⁰	25	.045				
5.7L GL	XP25 ⁸²⁵⁰	25	.035				
5.7L GXi	XP605 ⁸²⁵⁰	605	.060				
5.7L GXIE	XP605 ⁸²⁵⁰	605	.060				
8.1L Gi	XP5245 ⁸²⁵⁰	5245	.060				
8.1L GiCE	XP5245 ⁸²⁵⁰	5245	.060				
8.1L GiE	XP5245 ⁸²⁵⁰	5245	.060				
8.1L GXi	XP5245 ⁸²⁵⁰	5245	.060				
8.1L GXIE	XP5245 ⁸²⁵⁰	5245	.060				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Power Sport - Inboard/Stern Drives

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO
YAMAHA							
Stern Drive Engines							
1994-91 3.0L 110 h.p. L4	XP25 ⁸²⁵⁰	25	.035				
1994-89 4.3L 180 h.p. V-6	XP25 ⁸²⁵⁰	25	.035				
1994-89 5.0L 210 h.p. V-8	XP25 ⁸²⁵⁰	25	.035				
1994-89 5.7L 240 h.p. V-8	XP25 ⁸²⁵⁰	25	.035				
1994-93 7.4L 300 h.p. V-8	XP25 ⁸²⁵⁰	25	.035				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵⁰ Xtreme Performance

Power Sport - Personal Watercraft

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ALIEN				KAWASAKI (Jet-Ski) (Cont'd)			
Submarine				781cc			
w/Twin Kawasaki 750cc Eng.	XS4063	4063 ⁸²⁴⁸	.030	2011-03 800 SX-R	XS4063	4063 ⁸²⁴⁸	.032
AQUABUG				743cc			
1.2 h.p. Aquabug 120	XST458 ⁸²⁵¹	308	.030	1997-92 750 SS	XS63	4263 ⁸²⁴⁸	.032
1.75 h.p. Superbug 175	XST458 ⁸²⁵¹	308	.030	1998 750 STX	XS63	4263 ⁸²⁴⁸	.032
3 h.p. Superbug 300	XST458 ⁸²⁵¹	308	.030	1995-92 750 SX	XS63	4263 ⁸²⁴⁸	.032
AQUA-JET				1996-95 750 Sxi			
1250cc				1997-95 750 Zxi	XS63	4263 ⁸²⁴⁸	.032
WX-1 1250R	XS4063	4063 ⁸²⁴⁸	.024	1995-94 ST	XS63	4263 ⁸²⁴⁸	.032
432cc				1997-95 STS	XS63	4263 ⁸²⁴⁸	.032
Solution Sx1	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.030	1997-93 Super Sport Xi	XS63	4263 ⁸²⁴⁸	.032
AQUASCOOTER				2002-98 Sxi Pro			
48cc				1999-98 Xi Sport	XS63	4263 ⁸²⁴⁸	.032
w/JLO Eng.	AP425 ⁸²⁴⁹	425	.025	1994 XiR	XS63	4263 ⁸²⁴⁸	.032
DOLPHIN				635cc			
Mark 7 Auxiliary 12 h.p.	AP404 ⁸²⁴⁹	404	.025	1993-87 650 SX	XS63	4263 ⁸²⁴⁸	.032
FUN BOATS				1995-91 SC			
Pump'r w/60 h.p Eng.	----	421 ⁹⁵²⁶	.030	1996-89 TS	XS63	4263 ⁸²⁴⁸	.032
HONDA				1995-86 X-2			
1235cc				530cc			
2009-02 Aqua Trax F-12, F-12X, F-12X GP Scape (4-Stroke)	XS4302	4302	.030	1995-89 550 SX	XS63	4263 ⁸²⁴⁸	.032
2009-04 Aqua Trax R-12, R-12X (4-Stroke)	XS4302	4302	.030	1988-82 JS550	XS63	4263 ⁸²⁴⁸	.032
HYDRO-DISC				436cc			
w/50 h.p. Eng.	XS4063	4063 ⁸²⁴⁸	.035	1992-77 JS440	XS4064	4054 ⁸²⁴⁸	.032
JET BREEZE				400cc			
Hurricane w/50 h.p. Eng.	XS4063	4063 ⁸²⁴⁸	.030	1976 JS400	XS4064	4054 ⁸²⁴⁸	.020
KAWASAKI (Jet-Ski)				1974 WSAA			
1498cc				1973 WSAB	XS4064	4054 ⁸²⁴⁸	.020
2011 Ultra 300X, LX Supercharged ..	XS4302	4302	.028	294cc			
2011-04 STX-15F	XS4302	4302	.028	1991-87 300SX	XS4064	4054 ⁸²⁴⁸	.032
2011-09 STX	XS4302	4302	.028	1988-86 JS300	XS4064	4054 ⁸²⁴⁸	.032
2011-09 Ultra 260X, LX Supercharged	XS4302	4302	.028	NAUTICA			
2008-07 Ultra 250X Supercharged ..	XS4302	4302	.028	w/Mercury 90 h.p.	----	2645 ⁹⁵²⁶	.030
2011-07 Ultra LX	XS4302	4302	.028	w/Mercury 120 h.p.	----	2645 ⁹⁵²⁶	.030
1199cc				POLARIS			
2008-03 STX-12F	XS4302	4302	.028	1192cc			
1176cc				2004-03 MSX 140 HO w/Ficht Fuel Inj.	XS3923	3923	.028
2005-02 1200 STX-R	XS4063	4063 ⁸²⁴⁸	.024	1165cc			
2005-00 Ultra 150	XS4063	4063 ⁸²⁴⁸	.024	2004-99 Genesis i w/Ficht Fuel Inj. ..	XS5224	5224	.028
1999 Ultra 150	----	4051	.024	2002-99 Genesis	XS62	4252 ⁸²⁴⁸	.024
1071cc				2001-00 Pro 1200	XS62	4252 ⁸²⁴⁸	.028
1999-97 1100 STX	XS63	4263 ⁸²⁴⁸	.032	2001-00 SLX-1165	XS62	4252 ⁸²⁴⁸	.028
2003-00 1100 STX D.I.	XS5224	5224	.032	2002-01 Virage TXi w/Ficht Fuel Inj. .	XS5224	5224	.028
2003-96 1100 ZXi	XS63	4263 ⁸²⁴⁸	.032	2002-00 Virage TX	XS62	4252 ⁸²⁴⁸	.024
2004-01 Ultra 130 D.I.	XS5224	5224	.032	1050cc			
891cc				1999-96 SLT-1050, SLTX-1050	XS62	4252 ⁸²⁴⁸	.028
2002-01 900 STS	XS63	4263 ⁸²⁴⁸	.032	900cc			
2006-97 900 STX	XS63	4263 ⁸²⁴⁸	.032	1998-96 SL-900	XS62	4252 ⁸²⁴⁸	.028
1997-95 900 Zxi	XS63	4263 ⁸²⁴⁸	.032	780cc			
				1998-96 SL-780, SLT-780, SLX-780 .			
				779cc			
				2000-99 Pro 785			
				777cc			
				2004-02 Octane (Carb.)			
				2004-02 Virage i w/Ficht Fuel Inj.			
				750cc			
				2004-03 MSX 110 SO Turbo (Liquid Cooled)			
				2004-03 MSX 150 HO Turbo (Liquid Cooled)			
				1995-93 SL-750, SLT-750			
				701cc			
				2001-96 SL-700, SLR-700, SLH-700, SLTH-700			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Personal Watercraft

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POLARIS (Cont'd)				SEA-DOO (Bombardier) (Cont'd)			
1999-98 Deluxe	XS62	4252 ⁸²⁴⁸	.028	(Cont'd)			
2004-02 Freedom	XS62	4252 ⁸²⁴⁸	.024	GS, GSi, GTI, GTI LE, GTS, SP (65 h.p.)			
1997-96 Hurricane	XS62	4252 ⁸²⁴⁸	.028	XS63	4263 ⁸²⁴⁸	.020	
2004-00 Virage	XS62	4252 ⁸²⁴⁸	.024	650cc			
650cc				GTX, SPX			
1995-92 SL-650, STD	XS62	4252 ⁸²⁴⁸	.028	XS63	4263 ⁸²⁴⁸	.020	
POWER BOARD				XS63	4263 ⁸²⁴⁸	.020	
w/5 h.p. Tohatsu Eng.	----	421 ⁹⁵²⁶	.025	XS63	4263 ⁸²⁴⁸	.020	
POWERSKI				SEAFLASH			
Jetboards				w/Suzuki Eng.			
Igniter 2000	XS4063	4063 ⁸²⁴⁸	.025	----	421 ⁹⁵²⁶	.030	
PROGRESSIVE POWER CORP.				SKIDADDL			
Formula Micro	XST2976 ⁸²⁵¹	2976	.025	AquaJet			
SEA-DOO (Bombardier)				XS4064	4054 ⁸²⁴⁸	.030	
1503cc				SKI-FREE			
GTI 130 (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	40 h.p. 2-Cycle Eng.			
GTI Limited 155 (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	XS4064	4054 ⁸²⁴⁸	.035	
GTI SE 130 (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	SKI-WHEEE			
GTI SE 155 (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	Ski Tow w/Kohler K440-2LC			
GTS 130 (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	XS4063	4063 ⁸²⁴⁸	.030	
GTX 155 (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	SOS EXPRESS			
GTX 215, GTX IS 215 Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	Tide Rider w/45 h.p. Cuyuna Eng. ...			
GTX Limited IS 260 Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	XS4064	4054 ⁸²⁴⁸	.035	
RXP-X 255 Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	SURF-JET			
RXT 260 Supercharged (4-Stroke) ..	XS4162	4162 ⁸²⁴⁸	.030	260cc w/15 h.p. Fuji/Subaru Eng. ...			
RXT IS 260 Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	----	421 ⁹⁵²⁶	.025	
RXT-X 260 Supercharged (4-Stroke) ..	XS4162	4162 ⁸²⁴⁸	.030	THUNDER JET			
RXT-X 260 Supercharged (4-Stroke) ..	XS4162	4162 ⁸²⁴⁸	.030	F-II 700, F-II 800			
Wake 155 (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	XS4064	4054 ⁸²⁴⁸	.035	
Wake Pro 215 Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	XS4064	4054 ⁸²⁴⁸	.035	
1494cc				TIDE RIDER			
GTI, GTI SE (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	w/45 h.p. Cuyuna Eng.			
GTX, Wake (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.028	XS4064	4054 ⁸²⁴⁸	.035	
GTX Limited, GTX SC Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	TIGERSHARK (Arctco)			
RXP, RXP-X Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	1100cc			
RXT, RXTiS, RXT-X Supercharged (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	2000-99 TS1100Li F/I			
Wake (4-Stroke)	XS4162	4162 ⁸²⁴⁸	.030	XST3926 ⁸²⁵¹	3926	.028	
Wake Pro Supercharged (4-Stroke) ..	XS4162	4162 ⁸²⁴⁸	.030	XS62	4252 ⁸²⁴⁸	.028	
951cc				2000 TS1000RI			
3D RFI, 3D DI	XS4063	4063 ⁸²⁴⁸	.020	XST3926 ⁸²⁵¹	3926	.028	
GTX LTD, GSX LTD, RX, XP, Supersport XP LTD	XS62	4252 ⁸²⁴⁸	.022	999cc			
GTX DI, LRV DI, RX DI	XS5224	5224	.044	1997 Daytona 1000			
XP DI	XS5224	5224	.040	XS62	4252 ⁸²⁴⁸	.030	
785cc				1997 Monte Carlo 1000			
XP 785	XS62	4252 ⁸²⁴⁸	.020	XS62	4252 ⁸²⁴⁸	.030	
782cc				1999-97 TS1000L			
3D, 3D Base	XS62	4252 ⁸²⁴⁸	.020	XS62	4252 ⁸²⁴⁸	.030	
GTX RFI	XS62	4252 ⁸²⁴⁸	.020	900cc			
GSX RFI, SPX, XP	XS62	4252 ⁸²⁴⁸	.020	1995 TS900			
GTI LE RFI, GTX RFI, GTI RFI	XS4063	4063 ⁸²⁴⁸	.020	XS62	4252 ⁸²⁴⁸	.030	
718cc				896cc			
HX, SPX, XP (85 h.p.)	XS63	4263 ⁸²⁴⁸	.020	1996 Monte Carlo 900			
				XS62	4252 ⁸²⁴⁸	.030	
				XS62	4252 ⁸²⁴⁸	.030	
				785cc			
				2000 TS800RI			
				XS62	4252 ⁸²⁴⁸	.028	
				768cc			
				1997-96 Daytona 770			
				XS62	4252 ⁸²⁴⁸	.030	
				1995-94 Daytona			
				XS62	4252 ⁸²⁴⁸	.030	
				1997-96 Monte Carlo 770			
				XS62	4252 ⁸²⁴⁸	.030	
				2000-98 TS770			
				XS62	4252 ⁸²⁴⁸	.030	
				1999-98 TS770L			
				XS62	4252 ⁸²⁴⁸	.030	
				1999-98 TS770R			
				XS62	4252 ⁸²⁴⁸	.030	
				650cc			
				1995 Tigershark			
				XS62	4252 ⁸²⁴⁸	.030	
				639cc			
				1995-94 Barracuda			
				XS62	4252 ⁸²⁴⁸	.030	



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵¹ Xtreme Start ⁹⁵²⁶ Inductive suppressor

Power Sport - Personal Watercraft

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TIGERSHARK (Arctco) (Cont'd)				YAMAHA (Cont'd)			
1997-96 Monte Carlo 640	XS62	4252 ⁸²⁴⁸	.030	1100cc			
1995-94 Monte Carlo	XS62	4252 ⁸²⁴⁸	.030	Wave Raider RA1100	---	4122 ⁹⁵²⁶	.025
1997-94 Montego, Deluxe	XS62	4252 ⁸²⁴⁸	.030	Wave Venture WVT1100	---	4122 ⁹⁵²⁶	.025
1999-98 TS640	XS62	4252 ⁸²⁴⁸	.030	1052cc			
ULTRANAUTICS				Wave Runner FX HO (4-Stroke)	XS4302	4302	.025
1231cc				Wave Runner FX, Cruiser HO			
w/Mercury Eng.	---	2852	---	(4-Stroke)	XS4302	4302	.025
789cc				Wave Runner VX, Cruiser, Deluxe,			
Seafish ST, XL, XP w/Suzuki Eng.	---	421 ⁹⁵²⁶	.025	Sport (4-Stroke)	XS4302	4302	.025
Wetbike w/Suzuki Eng.	---	421 ⁹⁵²⁶	.025	1000cc			
WETBIKE				Wave Runner FX140 (4-Stroke)	XS4302	4302	.025
w/Spirit Eng.	---	421 ⁹⁵²⁶	.030	Wave Runner FX Cruiser (4-Stroke) .	XS4302	4302	.025
w/Suzuki Eng.	---	421 ⁹⁵²⁶	.030	800cc			
WETJET				Wave Runner GP800R	XS4063	4063 ⁸²⁴⁸	.025
701cc				Wave Runner XL800	XS4063	4063 ⁸²⁴⁸	.025
1997-95 T-7 Duo 300, ZX 75 h.p.	---	421 ⁹⁵²⁶	.035	Wave Runner XLT800	XS4063	4063 ⁸²⁴⁸	.025
1997-96 T-8 Kraze 85 h.p.	---	421 ⁹⁵²⁶	.035	760cc			
432cc				Wave Blaster II WB760	---	4122 ⁹⁵²⁶	.025
1995-94 Duo 200 50 h.p.	XS4063	4063 ⁸²⁴⁸	.035	Wave Raider RA760	---	4122 ⁹⁵²⁶	.025
432	XS4063	4063 ⁸²⁴⁸	.035	Wave Runner GP760	---	4122 ⁹⁵²⁶	.025
432 Brut	XS4063	4063 ⁸²⁴⁸	.030	Wave Venture WVT760	---	4122 ⁹⁵²⁶	.025
Special Edition Brut	XS4063	4063 ⁸²⁴⁸	.030	XL760W	---	4122 ⁹⁵²⁶	.025
Sport Brut	XS4063	4063 ⁸²⁴⁸	.030	700cc			
Sport II Brut	XS4063	4063 ⁸²⁴⁸	.030	FX1 FX700	---	4122 ⁹⁵²⁶	.025
428cc				Wave Runner Super Jet SJ700,			
428	XS4063	4063 ⁸²⁴⁸	.035	SJ700A	---	4121 ⁹⁵²⁶	.025
428 L/C	XS4063	4063 ⁸²⁴⁸	.035	Waveblaster WB700, WB700A	---	4122 ⁹⁵²⁶	.025
WILD CAT				Wave Raider RA700	---	4122 ⁹⁵²⁶	.025
w/50 h.p. Brute Eng.	XS4063	4063 ⁸²⁴⁸	.035	Wave Raider Deluxe RA700,			
w/75 h.p. Brute Eng.	XS4063	4063 ⁸²⁴⁸	.035	RA700B	---	4122 ⁹⁵²⁶	.025
XBOARD				Waverunner III, III GP WRA700,			
400cc				WRA700, WRA700A	---	4122 ⁹⁵²⁶	.025
w/39.5 h.p. Wankel Eng.	XS4302	4302	.025	Waverunner Pro VXR WRB700	---	4122 ⁹⁵²⁶	.025
YAMAHA				Wave Runner XL700	---	421 ⁹⁵²⁶	.025
1812cc				Wave Venture WVT700, WVT700B .	---	4122 ⁹⁵²⁶	.025
Wave Runner FX HO (4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044	650cc			
Wave Runner FX SHO (4-Stroke) ...	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044	Super Jet SJ650	---	4122 ⁹⁵²⁶	.025
Wave Runner FX Cruiser SHO				Waverunner LX WR650	---	4122 ⁹⁵²⁶	.025
(4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044	Waverunner III WRA650	---	4122 ⁹⁵²⁶	.025
Wave Runner FX Cruiser HO				Waverunner VXR, T WRB650	---	4122 ⁹⁵²⁶	.025
(4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044	500cc			
Wave Runner FX Cruiser SHO				Wavejammer WJ500	---	4122 ⁹⁵²⁶	.025
(4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044	Waverunner WR500	---	4122 ⁹⁵²⁶	.025
Wave Runner FZR (4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044				
Wave Runner FZS (4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044				
Wave Runner SX SHO (4-Stroke) ...	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044				
Wave Runner VXR (4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044				
Wave Runner VXS (4-Stroke)	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044				
1300cc							
Wave Runner GP1300R	XS4063	4063 ⁸²⁴⁸	.044				
1200cc							
Wave Runner GP1200	---	421 ⁹⁵²⁶	.025				
Wave Runner GP1200R	XS4063	4063 ⁸²⁴⁸	.044				
Wave Runner SUV1200	---	421 ⁹⁵²⁶	.025				
XA1200	XS4063	4063 ⁸²⁴⁸	.044				
XL1200	XS4063	4063 ⁸²⁴⁸	.044				
XL1200W	---	421 ⁹⁵²⁶	.025				
Wave Runner XLT1200	XS4063	4063 ⁸²⁴⁸	.044				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Jet Boats

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ALMAR				CHECKMATE (Cont'd)			
w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Playmate/Sport w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030	CLASSIC JET CRAFT			
w/Chevrolet 4.3L Engs.	XP25 ⁸²⁵⁰	25	.040	w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
w/Chevrolet 350 & 454 cid Engs.	XP24 ⁸²⁵⁰	24	.040	CUTTER			
w/Ford 302, 351 & 460 cid Engs.	XP24 ⁸²⁵⁰	24	.040	Craze w/Mercury Sportjet 95	----	2645 ⁹⁵²⁶	.040
w/Ford 351 cid Mag & HO Engs.	XP104 ⁸²⁵⁰	104	.040	Craze w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
ARMADA				DELTA SONIC JET			
Wild One w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
AVON				DONZI			
3.46 Jet R.I.B. w/Yamaha 60 h.p.	----	421 ⁹⁵²⁶	.040	Medallion w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
SE 320 Jet w/Yamaha 83 h.p.	----	421 ⁹⁵²⁶	.040	Medallion w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
SE 320 Jet dl w/Yamaha 83 h.p.	----	421 ⁹⁵²⁶	.040	DORAL TOP			
SE 400 Jet dl w/Yamaha 83 h.p.	----	421 ⁹⁵²⁶	.040	Splash w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040
BAJA				DYNASTY			
Blast/Splash w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Assault w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
Blast/Splash w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040	Cyclone w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Blast/Splash w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Cyclone w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
BAYLINER				E-1 SPLASH			
Jazz/Reflexx w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	w/Tohatsu 70 h.p.	----	421 ⁹⁵²⁶	.040
Jazz/Reflexx w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	EKLER WATERSPORTS			
Jazz w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	Jet'n Spray w/Yamaha 650 cc Engs.	----	421 ⁹⁵²⁶	.025
BAYSTALKER				ELIMINATOR			
Twinjet w/70 h.p. 3-Cyl. Engs.	----	421 ⁹⁵²⁶	.025	w/Chevy 454 cid Engs.	XP24 ⁸²⁵⁰	24	.040
BLADE				EMERALD BAY			
Nomad w/70 h.p. Engs.	----	421 ⁹⁵²⁶	.025	Banshee XS w/50 h.p. Engs.	XS4063	4063 ⁸²⁴⁸	.040
Nomad w/115 h.p. Engs.	----	2645 ⁹⁵²⁶	.030	Banshee XS w/80 h.p. Engs.	XS4063	4063 ⁸²⁴⁸	.040
BLUE-FIN				EPIC PERFORMANCE			
Wave w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Sport Jet w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
BOSTON WHALER				EUROLINE			
Rage 14 & 15 w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030	Cyclone w/Indmar 350 cid 270 h.p.	XP24 ⁸²⁵⁰	24	.045
Rage 18 w/Redline 302 cid Engs.	XP24 ⁸²⁵⁰	24	.040	Cyclone w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Rage 18 w/Redline 351 cid HO Engs.	XP104 ⁸²⁵⁰	104	.040	Cyclone w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040
BUCCANEER				CARIBE			
Splash w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Splash w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Splash w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030	w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
CHECKMATE				CHECKMATE			
Playmate/Sport w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Playmate/Sport w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁹⁵²⁶ Inductive suppressor

Power Sport - Jet Boats

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EUROLINE (Cont'd)				JET SPORT			
Cyclone Sport w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Cyclone w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.030
Cyclone Sport w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	Spree/Storm w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.030
Cyclone w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030	Cyclone w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.030
Twister w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	Spree/Storm w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.030
EXOTIC MARINE				JET STAR			
Panther 16V w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	w/Suzuki Engs.	----	422 ⁹⁵²⁶	.030
FORESTER				KLAMATH			
Splash w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	XL JET 17 w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.040
FOUR WINNS				MARLIN			
Fling w/OMC Turbojet 90	----	2645 ⁹⁵²⁶	.030	Marlin 150 w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Fling w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030	MASSEY INDUSTRIES			
FUN JET				E-1 Twin Jet w/Mercury Sportjet 90			
w/70 h.p. 3-Cyl. Engs.	----	421 ⁹⁵²⁶	.040	E-1 Twin Jet w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
GREEN HERON BOAT WORKS				Cruise 20 w/Mercuriser 5.7 EFI Alpha			
Jet Skiff w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Alpha	XP25 ⁸²⁵⁰	25	.040
HOBIE				MID-JET			
915S w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Marauder w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
915S w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040	Marauder w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Jet 15 w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	NAUTICA			
HOBLE				Rib Jet w/Mercury Sportjet 90			
Power Skiff w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Rib Jet w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
HOVER AIR AMERICA				Rib Jet w/Mercury Sportjet 175XR2			
Slingshot w/50 h.p. Engs.	XS4063	4063 ⁸²⁴⁸	.040	Rib Jet w/80 h.p. Yamaha	----	421 ⁹⁵²⁶	.040
HUMBOLT MARINE SERVICES				NORTH RIVER			
Falcon w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030	w/Mercuriser 5.7L Alpha	XP25 ⁸²⁵⁰	25	.040
Jet Sled w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
HYDROFORCE				NORTHSTAR			
w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040
JET-N-SPRAY				w/Mercury Sportjet 120XR			
650XL/650XTC w/Yamaha 50 h.p. Twin	----	421 ⁹⁵²⁶	.040	w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
650XL/650XTC w/Yamaha 63 h.p. Twin	----	421 ⁹⁵²⁶	.040	w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
JET NAUTICA				w/OMC Turbojet 90			
Smuggler w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030
Smuggler w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030
JET SKATE				w/Twin OMC Turbojet 115			
w/Brute 50 h.p.	XS4064	4054 ⁸²⁴⁸	.035	NOVURANIA			
JET-SLED				Jet 230 w/OMC Turbojet 90			
w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030	Jet 230 w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030
				Williams Turbo Jet 285 w/Weber MPE750 104 h.p.			
				Williams Turbo Jet 325 w/Weber MPE750 104 h.p.			
				Williams Turbo Jet 385 w/Weber MPE750 104 h.p.			
				NU-WAVE			
				Sidewinder w/Mercury Sportjet 90			
				Sidewinder w/Mercury Sportjet 95XR			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁹⁵²⁶ Inductive suppressor

Power Sport - Jet Boats

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NU-WAVE (Cont'd)				SEA-DOO (Cont'd)			
Sidewinder w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Challenger 180 4-Tec w/Rotax 215 h.p. 4-Stroke	XS4162	4162 ⁸²⁴⁸	.030
PERFORMANCE JET SYSTEMS				Challenger 180 CS 4-Tec w/Rotax 215 h.p. 4-Stroke			
Marine Jet Engines				Challenger 180 SE 4-Tec w/Rotax 215 h.p. 4-Stroke			
Viper 5000 w/50 h.p. Eng.	XS4063	4063 ⁸²⁴⁸	.025	Challenger 180 SE 4-Tec w/Rotax 255 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030
Viper 6000 w/60 h.p. Eng.	XS4063	4063 ⁸²⁴⁸	.025	Challenger 210 SE 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030
Viper 7000HT w/70 h.p. Eng.	XS4063	4063 ⁸²⁴⁸	.025	Challenger 210 SE 4-Tec w/Rotax 215 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030
Viper 8000HT w/80 h.p. Eng.	XS4063	4063 ⁸²⁴⁸	.025	Challenger 210 SE 4-Tec w/Rotax 255 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030
Viper 9000HT w/90 h.p. Eng.	XS4063	4063 ⁸²⁴⁸	.025	Challenger 230 4-Tec w/Rotax 155 h.p. 4-Stroke	XS4162	4162 ⁸²⁴⁸	.030
PLAY CRAFT				Challenger 230 4-Tec w/Rotax 215 h.p. 4-Stroke			
Screamer w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Challenger 230 SE 4-Tec w/Rotax 155 h.p. 4-Stroke	XS4162	4162 ⁸²⁴⁸	.030
Screamer w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Challenger 230 SE 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030
POLARIS				Challenger 230 SE 4-Tec w/Rotax 215 h.p. 4-Stroke			
ex2100 w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Challenger 230 SE 4-Tec w/Rotax 215 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030
ex2100 w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040	Challenger 230 SP 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030
le2100 w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Challenger 230 SP 4-Tec w/Rotax 215 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030
le2100 w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040	Challenger 1800 w/Mercury 210 h.p. EFI	----	2852	.040
PRO-LINE				Challenger 1800 w/Mercury 240 h.p. EFI			
Stalker 153 w/Mercury Sportjet 90 ..	----	2645 ⁹⁵²⁶	.040	Challenger 1800 w/Rotax 110 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025
REGAL				Challenger 1800 w/Rotax 85 h.p. Twin			
Rush w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Challenger 2000 w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040
Rush w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Challenger 2000 w/Mercury 210 h.p. EFI	----	421 ⁹⁵²⁶	.040
Rush XR2 w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	Challenger 2000 w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040
RENKEN				Challenger w/Rotax 101 h.p. Twin			
Rascal w/Mercury Sportjet 120XR ..	----	2645 ⁹⁵²⁶	.040	Challenger w/Rotax 85 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025
REVMASTER MARINE				Challenger X w/Mercury 240 h.p. EFI			
Jet Star w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	Challenger X w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040
Jet Star w/Mercury Sportjet 120XR ..	----	2645 ⁹⁵²⁶	.040	Explorer w/Rotax 72 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025
RICHLINE				Explorer w/Rotax 85 h.p. Single			
RW 175 SJ w/Mercury Sportjet 90 ..	----	2645 ⁹⁵²⁶	.040	Islandia w/Mercury 210 h.p.	----	2852	.040
RW 175 SJ w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Islandia w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040
RW 186 SJ w/Mercury Sportjet 90 ..	----	2645 ⁹⁵²⁶	.040	Islandia w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040
RW 186 SJ w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Islandia, SE 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030
RINKER				Islandia, SE 4-Tec w/Rotax 215 h.p. 4-Stroke Twin Supercharged			
Eracer w/Mercury Sportjet 120XR ..	----	2645 ⁹⁵²⁶	.040	Speedster w/Mercury 240 h.p. EFI ..	----	421 ⁹⁵²⁶	.040
Rocket w/Mercury Sportjet 120XR ..	----	2645 ⁹⁵²⁶	.040	Speedster 150 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030
SCARAB							
19 Jet w/Mercruiser 4.3L	XP25 ⁸²⁵⁰	25	.035				
SEA-DOO							
1998 Challenger w/Rotax 85 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025				
Challenger 180 w/Rotax 185 h.p.	XS4162	4162 ⁸²⁴⁸	.030				
Challenger 180 w/Rotax 215 h.p.	XS4162	4162 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁹⁵²⁶ Inductive suppressor

Power Sport - Jet Boats

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SEA-DOO (Cont'd)				SEA-DOO (Cont'd)			
Speedster 150 4-Tec w/Rotax 215 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	Wake 230 w/Rotax 215 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030
Speedster 150 4-Tec w/Rotax 255 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030	Wake 230 4-Tec w/Rotax 255 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030
Speedster 160 w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	X-20 w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040
Speedster 200 w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	X-20 w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040
Speedster 200 w/Rotax 185 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	SEA-PRO			
Speedster 200 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	Renegade w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Speedster 200 4-Tec w/Rotax 215 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	Renegade w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Speedster 200 4-Tec w/Rotax 255 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030	SEA RAY			
Speedster 230 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	Sea Rayder/F14 w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Speedster 230 4-Tec w/Rotax 215 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	Sea Rayder/F14 w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Speedster SK w/Mercury 210 h.p.	----	2852	.040	Sea Rayder/F16 w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Speedster SK w/Rotax 85 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025	Sea Rayder/F16 w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Speedster w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Sea Rayder/F16XR w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
Speedster w/Rotax 110 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025	SEA SKATE			
Speedster Wake 230 w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	w/Brute 50 h.p.	XS4063	4063 ⁸²⁴⁸	.035
Speedster Wake 230 w/Rotax 215 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	w/2Si 25 h.p.	XS4064	4054 ⁸²⁴⁸	.035
Speedster Wake 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	w/2Si 50 h.p.	XS4064	4054 ⁸²⁴⁸	.035
Speedster Wake 4-Tec w/Rotax 215 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	w/2Si 70 h.p.	XS4064	4054 ⁸²⁴⁸	.035
Sportster 4-Tec w/Rotax 155 h.p. 4-Stroke	XS4162	4162 ⁸²⁴⁸	.030	SEA SPRITE			
Sportster 4-Tec w/Rotax 215 h.p. 4-Stroke	XS4162	4162 ⁸²⁴⁸	.030	1300/1600 w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Sportster 1800 w/Mercury 210 h.p.	----	2852	.040	1300/1600 w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Sportster 1800 w/Rotax 85 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025	SEASWIRL			
Sportster w/Rotax 85 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025	Squirt w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030
Sportster w/Rotax 85 h.p. Single	XS4063	4063 ⁸²⁴⁸	.025	SHOCKWAVE			
Sportster LE w/Rotax 130 h.p.	XS4063	4063 ⁸²⁴⁸	.025	Zoom w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030
Sportster LE DI w/Rotax 130 h.p.	XS4063	4063 ⁸²⁴⁸	.025	SOS EXPRESS			
Sportster LT w/Rotax 85 h.p. Twin	XS4063	4063 ⁸²⁴⁸	.025	Jet Express w/70 h.p. Yamaha	----	421 ⁹⁵²⁶	.025
Sportster SCIC 4-Tec w/Rotax 155 h.p. 4-Stroke	XS4162	4162 ⁸²⁴⁸	.030	SPRINT			
Sportster SCIC 4-Tec w/Rotax 215 h.p. 4-Stroke	XS4162	4162 ⁸²⁴⁸	.030	Sprint 17 w/302 cid Redline Engs.	XP24 ⁸²⁵⁰	24	.040
Utopia 185 w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040	Sprint 17 w/350 cid Redline Engs.	APP3926 ⁸²⁵³	3926	.040
Utopia 185 w/Mercury 210 h.p.	----	2852	.040	STARBUCK BOATS			
Utopia 185 w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	w/Chevrolet 350 cid Engs.	XP25 ⁸²⁵⁰	25	.040
Utopia 185 w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040	w/Chevrolet 454 cid Engs.	XP24 ⁸²⁵⁰	24	.040
Utopia 205 w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040	SUGAR SAND			
Utopia 205 w/Mercury 210 h.p.	----	2852	.040	4 + 2 w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
Utopia 205 w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Airwave w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040
Utopia 205 w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040	Calais, GS, LX w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040
Utopia 205 SE w/Mercury 250 h.p. OptiMax DFI	XS5224	5224	.040	Calais, GS, LX w/Mercury 210 h.p.	----	2852	.040
Utopia 205, SE 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030	Calais, GS, LX w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040
Wake 210 4-Tec w/Rotax 155 h.p. 4-Stroke Twin	XS4162	4162 ⁸²⁴⁸	.030				
Wake 210 4-Tec w/Rotax 255 h.p. 4-Stroke Twin Supercharged	XS4162	4162 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Jet Boats

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUGAR SAND (Cont'd)				SUNRAY			
Calais, GS, LX w/Mercury 250 h.p.				Shadow w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
OptiMax DFI	XS5224	5224	.040	Shadow w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Heat XR w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040	TENDER JET			
Heat XRS w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040
Mirage w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040	w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
Mirage w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040	TRACKER			
Mirage w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040	Pro 18 Jet w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Mirage w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	TRULINE			
Mirage, Fun & Fish, LX w/Mercury 200 h.p. Optimax DFI	XS5224	5224	.040	Screamer w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Mirage, Fun & Fish, LX w/Mercury 200 h.p. Optimax DFI	----	2852	.040	Screamer w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Mirage, Fun & Fish, LX w/Mercury 200 h.p. Optimax DFI	----	421 ⁹⁵²⁶	.040	TWO RIVERS MARINE			
Mirage, Fun & Fish, LX w/Mercury 200 h.p. Optimax DFI	XS5224	5224	.040	RC9016 w/Mercury Sportjet 90	----	2645 ⁹⁵²⁶	.040
Mirage, Fun & Fish, LX w/Mercury 250 h.p. Optimax DFI	XS5224	5224	.040	RC120 18 w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Offshore LS w/Mercury 200 h.p. Optimax DFI	XS5224	5224	.040	ULTRANAUTICS			
Offshore LS w/Mercury 210 h.p.	----	2852	.040	Jet Fisher 1660L w/60 h.p. Suzuki	----	421 ⁹⁵²⁶	.025
Offshore LS w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Jet Fisher 1670B w/70 h.p. Tohatsu	----	421 ⁹⁵²⁶	.025
Oasis, LX w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Jet Star 1250, 1260 w/60 h.p. Suzuki	----	421 ⁹⁵²⁶	.025
Oasis, LX w/Mercury 250 h.p. Optimax DFI	XS5224	5224	.040	River Jet 1670 w/70 h.p. Tohatsu	----	421 ⁹⁵²⁶	.025
R10 Sunsports w/Polaris 1185cc Engs.	XS4062	4252 ⁸²⁴⁸	.028	VORTEX (See Indmar Under Inboard/Stern Drive)			
Sole' w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	VOYAGER MARINE			
Sole' w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040	Scratch w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Sole' w/Mercury 210 h.p.	----	2852	.040	Scratch w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040
Sole' w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	WAVECUTTER			
Sting w/Weber 135 h.p.	XS3922	3922	.040	GPX-950 w/Mercury Sportjet 95XR	----	2645 ⁹⁵²⁶	.040
Tango Super Sport, GT w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040	GPX-950 w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Tango Super Sport, GT w/Mercury 210 h.p.	----	2852	.040	WELDCRAFT (See Panther & Redline Under Inboard/Stern Drive)			
Tango Super Sport, GT w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	WETT VET			
Tango, Xtreme GT w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040	w/Mercury Sportjet 120XR	----	2645 ⁹⁵²⁶	.040
Tango, Xtreme GT w/Mercury 210 h.p.	----	2852	.040	WHALER			
Tango, Xtreme GT w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Rage 14 w/OMC Turbojet 90	----	2645 ⁹⁵²⁶	.030
Tango, Xtreme, SE w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	Rage 15 w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030
Tango, Xtreme, SE w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040	YAMAHA			
Tango, Xtreme, SE w/Mercury 210 h.p.	----	2852	.040	AR210 w/Twin 110 h.p. 4-Stroke	XS4302	4302	.030
Tango, Xtreme, SE w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	AR210 w/Twin 135 h.p. Engs.	----	421 ⁹⁵²⁶	.025
Tango 4+2, LS, SS w/Mercury Sportjet 175XR2	----	2645 ⁹⁵²⁶	.040	AR230 w/Twin 140 h.p. 4-Stroke	XS4302	4302	.030
Tango 4+2, LS, SS w/Mercury 200 h.p. OptiMax DFI	XS5224	5224	.040	AR230 HO w/Twin 160 h.p. 4-Stroke	XS4302	4302	.030
Tango 4+2, LS, SS w/Mercury 210 h.p.	----	2852	.040	AR240 HO 4-Stroke w/Twin 1.8L Engs.	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044
Tango 4+2, LS, SS w/Mercury 240 h.p. EFI	----	421 ⁹⁵²⁶	.040	Exciter 135 w/Single 135 h.p. Engs. EXS 1200	----	421 ⁹⁵²⁶	.025
SUNBIRD				Exciter 270 w/Twin 135 h.p. Engs. EXT 1200			
Sizzler w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor

Power Sport - Jet Boats

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
YAMAHA (Cont'd)							
Exciter 220 w/Twin 110 h.p. Engs. EXT 1100	----	421 ⁹⁵²⁶	.025				
LS2000 w/Twin 135 h.p. Engs. EXT 1200	----	421 ⁹⁵²⁶	.025				
LX210 w/Twin 135 h.p. Engs.	----	421 ⁹⁵²⁶	.025				
LX2000 w/Twin 135 h.p. Engs.	----	421 ⁹⁵²⁶	.025				
SR210 w/Twin 110 h.p. 4-Stroke	XS4302	4302	.030				
SR230 (SRT1000) w/Twin 140 h.p. 4-Stroke	XS4302	4302	.030				
SR230 HO w/Twin 160 h.p. 4-Stroke	XS4302	4302	.030				
SX210 w/Twin 110 h.p. 4-Stroke	XS4302	4302	.030				
SX230 w/Twin 140 h.p. 4-Stroke	XS4302	4302	.030				
SX230 HO w/Twin 160 h.p. 4-Stroke	XS4302	4302	.030				
SX240 HO 4-Stroke w/Twin 1.8L Engs.	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044				
XR1800 w/Twin 155 h.p. Engs.	XS4063	4063 ⁸²⁴⁸	.043				
212SS 4-Stroke	XS4302	4302	.030				
212X 4-Stroke	XS4302	4302	.030				
232 Limited, S HO 4-Stroke	XS4302	4302	.030				
242 Limited, S 4-Stroke w/Twin 1.8L Engs.	XP5325 ⁸²⁵⁰	APP5325 ⁸²⁵³	.044				
ZODIAC							
Projet w/Yamaha 50 h.p. Twin	----	421 ⁹⁵²⁶	.025				
Projet w/Yamaha 80 h.p. Twin	----	421 ⁹⁵²⁶	.025				
Projet II w/OMC Turbojet 115	----	2645 ⁹⁵²⁶	.030				
Projet Maxie w/OMC Turbojet 115 ...	----	2645 ⁹⁵²⁶	.030				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵³ Double Platinum ⁹⁵²⁶ Inductive suppressor