





Commercial Equipment - Lift Trucks

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ALLIS-CHALMERS				ATHEY (Cont'd)			
Gasoline - 14mm Heads				Loaders w/240 Engs. AP124 ⁸²⁴⁹ 124 .025			
1-40, 1-60, 1-400, 1-600, 615	XST254 ⁸²⁵¹	303	.025	ATLAMATIC			
190, 190XT	AP404 ⁸²⁴⁹	404	.025	w/Volkswagen Engs. --- 275 .025			
190, 190XT (Light Service)	XP64 ⁸²⁵⁰	64	.025	AUTOMATIC			
706B	XP64 ⁸²⁵⁰	64	.025	w/Cont. F-162			
G153, G230, G262	AP404 ⁸²⁴⁹	404	.025	---			
H4 Crawler	AP404 ⁸²⁴⁹	404	.025	AUTOMOTIVE			
H4 Crawler (Light Servicer)	XP64 ⁸²⁵⁰	64	.025	Dynamotive Models			
T6, TL16	XST458 ⁸²⁵¹	295	.025	GLF, GLT, GMF			
TL10, TL12, TL14	AP404 ⁸²⁴⁹	404	.025	---			
TL545G Front Endloader	AP404 ⁸²⁴⁹	404	.025	GLF, GLT, GMF (LPG)			
Series 500 & 600	XST254 ⁸²⁵¹	303	.025	---			
w/A-C Engs.	---	306	.025	BAKER			
w/B&S Engs.	XST458 ⁸²⁵¹	458	.025	14mm Heads			
w/Buda Engs.	---	306	.025	FGA-030, 050, 070, FGD-020, 025 ..			
w/IHC & Wauk. Engs.	XST458 ⁸²⁵¹	295	.025	FGD-030, 040, 050, 060, 070, 080 ..			
w/Onan Engs.	---	216	.025	FGF-020, 025, FIA-030, FID-020,			
				025			
				FID-030, 040, 050, 060, 070, 080 ...			
				FIF -020, 025, FJD-060, 070, 080 ...			
				FLD, FLF-020, FLD-060, T-10A,			
				TJF-100			
				FMD-030, 040, 050, 060, 070, 080 ..			
				T10A, TJF-100			
				18mm Heads			
				FGD-030, 040, 050, 060, 070, 080 ..			
				FGF-030, 040, 050, 060, 070			
				FID-030, 040, 050, 060, 070, 080 ...			
				FIF-030, 040, 050, 060, 070			
				FJD-040, 060, 070, 080, FJG-040 ...			
				FJF-030, 040, 050, 060, 070			
				FMD-030, 040, 050, 060, 070, 080 ..			
				FMF-030, 040, 050, 060, 070, Y112 ..			
				Tiger Series			
Gasoline - 18mm Heads				BAKER-LULL (See Lull)			
4-Cylinder Cont. F163 Engs.				BAKER-RAULANG (See Baker)			
ACC-40, ACC-45, ACC-50, ACC-55 ..	---	386	.025	BELL			
ACP-20, ACP-25, ACP-30, ACP-40,	---	386	.025	Prime Mover			
ACP-50	---	386	.025	---			
ACP-60C, ACC-20, ACC-25, ACC-30,	---	386	.025	BOBCAT (Also, See Melroe)			
ACC-35	---	386	.025	Skid-Steers			
6-Cylinder Continental F245 Engs.				Gasoline			
ACC-70C, ACC-80, ACC-100,	---	386	.025	w/Kohler 16 & 18 h.p. (Twin)			
ACC-120	---	386	.025	w/Kohler 24 h.p.			
ACP-60, ACP-70, ACP-80, ACP-110,	---	386	.025	w/Ford 98 cid Engs.			
ACP-130	---	386	.025	w/Mitsubishi 36 h.p.			
ACP-150, ACC-60, ACC-60C,	---	386	.025	w/Onan CCK			
ACC-70	---	386	.025	w/Wisc. VH4D			
6-Cylinder Ford 300 cid Engines				LPG			
ACP-165, ACP-180, ACP-200,	---	386	.025	w/Kohler 24 h.p.			
ACP-225	AP124 ⁸²⁴⁹	124	.025	w/Onan CCK			
w/Chore Boy Engs.	---	386	.025	---			
w/IHC Engs.	---	386	.025	BOLENS			
w/Wauk. Engs.	---	386	.025	GK Model 960			
w/Wisc. Engs.	---	386	.025	---			
LPG 14mm Heads				ALL SEASONS EQUIPMENT			
190, 190 XT	AP403 ⁸²⁴⁹	403	.020	Skid-Steer Loaders			
				w/Honda 13 h.p. OHV			
				w/Honda 24 h.p. (V-Twin)			
ALL SEASONS EQUIPMENT				ALAMATIC			
Skid-Steer Loaders				w/Volkswagen Engs.			
w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	4265 ⁸²⁴⁸	.030	AP425 ⁸²⁴⁹ 425 .025			
w/Honda 24 h.p. (V-Twin)	XS65 ⁸²⁵²	4265 ⁸²⁴⁸	.030	AMERICAN			
ALAMATIC				Econobile			
w/Volkswagen Engs.	AP425 ⁸²⁴⁹	425	.025	---			
AMERICAN				AMERICAN COLEMAN			
Econobile				MB-4 Aircraft Tow Truck			
---				XP24 ⁸²⁵⁰ 24 .025			
AMERICAN COLEMAN				ARROW			
MB-4 Aircraft Tow Truck	XST458 ⁸²⁵¹	308	.025	Scooter Loader			
Deck Spotter I Yard Jockey	XP24 ⁸²⁵⁰	24	.025	---			
ARROW				ATHEY			
Scooter Loader				Force Feed Loader			
---				---			
ATHEY				Grader w/172 Engs.			
Force Feed Loader	---	216	.025	Loaders w/223 Engs.			
Grader w/172 Engs.	---	216	.025	AP45 ⁸²⁴⁹ 45 .025			
Loaders w/223 Engs.	AP45 ⁸²⁴⁹	45	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BOXER				CATERPILLAR (Cont'd)			
Skid Steers				Gasoline (Cont'd)			
w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	4265 ⁸²⁴⁸	.030	V80E 6.5 AMP	XS65 ⁸²⁵²	65	.025
w/Honda 24 h.p. (V-Twin)	XS65 ⁸²⁵²	4265 ⁸²⁴⁸	.030	LPG			
w/Kohler 20, 27 & 30 h.p. Command Pro (V-Twin)	XS3924 ⁸²⁵²	3924	.040	T30B, T40B, T50B, T60B	XS85 ⁸²⁵²	85	.015
BROWN				T35B, T45B, T55B, V30C	XS85 ⁸²⁵²	85	.015
All Models	---	386	.025	T30D, TC60D w/Peugeot Engs.	XS63 ⁸²⁵²	63	.015
BROWNIE				V40D, V50D w/Peugeot Engs.	XS63 ⁸²⁵²	63	.015
w/Ford Engs.	---	216	.025	V35C, V40C, V45C, V50C	XS85 ⁸²⁵²	85	.015
w/Cont. Engs.	---	386	.025	V80E 6.5 AMP	XS65 ⁸²⁵²	65	.015
BUDA (See Allis-Chalmers)				Starting Engines			
Chore Boy w/B&S Engs.	XST458 ⁸²⁵¹	295	.025	14mm Heads			
Chore Boy w/Onan CK	---	216	.025	D2, D4, D6, D7, D8, D9, RD4, DW15	AP86 ⁸²⁴⁹	86	.025
w/Buda Engs.	---	306	.025	D4C, D6B	XS85 ⁸²⁵²	85	.025
w/IHC S240	XST458 ⁸²⁵¹	295	.025	DW20, DW21, 824, 834	AP86 ⁸²⁴⁹	86	.025
w/IHC U4	---	386	.025	18mm Heads			
w/Wauk. Engs.	XST458 ⁸²⁵¹	295	.025	D2, D4, D6, D7, D8, D9	---	386	.025
BUTLER				DW10, DW15, DW20, DW21	---	386	.025
Front End Loader	---	386	.025	RD4, 824, 834, F163, F227	---	386	.025
CASE				CENTAUR			
Skid Steers				w/LeRoi D-226, D-140, 105, G1-1T (14mm)			
1818	AP106 ⁸²⁴⁹	106	.025		XST458 ⁸²⁵¹	308	.025
1825	AP404 ⁸²⁴⁹	404	.025	w/LeRoi D-226, D-140, 105, G1-1T (18mm)	---	386	.025
1835C	XS65 ⁸²⁵²	65	.025	w/LeRoi TRP, D-133	---	3076	.025
Other 14mm Heads	XST458 ⁸²⁵¹	295	.025	CHALLENGER			
w/18mm Heads	---	386	.025	All Models	XST458 ⁸²⁵¹	295	.025
w/7/8"-18 Heads	---	3076	.030	CHAMP			
w/Nissan 25 h.p. A12	AP404 ⁸²⁴⁹	404	.025	w/Chry. Engs.	XST458 ⁸²⁵¹	295	.025
w/Onan 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	w/Chry. Engs. (LP Gas)	---	306	.015
w/Teledyne 48 h.p. TM20	XS65 ⁸²⁵²	65	.025	w/Cont. Engs.	---	386	.025
14mm Heads				w/Perkins G4-236	XP64 ⁸²⁵⁰	64	.025
644	---	216	.025	CLARK			
646	---	216	.025	Gasoline			
LI, SI, VI	XST458 ⁸²⁵¹	295	.025	14mm Heads			
18mm Heads				Clark 75 Unshielded, Series 71H	XST458 ⁸²⁵¹	295	.025
210, 310, 320, 420, 430	---	386	.025	Clarktor 6, 120, CFV, CY	XST458 ⁸²⁵¹	295	.025
450, 500, 500LK, 520, 530	---	386	.025	C500, 60, 70, S80, 80, 90, S100	XS65 ⁸²⁵²	65	.025
580B, 600, 620, 680, 800GT	---	386	.025	GCS12, 15, 20, 25, 30, 175 w/Mits. 4G32	AP66 ⁸²⁴⁹	66	.025
1530, 1537, 1816B Uni-loader	---	386	.025	GCS17, 20, 22, 25, 27, 30 w/Mits. 4G54	AP66 ⁸²⁴⁹	66	.025
1830, 1835, 1845 Uni-loader	---	386	.025	GPS12, 15 w/Mits. 4G52	AP66 ⁸²⁴⁹	66	.025
CI, DI, LAI, LI, RI, VAI, VI	---	386	.025	GPS20, 22, 25, 27, 30 w/Mits. 4G54	AP66 ⁸²⁴⁹	66	.025
G148B, G188	---	386	.025	IT 50, 60, 70, 80	AP404 ⁸²⁴⁹	404	.025
M3, MB3, W3, W5, W7, W8	---	386	.025	IT 50, 60, 70, 80 w/Ford Engs.	AP124 ⁸²⁴⁹	124	.025
W8B, W9, W9A, W9B, W10B	---	386	.025	Y60, 70, S80, 100CD w/Perkins 236 cid	XS65 ⁸²⁵²	65	.025
W7E Front End Loader	---	386	.025	Yardlift 150, Clark-Ross Y200	XST458 ⁸²⁵¹	295	.025
W10 Terraloader	---	386	.025	Yardlift 260, YL150, HYL150	XST458 ⁸²⁵¹	295	.025
7/8"-18 Heads				Planeloader	---	306	.025
CI, DI, LAI, RI, VAI, VI	---	3076	.025	Planeloader, Clarktor 75 (Shielded)	---	2224	.025
420, 520, 620	---	3076	.025	Ranger 150, 200, 300, YL350	XST254 ⁸²⁵¹	303	.025
CATERPILLAR				Series 71 w/Herc. Engs.	XST458 ⁸²⁵¹	295	.025
Gasoline				Series 81 w/Herc. Engs.	XST254 ⁸²⁵¹	303	.025
T30B, T40B, T50B, T60B	XS85 ⁸²⁵²	85	.025	18mm Heads			
T35B, T45B, T55B, V30C	XS85 ⁸²⁵²	85	.025	Car Loader, Clarkat, Clarkette	---	386	.025
T30D, TC60D w/Peugeot Engs.	XS63 ⁸²⁵²	63	.025	Clarklift C60, C70, C80	---	386	.025
V40D, V50D w/Peugeot Engs.	XS63 ⁸²⁵²	63	.025	Clarktor 6, Clipper, Tructractor,	---	386	.025
V35C, V40C, V45C, V50C	XS85 ⁸²⁵²	85	.025	Utilitrac	---	386	.025
				Yardlift 20, 40, 60, 100, 180	---	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CLARK (Cont'd)				CRESCENT			
Gasoline (Cont'd)				w/Ready Power H, P Engs. --- 386 .025			
18mm Heads (Cont'd)				CUSHMAN			
C500-20, 25, 30, 40, 55, 60	---	386	.025	Haulster w/Kohler 8 h.p. (K181)	XST458 ⁸²⁵¹	458	.030
C500-70, 70, 100, 120, F163	---	386	.025	Haulster w/Kohler 12 h.p.	---	216	.030
C500-Y20, 25, 30, 40, 55, 60	---	386	.025	Haulster w/OMC M109, M218	AP45 ⁸²⁴⁹	45	.025
C500-Y70, 80, 100, 130, 150	---	386	.025	Haulster w/OMC M109 (LPG)	AP45 ⁸²⁴⁹	45	.018
CL20, 30, 40, 50	---	386	.025	Haulster w/Own 18 h.p.	AP45 ⁸²⁴⁹	45	.025
GCS17, 20, 22, 25, 27, 30	---	386	.025	Haulster w/Own 22 h.p.	XP25 ⁸²⁵⁰	25	.025
GPS20, 22, 25, 27, 30	---	386	.025	Minute-Miser	XST255 ⁸²⁵¹	255	.025
Series 71F w/Ford Engs.	AP45 ⁸²⁴⁹	45	.025	All Models w/14mm Heads	---	216	.025
LPG				All Models w/18mm Threads (tapered seat)			
14mm Heads				All Models w/18mm Threads (gasketed seat)			
C500, 60, 70, S80, 80, 90, S100	XS65 ⁸²⁵²	65	.015	7/8"-18 Heads	---	3076	.025
GCS12, 15, 20, 25, 30, 175 w/Mits. 4G32	AP66 ⁸²⁴⁹	66	.015	DAEWOO			
GCS17, 20, 22, 25, 27, 30 w/Mits. 4G54	AP66 ⁸²⁴⁹	66	.015	G35S, G40S w/GM 4.3L V-6 (LPG) ..			
GPS12, 15 w/Mits. 4G52	AP66 ⁸²⁴⁹	66	.015	AP23 ⁸²⁴⁹ 23 .025			
GPS20, 22, 25, 27, 30 w/Mits. 4G54 Y60, 70, S80, 100CD w/Perkins 236 cid	AP66 ⁸²⁴⁹	66	.015	DATSUN (See Nissan)			
18mm Heads				DAVIS			
Car Loader, Clarkat	---	386	.015	Task Force 700 Trencher			
Clarkette, Utilitrac	---	386	.015	--- 386 .025			
Clarktor 4 (7/8"-18 Heads)	---	3076	.015	DITCH WITCH			
Clipper, Trutractor	---	386	.015	Mini Skid Steers & Tool Carriers			
Yardlift 20, 40, 60, 100	---	386	.015	R230 w/Kohler 23 h.p. (V-Twin)			
CL20, 30, 40, 50, 180	---	386	.015	R300 w/Kohler 30 h.p. (V-Twin)			
GCS17, 20, 22, 25, 27, 30	---	386	.015	SK300 w/Honda 13 h.p. OHV			
GPS20, 22, 25, 27, 30	---	386	.015	SK350 w/Kohler 20 h.p. (V-Twin)			
CLARK-ROSS				SK500 w/Honda 21 h.p. (V-Twin) ...			
w/Cont. F-6209-134	---	386	.025	SK500 w/Honda 24 h.p. (V-Twin) ...			
w/Herc. JXC-110C, QXC-3-121B ...	XST254 ⁸²⁵¹	303	.025	SK500 w/Kohler 27 h.p. OHV			
w/Herc. JXLD-122	---	386	.025	XS3924 ⁸²⁵² 3924 .040			
CLETRAC				XS3924 ⁸²⁵² 3924 .040			
All Models w/14mm Heads	XST458 ⁸²⁵¹	295	.025	XS65 ⁸²⁵² 4265 ⁸²⁴⁸ .030			
All Models w/18mm Threads	---	386	.025	SK350 w/Kohler 20 h.p. (V-Twin) ...			
Model FG	---	3076	.025	SK500 w/Honda 21 h.p. (V-Twin) ...			
All Other 7/8"-18 Heads	---	3076	.025	SK500 w/Honda 24 h.p. (V-Twin) ...			
COCKSHUTT				SK500 w/Kohler 27 h.p. OHV			
2-44, 2-44-L, 2-44-LL	---	386	.025	XS3924 ⁸²⁵² 3924 .040			
2-44FL, 2-62, 2-62-L, 2-62-15	---	386	.025	XS65 ⁸²⁵² 4265 ⁸²⁴⁸ .030			
2-78, 2-78-L, 2-78-15, 2-78-17, 2-105	AP66 ⁸²⁴⁹	66	.025	SK350 w/Kohler 20 h.p. (V-Twin) ...			
4-78, 4-78-L, 4-78-15, 4-78-17, 4-105	AP66 ⁸²⁴⁹	66	.025	SK500 w/Honda 21 h.p. (V-Twin) ...			
COLSON				SK500 w/Honda 24 h.p. (V-Twin) ...			
All Models w/14mm Heads	XST458 ⁸²⁵¹	308	.025	XS65 ⁸²⁵² 4265 ⁸²⁴⁸ .030			
All Models w/18mm Threads	---	386	.025	XS3924 ⁸²⁵² 3924 .040			
CONCRETE-CART				SK500 w/Kohler 27 h.p. OHV			
All Models	---	386	.025	XS3924 ⁸²⁵² 3924 .040			
CONTINENTAL				DYNAHOE			
F135, F163, F227	---	386	.025	w/Cont. F-244			
T247, T371 (LPG)	---	386	.020	--- 386 .025			
CRAB				EATON			
Tractors	---	386	.025	3/4 Ton w/Perkins G4-203			
EXPEDITER				XP64 ⁸²⁵⁰ 64 .025			
FORD				ELWELL-PARKER			
w/98 cid Engs.	XS63 ⁸²⁵²	63	.025	w/Cont. F-162, F-163			
w/104 cid Engs.	XP64 ⁸²⁵⁰	64	.025	w/Herc. Engs.			
w/134, 172 & 192 cid Engs.	---	216	.025	--- 386 .025			
w/144, 170 cid Engs.	AP45 ⁸²⁴⁹	45	.035	ERICKSON			
EXPEDITER				E-Z Loader			
All Models	---	386	.030	Powerkart, Front End Loader			
FORD				Rack Runner			
w/98 cid Engs.	XS63 ⁸²⁵²	63	.025	F5W, F7, MCH, Platform Truck			
w/104 cid Engs.	XP64 ⁸²⁵⁰	64	.025	825 w/Onan NHC			
w/134, 172 & 192 cid Engs.	---	216	.025	1237 w/Cont. Engs.			
w/144, 170 cid Engs.	AP45 ⁸²⁴⁹	45	.035	--- 386 .025			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
FORD (Cont'd)				GREGOR			
w/158, 175, 201 & 256 cid Engs.	AP404 ⁸²⁴⁹	404	.025	w/Cont. F-162, F-163	----	386	.025
w/200, 240, 300 & 330 cid Engs.	AP124 ⁸²⁴⁹	124	.025	w/Ford 172 cid Engs.	----	216	.025
w/223 & 272 cid Engs.	AP45 ⁸²⁴⁹	45	.025	w/Herc. Engs.	----	3076	.025
w/250 cid Engs. Thru 1964	AP124 ⁸²⁴⁹	124	.025	HANDY-VAN			
w/250 cid Engs. 1965 & Up	AP404 ⁸²⁴⁹	404	.025	All Models	----	386	.025
w/262, 292 & 332 cid Engs.	AP124 ⁸²⁴⁹	124	.030	HARLEY-DAVIDSON			
w/351W, 360 & 390 cid Engs.	AP45 ⁸²⁴⁹	45	.025	Utilicar, DC	XS65 ⁸²⁵²	65	.040
w/351C cid Engs.	XP24 ⁸²⁵⁰	24	.025	Utilicar, GE	----	216	.025
w/361, 391, 401, 477 & 534 cid Engs.	AP124 ⁸²⁴⁹	124	.030	HARLO			
w/460 cid Engs.	XP24 ⁸²⁵⁰	24	.025	Handler w/Kohler Engs.	----	216	.030
w/2600, 3600, 4600 & 6600 cc Engs.	AP404 ⁸²⁴⁹	404	.025	HEBARD			
FINN				HEBARD			
Skid Steers				All Models w/14mm Threads			
w/Kohler 25 h.p. (V-Twin)	XS3924 ⁸²⁵²	3924	.030	All Models w/18mm Threads	----	386	.025
FULTON				HEFTY			
Model 20	----	216	.025	A-616 w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
Model 27-40, 42	----	386	.025	H-H			
Model 60 w/White G1600	XS65 ⁸²⁵²	65	.025	All Models	XST458 ⁸²⁵¹	295	.025
Model 60 w/Wisc. V465D	XS65 ⁸²⁵²	65	.025	HITCO			
Model 80	AP45 ⁸²⁴⁹	45	.025	w/Chevrolet Engs.	----	3136	.035
GAR-BRO				w/Willys Engs.			
Model 1000, 1400	XST458 ⁸²⁵¹	295	.025	XST458 ⁸²⁵¹	308	.030	
Model 1200	AP404 ⁸²⁴⁹	404	.022	HOBART			
Power Carts w/Gladden 75	XST458 ⁸²⁵¹	295	.025	Tow Tractor w/IHC UV549	XST254 ⁸²⁵¹	303	.030
Truck w/Morris Minor Engs.	AP404 ⁸²⁴⁹	404	.022	HOUGH			
Truck w/Willys Engs.	XST458 ⁸²⁵¹	295	.025	T30A, T50LA, P40	----	386	.025
GAS-O-MATIC				T120F, T150			
All Models	XST458 ⁸²⁵¹	295	.025	T180, T225	XST458 ⁸²⁵¹	295	.025
GEHL				T180, T225			
Skid-Steers				HUBER			
HL2500	----	216	.025	Model B	----	386	.025
HL2500A, HL2600, HL3000	AP404 ⁸²⁴⁹	404	.025	All Other Models	----	3076	.025
HL4300	----	386	.025	HUSKIE (See Mercury)			
HL4500	XS63 ⁸²⁵²	63	.025	HYDRA MAC			
HL4700 (LPG)	XS63 ⁸²⁵²	63	.015	Skid-Steers			
SL3510, SL4510	XS63 ⁸²⁵²	63	.025	Big Mac 18 w/Ford 172 cid Engs.	----	216	.025
w/Ford 1.1 & 1.3L Engs.	XP103 ⁸²⁵⁰	103	.035	Mini Mac 5 w/Tec. HH-160	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.025
w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	Mitey Mac 8, 8A w/Onan NH	----	216	.025
GENERAL				Mitey Mac 8B w/Onan NHC			
w/Perkins G4-203	XP64 ⁸²⁵⁰	64	.025	Mitey Mac II-10 w/Ford 98 cid Engs. .	AP404 ⁸²⁴⁹	404	.025
GERLINGER				Mitey Mac II-10 w/Ford 98 cid Engs. .			
w/Cont. T6427	----	386	.025	5C w/Tec. HH-160	XS63 ⁸²⁵²	63	.025
w/Ford 8RNN	----	216	.025	6C w/Onan B48	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.025
w/Ford F, J, L	AP124 ⁸²⁴⁹	124	.025	8C w/Onan NHCV, NHC	----	437	.025
w/Herc. GO-298, GO-339	XST458 ⁸²⁵¹	295	.025	12C w/Onan NHCV, NHC	AP404 ⁸²⁴⁹	404	.025
w/Herc. JXD, JXLD	XST458 ⁸²⁵¹	295	.025	12C w/Ford 98 cid Eng.	XS63 ⁸²⁵²	63	.025
w/Perkins G4-203	XS63 ⁸²⁵²	63	.025	12C II w/Chry. H-105	XS63 ⁸²⁵²	63	.025
GRAVELY				20C w/Ford 172 cid Engs.			
Loaders				20C II w/Mazda 121 cid Engs.			
Skidster 200 w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	4265 ⁸²⁴⁸	.030	XS63 ⁸²⁵²	63	.025	



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO
HYSOON				HYSTER (Cont'd)			
Skid-Steers				Turret Tug YC40, YE40, YT40			
w/B&S 20 h.p. Vanguard (V-Twin) . . .	XS3924 ⁸²⁵²	3924	.030	-----		386	.025
HYSTER				Models w/Ford 172 & 192 cid Eng.			
H20-30E, H60-80B, H60-80C	----	386	.025	-----		216	.025
BC, BT, BK10, H20E, H25E, H30E . . .	----	386	.025	Models w/GM 151 cid Eng. (Brazil) . . .	XS65 ⁸²⁵²	65	.025
H30-60F, KD, M3, M200-300E	XST458 ⁸²⁵¹	295	.025	Models w/GMC 153 cid Eng.	XP26 ⁸²⁵⁰	26	.025
H30H, H30-60H, H40H	----	216	.025	Models w/GMC 250 cid (3/8" Rch.) . . .	XST254 ⁸²⁵¹	303	.025
H35XL w/Mazda 4-Cyl. Eng.	AP66 ⁸²⁴⁹	66	.030	Models w/GMC 250 cid (3/4" Rch.) . . .	AP404 ⁸²⁴⁹	404	.025
HC50, HE50, H50H, H60H	----	216	.025	Models w/GMC 250 cid (Tapered			
H60C, H70C, H80C	----	386	.025	Seat)	XP26 ⁸²⁵⁰	26	.025
H100-120B, H100-140C	----	386	.025	Models w/GMC 350 cid Eng.	XP26 ⁸²⁵⁰	26	.025
H100-150C, H360-460A	----	386	.025	Models w/Wisc. 37 h.p.	----	386	.025
H110F, H130F, H150F, H200-H400 . . .	AP145 ⁸²⁴⁹	145	.035	INTERNATIONAL HARVESTER			
H111-150F, H150-250E	AP145 ⁸²⁴⁹	145	.035	Fork Lift			
H150-225E, > 191268	XST458 ⁸²⁵¹	295	.025	400 Series, I-4000, 4500A, 4500B,			
H150-225E, 191269 >	XP64 ⁸²⁵⁰	64	.025	I-8000			
H110-150F, H150-275H, H300A	XP26 ⁸²⁵⁰	26	.035			3116	.025
H250A, H250-300A, > 191268	XST458 ⁸²⁵¹	295	.025	444, 3444, 7000 Gasoline			
H250-300A, 191269 >	XP64 ⁸²⁵⁰	64	.025	AP425 ⁸²⁴⁹		425	.025
H360-400A, H360-620B	AP404 ⁸²⁴⁹	404	.025	ISCO			
H700-800A, M200-300F (3/4" Rch.) . . .	AP404 ⁸²⁴⁹	404	.025	Shuttle Wagon			
KD Crane	XST458 ⁸²⁵¹	295	.025	AP124 ⁸²⁴⁹		124	.025
KE Crane	----	386	.025	JAEGER			
M2, M3, MD Carrier, MH	XST458 ⁸²⁵¹	308	.025	LP12 Auto Scoop			
M200-300F, XF60-VA70-ZA80 (3/8" Rch.)	XST458 ⁸²⁵¹	295	.025			386	.025
M200-400H	XP64 ⁸²⁵⁰	64	.025	JOHN DEERE			
MH3 Carrier	----	386	.025	Fork Lift			
P40-P50A	XP24 ⁸²⁵⁰	24	.035	440, 1010, 2010 Series			
P60-80A, KE, QC20, QN20, YT40	----	386	.025	840 Gasoline Starting Eng.			
P60A-P80A, KE	----	386	.025	3010, 4010, JD500			
P125-180A, > 191268	XST458 ⁸²⁵¹	295	.025	JD300, JD300B, JD301, JD301A,			
P125-180A, 191269 >	XP64 ⁸²⁵⁰	64	.025	JD302			
P150-P200B	AP145 ⁸²⁴⁹	145	.035	JD302A, JD310, JD350, JD350B,			
QC20, QN20, QT20	----	386	.035	JD350C			
RC150, SC180, TC200 w/Chry. 3/8" Rch.	XST458 ⁸²⁵¹	295	.025	JD380, JD400, JD401A, JD401B . . .			
RC150, SC180, TC200 w/Chry. 3/4" Rch.	AP404 ⁸²⁴⁹	404	.025	JD401C, JD410, JD440			
RC150, SC180, TC200 w/Herc. 3/4" Rch.	AP404 ⁸²⁴⁹	404	.025	JD480, JD480A, JD440B, JD544 . . .			
RT100, RT120, RT150, VA70, XA60, ZA80	XST458 ⁸²⁵¹	308	.025	JD600, JD500A, JD500B			
S20-30A, S30-50B, S30-50C, S60-100A	----	386	.025	Skid-Steers			
S20A-S30A	----	386	.025	60			
S30C, S40C, S50C	XS65 ⁸²⁵²	65	.025	70, JD14, 90, 125			
S30E, S40E D2D1501 >	----	147	.025	JD24, JD24A, 170			
S30E, S40E D2D4302 >	XP26 ⁸²⁵⁰	26	.025	KALAMAZOO			
S40C-S50C	----	386	.025	w/Ford 172 cid Eng.			
S50E, S60E D2D1501 >	----	147	.025	w/Cont. 4163			
S50E, S60ES D2D4302 >	XP26 ⁸²⁵⁰	26	.025	w/Wisc. V461D			
Carrier S60, S70, S80	----	386	.035	w/Wisc. Eng. 18mm Heads			
S60-100E, S125-150A	----	386	.025	KAL-TRUK			
S60B, S70B, S80B, S100B	----	147	.025	All Models			
S60E, S70E w/Chevrolet 250 cid Eng.	XP26 ⁸²⁵⁰	26	.025			386	.025
S30-60ES, S70B-S100B	AP145 ⁸²⁴⁹	145	.035	KD			
S80E, S100E w/Chevrolet 250 cid Eng.	XP26 ⁸²⁵⁰	26	.025	355 w/Ford 158 cid Eng.			
S125A-S150A	----	386	.025	452 w/Ford 201 cid Eng.			
20C150-SC180-TC200 w/Hercules	XST458 ⁸²⁵¹	295	.025	KOMATSU			
S&H Series w/Cont. Eng.	----	386	.025	FG10H-1, FG15H-1, FG10S-1,			
Straddle Carriers w/Chry. 53	AP404 ⁸²⁴⁹	404	.025	FG15S-1			
Turret Tug UC30, UE30	----	386	.025	FG20-7, FG25-7, FG20S-3,			
				FG25S-3			
				FG30-7, FG30S-3, FG35-2, FG40-2 . . .			
				FG50-2, FG60-2, FG50-3, FG60-3,			
				FG70-3			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KWICK-TOTER				MELROE (Cont'd)			
All Models	----	386	.025	Lift Trucks & Skid-Steers (Cont'd)			
LEWIS-SHEPARD				w/Ford Industrial Engs.	XS63 ⁸²⁵²	63	.025
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	w/Kohler 14 & 23 h.p.	----	216	.030
All Models w/18mm Threads	----	386	.025	w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
LIFT DYNAMICS				w/Mitsubishi 4G32	AP66 ⁸²⁴⁹	66	.025
Scorpion w/Ford 300 cid Engs.	AP124 ⁸²⁴⁹	124	.025	w/Wisc. VH4D	----	386	.025
LOADKING				MERCURY			
w/Ford 317	----	216	.025	Banty w/18mm Heads	----	386	.025
w/Reo Engs.	XST254 ⁸²⁵¹	303	.025	Banty w/7/8"-18 Heads	----	3076	.025
LULL				Superhuskie, Huskie	XST458 ⁸²⁵¹	295	.025
800 w/Onan NHC	AP404 ⁸²⁴⁹	404	.025	A460GT, A460PT w/Ford Engs.	----	216	.025
1200 w/Cont. Y-112	----	386	.025	M.H.F. WORK BULL			
T10G2, T10G4	XST254 ⁸²⁵¹	303	.025	202C, 204, 302, 304, 356, 404, 1001	----	386	.025
MACDONALD				MICHIGAN			
All Models	XST458 ⁸²⁵¹	295	.025	Series II Tractor-Shovel			
MAHATO				w/Cont. F-224	----	386	.025
Lift Trucks & Skid-Steers				w/Wauk. F-283G	XS65 ⁸²⁵²	65	.025
w/Cont. 50 h.p.	----	386	.025	w/Wauk. 135-GZ	----	216	.025
w/Kohler 8 h.p.	XST458 ⁸²⁵¹	458	.025	MINNEAPOLIS-MOLINE			
w/Onan 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	MY40, MY60 Gasoline	----	386	.025
MARKLIFT				w/Taunus Engs. (Germany) LPG	----	275	.016
w/Onan Engs.	----	216	.025	MITSUBISHI			
MASSEY-FERGUSON				FG-10, -15, -20, -25, -30	AP66 ⁸²⁴⁹	66	.025
Lift Trucks & Skid-Steers				FG-35, -40	XS65 ⁸²⁵²	65	.025
MF20C, MF30B, MF202, 204	----	386	.025	MIXERMOBILE			
MF4500 w/Cont. Z145	----	386	.025	B	----	386	.025
2135, 2200 w/Cont. Z134	----	386	.025	E, F, H, K	XST458 ⁸²⁵¹	308	.025
3/8" Reach Before No. 152UA15061A				D, L, M, ER, HR	XST458 ⁸²⁵¹	295	.025
MF20, MF20 Turf, MF40, MF2200 ..	XST458 ⁸²⁵¹	295	.025	Foldway Lift w/Chry. Engs.	XST254 ⁸²⁵¹	303	.025
MF2500 w/Perkins AG3-152	XST458 ⁸²⁵¹	295	.025	Tower Crane w/Ford V-8 Engs.	----	216	.025
MF6500 w/Perkins AG4-236	XST458 ⁸²⁵¹	295	.025	MOBILIFT (See White Mobilift)			
3/4" Reach After No. 152UA15061A				MOBILOADER			
MF20, MF20 Turf, MF40, MF2200 ..	XS65 ⁸²⁵²	65	.025	Caterpillar Tractor D-4	----	373	.025
MF2500 w/Perkins AG3-152	XS65 ⁸²⁵²	65	.025	MOTO-BUG			
MF6500 w/Perkins AG4-236	XP64 ⁸²⁵⁰	64	.025	w/Wisc. AK	----	386	.025
MAXIMAN				MOTO-TRUC			
Skid-Steers				Ready Power Z & W	XST458 ⁸²⁵¹	308	.025
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926 ⁸²⁵¹	3926	.030	MUSTANG			
w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	4265 ⁸²⁴⁸	.030	Skid-Steers			
MEAD				w/Onan 20 & 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
MM	XST458 ⁸²⁵¹	295	.025	NAMCO			
Speed Cat	----	386	.025	w/Onan CCK, CCKB	----	216	.025
MELROE				w/Onan NHBV	AP404 ⁸²⁴⁹	404	.025
Lift Trucks & Skid-Steers				NAPCO			
M440, M444	----	216	.025	44PG-1000, 42PG-1000	----	386	.025
M500 (Gasoline)	XST458 ⁸²⁵¹	295	.025				
M500 (LPG)	XST254 ⁸²⁵¹	303	.015				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NEW HOLLAND				PETTIBONE MERCURY (Cont'd)			
Skid-Steers				GS4-20, GSO/GA-60,-70,-80, -100, -120 --- 386 .025			
LS120 w/Linimar 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	GSO/GA-60J, -70J, -80J	---	386	.025
LS120 w/Onan 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.035				
L-250 w/Onan 20 h.p. (Twin)	XP103 ⁸²⁵⁰	103	.035				
L-464	XP103 ⁸²⁵⁰	103	.035				
NISSAN				PITT BULL (See M.H.F. Work Bull)			
D11, DK11, D11K	AP404 ⁸²⁴⁹	404	.025	PRIME MOVER			
F01, FO2, B02 w/J15 Engs.	AP404 ⁸²⁴⁹	404	.025	1978 LL-40 w/Ford 172 cid Engs. ... --- 216 .025			
F01, FO2, B02 w/H20 Engs.	AP404 ⁸²⁴⁹	404	.025	w/Kohler Engs. XST458 ⁸²⁵¹ 295 .030			
F03, BO1, B02 w/H30 P Engs.	AP404 ⁸²⁴⁹	404	.025	w/Wisc. Engs. --- 386 .025			
w/H20, H21, H30, J15 Engs.	AP404 ⁸²⁴⁹	404	.025	PROFIT MOVER			
All Models Using LPG	AP403 ⁸²⁴⁹	403	.015	CPC50, CPC50A --- 386 .025			
OLIVER				RPC CORP. (See Speedloader)			
Normal Service				RAMROD			
2-44, 2-44-L, 2-44-LL	---	386	.025	Mini Skid-Steers			
2-44-FL, 2-62, 2-62-L, 2-62-15	---	386	.025	w/B&S 16 & 20 h.p. Vanguard (V-Twin) XST3926 ⁸²⁵¹ 3926 .030			
2-63 w/Wauk. F232G	---	386	.025	w/Honda 24 h.p. (V-Twin) XS65 ⁸²⁵² 4265 ⁸²⁴⁸ .030			
2-78, 2-78-L, 2-78-15, 2-78-17, 2-105	XP64 ⁸²⁵⁰	64	.025	w/Kawasaki 23 h.p. (V-Twin) XS65 ⁸²⁵² 4265 ⁸²⁴⁸ .030			
4-78, 4-78-L, 4-78-15, 4-78-17, 4-105	XP64 ⁸²⁵⁰	64	.025	w/Kawasaki 27 h.p. (Liquid V-Twin) . AP66 ⁸²⁴⁹ 66 .025			
263FL w/Chry. HB225	XS65 ⁸²⁵²	65	.025	w/Kohler 20, 22, 23 & 27 h.p. (V-Twin) XS3924 ⁸²⁵² 3924 .040			
550	---	386	.025	RANGER			
Severe Service				Model V --- 216 .025			
2-44, 2-44-L, 2-44-LL	---	386	.025	Model VII --- 216 .025			
2-44-FL, 2-62, 2-62-L, 2-62-15	---	386	.025	ROSS			
263FL w/Chry. HB225	AP404 ⁸²⁴⁹	404	.025	w/Cont. F-4162, F-6209, F-6226, Y-112 --- 386 .025			
550; 263 w/Wauk. F232G	---	386	.025	w/Ford Engs. --- 216 .025			
OMC				w/Herc. JXC, QXC-3, QXC-5 (14mm) XST254 ⁸²⁵¹ 303 .025			
1983 Haulster Natural Gas	AP45 ⁸²⁴⁹	45	.025	w/Herc. JXC, JXD, WXC-2, WXL-3 (7/8"-18) --- 3076 .025			
1980-68 Truckster/Haulster (14mm Threads)	XST255 ⁸²⁵¹	255	.025	w/Herc. JXC, QXC-3, QXC-5 (14mm) XST254 ⁸²⁵¹ 303 .025			
1967 Truckster/Haulster (14mm Threads)	XST458 ⁸²⁵¹	295	.025	w/Herc. JXC, QXC-3, QXC-5 (14mm) XST254 ⁸²⁵¹ 303 .025			
1980-61 Truckster/Haulster (18mm Threads)	AP45 ⁸²⁴⁹	45	.025	w/Herc. JXLD --- 386 .025			
1961-53 Truckster (18mm Threads) .	AP45 ⁸²⁴⁹	45	.025	w/Herc. QXC-5, OOC (7/8"-18) --- 3076 .025			
1980 Mower	AP45 ⁸²⁴⁹	45	.025	w/Wisc. Engs. --- 386 .025			
w/Kohler 8 h.p. (K181)	XST458 ⁸²⁵¹	458	.030	SALSBUURY			
w/Kohler 12 h.p.	---	216	.030	All Models --- 386 .025			
OSBORNE				SCHWITZER-CUMMINS			
Fire Fighter	---	386	.025	Load Dispatcher --- 386 .025			
OTTAWA				SCOOT-CRETE			
Tracto-Lift	---	386	.025	w/Kohler 8 h.p. (K181) XST458 ⁸²⁵¹ 458 .030			
FA-8 Yard Hustler	AP124 ⁸²⁴⁹	124	.025	w/Kohler 10 & 20 h.p. --- 216 .030			
PARKERLIFT				w/Wisc. ANLD, TJD --- 386 .030			
w/Onan Engs.	---	216	.025	SECO			
PAYLOADER (See Hough)				Fire Truck --- 386 .025			
w/Herc. JXD, QXD	XST458 ⁸²⁵¹	295	.025	SERVICE CASTER			
w/IHC U9	---	3076	.025	All Models XST458 ⁸²⁵¹ 458 .037			
w/Wauk. FC & 190GL	---	386	.025				
PETTIBONE MERCURY							
GA-45A, -55A, -60A, GS/GA-30, -40, -50	---	386	.025				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport



Commercial Equipment - Lift Trucks

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SHOP MULE				TOW MOTOR (Cont'd)			
Spotter	----	306	.025	1404 w/Herc. G1600	XS85 ⁸²⁵²	85	.025
A3V, A3VU2, A14V	----	386	.025	w/IHC 6-Cyl. Eng.	XST254 ⁸²⁵¹	303	.025
A21	----	386	.025	w/IHC 8-Cyl. Eng.	XS85 ⁸²⁵²	85	.025
J233, J233PLD	XST458 ⁸²⁵¹	458	.030	w/Perkins G4-236	XS65 ⁸²⁵²	65	.025
w/Chry. HB225	XP24 ⁸²⁵⁰	24	.035	w/Wauk. Eng.	----	306	.025
w/Chry. LH318	XS65 ⁸²⁵²	65	.035				
SILENT HOIST				TOYOTA			
AX, AY, AZ, CD, CDH	XST458 ⁸²⁵¹	295	.025	F Engines			
A, AJ, AN, AXH, AYH, AZH	----	373	.025	02-FG32, 02-FG35, 02-FG40			
CD, FK-5, FK-6 14mm Heads	XST458 ⁸²⁵¹	308	.025	AP66 ⁸²⁴⁹			
CD, FK-5, FK-6 18mm Heads	----	373	.025	66			
CDY, FK, FK-3, FK-10 14mm Heads	XST458 ⁸²⁵¹	295	.025	2F Engines			
CDY, FK, FK-3, FK-10 18mm Heads	----	386	.025	02-2FG32, 02-2FG35, 02-2FG40			
FK7-1/2, FK8, FK12, FK15	XST458 ⁸²⁵¹	295	.025	AP66 ⁸²⁴⁹			
Liftruck Model 20	----	386	.025	2FG50, 2FG60			
w/Chry. IND-30, 31, 33	XST458 ⁸²⁵¹	308	.025	AP66 ⁸²⁴⁹			
w/Chry. LH318	XS65 ⁸²⁵²	65	.035	66			
w/Chry. H318	XS85 ⁸²⁵²	85	.035	3P Engines			
w/Chry. HT361, HT413	AP404 ⁸²⁴⁹	404	.030	FG7, 2FG7, 2FG9, 3Y			
w/Cont. F-4162, F-6226, F-6244	----	386	.025	AP66 ⁸²⁴⁹			
w/Ford 292 & 300 cid Eng.	AP124 ⁸²⁴⁹	124	.030	TG10			
w/Ford 351W cid Eng.	XP24 ⁸²⁵⁰	24	.035	XS65 ⁸²⁵²			
w/Herc. JX4D3	XST458 ⁸²⁵¹	458	.025	3Y Engines			
				All Models			
				AP66 ⁸²⁴⁹			
				66			
				4P Engines			
				2FGC10, 2FGC15, 3FGC20,			
				3FGC25			
				AP66 ⁸²⁴⁹			
				66			
				4Y Engines			
				4FG10, 4FG14, 4FG15, FG18,			
				FG20			
				AP66 ⁸²⁴⁹			
				66			
				5P Engines			
				FG23, FG25, FGA7, FGA9			
				AP66 ⁸²⁴⁹			
				66			
				5R Engines			
				40-2FG20, 40-2FG30, 40-2FGC10 ..			
				AP66 ⁸²⁴⁹			
				66			
				TRACKMOBILE			
				All Models			
				XST458 ⁸²⁵¹			
				295			
				.025			
				TRACTO-LOADER			
				TL-6 (Gasoline)			
				XST458 ⁸²⁵¹			
				295			
				TRACT-R-LIFT			
				All Models			
				XST458 ⁸²⁵¹			
				295			
				.025			
				TRANSITER			
				All Models			
				XST458 ⁸²⁵¹			
				458			
				.030			
				TOW MITE			
				All Models			
				XST458 ⁸²⁵¹			
				295			
				.025			
				TOW MOTOR			
				w/Cat. 1404			
				XST458 ⁸²⁵¹			
				295			
				.025			
				TRUCK MAN			
				w/Cont. Eng.			

				386			
				.025			
				w/Ford 6-Cyl. Eng.			
				AP45 ⁸²⁴⁹			
				45			
				.025			
				w/Ford 8-Cyl. Eng.			
				AP124 ⁸²⁴⁹			
				124			
				.025			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TRUCK MAN (Cont'd)				WHITE MOBILIFT (Cont'd)			
w/Ford Engs.	----	216	.025	Gasoline (Cont'd)			
w/Cont. Engs.	----	386	.025	MY40, MY50, MY60 w/Chry. 225			
w/Kohler 4 h.p.	XST458 ⁸²⁵¹	458	.030	(1975-74) AP66 ⁸²⁴⁹ 66 .035			
w/Wisc. Engs.	----	386	.025	MY70, MY80B w/Chry. 225			
TUCKER				(1981-76) XP24 ⁸²⁵⁰ 24 .035			
Sno-Cat XST458 ⁸²⁵¹	295	.025	MY100, 120, 140 AP404 ⁸²⁴⁹ 404 .025				
w/Chry. 318 & 360 cid Engs. XS65 ⁸²⁵²	65	.035	MYA40, 50, 60, 70 ---- 386 .025				
UNITOW				MYC160, 180, 200, 220, 240, 260 ... XP64 ⁸²⁵⁰ 64 .025			
All Models ----	386	.025	MYC160H, 180H, 200H, 220H, XP64 ⁸²⁵⁰ 64 .025				
VERMEER				WC20, 25, 30, 30S, 35, 40, 45, 50, ---- 386 .025			
Skid-Steers				55, 60 ---- 386 .025			
w/Kohler 23, 25 & 30 h.p. (V-Twin) .. XS3924 ⁸²⁵²	3924	.040	All Other Models XST458 ⁸²⁵¹ 295 .025				
WAGNERMOBILE				LPG			
All Models XST458 ⁸²⁵¹	295	.025	MA20, 25, 30, 30B, 30S, 35, 40, 45, ---- 386 .015				
WALDON				50 ---- 386 .015			
4000, 4500, 5000 w/Cont. F-163	----	386	.025	MA30, MA30S, MA35 ---- 386 .015			
5000 w/Ford 172 cid Engs.	----	216	.025	MA40, MA45, MA50, MA55 ---- 386 .015			
5000 w/IHC C175 ----	3116	.025	MA60, 70, 80, 90, 100, 120 ---- 386 .015				
5000 w/Wisc. V465D XS65 ⁸²⁵²	65	.030	MA60H, 70H, 80H, 90H, 100H ---- 386 .015				
5000 w/Wisc. VG4D ----	386	.030	MSA20, 25, 30, 35 ---- 373 .015				
6000 w/Ford 172 & 192 cid Engs.	----	216	.025	MSB20, 25, 30, 35 1/2" Reach ---- 275 .015			
6000 w/Perkins 4-203 AP404 ⁸²⁴⁹	404	.025	MSB20, 25, 30, 35 3/4" Reach XS63 ⁸²⁵² 63 .015				
WHITE				MY20, 25, 30, 40, 40C, 50, 60, 70 ... XST458 ⁸²⁵¹ 295 .015			
2-44, 2-44-L, 2-44-LL, 2-44-13	----	386	.025	MY100, 120, 140, 160, 180 AP404 ⁸²⁴⁹ 404 .015			
2-44-13LL, 2-44-FL, 2-62, 2-62-L ...	----	386	.025	MY160H, 180H, 200H, 220H, 300 ... XP64 ⁸²⁵⁰ 64 .015			
2-62-15, 2-62-FL, 2-63-L, 2-63-15 ..	----	386	.025	MY200, 220, 240, 260 XP64 ⁸²⁵⁰ 64 .015			
2-78, 2-78-L, 2-78-15, 2-78-17	XP64 ⁸²⁵⁰	64	.025	MYA40, 50, 60, 70 ---- 373 .015			
2-115, 4-115, 2-144, 4-144 XP64 ⁸²⁵⁰	64	.025	MYB40, 50, 60, 70, 80 Prior To 1975 XS65 ⁸²⁵² 65 .015				
4-78, 4-78-L, 4-78-15, 4-78-17	XP64 ⁸²⁵⁰	64	.025	MYB40, 50, 60, 70, 80 1975 & Up ... XP24 ⁸²⁵⁰ 24 .015			
4-78-FL, 2-105, 4-105 XP64 ⁸²⁵⁰	64	.025	WC20, 25, 30, 30S, 35, 40, 45, 50, ---- 386 .015				
WHITEMAN				WIGGINS			
Power Buggy XST458 ⁸²⁵¹	308	.025	W66-WT, W86-WT, W106-WT AP124 ⁸²⁴⁹ 124 .025				
Power Buggy w/Robin EY27 AP425 ⁸²⁴⁹	425	.025	w/Ford 300 cid Engs. AP124 ⁸²⁴⁹ 124 .025				
w/14mm Heads XST458 ⁸²⁵¹	308	.025	WILKRA				
w/18mm Heads ----	386	.025	All Models XST458 ⁸²⁵¹ 295 .025				
WHITE MOBILIFT				WORTHINGTON			
Gasoline				All Models ---- 386 .025			
MA20, 25, 30, 30B, 30S, 35, 40, 45, ----	386	.025	XPEDITER				
MA20B, 25B w/Cont. Y112 ----	386	.025	All Models ---- 386 .030				
MA30, MA30S, MA35 ----	386	.025	YALE				
MA30B w/Cont. Y112 ----	386	.025	G10P, G54P XST458 ⁸²⁵¹ 308 .025				
MA40, MA45, MA50, MA55, MA60 ..	----	386	.025	G51C, G54C, 52 Series ---- 386 .025			
MA60H, 70H, 80H, 90H, 100H	----	386	.025	G83 w/Chry. H-225, > E25,2034 XS65 ⁸²⁵² 65 .025			
MA70, 80, 90, 100, 120 ----	386	.025	G83 w/Chry. H-225, E252035 > XP24 ⁸²⁵⁰ 24 .025				
MSA20, 25, 30, 35 ----	386	.025	KG51, KGP51, G10P, Y-18, G54P ..				
MSB20, 25, 30, 35 w/Ford 91 cid	----	386	.025	KG51, KGP51, G10P, Y-18 (LPG) ...			
Engs.	275	.025	Y18, Lift King w/Chry. IND-31 XST458 ⁸²⁵¹ 308 .025				
MSB20, 25, 30, 35 w/Ford 104 cid	----	386	.025	Lift King w/IHC Engs.			
Engs. XP64 ⁸²⁵⁰	64	.025	Yard King XST458 ⁸²⁵¹ 295 .025				
MY20, 25, 30, 40C XS85 ⁸²⁵²	85	.025	w/Chry. Ind. 30 XST458 ⁸²⁵¹ 308 .025				
MY40, MY50, MY60, MY70 w/M-M	----	386	.025	w/Chry. H-318 XS85 ⁸²⁵² 85 .025			
220 ----	386	.025	w/Cont. F-124, F-162, F-163 ---- 386 .025				
WHITE MOBILIFT				w/Ford K-292 AP45 ⁸²⁴⁹ 45 .025			
Gasoline				w/IHC UC135B ---- 386 .025			
MA20, 25, 30, 30B, 30S, 35, 40, 45, ----	386	.025	w/IHC V345 Engs. XST458 ⁸²⁵¹ 295 .025				
MA20B, 25B w/Cont. Y112 ----	386	.025	w/LeRoi D-471 (Nat. Gas) ---- 373 .015				
MA30, MA30S, MA35 ----	386	.025	w/Mazda 1985cc Engs. AP66 ⁸²⁴⁹ 66 .025				
MA30B w/Cont. Y112 ----	386	.025					
MA40, MA45, MA50, MA55, MA60 ..	----	386	.025				
MA60H, 70H, 80H, 90H, 100H	----	386	.025				
MA70, 80, 90, 100, 120 ----	386	.025					
MSA20, 25, 30, 35 ----	386	.025					
MSB20, 25, 30, 35 w/Ford 91 cid	----	386	.025				
Engs.	275	.025					
MSB20, 25, 30, 35 w/Ford 104 cid	----	386	.025				
Engs. XP64 ⁸²⁵⁰	64	.025					
MY20, 25, 30, 40C XS85 ⁸²⁵²	85	.025					
MY40, MY50, MY60, MY70 w/M-M	----	386	.025				
220 ----	386	.025					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Lift Trucks

	PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO
YARDSTER All Models AP124 ⁸²⁴⁹ 124 .025							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum

Commercial Equipment - Construction Equipment

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			
ABI CONTRACTOR				ALL SEASONS EQUIPMENT						
Compact Loader/Backhoes				Construction Equipment						
w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	w/Honda 2.2 h.p.	XST258 ⁸²⁵¹	258	.030			
w/Kohler 25 h.p. ((V-Twin)	XST3924 ⁸²⁵¹	3924	.030	w/Honda 4, 5.5, 9, 11 & 13 h.p. OHV .	XS65 ⁸²⁵²	65	.030			
ADAMS				w/Honda 18, 20 & 24 h.p. (V-Twin) ..				XS65 ⁸²⁵²	65	.030
w/Buda Engs.	----	386	.025	A. L. POWELL CO.						
w/Wisc. AFH, AGH	----	386	.025	All Models	----	386	.025			
Rotary Snow Plow (B70 & Other 14mm Threads)	XST254 ⁸²⁵¹	303	.025	AMERICAN						
ADAMS GRADER				w/Cont. B-427, M330, M333				----	386	.025
w/Buda H-199, H-198	----	386	.025	w/Wauk. 135GK	----	216	.025			
w/Case LI	----	3076	.025	w/Wauk. 195GK	----	386	.025			
w/Chry. Ind. 30	XST458 ⁸²⁵¹	295	.025	ANCHOR						
w/Cont. Engs.	----	386	.025	Mixers						
w/IHC 1-12, 1-14, 1-30, U-9	----	3076	.025	All Models	----	3076	.025			
w/IHC PD-40, UD-14, UD-14A	----	3077	.025	ARROW						
w/IHC U-4, IU-4, U-6, U-264	----	386	.025	Scooter Loader				----	386	.025
w/IHC U-9 (Distillate)	----	3076	.025	ARROW MASTER						
w/IHC UD-9, UD-9A, UD-16, UD-350	----	386	.025	Screeds, Trowels & Vibratory Plate Compactors						
w/IHC U-10, U-14, U-21	----	3076	.025	w/B&S "L" Head Engs.	XST458 ⁸²⁵¹	458	.030			
w/IHC U-264, U-281	----	386	.025	w/B&S 6.5 h.p. Intek OHV	XST3924 ⁸²⁵¹	3924	.030			
w/Wisc. AFH, AGH, AHH	----	386	.025	w/Honda 5, 5.5, 8 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030			
ADVANCED CONCRETE				w/Kawasaki 9 h.p. OHV				XS65 ⁸²⁵²	65	.030
Screeds				w/Kohler 6 h.p. OHV				XST3924 ⁸²⁵¹	3924	.030
w/Honda OHV Engs.	XS65 ⁸²⁵²	65	.030	w/Robin 6 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025			
w/Honda 1.6 h.p. OHC	----	4194	.030	ATHEY						
w/Robin 1.6 h.p. OHV	XST255 ⁸²⁵¹	255	.030	Grader						
w/Tanaka 1.6 h.p.	XST2974 ⁸²⁵¹	2974	.030	w/Ford 172 cid Engs.	----	216	.025			
AIRCO				Loaders						
Welders				Force Feed				----	216	.025
Hornet Special w/Herc. Engs.	XST458 ⁸²⁵¹	308	.025	w/Ford 223 cid Engs. 1956-62	AP124 ⁸²⁴⁹	124	.025			
Hornet Special & Wasp w/Wisc. Engs.	----	386	.030	w/Ford 240 cid Engs.	AP124 ⁸²⁴⁹	124	.025			
ALLEN				w/Ford 6-Cyl. Engs. Thru 1958				----	216	.025
Concrete Saws, Grinders, Material Spreaders, Roller Tubes, Screeds, Sprayers, Trowels & Vibratory Flex Shafts				w/Ford V-8 Engs. Thru 1958				----	216	.025
w/Honda Mini 4-Stroke Engs.	----	4194	.030	ATWATER STRONG						
w/Honda 4, 5.5, 8 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	Air Brooms						
w/Kawasaki 5.5, 9 & 11 h.p. OHV ...	XS65 ⁸²⁵²	65	.030	w/B&S Engs.	XST255 ⁸²⁵¹	255	.030			
ALLIS-CHALMERS				w/Clinton Engs.				----	216	.030
B70 Plow	XST254 ⁸²⁵¹	303	.025	w/Kohler K-181	XST458 ⁸²⁵¹	456	.030			
D Grader	XST458 ⁸²⁵¹	295	.025	w/Kohler K-241	----	216	.030			
D-17 3/8" Reach	XST458 ⁸²⁵¹	308	.025	w/Tecumseh Engs.	XST458 ⁸²⁵¹	456	.030			
D-17 3/4" Reach	AP404 ⁸²⁴⁹	404	.025	w/Wisc. S-8D	----	386	.030			
UD9, UD9A, TD9, UD16	----	386	.025	ATWOOD						
WD45	XST458 ⁸²⁵¹	295	.025	All Models				----	306	.025
Models 1942-54	----	3076	.025	AUSTIN-WESTERN						
w/IHC U-4, U-6	----	386	.025	Models 105, 110, 410P				AP45 ⁸²⁴⁹	45	.025
w/IHC U-9	----	3076	.025	Models 210P				----	216	.025
w/Wisc. AFH, AGH	----	386	.025	Models 510				XST254 ⁸²⁵¹	303	.030
ALLMAND				Compactor RV20, RV24				----	216	.025
Backhoes & Concrete Breakers				Compactor RV20, RV24 w/Ford Engs.				AP45 ⁸²⁴⁹	45	.025
w/Honda 11 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	Cranes: 210, 220, 410 w/Ford Engs.				AP124 ⁸²⁴⁹	124	.025
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040	Cranes: 210, 220, 410 w/IHC Engs. .				XST458 ⁸²⁵¹	295	.025
w/Robin 20.5 h.p. (V-Twin)	XS63 ⁸²⁵²	63	.025							



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
AUSTIN-WESTERN (Cont'd)				BANTAM (Cont'd)			
Grader No. 88 w/Buda K-393	----	386	.025	w/GMC 302 cid Eng.	XST254 ⁸²⁵¹	303	.025
Grader No. 99 w/Buda K-393	----	386	.025	BANTY			
Rollers 83, 102, 122 w/Ford Eng.	AP45 ⁸²⁴⁹	45	.025	w/18mm Threads	----	386	.025
Rollers 83, 102, 122 w/LHC UV-266	XST254 ⁸²⁵¹	303	.025	w/7/8"-18 Threads	----	3076	.025
Rollers PR-11 w/LHC Eng.	XST254 ⁸²⁵¹	303	.025	Superhuskie, Huskie	XST458 ⁸²⁵¹	295	.025
Rollers T53, T84, T104 w/Ford Eng.	AP45 ⁸²⁴⁹	45	.025	BARBER-GREEN			
Rollers T53, T84, T104 w/LHC UV-266	XST254 ⁸²⁵¹	303	.025	Conveyers, Loaders, Mixers			
3 Wheel Rollers 83, 102, 122 w/LHC UV304	XST458 ⁸²⁵¹	295	.025	w/Buda Eng. 18mm Threads	----	386	.025
Tandem Rollers 84, 103	XST458 ⁸²⁵¹	295	.025	w/Buda Eng. 7/8"-18 Threads	----	3076	.025
Sweepers 40B, 70	XST458 ⁸²⁵¹	295	.025	w/Climax R41	----	3076	.025
w/Buda DW-6, KT-281, KTU, YTU	----	3076	.025	w/Cont. H-9	----	3076	.025
w/Buda HP-326, HP-351, M-M, RE	----	386	.025	w/Fuller & Johnson NB	----	3076	.025
w/Buda K-325, K-369, K-393, K-428	----	386	.025	w/Herc. Eng.	----	3076	.025
w/Case Eng.	----	3076	.025	w/LeRoi Eng. 14mm Threads	XST458 ⁸²⁵¹	295	.025
w/Ford J, JH, JD5-4005	AP124 ⁸²⁴⁹	124	.025	w/LeRoi Eng. 18mm Threads	----	386	.025
w/Ford JD	----	216	.025	w/LeRoi Eng. 7/8"-18 Threads	----	3076	.025
w/Ford 172 cid Eng.	----	216	.025	w/Wauk. 6 GAKU	----	386	.025
w/Ford 223, 272 & 292 cid Eng.	AP124 ⁸²⁴⁹	124	.025	w/Wisc. AC-4 14mm Threads	XST458 ⁸²⁵¹	295	.025
w/Ford 332 & 240 cid Eng.	AP45 ⁸²⁴⁹	45	.025	w/Wisc. AC-4 18mm Threads	----	386	.025
w/Hart-Parr Eng.	----	3076	.025	w/Wisc. AG-5, AM-4	----	386	.025
w/Herc. H, WXC	----	3076	.025	Pavers			
w/LHC BD-240, BD-264, UB-264, S-240	XST458 ⁸²⁵¹	295	.025	SA35, SA40	XST458 ⁸²⁵¹	295	.025
w/LHC BD-240, BD-264, UB-264, S-240 (LPG)	XST458 ⁸²⁵¹	295	.015	SA41, SB41	XST254 ⁸²⁵¹	303	.025
w/LHC GRD-233 18mm Threads	----	386	.025	BARCO			
w/LHC PD-40, UD-14, UD-14A, WD-40	----	3077	.025	Tampers			
w/LHC SD-240, U-269, UV-345	XST458 ⁸²⁵¹	295	.025	BR-5 Rammer	----	3076	.030
w/LHC SD-240, U-269, UV-345 (LPG)	XST458 ⁸²⁵¹	295	.015	M1 Hammer	----	353	.035
w/LHC U-4, IU-4 (Gasoline)	----	386	.025	30-550 Rammer	----	3076	.025
w/LHC U-4, IU-4 (Nat. Gas)	----	386	.015	BARTELL			
w/LHC UD-6, UD-9, UD-16, WD-9	----	386	.025	Scarifiers, Trowels & Vibratory Plate Compactors			
w/LHC U-406, UV-549	XST254 ⁸²⁵¹	303	.025	w/B&S 3.5 h.p.	XST458 ⁸²⁵¹	458	.030
w/LeRoi D-471 (Nat. Gas)	----	386	.015	w/B&S 5.5 h.p. Vanguard	XST3924 ⁸²⁵¹	3924	.030
w/Onan 5CCK-150E	----	216	.025	w/Honda 3.5 & 5 h.p.	XS65 ⁸²⁵²	65	.030
w/Onan CW-150R	----	386	.025	w/Honda 4, 5.5 & 9 h.p.	XS65 ⁸²⁵²	65	.030
w/Wauk. FSU, WAHU, XAHU	----	3076	.025	w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030
w/Wisc. AFH	----	386	.025	w/Kohler 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040
AVERY-RO-TRAK				w/Wisc. 3.5 & 4.5 h.p.	AP425 ⁸²⁴⁹	425	.025
7/8"-18 Heads	----	3076	.025	BARTELL MORRISON			
BADGER				Power Buggys & Screeds			
w/LHC W-9	----	3076	.025	w/Honda 1.3 h.p. OHV	----	4194	.030
BAKER				w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
FGA030, FGA050, FGA070, FGD020	----	306	.025	w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030
FGD030, FGD040, FGD050, FGD060	----	306	.025	BAY CITY			
FGF040, FGF060, FJD040, FJF060	----	386	.025	Shovels			
BAKER-LULL				14mm Heads			
Shovel loaders				10, 15, 18, 20, 25, 30, 32, 37, 42	XST458 ⁸²⁵¹	295	.025
All Models	XST458 ⁸²⁵¹	295	.025	45, 150, 25CW, 150CW, T40, T50, T51	XST458 ⁸²⁵¹	295	.025
BANTAM				450, 151-T41, 300, 40U, 64U	XST458 ⁸²⁵¹	295	.025
w/Chevrolet 235 cid Eng.	XST254 ⁸²⁵¹	303	.025	18mm Heads			
w/Chry. H-318	XS85 ⁸²⁵²	85	.025	10, 15, 18, 20, 25, 30, 32, 37, 42	----	386	.025
				45, 52, 55, 62, 65, 150, 180	----	386	.025
				650, T60, T61, T66	----	386	.025
				7/8"-18 Heads			
				10, 15, 18, 20, 25, 30, 32, 37, 42	----	3076	.025
				45, 150, 190CW, 450, T40, T50, T51	----	3076	.025

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	 PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		 PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BAY CITY (Cont'd)				BOMAG			
Shovels (Cont'd)				Rollers, Tamperers & Vibratory Plate Compactors			
7/8"-18 Heads (Cont'd)				w/Honda 4, 5.5 & 6 h.p. OHV XS65 ⁸²⁵² 65 .030			
T60, T61, T66	----	3076	.025	w/Honda 20 h.p. (V-Twin) XS65 ⁸²⁵² 65 .030			
w/IHC PA100	----	3076	.025				
BELCO				BOSWORTH			
Arc Welders				Conveyors			
w/Robin 8.5 & 11.5 h.p. OHV	----	4123 ⁸²⁴⁸	.025	All Models XST458 ⁸²⁵¹ 308 .025			
BELL GROUP				BOXER			
Cement Mixers, Compactors, Rammers, Tamperers, Trowels & Vibratory Plate Compactors				Mini Excavator			
w/Honda 2.5 h.p.	XST258 ⁸²⁵¹	258	.030	BX10 w/Honda 13 h.p. OHV XS65 ⁸²⁵² 65 .030			
w/Honda 4, 5.5, 8, 11 & 14 h.p. OHV ..	XS65 ⁸²⁵²	65	.030	Loaders			
w/Robin 2.5 h.p. OHV	XST255 ⁸²⁵¹	255	.025	w/B&S 26 h.p. Vanguard (V-Twin) ... XST3924 ⁸²⁵¹ 3924 .030			
BE PRESSURE SUPPLY				BRADLEY-EDLUND			
Drain Cleaners				Conveyors			
w/Honda 6.5, 11 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	All Models XST254 ⁸²⁵¹ 303 .025			
w/Honda 24 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030				
BEST				BRADLEY-REPUBLIC			
Concrete & Mortar Mixers, Floor Saws, Plate Compactors, Stompers & Troweling Machines				18mm Threads			
w/Honda 5.5, 8 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	7/8"-18 Heads			
w/Robin EC10 Eng.	XST458 ⁸²⁵¹	308	.025	-----			
BIG BEN				-----			
Structural Panel Movers				-----			
w/Kohler 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	-----			
BILLY GOAT				BROWN			
Pavement Equipment				Conveyors			
Blowers w/B&S 5, 8 & 11 h.p.	XST458 ⁸²⁵¹	458	.030	All Models -----			
Blowers w/B&S 16 h.p. Vanguard (V-Twin)	XST3926 ⁸²⁵¹	3926	.030	w/Cont. Eng.			
Blowers w/Honda 8 & 11 h.p.	XS65 ⁸²⁵²	65	.030	w/Ford Eng.			
Wire Brushes w/Honda 4 h.p.	XS65 ⁸²⁵²	65	.030	-----			
Slot Machines w/Honda 11 h.p.	XS65 ⁸²⁵²	65	.030	-----			
BLAW-KNOX				BROWNIE			
Finishers SW-100, SW-150	-----	386	.025	w/Cont. Eng.			
Pavers PF35	XP64 ⁸²⁵⁰	64	.025	w/Ford Eng.			
Pavers PR65	-----	216	.025	-----			
Pavers PR120, 195W	AP124 ⁸²⁴⁹	124	.025	-----			
Pavers PR180	XST254 ⁸²⁵¹	303	.025	-----			
w/Ford 172 cid Eng.	-----	216	.025	-----			
w/Ford 91 V-4	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	-----			
w/Chry. Ind. 6, T-116	XST458 ⁸²⁵¹	295	.025	-----			
w/Chry. Ind. 30-133	XST458 ⁸²⁵¹	308	.025	-----			
w/Cont. F-162, F-186, F-224, F-226, Y-112	-----	386	.025	-----			
w/Herc. IXB-5, QXB-5, QXD-5 (14mm)	XST458 ⁸²⁵¹	295	.025	-----			
w/Herc. IXB-5, QXB-5, QXD-5 (7/8"-18)	-----	3076	.025	-----			
w/Herc. JXC	XST458 ⁸²⁵¹	295	.025	-----			
				BRYANT			
				Heaters			
				All Models -----			

				BUCKEYE			
				w/Buda 6B-230			
				XST254 ⁸²⁵¹ 303 .025			
				w/Other Buda Eng.			

				386 .025			
				w/Chry. Eng.			
				XST458 ⁸²⁵¹ 308 .025			
				w/Cont. Eng.			

				386 .025			
				w/Herc. Eng.			

				3076 .025			
				w/IHC Eng.			
				XST254 ⁸²⁵¹ 303 .025			
				w/LeRoi Eng.			
				XST458 ⁸²⁵¹ 308 .025			
				BUCYRUS-ERIE			
				Drills			
				24L 18mm Threads			

				386 .025			
				24L 7/8"-18 Threads			

				386 .025			
				28L w/Wauk. 135-GKU			

				216 .025			
				28L, 48L w/Buda 893			

				386 .025			
				36L w/Wauk. 140-GK, 145-GK (14mm Threads)			

				216 .025			
				36L w/Wauk. 140-GK, 145-GK (18mm Threads)			

				386 .025			
				48L w/Wauk. 6-WAKU, 6-NKU			

				386 .025			
				60L w/Buda HP326 (Gasoline)			

				386 .025			
				60L w/Buda HP326 (Nat. Gas)			

				373 .015			
				22T, 27T w/Herc. QXB			
				XST458 ⁸²⁵¹ 308 .025			
				29T w/Buda HP326, HP298			



				386 .025			
				29T 7/8"-18 Threads			

				386 .025			
				1W w/IHC U-1, UC-60			

				386 .025			
				20W w/Herc. IXA			
				XST458 ⁸²⁵¹ 308 .025			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BUCYRUS-ERIE (Cont'd)				BUFFALO SPRINGFIELD (Cont'd)			
Drills (Cont'd)				w/Wauk. 6BZ --- 386 .025			
20W, 21W 18mm Threads --- 386 .025				w/Wauk. SRK, SRKR, SRL --- 3076 .025			
22W w/IHC U-169, U-164 --- 386 .025				w/Wauk. XAH --- 3076 .025			
w/Buda 4B182 XST458 ⁸²⁵¹ 308 .025				BUGGYMOBILE			
w/Buda GF638 --- 386 .025				All Models XST458 ⁸²⁵¹ 295 .025			
w/Buda HP205 --- 386 .025				BULLDOG			
w/Buda L525 --- 386 .025				Excavator/Loader			
w/Buda LO525 XST254 ⁸²⁵¹ 303 .025				w/Kohler 25 h.p. (V-Twin) XST3924 ⁸²⁵¹ 3924 .040			
w/Herc. GO-298 (Gasoline) XST254 ⁸²⁵¹ 303 .025				BUHL			
w/Herc. GO-298 (Nat. Gas & LPG) .. XST254 ⁸²⁵¹ 303 .015				w/Hercules OOB, JXC --- 3076 .025			
w/Herc. QXB XST458 ⁸²⁵¹ 308 .025				w/Wisc. Engs. (18mm Threads) --- 386 .030			
w/LeRoi D91P7 --- 386 .025				w/Wisc. Engs. (7/8"-18 Threads) --- 3076 .025			
w/Wauk. 6MZA (Nat. Gas) --- 386 .015				ZXB XST254 ⁸²⁵¹ 303 .025			
w/Wauk. 6MZA (LPG) --- 373 .015				All Other Models --- 3076 .025			
w/Wauk. 6MZR --- 386 .025				BURCH			
w/Wauk. XAHU --- 3076 .025				w/B&S Engs. 14mm Threads XST458 ⁸²⁵¹ 458 .030			
Hydrocranes				w/B&S Engs. 18mm Threads --- 386 .025			
H3, H5 w/Ford 6-Cyl. Engs. AP45 ⁸²⁴⁹ 45 .035				w/Cont. AU-7 XST458 ⁸²⁵¹ 295 .025			
Shovels				w/Ford Ind. 134 --- 216 .025			
6B-230, 6B-272 w/Buda Engs. XST458 ⁸²⁵¹ 308 .025				w/Kohler 4 h.p. XST458 ⁸²⁵¹ 308 .025			
10B, 15B, 22B, 20W, 21W (7/18"-18 Threads) --- 3076 .025				w/LeRoi D-91 --- 386 .025			
10B w/Buda HP260 --- 386 .025				w/Wisc. ABN --- 386 .025			
11B w/Cont. F-186 --- 386 .025				BURRO			
15B, 22B w/Buda K428 --- 386 .025				w/Herc. JXD, RXLD 14mm Threads . XST458 ⁸²⁵¹ 308 .025			
15B w/Herc. GO298 XST254 ⁸²⁵¹ 303 .025				w/Herc. L, G, E, WXC3 --- 3076 .025			
22B w/Buda L525 --- 386 .025				w/All Other Herc. 7/8"-18 Threads ... --- 3076 .025			
30B w/Wauk. 140GKU XST458 ⁸²⁵¹ 308 .025				w/Wauk. 6MZR & Other 18mm Threads --- 386 .025			
35C w/Ford 300 cid Engs. AP124 ⁸²⁴⁹ 124 .025				w/Wauk. 6MZ & Other 7/8"-18 Threads --- 3076 .025			
45C w/Ford 361 & 390 cid Engs. AP124 ⁸²⁴⁹ 124 .025				w/Wisc. Engs. (7/8"-18 Threads) --- 3076 .025			
28L w/Wauk. 135GK XST458 ⁸²⁵¹ 458 .025				BURROWS			
36L w/Buda 6M0-893 --- 386 .025				w/Herc. Engs. --- 3076 .025			
36L w/Buda LO525 XST458 ⁸²⁵¹ 308 .025				w/Wisc. Engs. --- 3076 .025			
36L w/Wauk. 145GK XST254 ⁸²⁵¹ 303 .025				BURTON			
48L w/Wauk. 2WAKU --- 386 .025				Conveyors			
60L w/A-C HP326 --- 386 .025				w/Novo CW --- 386 .025			
15P w/Buda HP351 --- 386 .025				BURTON-PAIGE			
1W w/IHC UC-60 --- 386 .025				All Models --- 3095 .025			
20W w/Herc. LXA XST458 ⁸²⁵¹ 308 .025				BUTLER			
22W, 22T, 27T w/Buda HP217 --- 386 .025				Sweepers			
22W w/Herc. Engs. XST458 ⁸²⁵¹ 295 .025				All Models --- 3076 .025			
w/Buda 4B182 XST458 ⁸²⁵¹ 308 .025				BYERS			
w/Buda 6B230, 6B273 XST458 ⁸²⁵¹ 308 .025				18mm Threads --- 386 .025			
w/Cat. D-315, D-318 (18mm Threads) --- 386 .025				7/8"-18 Heads --- 3076 .025			
w/Cat. D-315, D-318 (7/8"-18 Threads) --- 3076 .025				BYRON JACKSON			
w/Herc. QXB XST458 ⁸²⁵¹ 308 .025				All Models --- 386 .025			
w/IHC UD-14A --- 3077 .025							
BUD CORPORATION							
Earth Rammer XST458 ⁸²⁵¹ 295 .025							
BUFFALO SPRINGFIELD							
w/Buda HP-351 --- 386 .025							
w/Bufalo-Wauk. BK, BL, MZ --- 386 .025							
w/Cont. B-427, F-162, F-163, F-226 . --- 386 .025							
w/Cont. F-227, M-330, Y-112 --- 386 .025							
w/Ford 240 & 300 cid Engs. AP45 ⁸²⁴⁹ 45 .025							
w/Herc. IXA 14mm Threads XST458 ⁸²⁵¹ 295 .025							
w/Herc. IXA 7/8"-18 Threads --- 3076 .025							
w/Herc. JXC, JXD, JXLD, QXD, QXD5, QXLD XST458 ⁸²⁵¹ 295 .025							
w/Herc. NXB --- 3076 .025							
w/LeRoi R, RA --- 3076 .025							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start

Commercial Equipment - Construction Equipment

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CANOGA				CHARLES (See Ditch Witch)			
Cement Mixers				CHICAGO PNEUMATIC			
w/Honda 8 h.p. OHV	XS65 ⁸²⁵²	65	.030	85, 160, 175	---	386	.025
CANYCOM				Drills 8, 15	XST458 ⁸²⁵¹	295	.025
Concrete Buggys				Portable Models 125, 250	XST458 ⁸²⁵¹	295	.025
w/Robin 22 h.p. (V-twin)	XS65 ⁸²⁵²	65	.025	Tie Tamper	---	306	.025
CARRIER				CHOREMASTER			
Refrigerator Units	---	386	.025	Hole Diggers			
Tropic-Aire Units	---	386	.025	A-1034, A-1035, A-1036	XST458 ⁸²⁵¹	295	.025
CASE				P, Q, A-1009, A-1033	XST458 ⁸²⁵¹	295	.025
All Models w/18mm Threads	---	386	.025	CIMLINE			
All Models w/7/8"-18 Threads	---	3076	.025	Asphalt Routers, Brooms, Crack Saws & Sprayers			
CATERPILLAR				w/B&S "L" Head Engs.	XST458 ⁸²⁵¹	458	.030
Starting Engines				w/Honda 4 h.p. OHV	XS65 ⁸²⁵²	65	.030
14mm Heads				w/Kohler 20 & 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040
12E, 12F, 14C, 14D, 16, 112E, 112F	XS85 ⁸²⁵²	85	.025	CLARK			
561B, 922, 944, 955, 955H, 966,				Cranes 105, 110 w/Ford 240 cid			
977H	XS85 ⁸²⁵²	85	.025	Engs.	AP45 ⁸²⁴⁹	45	.032
933, 955, 977, 988	AP86 ⁸²⁴⁹	86	.025	Cranes 210, 220, 410 w/IHC UB-264	XST458 ⁸²⁵¹	295	.030
Earth Movers DW10, DW-20,				Cranes 210P w/Ford 172 cid Engs.	---	216	.025
DW-21	XST458 ⁸²⁵¹	308	.025	Cranes 210P w/Ford 240 cid Engs.	AP45 ⁸²⁴⁹	45	.032
Graders 12, 30, 42, 44, 48	AP86 ⁸²⁴⁹	86	.025	Cranes 510 w/IHC UV-549	XST254 ⁸²⁵¹	303	.030
Graders 66, 77, 112, 212, 666	AP86 ⁸²⁴⁹	86	.025	Cranes 630 w/IHC UV-549	XST254 ⁸²⁵¹	303	.030
Shovels 2, 4, 6	XST458 ⁸²⁵¹	308	.025	Rollers PR14 w/Ford 223 cid Engs.	AP124 ⁸²⁴⁹	124	.030
18mm Heads				Rollers 83, 102, 122 w/IHC UV-266	XST254 ⁸²⁵¹	303	.025
922, 924 Gasoline Engs.	---	386	.025	Rollers T84, T104 w/IHC UV-266	XST254 ⁸²⁵¹	303	.025
Auto Patrol 10, 11 (Diesel)	---	386	.025	Sweepers 40 w/IHC BD-240	XST458 ⁸²⁵¹	295	.025
Graders 12, 14, 16, 30, 42, 44	---	386	.025	Sweepers 70 w/IHC BD-264	XST458 ⁸²⁵¹	295	.030
Graders 48, 66, 77, 112, 212	---	386	.025	CLEAVER-BROOKS			
Graders 42, 48 (Diesel)	---	386	.025	Model ZZ w/B&S Engs. 18mm			
Starting Engs. For Diesels	---	386	.025	Heads	---	386	.030
7/8"-18 Heads				w/LeRoi D140	---	386	.025
Auto Patrol 10, 11 (Gasoline)	---	3076	.025	w/Wauk. Engs.	---	3076	.025
Auto Patrol 11 (Diesel)	---	3076	.025	CLEFORM GILSON			
Graders 12, 14, 16, 30, 44	---	3076	.025	Cement Mixers			
Graders 42, 48 (Gasoline)	---	3076	.025	w/B&S 3.5 h.p.	XST458 ⁸²⁵¹	458	.030
Graders 66, 77, 112, 212, 666	---	3076	.025	w/Honda 5.5, 8 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
Pipelayers				CLEVELAND			
561, 571A, 572E, 583H	AP86 ⁸²⁴⁹	86	.030	Formgraders			
Wheel Tractors				w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
619C, 621, 630, 631, 632, 633, 641	AP86 ⁸²⁴⁹	86	.030	w/Herc. JXC, OOB 14mm Threads	XST458 ⁸²⁵¹	295	.025
650, 651, 657, 660, 666, 824, 834	AP86 ⁸²⁴⁹	86	.030	w/Herc. JXC, OOB 7/8"-18 Threads	---	3076	.025
CAUFFIEL				w/Lauson Engs.	XST458 ⁸²⁵¹	295	.030
Series 8000	XST458 ⁸²⁵¹	295	.025	w/Wauk. XAH, XAK	---	3076	.025
CEDARAPIDS				w/Wisc. THDU	---	386	.025
Pavers				Trenchers			
w/Cont. Engs.	---	386	.025	w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
CHAMP				w/Buda HP-217	---	386	.025
w/Chrysler Engs.	XST458 ⁸²⁵¹	295	.025	w/Buda HP-326	---	386	.025
w/Cont. Engs.	---	386	.025	w/Cat. D-318 14mm Threads	XST458 ⁸²⁵¹	308	.025
				w/Cat. D-318 18mm Threads	---	386	.025
				w/Cat. D-8800	---	386	.025
				w/Cont. Engs.	---	386	.025
				w/Herc. JX4D, F0226, GO-226,			
				GO-339	XST458 ⁸²⁵¹	295	.025
				w/Herc. JXD 14mm Threads	XST458 ⁸²⁵¹	295	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIÈRE PRIMERA	STANDARD ESTANDAR ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD ESTANDAR ESTANDAR	GAP ENCARTMENT ESPACIO
CLEVELAND (Cont'd)				CROWN			
Trenchers (Cont'd)				Cement Mixers, Concrete Buggies & Screeds			
w/Herc. JXD 18mm Threads	----	3076	.025	w/Honda Mini 4-Stroke Engs.	----	4194	.030
w/IHC UD-6A, UD-9, UD-9A, UD-264	----	386	.025	w/Honda 5.5, 9 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
w/IHC UD-14A	----	3077	.025	w/Robin 6 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/IHC UD-350, UD-281, UD-370	----	386	.025	CURB APPEAL USA			
w/Wisc. AEN, AEND, VH4D	----	386	.025	Concrete Buggys			
COLUMBUS				w/Honda OHV Engs.	XS65 ⁸²⁵²	65	.030
Heaters	----	3076	.025	CURBMASTER			
CONCORD				w/Wisc. 65 h.p.	XS65 ⁸²⁵²	65	.030
Concrete Cart	----	386	.025	w/Wisc. VH4D	----	386	.030
F30	----	3095	.025	CURB-TEC			
KN4S	XST458 ⁸²⁵¹	295	.025	Curb Makers			
All Other Models	----	3077	.025	w/Kohler 12 & 13 h.p. OHV	XST3924 ⁸²⁵¹	3924	.040
CON-O-LIFT				w/Kohler 20 & 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030
Marine Trailer Hoists				CUSHMAN			
w/Honda 5.5, 8 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	M109 (Gasoline)	AP46 ⁸²⁴⁹	46	.025
CONSTRUCTION MACHINERY CO.				M109 (LPG)	AP45 ⁸²⁴⁹	45	.018
Mixers				Minute-Miser	XST255 ⁸²⁵¹	255	.025
w/Herc. IXB-5	----	3076	.025	CUTTLER			
w/Herc. ZXB	----	216	.025	Repavers/Rollers			
w/LeRoi Engs. 18mm Threads	----	386	.025	w/Cont. Engs.	----	386	.025
w/LeRoi Engs. 7/8"-18 Threads	----	3076	.025	DAVIS			
w/Wisc. AP4	----	386	.025	Backhoes & Ditchers			
CONTRACTORS MACHINERY CO.				w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
LH-75 Loadster	XST458 ⁸²⁵¹	295	.025	w/Clinton Engs.	----	216	.025
LCM-100, LT-400 Loadster	XST254 ⁸²⁵¹	303	.025	w/Ford 172 cid Engs.	----	216	.025
COPELAND				w/Ford 201 cid Engs.	AP404 ⁸²⁴⁹	404	.025
Condensing Units				w/Kohler 8 H.P. (K181)	XST458 ⁸²⁵¹	458	.025
w/B&S Engs.	XST458 ⁸²⁵¹	458	.025	w/Kohler 10, 12, 14 & 23 h.p.	----	216	.025
CORE CUT				w/Onan NHC	AP404 ⁸²⁴⁹	404	.025
Block Saws, Concrete Floor Grinders & Concrete Saws				w/Other Onan Engs.	----	216	.025
w/B&S "L" Head Engs.	XST458 ⁸²⁵¹	458	.030	w/Wisc. AGND, THD, TJD, S12D, VG4D, VH4	----	386	.025
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	w/Wisc. V460D, V465D	XS65 ⁸²⁵²	65	.025
w/Honda 5.5, 9 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	Trenchers			
w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
w/Kohler 16 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	w/Clinton Engs.	----	216	.025
CORMIDI				w/Ford 172cid Engs.	----	216	.025
Minitransporter				w/Kohler K321S	----	216	.025
w/Honda 9 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	w/Onan Engs.	----	216	.030
COULTER AUTOMATIC				w/Wisc. AGND, THD, TJD, S12D, VG4D	----	386	.025
w/1/2"-14 Pipe Heads	----	3095	.025	w/Wisc. V460D, V465D	XS65 ⁸²⁵²	65	.030
w/7/8"-18 Threads	----	3076	.025	DAY			
CRANE CARRIER CORP.				Pulverizer			
w/IHC BD282, BD308	XST458 ⁸²⁵¹	295	.025	w/IHC PD-40	----	3077	.025
w/IHC RD450, RD501	XST254 ⁸²⁵¹	303	.025	D CUT			
w/Wauk. 145GC, F817G	XST458 ⁸²⁵¹	295	.025	Concrete Saws			
Seccion 9 para las páginas de notas de pie de página en español.				w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
8248 Tapered electrode design				w/Tec.4.5 h.p.	XST458 ⁸²⁵¹	458	.030
8249 Single Platinum				8251 Xtreme Start			
8252 Xtreme Sport							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. 8248 Tapered electrode design 8249 Single Platinum 8251 Xtreme Start 8252 Xtreme Sport

Commercial Equipment - Construction Equipment

		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
DEEP ROCK DRILL					DITCH WITCH (Cont'd)				
Drills					Trenchers (Cont'd)				
PH973, 977		XST458 ⁸²⁵¹	456	.025	w/Onan NHC	AP404 ⁸²⁴⁹	404	.025	
DEFA (See Master)					w/Onan NHC-MS (Prior to 1979)	AP404 ⁸²⁴⁹	404	.030	
DESCO MFG.					w/Onan NHC-MS (1979 & Up)	AP106 ⁸²⁴⁹	106	.030	
Scarifiers					w/Perkins G4-203	XP64 ⁸²⁵⁰	64	.030	
w/Honda 5 h.p. OHV		XS65 ⁸²⁵²	65	.030	w/Wisc. 7, 9.2 & 18 h.p.	----	386	.025	
w/Robin 5 h.p. OHV (LPG)		XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.020	w/Wisc. 9 & 12.5 h.p.	----	386	.025	
DE WALT					w/Wisc. 30, 35 & 37 h.p.	----	386	.025	
Compressors					w/Wisc. 60.5 & 65 h.p.	XS65 ⁸²⁵²	65	.025	
D55250, D55251, D55270, D55271 .		XS65 ⁸²⁵²	65	.030	w/Wisc.-Robin 4.6 h.p.	AP425 ⁸²⁴⁹	425	.025	
D55275, D55276, D55390		XS65 ⁸²⁵²	65	.030	Vibratory Plows				
DIADEM					w/Honda 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	
316 w/B&S Engs.		XST255 ⁸²⁵¹	255	.025	w/Honda 18 & 24 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	
316 w/Kohler Engs.		----	216	.025	DOMARK				
427 w/Kohler Engs.		XST255 ⁸²⁵¹	255	.025	All Models	----	386	.025	
DIAMOND PRODUCTS					DOTMAR				
Floor Grinders					w/Wisc. AEN, AENL	----	386	.025	
w/B&S 9 h.p. Vanguard		XST3924	3924	.030	DROTT				
w/Honda 13 h.p. OHV		XS65 ⁸²⁵²	65	.030	85 RM2 Go Devil w/Cont. Engs.	----	386	.025	
DIG-IT					DYNAHOE				
Compact Backhoes					All Models	----	386	.025	
w/B&S 9 h.p. Vanguard		XST3924 ⁸²⁵¹	3924	.030	DYNAPAC				
w/Kohler 8 h.p.		XST458 ⁸²⁵¹	458	.025	Vibratory Plate Compactors				
w/Kohler 18 h.p. (Twin)		XP26 ⁸²⁵⁰	26	.025	CC10, CG08, CK11, CM21, DD18 ..	----	386	.030	
w/Kohler 18 h.p. (V-Twin)		XST3924 ⁸²⁵¹	3924	.030	CG09, CO16	----	216	.030	
DIGMOR					CG11, CK20, CM10, CM20	----	386	.030	
Loader w/VW Eng.		AP425 ⁸²⁴⁹	425	.025	w/Honda 4, 5.5 & 9 h.p. (OHV)	XS65 ⁸²⁵²	65	.030	
DIGZ-ALL					EAGLE				
w/B&S Engs.		XST255 ⁸²⁵¹	255	.025	Crushers				
w/Kohler Engs.		XST458 ⁸²⁵¹	295	.025	w/Cont. Engs.	----	386	.025	
w/Wisc. Engs.		----	386	.025	EAGLE LIFT				
DITCH WITCH					Aerial Lifts				
Cable Layers					w/B&S 9 h.p. Vanguard	XST3924 ⁸²⁵¹	3924	.030	
100SX Plow w/B&S Engs. (Short Plug)		XST458 ⁸²⁵¹	458	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926 ⁸²⁵¹	3926	.030	
100SX Plow w/B&S Engs. (Tall Plug)		XST458 ⁸²⁵¹	456	.030	w/Honda 8 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	
Compactors					w/Kohler 6 h.p. OHV	XST3924 ⁸²⁵¹	3924	.030	
DR-190 w/Robin WI-185		AP425 ⁸²⁴⁹	425	.025	EARTH KING				
Tampers					Power Auger w/Tec. Engs.	XST458 ⁸²⁵¹	456	.030	
DR-50 w/Robin EC-8G		AP425 ⁸²⁴⁹	425	.025	EARTHWORM				
DR-65 w/Robin EC-10G		XST458 ⁸²⁵¹	295	.025	w/Wisc. AKN	----	386	.025	
Trenchers					EDCO				
w/B&S 16 h.p. Vanguard (V-Twin) ...		XST3926	3926	.030	Concrete Saws, Scarifiers, Slab Surface Grinders & Trowels				
w/Cont. F-163		----	386	.030	w/B&S 5, 5.5 & 8 h.p.	XST458 ⁸²⁵¹	458	.030	
w/Ford 192 cid Engs.		----	216	.025	w/Honda 4, 5, 5.5, 6.5, 8, 9, 11 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	
w/Honda 11 & 13 h.p. OHV		XS65 ⁸²⁵²	65	.030	w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	
w/Honda 15 h.p. iGX440		XS3922 ⁸²⁵²	3922	.030	w/Kohler 8 h.p.	XST458 ⁸²⁵¹	458	.030	
w/Honda 18 h.p. (V-Twin)		XS65 ⁸²⁵²	65	.030	w/Kohler 14 & 16 h.p.	----	216	.030	
w/Kohler 14 & 18 h.p.		----	216	.030	w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	
w/Kohler 23 & 30 h.p. (V-Twin)		XST3924	3924	.040					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EDCO (Cont'd)				EVANS			
Concrete Saws, Scarifiers, Slab Surface Grinders & Trowels (Cont'd)				Masonry & Concrete Saws			
w/Robin 5 & 11 h.p.	AP425 ⁸²⁴⁹	425	.025	w/Kohler 8 h.p. (K181)	XST458 ⁸²⁵¹	458	.025
w/Wisc. 9, 18 & 35 h.p.	----	386	.030	w/Kohler 14 h.p.	----	216	.025
w/Wisc. 11 h.p.	AP425 ⁸²⁴⁹	425	.025	w/McCulloch 710A	XST458 ⁸²⁵¹	295	.025
w/Wisc. 65 h.p.	XS65 ⁸²⁵²	65	.030	w/McCulloch 710	XST2956 ⁸²⁵¹	2956	.025
				w/Wisc. 65 h.p.	XS65 ⁸²⁵²	65	.025
EDGE MASTER				EVERETTE			
Curb Makers				Drills			
w/Honda 2.5 h.p.	XST258 ⁸²⁵¹	258	.030	All Models	----	386	.025
ELECTRIC TAMPER & EQUIPMENT				EVERREADY			
All Models	----	386	.025	Concrete Saws			
ELGIN SWEEPER				w/B&S Engs.			
20	----	3076	.030	w/Wisc. V460D, V461D	XST458 ⁸²⁵¹	458	.030
30 14mm Threads	XST458 ⁸²⁵¹	295	.030	w/Wisc. V460D, V461D	XS65 ⁸²⁵²	65	.025
30 7/8"-18 Threads	----	3076	.030	All Other Wisc. Engs.	----	386	.025
81	XST458 ⁸²⁵¹	295	.030	FAIRBANKS-MORSE			
A, D	----	3076	.030	34, AC6	----	3076	.025
Eductor w/Ford 300 cid Engs.	AP45 ⁸²⁴⁹	45	.030	36, AA54	XST458 ⁸²⁵¹	295	.025
Eductor 7/8"-18 Threads	----	3076	.030	46, AA8	----	3076	.025
Junior	----	3076	.030	46 Series	----	3095	.025
Pelican, White Wing, Whirlwind	XST458 ⁸²⁵¹	295	.030	FAIRFIELD			
Roadrunner w/IHC 392 cid Engs.	XST458 ⁸²⁵¹	295	.030	Conveyors			
w/IHC BD-240, BD-264, V-345, UV-345	XST458 ⁸²⁵¹	295	.030	w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
w/IHC BB-264	XS85 ⁸²⁵²	85	.030	w/Wisc. Engs.	----	386	.025
ELWELL-PARKER				Railway Burners & Mowers			
GEP-6	----	386	.025	w/Wauk. 6BL, FC, 6MZ, AB	----	386	.025
GF-26, GF-30	XST458 ⁸²⁵¹	295	.025	Wauk. XAH	----	3076	.025
ESSICK (See Huber)				FARQUHAR			
Concrete Mixers				All Models			
w/Honda 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	----	----	386	.025
ETNYRE				FASI VERDINI			
w/B&S Engs.	XST458 ⁸²⁵¹	458	.030	Cement Cutters & Finishers			
w/Ford D172 & 172 cid Engs.	----	216	.025	w/Honda 4, 5.5 & 13 h.p.	XS65 ⁸²⁵²	65	.030
w/Ford 223 & 240 cid Engs.	AP124 ⁸²⁴⁹	124	.030	FELKER			
w/Ford 4 Cyl. & V-8 Engs.	----	216	.025	Block Cutters			
w/Herc. IXB	----	386	.025	w/Honda 5.5 & 9 h.p. OHV	XS65 ⁸²⁵²	65	.030
w/Herc. IXLB	XST458 ⁸²⁵¹	295	.018	FELKER DI-MET			
w/Herc. QXC-5	XST458 ⁸²⁵¹	295	.025	Concrete Cutters			
w/IHC UB-220	XST458 ⁸²⁵¹	295	.030	100, 200, 254, 367	----	386	.025
w/IHC U-372, U-430	XST254 ⁸²⁵¹	303	.030	665	XS65 ⁸²⁵²	65	.030
w/LeRoi D-140 14mm Threads	XST458 ⁸²⁵¹	295	.025	FINN			
w/LeRoi D-140 18mm Threads	----	386	.025	Loaders			
w/Wauk. 180GKB	----	386	.018	w/Kohler 20 & 25 h.p. (Twin)	XST3924 ⁸²⁵¹	3924	.040
w/Wisc. Engs.	----	386	.020	FINNELL			
EUCLID				Industrial Scrubbers			
1KG, 1KGT, 1MGT, 12W, 22W, 52W, 62W	----	3076	.025	w/Onan Engs.	----	216	.025
2FGT	----	3076	.025				
4FGT	----	386	.025				
w/Hall Scott 400 (Intake)	----	386	.025				
w/Hall Scott 400 (Exhaust)	----	386	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
FITCHBURG				GALION (Cont'd)			
Saws				Cranes, Graders, Rollers (Cont'd)			
C-6, C-12, C-15, w/AMC 232 cid				w/IHC U-264-6, U-370, U-450	XST254 ⁸²⁵¹	303	.025
Engs.	XS65 ⁸²⁵²	65	.030	w/IHC U-372, U-450	XST254 ⁸²⁵¹	303	.025
TW-6, TWC-612 w/AMC Engs.	XS65 ⁸²⁵²	65	.030	w/IHC UB-220, UB264	XST458 ⁸²⁵¹	295	.025
TWC-915 w/AMC 304 & 360 cid				w/IHC UD-6, UD-6A, UD-9, UD-9A	----	386	.025
Engs.	XS65 ⁸²⁵²	65	.030	w/IHC UD-16, UD-16A, UD-264	----	386	.025
FLEX-PLANE				w/IHC UD-350, UD-370	----	3077	.025
w/B&S 61102	XST458 ⁸²⁵¹	458	.030	w/IHC UD-525, UD-554	----	386	.025
w/Ford 134 & 172 cid Engs.	----	216	.025	w/McCormick-Deering Engs.	----	3076	.025
w/Herc. IXB, NXB	----	3076	.025	w/Oliver 35, 50	----	3076	.025
w/Herc. IXB5	XST458 ⁸²⁵¹	295	.025	w/Oliver 44	----	3076	.025
w/Wisc. AFH, AHH, TF, TH, THD	----	386	.025	w/Wisc. AH	----	386	.025
w/Wisc. 4GAP, VP-4, VG-4D	----	386	.025	w/Wisc. VF-4, VG4D, P-4	----	386	.025
FLINK				GAR-BRO			
LMC Spreader	----	386	.030	Power Carts w/Gladden 75 Engs.	XST458 ⁸²⁵¹	295	.025
FOOTE				Truck w/Morris Minor Engs.	----	405	.022
All Models w/14mm Threads	----	216	.025	Truck w/Willys Engs.	XST458 ⁸²⁵¹	295	.025
All Models w/7/8"-18 Threads	----	3076	.025	GARDNER			
FORD				Mixers			
General Equipment				w/Cat. Diesel Starting Engs. (18mm			
134, 172 (Gasoline)	----	216	.035	Threads)	----	386	.025
134, 172 (LPG)	----	216	.030	w/Cat. Diesel Starting Engs. (7/8"-18			
144, 170	AP46 ⁸²⁴⁹	46	.034	Threads)	----	3076	.025
223, 272	AP46 ⁸²⁴⁹	46	.030	GARWOOD			
262, 292, 332, 401, 477, 534	AP124 ⁸²⁴⁹	124	.030	w/Buda 6B-230	XST458 ⁸²⁵¹	295	.025
2600, 3600, 4600, 6600 (1980-75)	----	405	.025	w/Buda HP-260, HP-326	----	386	.025
Loaders				w/Buda K-369, K-393, K-428	----	386	.025
CL20 w/Onan NHC Engs.	----	405	.025	w/Buda L-528, 6DT-691	----	386	.025
CL30 w/Wisc. VH4D	----	386	.030	w/Cat. D-315	----	386	.025
CL40 w/Ford V104	XP64 ⁸²⁵⁰	64	.025	w/Chevrolet Engs.	XST254 ⁸²⁵¹	303	.025
FRASER				w/Chry. Engs.	XST254 ⁸²⁵¹	303	.025
Heaters	----	3095	.025	w/IHC Engs.	XST254 ⁸²⁵¹	303	.025
FRINK				w/LeRoi Engs.	XST458 ⁸²⁵¹	295	.025
Rotobrooms				All 7/8"-18 Heads	----	3076	.025
All Models	----	386	.025	GEHL			
FULLER-JOHNSON				Power Box Pavers			
18mm Threads	----	386	.025	w/Kohler 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030
7/8"-18 Heads	----	3076	.025	w/Wisc. 30 h.p.	----	386	.025
GALION				GENERAC			
Cranes, Graders, Rollers				Welders			
w/A-C Engs.	----	3076	.025	w/B&S One-Cylinder Engs.	XST458 ⁸²⁵¹	458	.030
w/Case Engs.	----	3076	.025	w/B&S Engs. (Twin)	XST458 ⁸²⁵¹	458	.030
w/Cont. F-162, Y-122	----	386	.025	w/B&S Vanguard Engs. (V-Twin)	XST3926 ⁸²⁵¹	3926	.030
w/Cont. F-226, M330	----	386	.025	w/Generac 562SXL	----	275	.025
w/Herc. IXB, JXC, WXC3, WXLB	----	3076	.025	w/Generac 1.0 & 1.2L Engs.	XS63 ⁸²⁵²	63	.025
w/Herc. QXC5	----	3076	.025	w/Tec. Engs.	XST458 ⁸²⁵¹	458	.025
w/Herc. WXL3, JXD3	----	3076	.025	GENERAL			
w/Herc. ZXB	----	386	.025	w/Buda HP351, K428, L525	----	386	.025
w/IHC 1-14, U-9	----	3076	.025	w/Cat. D318	----	386	.022
w/IHC 1-30	----	3076	.025	w/Cont. B427	----	386	.025
w/IHC PD-40, UD-14, UD-14A	----	3077	.025	w/Herc. JXD	----	306	.025
w/IHC U-4, U-6, U-9, UC-263	----	386	.025	w/Herc. RXC, RXLD, WXL3	XST458 ⁸²⁵¹	295	.025
w/IHC U-264, U-281A	----	386	.025	w/IHC U450	XST254 ⁸²⁵¹	303	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment



	PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO			
GENERAL EQUIPMENT				GORMAN-RUPP (Cont'd)						
Hole Diggers, Surface Grinders, Planers & Ventilation Blowers				w/Kohler K301, K321P, K482 --- 216 .030						
w/B&S "L" Head Engs.	XST458 ⁸²⁵¹	458	.030	w/Lauson A	XST458 ⁸²⁵¹	295	.025			
w/Chrysler 82005	---	414	.025	w/Le Roi D140, D176, D201	---	306	.025			
w/Honda 4, 5.5 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	w/OMC 218	AP46 ⁸²⁴⁹	46	.035			
w/Robin 4 h.p.	XST258 ⁸²⁵¹	258	.025	w/Onan CCK, CCKB	---	216	.030			
w/Tec. 3 h.p.	XST2976 ⁸²⁵¹	2976	.030	w/Willys Engs.	XST458 ⁸²⁵¹	295	.030			
w/Tec. 3.5 h.p.	XST458 ⁸²⁵¹	456	.030	w/Wisc. AENLD, AGND, BKND, STD	---	386	.025			
w/Tec. 7 h.p.	XST458 ⁸²⁵¹	456	.030	w/Wisc. S8D, S14D, S12D, S100, THD	---	386	.025			
GERLINGER CARRIER				w/Wisc. VE4D, VF4D, VG4D, VH4D ..				---	386	.025
w/Cont. Engs.	---	386	.025	w/Wisc. V460D, V461D	XS65 ⁸²⁵²	65	.030			
w/Ford Engs.	AP46 ⁸²⁴⁹	46	.035	GUPTILL						
w/Hercules Engs.	XST458 ⁸²⁵¹	295	.025	All Models	XST254 ⁸²⁵¹	303	.025			
GILSON				H&B						
Concrete Mixers	XST255 ⁸²⁵¹	255	.025	w/B&S Engs.	XST458 ⁸²⁵¹	458	.030			
GLUM				Moto-Loader w/A-C Engs.				XST458 ⁸²⁵¹	295	.030
Vibrators				Moto-Loader w/Wisc. Engs.				---	386	.030
w/B&S 20 h.p. Vanguard (V-Twin) ...	XST3926 ⁸²⁵¹	3926	.030	Moto-Paver 8, 14, 14A w/Chry. Engs.	XST458 ⁸²⁵¹	295	.030			
w/B&S 34 h.p. (Liquid Cooled V-Twin)	XST3926 ⁸²⁵¹	3926	.030	Moto-Paver 15A, 32 w/Chry. Engs. ...	XST458 ⁸²⁵¹	295	.030			
GOODALL				HAISS						
704, 706 w/B&S Engs.	XST458 ⁸²⁵¹	458	.025	Loaders						
708, 728 w/Kohler Engs.	XST458 ⁸²⁵¹	295	.025	w/Herc. G3-400	XST254 ⁸²⁵¹	303	.025			
GORMAN-RUPP				w/LeRoi Engs. 14mm Threads				XST458 ⁸²⁵¹	295	.025
3102, 3601, 3602, 6201, 6301	XST458 ⁸²⁵¹	295	.025	w/LeRoi D-91	---	386	.025			
3201, 3202, 3203, 3205, 3301	---	386	.025	w/Oliver 188, 199	---	386	.025			
3302, 3303, 33TF, 3401, 3403	---	386	.025	w/Wauk. Engs.	---	386	.025			
3402 14mm Threads	XST458 ⁸²⁵¹	295	.025	w/Wisc. Engs.	---	386	.025			
3402 7/8"-18 Heads	---	3076	.025	HALL-SCOTT						
3602	---	3076	.025	Drills						
3609, 3801	XST254 ⁸²⁵¹	303	.025	2296-0	---	386	.025			
53M-TFD, 53H-VF4D, 54A-VG-4D ..	XST458 ⁸²⁵¹	295	.025	Crabs (Gasoline)	---	386	.025			
54B-6FB, 54M-134, 54M-CJ3A	XST458 ⁸²⁵¹	295	.025	Crabs (Distillate)	---	386	.025			
54B-Ind. 30	XST458 ⁸²⁵¹	295	.025	All Other Models	---	3076	.025			
54E-6FB, 55A-265, 55A-Ind. 16A ...	XST458 ⁸²⁵¹	295	.025	HANSON						
55A-JG, 55M-JB	---	216	.025	31, 41	---	386	.025			
55M-Ind. 20A, 55M-Ind. 24A, 55H-503	XST254 ⁸²⁵¹	303	.025	w/Buda HP-326	---	386	.025			
55M-Ind. 56	XST458 ⁸²⁵¹	295	.025	w/Cat. D-311, D-315	---	386	.025			
GO226, 198, 339	XST254 ⁸²⁵¹	303	.025	w/Ford 6-Cyl. & V-8 Engs.	---	216	.025			
JXC (14mm Threads)	XST458 ⁸²⁵¹	295	.025	w/Ford 215 & 226 cid Engs.	---	216	.025			
JXC (18mm Threads)	---	373	.025	w/Herc. RXC	XST458 ⁸²⁵¹	295	.025			
w/B&S Engs. (14mm Threads)	XST458 ⁸²⁵¹	458	.030	w/Wauk. 6BZ, 195GK	---	386	.025			
w/B&S Engs. (18mm Threads)	---	386	.025	HENDRICKSON						
w/Chry. Ind. 24A Normal Service (Unshielded)	---	405	.035	Crane Carriers				XST458 ⁸²⁵¹	295	.025
w/Chry. Ind. 32-21, 7, 8, 12, 16, 30 ..	XST254 ⁸²⁵¹	303	.035	HENNEUSE						
w/Chry. Ind. 56A	---	405	.035	All Models				---	386	.025
w/Cont. B427, F140, F162, F226, M330	---	386	.025	HERMAN NELSON						
w/Cont. R602	---	386	.025	Portable Heaters & Ventilators				XST458 ⁸²⁵¹	456	.025
w/Ford 172cid Engs.	---	216	.030	H-H						
w/Ford 223cid Engs.	AP46 ⁸²⁴⁹	46	.035	All Models				XST458 ⁸²⁵¹	295	.035
w/Ford 292, 300, 332, 361cid Engs. .	AP124 ⁸²⁴⁹	124	.030							
w/IHC UB264	---	386	.025							
w/IHC UV549	XST254 ⁸²⁵¹	303	.025							
w/Kohler K90, 91, 161, 330, 331, 600, 661	XST458 ⁸²⁵¹	295	.025							
w/Kohler K181, K662	XST458 ⁸²⁵¹	295	.025							

Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment



		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO			PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉCARTMENT ESPACIO
HITCO					HOUGH (Cont'd)				
w/Chevrolet Engs.		----	3136	.035	Payloaders (Cont'd)				
w/Willys Engs.		----	306	.030	T50, 60, 120, 150 w/Herc. Engs.	XST458 ⁸²⁵¹	308	.025	
HOBART					T150 w/Herc. JXLD12 (LPG)	XST254 ⁸²⁵¹	303	.020	
Generator/Welders					T225 w/IHC V549	XST254 ⁸²⁵¹	303	.025	
Champion 4500	XST3924 ⁸²⁵¹		3924	.030	T245 w/Herc. HXLEF	----	386	.025	
Champion 10,000 w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹		3924	.040	w/Wauk. FC281	XST458 ⁸²⁵¹	308	.025	
Champion 10,000 w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹		106	.025	HUBER				
Machinery					Graders & Rollers				
CSG 649 w/Ford 300 cid Engs.	AP124 ⁸²⁴⁹		124	.030	w/A-C 6B273	XST458 ⁸²⁵¹	295	.025	
LSG 423 w/Ford 140 cid Engs.	XP104 ⁸²⁵⁰		104	.044	w/Buda H260, H298, HP205, 217 ...	----	386	.025	
LSG 633 w/Ford 200 cid Engs.	AP45 ⁸²⁴⁹		45	.035	w/Buda HP260, HP326, K369, K428	----	386	.025	
Welders					w/Cat. D-3400, D-4400	----	386	.025	
Champ 140	XST458 ⁸²⁵¹		458	.030	w/Cont. F-162, F-226, F-245	----	386	.025	
Champion 16, Champion Combo ...	AP106 ⁸²⁴⁹		106	.025	w/Ford 172 & 192 cid Engs.	----	216	.025	
G-213, G-203	----		386	.030	w/Herc. G-339, IYB, G1600	XST458 ⁸²⁵¹	295	.025	
G-400, G-412, G-3010	AP404 ⁸²⁴⁹		404	.035	w/Herc. G2000, G3400, L237	XST254 ⁸²⁵¹	303	.025	
GCF-350, GCCF-510, GF-250, GF-303	AP124 ⁸²⁴⁹		124	.035	w/Herc. GO-173, 226, 339, GO-198	XST458 ⁸²⁵¹	295	.025	
GR-303-S	AP45 ⁸²⁴⁹		45	.025	w/Herc. IXB, IXB-3, JXD, QXB5, WXE	XST458 ⁸²⁵¹	295	.025	
SG-180	----		216	.025	w/IHC UD-16	----	386	.025	
w/B&S 9 h.p.	XST458 ⁸²⁵¹		458	.030	w/Wisc. Engs.	----	386	.025	
w/Chry. C-9, C-15, Ind. 5A, 8A	XST458 ⁸²⁵¹		295	.025	HUBER-WARCO				
w/Chry. C-36, DU, T40, T-98	XST254 ⁸²⁵¹		303	.025	Maintainer	----	386	.025	
w/Chry. T-118, 502, Ind. 7, 12	XST254 ⁸²⁵¹		303	.025	HURST				
w/Chry. Ind. 30, 32	XST458 ⁸²⁵¹		295	.025	Jaws of Life	XST458 ⁸²⁵¹	295	.025	
w/Chry. Engs. 3/4" Reach Threads ..	----		405	.025	HUSQVARNA				
w/Cont. Engs. 18mm Threads	----		386	.025	Flat Saws				
w/Cont. Engs. 7/8"-18 Threads	----		3076	.025	FS 309 w/Robin 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	
w/Herc. ZXB	----		216	.025	FS 400 Series w/Honda 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	
All Other Herc. Engs.	XST458 ⁸²⁵¹		308	.025	FS 500 Series w/Honda 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	
w/Onan 16, 18 & 20 h.p. (Twin)	AP106 ⁸²⁴⁹		106	.025	FS 500 Series w/Honda 18 & 21 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	
w/Willys MB, SRS	XST458 ⁸²⁵¹		295	.025	MG 8 w/Honda 3.5 h.p. OHV	XS65 ⁸²⁵²	65	.030	
w/Willys 18mm Threads	----		386	.025	MG 10 w/Honda 3.5 h.p. OHV	XS65 ⁸²⁵²	65	.030	
w/Willys 7/8"-18 Threads	----		3076	.025	Floor Grinders				
w/Wisc. Engs.	----		386	.025	w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	
HONDA					Pavement Cutters				
Tampers & Welder/Generators					Power Cutters				
EW140, EW171, EW171S	XP64 ⁸²⁵⁰		64	.025	268K, 272K	XST2976 ⁸²⁵¹	2976	.020	
EW170	AP425 ⁸²⁴⁹		425	.025	371K, 375K, 3120K	XST2974 ⁸²⁵¹	2974	.020	
LT524	XST258 ⁸²⁵¹		258	.030	K750, K760, K960, K970, K1250	XST2974	2974	.020	
LT624	XP64 ⁸²⁵⁰		64	.030	Surface Grinders				
HOUGH					HYDRAXCAVATOR				
Payloaders					w/Cont. Engs.				
H25 w/Wauk. 180GLB	----		386	.025	CG 200 S w/Honda 4 h.p. OHV	XS65 ⁸²⁵²	65	.030	
H25B w/Wauk. 180GKB	----		386	.025	RG 2112 w/Honda 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	
H30 w/IHC U-240	XST458 ⁸²⁵¹		295	.025	IBP				
H30B w/IHC G263	----		386	.025	Hole Diggers				
H30R w/Herc. QXD3	XST458 ⁸²⁵¹		308	.025	200, 300	XST255 ⁸²⁵¹	255	.025	
H50B w/IHC G301	----		386	.025	400	XST458 ⁸²⁵¹	456	.025	
H60, H65 w/IHC G372	XST458 ⁸²⁵¹		295	.025	500	XST255 ⁸²⁵¹	255	.030	
H70 w/IHC U-372	XST254 ⁸²⁵¹		303	.025	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.				
H90 w/Herc. Engs.	XST458 ⁸²⁵¹		308	.025	8248 Tapered electrode design 8249 Single Platinum 8250 Xtreme Performance 8251 Xtreme Start 8252 Xtreme Sport				
HA w/Wauk. FC281	----		386	.025					
HAH w/Herc. JX4C3	XST458 ⁸²⁵¹		308	.025					
HAH-E w/Herc. JX4D	XST458 ⁸²⁵¹		308	.025					
HF, HH, HM, HO w/Herc. Engs.	XST458 ⁸²⁵¹		308	.025					
HR, HU, TM w/Herc. Engs.	XST458 ⁸²⁵¹		308	.025					
MC4 w/IHC V549	XST254 ⁸²⁵¹		303	.025					
T40 w/Cont. FS-162	----		386	.025					

Commercial Equipment - Construction Equipment

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ICE KING				INTERNATIONAL HARVESTER (Cont'd)			
Ice Auger				Crawler Tractors (Cont'd)			
w/Tec. Engs.	XST255 ⁸²⁵¹	255	.030	IK40, 1-12, 1-14, 1-30, 1-40	----	3076	.025
IMER				T-20, T-35, T-40	----	3076	.025
Concrete Mixers, Masonry Saws & Trowels				T-340	----	373	.025
w/Honda 2.5 h.p.	XST258 ⁸²⁵¹	258	.030	T-340A, 1500, 1600	----	386	.025
w/Honda 3 h.p.	----	----	.030	T4, T5, T340	----	386	.025
w/Honda 5, 5.5, 9 & h.p. OHV	XS65 ⁸²⁵²	65	.035	T-6	----	3116	.025
INDIANA				T-6 (Shielded)	----	2225	.025
Pneumatic	----	3076	.025	T-9, T-20, T3-5, T-40, TA-40	----	3076	.025
INGERSOLL				TD-14, TD-14A, TD-18, TD-18A	----	3077	.025
Loaders/Backhoes				TD-15 18mm Heads	----	386	.025
w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	TD-15 7/8"-18 Heads	----	3077	.025
w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	TD-20, TD-24, TD-35, TD-40	----	3077	.025
w/Onan 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	TD-6, TD-9 Gasoline Starting Engs. .	----	386	.025
INGERSOLL-RAND				(Light Service)	----	386	.025
Concrete Mixers, Concrete Saws, Portable Lighting, Power Buggies, Screeds & Trowels				IOWA			
w/Honda 1.5 h.p. OHC	----	4194	.030	w/Cont. F-245	----	386	.025
w/Honda 4, 5.5, 9 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	w/Ford 240 cid Engs.	AP124 ⁸²⁴⁹	124	.025
w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	w/Ford 256 cid Engs.	AP404 ⁸²⁴⁹	404	.025
w/Wisc. 35 h.p.	----	386	.025	w/IHC UC-301	----	3116	.025
w/Wisc. 65 h.p.	XS65 ⁸²⁵²	65	.025	JACKSON			
INSLEY EXAVATORS				Tampers & Vibrators			
w/Buda KTU	----	3076	.025	w/Ford Engs.	AP45 ⁸²⁴⁹	45	.030
w/Buda H205, H298, HP260, HP298, HP326	----	386	.025	w/Kohler 6.25 h.p.	XST458 ⁸²⁵¹	458	.030
w/Cat. D-311, D-315, D-318	----	373	.025	w/Wisc. Engs.	----	386	.025
w/Ford V-8	XST254 ⁸²⁵¹	303	.025	7/8"-18 Heads	----	3076	.025
w/Chry. Ind. 12, 12A	XST254 ⁸²⁵¹	303	.025	JAEGER			
w/Chry. Ind. 14, 14A	XST458 ⁸²⁵¹	295	.025	Mixers			
w/Herc. Engs. 14mm Threads	XST458 ⁸²⁵¹	308	.025	w/Chry. Engs.	----	306	.025
w/Herc. Engs. 7/8"-18 Threads	----	3076	.025	w/Cont. Engs.	----	386	.025
w/IHC UD-9A	----	386	.025	JEONIL			
w/M-M 425-6A (Low Comp. Heads) .	----	3076	.025	Concrete Cutters, Power Trowels, Vibratory Plate Compactors & Vibratory Screeds			
w/M-M 425-6A (High Comp. Heads) .	----	3076	.025	w/Honda 1.5 h.p. OHC	----	4194	.030
w/Wauk. 6BA, 6MZA, 6ZKA, 195, 195GK	----	386	.025	w/Honda 4.5, 5.5, 7 & 9 h.p. OHV ...	XS65 ⁸²⁵²	65	.030
w/Wauk. 140GKB	----	216	.025	w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030
INTERNATIONAL HARVESTER				w/Robin 4.5, 6 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
Backhoe, Loaders				w/Robin 20.5 h.p. (V-Twin)	XS63 ⁸²⁵²	4263	.025
3400A, 3500A, 3514, 3600A				JIGER			
Gasoline	----	3116	.025	Utility Vehicles			
3444 Gasoline	AP425 ⁸²⁴⁹	425	.025	Twin	AP425 ⁸²⁴⁹	425	.020
3616, 3800, 3850 Gasoline	----	3116	.025	JOHN DEERE			
4120 w/Kohler Engs.	----	216	.030	End Loader JD-24	----	386	.025
4125	----	216	.025	Loader JD14SS, 70SS	AP404 ⁸²⁴⁹	404	.025
4130 w/Onan NHC	AP404 ⁸²⁴⁹	404	.025	Skidster Loader 170	----	386	.025
4135	AP404 ⁸²⁴⁹	404	.025	Trencher JD-11	XST458 ⁸²⁵¹	295	.025
4140 w/Chry. & Ford Engs.	XS63 ⁸²⁵²	63	.025	Trencher JD-21	----	216	.025
4150 w/Ford Engs.	----	216	.025	400	XS65 ⁸²⁵²	65	.025
4150 w/Mazda Engs.	XS63 ⁸²⁵²	63	.025	JD300, 350, 440, 450, 544	AP404 ⁸²⁴⁹	404	.025
Crawler Tractors				JUMBO			
10-20, 20	----	3076	.025	14mm Threads	XST458 ⁸²⁵¹	295	.025
C-281	----	386	.025	18mm Threads	----	386	.025
D-281-4, D-350, D-461, D-691, D-1091	----	3077	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KALAMAZOO									
2500, 4000, K45, X301		---	386	.030					
K45 (14mm Threads)		XST458 ⁸²⁵¹	295	.025					
T30B		XS65 ⁸²⁵²	65	.030					
KAMAK									
Cement Mixers									
w/B&S Engs.		XST458 ⁸²⁵¹	458	.030					
KELLOGG AMERICAN									
14mm Threads		XST458 ⁸²⁵¹	458	.025					
18mm Threads		---	386	.025					
KELLY									
Screeds									
w/B&S "L" Head Engs.		XST458 ⁸²⁵¹	458	.030					
w/Honda 4 h.p. OHV		XS65 ⁸²⁵²	65	.030					
KERRICK									
w/B&S Engs		XST458 ⁸²⁵¹	458	.030					
w/Clinton 1100		XST254 ⁸²⁵¹	303	.025					
w/Clinton C-700		XST458 ⁸²⁵¹	295	.025					
w/Kohler Engs.		XST458 ⁸²⁵¹	295	.025					
w/Onan Engs.		---	216	.025					
KEYSTONE									
Drills									
50, 60 w/Cont. Engs.		---	386	.025					
50 w/Herc. Engs.		---	386	.025					
80, 18A w/Buda Engs.		---	386	.025					
KING									
Hoists									
14mm Threads		XST458 ⁸²⁵¹	295	.025					
18mm Threads		---	386	.025					
KINNECO									
All Models w/14mm Threads		XST458 ⁸²⁵¹	295	.025					
All Models w/18mm Threads		---	386	.025					
All Models w/7/8"-18 Threads		---	3076	.025					
KLEECO									
Marine Mobile Hoists									
w/Ford LSG423 140 cid Engs.		XP104 ⁸²⁵⁰	104	.035					
w/Ford CSG649 300 cid Engs.		AP124 ⁸²⁴⁹	124	.030					
w/Ford LSG875 460 cid Engs.		XP24 ⁸²⁵⁰	24	.035					
w/Herc. G1600, G2300, G3400 Engs.		XST254 ⁸²⁵¹	303	.030					
KODIAK									
Industrial Sweepers									
w/Honda 2.2 h.p.		XST258 ⁸²⁵¹	258	.030					
KOEHRING (See Master)									
Road Pavers									
w/B&S Model A		---	386	.025					
w/Buda HP205, HP217		---	386	.025					
w/Buda HP326, K-428, L515		---	386	.025					
w/Buda LO515		XST254 ⁸²⁵¹	303	.025					
w/Buda 6MO-970		---	386	.025					
KOEHRING (See Master) (Cont'd)									
Road Pavers (Cont'd)									
w/Buda 6B273		XST458 ⁸²⁵¹	295	.025					
w/Case LAE, LIM		---	3076	.025					
w/Chry. C-36		XST254 ⁸²⁵¹	303	.025					
w/Herc. HXC		XST254 ⁸²⁵¹	303	.025					
w/LeRoi D-201, D-176		XST458 ⁸²⁵¹	295	.025					
w/LeRoi D-133, SRP, XRP		---	3076	.025					
w/Wauk. 6 WAK, 140G, 145GS, 195-GKA		---	386	.025					
w/Wauk. 6RBR, 6SRK, 6SRL, XAH ..		---	3076	.025					
w/Wauk. 6SRKR, 6SRKU, 6SRLR ..		---	3076	.025					
w/Wauk. 135GKB		XST458 ⁸²⁵¹	295	.025					
w/Wauk. 140GZB		---	216	.025					
w/Wauk. WAK, WAL		---	386	.025					
w/Wisc. 18mm Threads		---	386	.025					
w/Wisc. 7/8"-18 Threads		---	3076	.025					
KOLBERG									
Conveyers & Stackers									
w/Ford 134, 172 & 192 cid Engs.		---	216	.025					
w/Ford 300 cid Engs.		AP124 ⁸²⁴⁹	124	.025					
w/IHC VC135, VC153		---	3116	.025					
KOR-IT									
Core Drills									
w/Honda 2.5 h.p.		XST258 ⁸²⁵¹	258	.030					
w/Honda 10 & 13 h.p. OHV		XS65 ⁸²⁵²	65	.030					
KRANE KAR									
w/Ford Engs.		AP124 ⁸²⁴⁹	124	.030					
w/Chry. 30, 31, 33		XST254 ⁸²⁵¹	303	.035					
w/Chry. H318		XS85 ⁸²⁵²	85	.035					
w/Chry. HT361, HT48		---	405	.030					
w/Cont. 162, 224, 226		---	386	.025					
KUSHLAN									
Cement Mixers									
w/B&S 3.5 h.p.		XST458 ⁸²⁵¹	458	.030					
KUT-KWICK									
All Models		---	386	.025					
KWIK-MIX									
14mm Threads		XST458 ⁸²⁵¹	295	.025					
18mm Threads		---	386	.025					
KYSOR LEADER EVAPORATOR CO.									
w/Power Prod. AH47		XST458 ⁸²⁵¹	295	.025					
L&A PRODUCTS									
Steam Cleaners									
w/B&S 16 h.p.		XST458 ⁸²⁵¹	458	.030					
w/Kohler 8 h.p.		XST458 ⁸²⁵¹	458	.025					
w/Kohler 10 h.p.		---	216	.025					
LA PLANT-CHOATE									
Starting Engines									
w/Cont. Engs.		---	386	.025					
w/Willys Engs.		XST254 ⁸²⁵¹	303	.025					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LAWNBOY				LINCOLN ELECTRIC (Cont'd)			
Space Heaters				Welders (Cont'd)			
Models 53400, 53401	XS985 ⁸²⁵²	985	.050	Weldanpower 125 w/Robin 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
LAWTON				Weldanpower 130, 150 AC, 150 AC/DC			
All Models	---	3076	.025	225 Lincwelder w/Onan CCK	---	216	.025
LAYTON				225 w/Wisc. THD			
Rollers				SA200, SAF300 w/Cont. Eng.			
w/Onan CCK, NH	---	216	.020	SAE300, SAE400 w/Cont. Eng.	---	386	.025
w/Onan NHC	AP404 ⁸²⁴⁹	404	.025	SAE600 w/Herc. G3400	XST458 ⁸²⁵¹	295	.025
w/Tec. HH-100, HH-120 Eng.	XST458 ⁸²⁵¹	458	.025	w/B&S 8 & 9 h.p.	XST458 ⁸²⁵¹	458	.030
LESSMAN				w/Buda Eng. 18mm Threads			
Shovels				w/Buda Eng. 7/8"-18 Threads			
HF10 w/Ford Eng. (Unshielded) ...	---	216	.025	w/Cont. Eng.	---	386	.025
HF10 w/Ford Eng. (Shielded)	---	2325	.025	w/GM 3.0L Eng.	XP103 ⁸²⁵⁰	103	.045
LEWIS SHEPARD				w/Herc. Eng. 14mm Threads			
14mm Threads	---	306	.025	w/Herc. Eng. 7/8"-18 Threads	XST254 ⁸²⁵¹	303	.025
18mm Threads	---	386	.025	w/Honda 9 h.p. OHV	XS65 ⁸²⁵²	65	.030
LEYLAND				w/Kohler 10 h.p.			
All Models	---	386	.025	w/Kohler 18 h.p. (Twin)	XST3924 ⁸²⁵¹	3924	.040
LIMA				w/Kohler 20 h.p. (V-Twin)			
101 Shovels w/Models 34, 302, 303 ..	---	3076	.025	w/Onan 16 & 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
101 Shovels w/Models 405, 503, 550	---	3076	.025	w/Onan CCK	---	216	.025
101 Shovels w/Models 601, 602, 701, 801	---	3076	.025	w/Onan Performer 16 h.p.	AP106 ⁸²⁴⁹	106	.025
All Other Models w/Regular Fuel	---	3076	.025	w/Robin 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/Buda L-525	---	386	.025	w/Robin 20.5 h.p. (V-Twin)	XS63 ⁸²⁵²	63	.025
All Others, Regular Fuel	---	3076	.025	w/Wauk. Eng.	---	3076	.025
LINDSAY				w/White Eng.			
All Models	---	386	.025	w/Wisc. TM27	XST254 ⁸²⁵¹	303	.025
LINK BELT				w/Wisc. Eng.			
Shovels				w/Wisc. Eng.			
58 Series	---	386	.025	LINDSAY			
68 Series	---	3076	.025	All Models			
88 Series w/Wauk. 135GZ	---	216	.025	---			
88 Series w/Wauk. 140GK	---	386	.025	386			
98 Series	---	386	.025	LINK BELT			
LINCOLN ELECTRIC				Shovels			
Welders				58 Series			
Classic I, III	XS63 ⁸²⁵²	63	.025	68 Series	---	3076	.025
Classic 300G	XP103 ⁸²⁵⁰	103	.045	88 Series w/Wauk. 135GZ	---	216	.025
Pipeliner 200G	XP103 ⁸²⁵⁰	103	.045	88 Series w/Wauk. 140GK	---	386	.025
Power Arc 4000	XST458 ⁸²⁵¹	458	.030	98 Series	---	386	.025
Power Arc 5500 w/Honda 9 h.p. OHV	XS65 ⁸²⁵²	65	.030	LINN			
Power Arc 5500 w/Robin 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/14mm Threads			
Ranger 8 w/16 h.p. Onan	AP106 ⁸²⁴⁹	106	.025	w/7/8"-18 Threads			
Ranger 8 LPG w/16 h.p. Onan	AP106 ⁸²⁴⁹	106	.020	XST254 ⁸²⁵¹			
Ranger 8 w/18 h.p. Kohler	XST3924 ⁸²⁵¹	3924	.040	---			
Ranger 9 w/18 h.p. Onan	AP106 ⁸²⁴⁹	106	.025	LIQUID RED DIAMOND			
Ranger 250 w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040	Welders			
Ranger 250 LPG w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	w/14mm Threads			
Ranger 250 w/Robin 20.5 h.p. (V-Twin)	XS63 ⁸²⁵²	63	.025	w/18mm Threads			
Ranger 305G w/Kohler 22 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040	LITTLEFORD			
Ranger 10,000 w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	Paver Finisher BTF80			
Ranger 10,000 w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040	Roller S54V, Spraymaster			
Ranger GXT, Ranger 3 Phase	XST3924 ⁸²⁵¹	3924	.040	w/Ford Eng. 14mm Threads			
Weldanpower 125 w/B&S "L" Head Eng.	XST458 ⁸²⁵¹	458	.030	w/Lauson Eng.			
				w/18mm Threads			
				LITTLE GIANT			
				Sweepers			
				Hy-Port			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
LOADKING				MARION			
w/Ford 317	---	216	.025	Shovels			
w/Reo Eng's.	XST254 ⁸²⁵¹	303	.025	Model 33M w/Buda K-428	---	386	.025
LOMBARD				Model 331 w/Buda L-525	---	386	.025
Welder	---	353	.025	Model 342 w/Buda LO-525	XST254 ⁸²⁵¹	303	.025
LONDON CONCRETE (Canada)				Model 372 & 382 w/Buda JK-6	---	3076	.025
w/14mm Threads	XST458 ⁸²⁵¹	295	.025	MARK			
w/18mm Threads	---	386	.025	Rollers	AP425 ⁸²⁴⁹	425	.025
LOOMIS				MARSHALLTOWN			
Well Drills				Power Trowel			
All Models	---	386	.025	w/B&S Eng's.	XST458 ⁸²⁵¹	458	.030
LORAIN (See Thew)				MASSEY FERGUSON			
LULL				Loaders			
T10G2, T10G4	XST254 ⁸²⁵¹	303	.025	MF40 w/Perkins 152, 3/8" Reach ...	XST458 ⁸²⁵¹	295	.025
MAGINNISS				MF40 w/Perkins 152, 3/4" Reach ...	AP403 ⁸²⁴⁹	403	.025
w/Cont. Eng's.	---	386	.025	MF711B w/Wisc. VH4D	---	386	.030
w/Ford 172 cid Eng's.	---	216	.025	Turf Tractors			
w/Wisc. ABNL, ACND, AENS, AKN ...	---	386	.025	MF20 w/Perkins 152, 3/8" Reach ...	XST458 ⁸²⁵¹	295	.025
w/Wisc. AKS, TE, TF, THD	---	386	.025	MF20 w/Perkins 152, 3/4" Reach ...	AP403 ⁸²⁴⁹	403	.025
MAGNUM				MF30 w/Perkins 212, 3/8" Reach ...	XST458 ⁸²⁵¹	295	.025
Wheel Barrow				MF30 w/Perkins 212, 3/4" Reach ...	XP64 ⁸²⁵⁰	64	.025
Badger Buggy w/Honda 13 h.p.	XS65 ⁸²⁵²	65	.030	MASTER			
MAGNUM DIAMOND				Compactors			
Pavement Saws				C12C	---	386	.025
w/Wisc. 37 h.p.	---	386	.025	B100000G	---	216	.025
w/Wisc. 65 h.p.	XS65 ⁸²⁵²	65	.025	P2000, P5000	XST458 ⁸²⁵¹	295	.025
MAHTO				T10000 A	AP425 ⁸²⁴⁹	425	.025
Mason Tenders				w/Chry. Eng's.	---	216	.025
w/Kohler 8 h.p.	XST458 ⁸²⁵¹	458	.025	Heaters (Oil Fired)			
Power Buggys				30, 30A, 50A	XS65 ⁸²⁵²	65	.045
w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	Power Trowels			
MALL TOOL				29GT, EC34, F36B, F46B, RF3B3 ..	XST458 ⁸²⁵¹	295	.025
w/B&S Eng's. 14mm Threads	XST458 ⁸²⁵¹	295	.025	Power Screeds			
w/B&S Eng's. 18mm Threads	---	386	.025	AVS	---	386	.025
w/Kohler 4 h.p.	XST458 ⁸²⁵¹	308	.025	SWS-2	XST458 ⁸²⁵¹	295	.025
w/Own Eng's. 5, 6, 7, 7G, 7H, 8, 14G	---	386	.025	Rollers			
w/Own Eng's. DJ, 10, 11, 12, 12A,				TVR26, TVR30	---	216	.025
2MG	XST458 ⁸²⁵¹	295	.025	Vibrators			
w/Wisc. AKN	---	386	.025	20U	XST458 ⁸²⁵¹	295	.025
14mm Threads (2-cycle Eng's.)	XST254 ⁸²⁵¹	303	.025	23U, PMR2500, PMR2502	---	386	.025
14mm Threads (4-Cycle Eng's.)	XST458 ⁸²⁵¹	295	.025	w/Chry. Eng's.	---	216	.025
MANITOWOC				w/14mm Threads	XST458 ⁸²⁵¹	295	.025
Speedcranes				w/18mm Threads	---	386	.025
w/Herc. HXB, HXE	---	3076	.025	w/7/8"-18 Threads	---	3076	.025
w/Wauk. 135, 145GKB	---	216	.025	M-B GRADERS			
MANO MFG. CO.				w/IHC U-4, U-6, IU-6	---	386	.025
w/Chry. 61010, 86010 Eng's.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	w/IHC UD-6	---	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
M.B.W.				MILLER (Cont'd)			
Compactors, Concrete Mixers, Screeds, Trowels & Vibratory Plate Compactors				Concrete Saws, Concrete Buggies & Curb Builders (Cont'd)			
w/B&S "L" Head Engs.	XST458 ⁸²⁵¹	458	.030	w/Honda 18 & 20 h.p. OHV (V-Twin) .	XS65 ⁸²⁵²	65	.030
w/Chry. Engs.	XST458 ⁸²⁵¹	295	.025	w/Kohler 15 h.p. OHV	XST3924 ⁸²⁵¹	3924	.040
w/Honda Mini 4-Stroke Engs.	----	4194	.030	MILLER ELECTRIC			
w/Honda 2.5 h.p.	XST258 ⁸²⁵¹	258	.030	Generator/Welders			
w/Honda OHV Engs.	XS65 ⁸²⁵²	65	.030	Blue Star 3500 w/Honda 9 h.p. OHV .	XS65 ⁸²⁵²	65	.030
w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030	Blue Star 3500 w/Kohler 8 h.p.			
w/Kohler 4 & 7 h.p.	XST458 ⁸²⁵¹	458	.025	Command Pro CS	XS65 ⁸²⁵²	65	.040
w/Kohler 12 h.p.	----	216	.025	Blue Star 6000 w/Honda 13 h.p.			
w/Kohler 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	OHV	XS65 ⁸²⁵²	65	.030
w/Robin 1.6 h.p. OHV	XST255	255	.030	Blue Star 6000 w/Kohler 12 h.p.			
w/Robin 4 h.p.	XST258 ⁸²⁵¹	258	.025	Command Pro CS	XS65 ⁸²⁵²	65	.040
w/Robin 4.5 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	Bobcat 225 w/Kohler 20 h.p. V-Twin			
w/Other Robin Engs.	AP425 ⁸²⁴⁹	425	.025	(Gasoline)	XST3924 ⁸²⁵¹	3924	.040
w/Wisc. Engs.	----	386	.025	Bobcat 225 w/Kohler 20 h.p. V-Twin			
McCULLOCH				(LPG)	XST3924 ⁸²⁵¹	3924	.030
15-M	XST458 ⁸²⁵¹	295	.025	Bobcat 225 w/ Robin 22 h.p. (V-Twin)			
W1-A1, A2 170 Amp. Welder	----	353	.025		XS63 ⁸²⁵²	63	.025
Earth Drill 99	XST458 ⁸²⁵¹	295	.025	Bobcat 250 w/Kohler 20 h.p. V-Twin			
Fire Pump 7FP Normal Service	XST458 ⁸²⁵¹	295	.025	(Gasoline)	XST3924 ⁸²⁵¹	3924	.040
Fire Pump 7FP Severe Service	XST254 ⁸²⁵¹	303	.025	Bobcat 250 w/Kohler 20 h.p. V-Twin			
Mac GPD Drill	XST2976 ⁸²⁵¹	2976	.030	(LPG)	XST3924 ⁸²⁵¹	3924	.030
Titan GPD 22 Drill	XST2976 ⁸²⁵¹	2976	.030	Bobcat 250 w/ Robin 22 h.p. (V-Twin)			
MCS					XS63 ⁸²⁵²	63	.025
Drain Cleaners & Fans				Trailblazer 275 DC w/Kohler 20 h.p.			
w/Honda 5.5 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	V-Twin (Gasoline)	XST3924 ⁸²⁵¹	3924	.040
METAL FORMS				Trailblazer 275 DC w/Kohler 20 h.p.			
Truss Screeds				V-Twin (LPG)	XST3924 ⁸²⁵¹	3924	.030
w/Honda 3 h.p. OHV	----	4194	.030	Trailblazer 275 DC w/ Robin 22 h.p.			
MICHIGAN				(V-Twin)	XS63 ⁸²⁵²	63	.025
Tractor Shovels				Trailblazer 302 w/Kohler 20 h.p. V-			
w/Cont. F-244, F-226	----	386	.025	Twin (Gasoline)	XST3924 ⁸²⁵¹	3924	.040
w/Wauk. F265G	XP64 ⁸²⁵⁰	64	.025	Trailblazer 302 w/Kohler 20 h.p. V-			
w/Wauk. F283K	XS65 ⁸²⁵²	65	.025	Twin (LPG)	XST3924 ⁸²⁵¹	3924	.030
w/Wauk. 135GZ	----	216	.025	Trailblazer 302 w/ Robin 22 h.p. (V-			
w/Wauk. 180GKB, 190GLB	----	386	.025	Twin)	XS63 ⁸²⁵²	63	.025
MIGHTY MAN				Welders			
Graders w/14mm Threads	XST458 ⁸²⁵¹	295	.025	AD-225-L w/Kohler 24 h.p.	XST458 ⁸²⁵¹	458	.030
Graders w/18mm Threads	----	386	.025	AEA-200, AEA-200-E w/Onan CCK .	----	216	.025
Mighty Mole Borers M470, M1800 ..	----	386	.025	AEA-200-L, AEA-200-LE w/Onan			
MIKASA				CCK	----	216	.025
Tamping Rammers				AEAB-200-LE w/Onan CCK	----	216	.025
MTR-40F	----	255	.030	AEAD-200, AEAD-200-E w/Onan			
MTR-60L	AP425 ⁸²⁴⁹	425	.030	CCK	----	216	.025
MTX-60, MTX-70	----	4194	.030	AEAD-200-L, AEAD-200-LE w/Onan			
R421 Series, R440H	----	4194	.030	CCK	----	216	.025
R480 Series w/Honda 3 h.p. OHV ...	----	4194	.030	Bantam 2, 2E w/Wisc. S12, Big 20G .	----	386	.025
R480, R481 Series w/Robin 4 h.p.				Big 40G	XS63 ⁸²⁵²	63	.025
OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	Blue Star 145, 145DX, 180K	XST3924 ⁸²⁵¹	3924	.040
MILLER				Blue Star 185	XS65 ⁸²⁵²	65	.030
Concrete Saws, Concrete Buggies & Curb Builders				Blue Star 185DX	XST3924 ⁸²⁵¹	3924	.040
w/Honda 3 h.p. OHV	----	4194	.030	Bobcat 3-Phase	XST3924 ⁸²⁵¹	3924	.040
w/Honda 4, 8, 11 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	Bobcat 225G Plus	AP106 ⁸²⁴⁹	106	.025
				Bobcat 225 NT	XST3924 ⁸²⁵¹	3924	.040
				Bobcat 250 NT w/Kohler 20 h.p.			
				(V-Twin)	XST3924 ⁸²⁵¹	3924	.040
				Bobcat 250 NT w/ Onan 20 h.p.			
				(Twin)	AP106 ⁸²⁴⁹	106	.025
				Memco Bantam w/Kohler 14 h.p. ...	XST458 ⁸²⁵¹	458	.030
				Miller Legend, Trailblazer 250G	AP106 ⁸²⁴⁹	106	.025
				Miller Legend 301G, 302	XST3924 ⁸²⁵¹	3924	.040
				Roughneck 2	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
				Trailblazer DC	XST3924 ⁸²⁵¹	3924	.040
				Trailblazer I, II, III, IV w/Wisc. 37 h.p.	----	386	.025
				Trailblazer, J Series Jeep F4	XST458 ⁸²⁵¹	295	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MILLER ELECTRIC (Cont'd)				M.J.TAYLOR			
Welders (Cont'd)				Asphalt Maintenance Equipment			
Trailblazer 301 G w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040	Model 300 Sprayer w/Honda 5.5 h.p.	XS65 ⁸²⁵²	65	.030
Trailblazer 301 G w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	Model 550 Sprayer w/Kohler 10 h.p.	----	216	.030
w/Honda OHV Eng.	XS65 ⁸²⁵²	65	.030	T-211 Paver w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030
w/Kohler 10, 12.5 & 13 h.p. OHV	XST3924 ⁸²⁵¹	3924	.040	T-240 Vibratory Roller w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030
w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.040	T-2000 w/B&S 8 h.p.	XST458 ⁸²⁵¹	458	.030
w/Onan 16, 18 & 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	MK DIAMOND			
w/Onan B48M	----	437	.025	Asphalt Saws, Block Saws, Concrete Saws & Floor Grinders			
w/Onan Performer	AP106 ⁸²⁴⁹	106	.025	w/Honda 5.5, 6.5, 8, 9, 11 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
w/Robin 22 h.p. V-Twin	XS63 ⁸²⁵²	63	.025	w/Honda 20 h.p. (V-Twin)	XS65 ⁸²⁵²	65	.030
w/Tec. 16 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025
w/Wisc. TM20	XS63 ⁸²⁵²	63	.025	MMD-NAC			
w/Wisc. 28 h.p.	----	386	.025	Vibratory Drum Rollers, Vibratory Plate Compactors			
MINNEAPOLIS-MOLINE				MMD-NAC			
Graders GTB, GTG, UTG	----	3076	.025	Vibratory Drum Rollers, Vibratory Plate Compactors			
MI-T-M				MMD-NAC			
2004 Washer	XST255 ⁸²⁵¹	255	.025	Vibratory Drum Rollers, Vibratory Plate Compactors			
MITSUBISHI				MMD-NAC			
Generator/Welders				Vibratory Drum Rollers, Vibratory Plate Compactors			
MG650-D, MG1300-D, MG2000-D, MG3000-D	XST255 ⁸²⁵¹	255	.025	w/Honda 3 h.p. OHV	----	4194	.030
MGA1300-F02, MGA1800DX-F02, MGA2900, MGC1101	XS65 ⁸²⁵²	65	.030	w/Honda 4, 5.5 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
MGB1800, MGA2900, MGB2900, MGE2900	XS65 ⁸²⁵²	65	.030	w/Honda 18 h.p. (V-Twin)	XP65 ⁸²⁵⁰	65	.030
MGB4000, MGB40001, MGB4800, MGB48001	XS65 ⁸²⁵²	65	.030	MOBILOADER			
MGE1800-F02, MGE2900-F02, MGE4000-R02	XS65 ⁸²⁵²	65	.030	w/Cat. Tractor D-4			
MGE4800-R02, MGE5800-R02, MGE6700-R02	XS65 ⁸²⁵²	65	.030	----			
MGA2900X-F02, MGW150A, MGW200A	XS65 ⁸²⁵²	65	.030	MODWELL			
MGW1500-F02, MGW1800, MGW18001, MGW200A-F02	XS65 ⁸²⁵²	65	.030	Tracked Carriers			
Off-Road Utility Vehicle				Tracked Carriers			
Mighty Mits w/30 h.p. Eng.	XP64 ⁸²⁵⁰	64	.035	RN35, RN75, RN110 w/Ford 240 cid Engs.	AP45 ⁸²⁴⁹	45	.025
MITTS & MERRILL				Tracked Carriers			
Saws				Tracked Carriers			
M-2 w/Ford 172 cid Engs.	----	216	.030	RN35, RN75, RN110 w/Ford 300 cid Engs.	AP124 ⁸²⁴⁹	124	.025
M-3, M-4, M-6 w/Ford 240 cid Engs.	AP124 ⁸²⁴⁹	124	.030	RN35, RN75, RN110 w/GM 478 cid	AP403 ⁸²⁴⁹	403	.025
M-7, M-8, M-11, M-12 w/Ford 300 cid Engs.	AP124 ⁸²⁴⁹	124	.030	Brush Pickup w/Ford 200 cid	AP45 ⁸²⁴⁹	45	.025
M-13, M-9 w/Ford 330 cid Engs.	AP124 ⁸²⁴⁹	124	.030	Snowpacer w/Ford 200 cid	AP45 ⁸²⁴⁹	45	.025
MI-T-VAC				MONARCH			
w/B&S Engs.	XST458 ⁸²⁵¹	458	.030	Utility, Concrete & Mortar Mixers			
w/Tec. Engs.	XST458 ⁸²⁵¹	458	.030	4-SGW, 5-SGW, 6-SGW, 6-SRGW	AP425 ⁸²⁴⁹	425	.025
MIXERMOBILE				MONARCH			
w/Chry. 6-Cyl. Engs.	XST254 ⁸²⁵¹	303	.035	10XG, 10XWG, 11XG, 11XWG	XST255 ⁸²⁵¹	255	.025
w/Chry. V-8 Engs. 3/8" Reach	XST254 ⁸²⁵¹	303	.035	C3-SD, C6-SDBS, 4-SG, 6-SG	XST255 ⁸²⁵¹	255	.025
w/Ford Engs.	----	216	.025	C6-SD	----	386	.025
MORRISON				MONARCH			
Space Heaters				Utility, Concrete & Mortar Mixers			
ACH	----	275	.050	4-SGW, 5-SGW, 6-SGW, 6-SRGW	AP425 ⁸²⁴⁹	425	.025
ACM, PE-1, PEG-3	----	2852	---	10XG, 10XWG, 11XG, 11XWG	XST255 ⁸²⁵¹	255	.025
PE-1A, PEG-3A	XST254 ⁸²⁵¹	254	.050	C3-SD, C6-SDBS, 4-SG, 6-SG	XST255 ⁸²⁵¹	255	.025
PEG-8, PEG-12, ACM	----	2852	---	C6-SD	----	386	.025
PEG-8A, PEG-12A	XST254 ⁸²⁵¹	254	.050	M10GW, SM10GW	AP425 ⁸²⁴⁹	425	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MOTO PAVER				MULTIVIBE			
All Models	XST458 ⁸²⁵¹	295	.025	Screeds & Vibratory Plate Compactors			
				w/Honda Mini 4-Stroke Engs.	----	4194	.030
MQ POWER				MUNCIE			
Compactors, Finishers, Mixers, Rammers, Rollers, Screeds, Trowels, Vibrators & Welders				OB1, OB32C, OB63, CM3, Bicycle ..			
Concrete Pumps	XS65 ⁸²⁵²	65	.030	OB16, UM3 Utility Engs.	----	386	.025
Gladden 75	XST458 ⁸²⁵¹	295	.025		----	386	.025
Power Buggys w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	NAPCO			
Power Buggys w/Wisc. Engs.	----	386	.025	42PG, 42PG-1000 w/Cont. F226-1463, F245-04213			
w/B&S 3, 5, 7 & 8 h.p.	XST458 ⁸²⁵¹	458	.030		----	386	.025
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926 ⁸²⁵¹	3926	.030	44PG, 44PG-1000 w/Cont. F226-1463, F245-04213			
w/B&S 31 h.p. 3-Cyl. (liquid cooled) ..	XST3924 ⁸²⁵¹	3924	.030		----	386	.025
w/Honda 3 h.p. OHV	----	4194	.030	NATIONAL CARBON			
w/Honda 4, 5, 5.5, 8, 10, 11 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	Ovens			
w/Honda 18 & 20 h.p. OHV (V-Twin) ..	XS65 ⁸²⁵²	65	.030	1/2"-14 Pipe Heads			
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030		----	3095	.025
w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	NED-KUT			
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	Block Saws & Concrete Saws			
w/Robin EC08GH, EC10G Engs.	XST458 ⁸²⁵¹	308	.025	w/Honda 9 & 13 h.p. OHV			
w/Robin EC08G, EC12D, ET-40D Engs.	AP425 ⁸²⁴⁹	425	.025		XS65 ⁸²⁵²	65	.030
w/Robin EC17F Engs.	AP425 ⁸²⁴⁹	425	.025	w/Kohler 16 h.p. (V-Twin)			
w/Robin EY-20W, EY27, EY-280W Engs.	AP425 ⁸²⁴⁹	425	.025		XST3924 ⁸²⁵¹	3924	.030
w/Robin EY-44W Engs.	AP425 ⁸²⁴⁹	425	.025	w/Wisc. 35 h.p.			
w/Robin 2.5 h.p. OHV	XST255 ⁸²⁵¹	255	.025		----	386	.025
w/Robin 3.5 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	NELSON			
w/Robin 6 & 8.5 h.p.	----	4123 ⁸²⁴⁸	.025	Loaders			
w/Wisc. 4.6 h.p.	AP425 ⁸²⁴⁹	425	.025	K-5, KR-5			
w/Wisc. 7.5 h.p.	----	275	.025		----	386	.025
w/Wisc. 11 h.p.	----	275	.025	P-10, Q-10, R-10			
w/Wisc. AKN & BKN	----	386	.025		XST458 ⁸²⁵¹	308	.025
				All Other Models			
					----	386	.025
M.R.S.				NEVARR			
w/IHC UD-9, UD-16	----	386	.025	Vibratory Plate Compactors			
w/IHC UD-18A	----	3077	.025	w/Honda 5.5 h.p.			
					XS65 ⁸²⁵²	65	.030
MTA				NODWELL			
D.C. Arc Welders				Brush Pick-up w/GM 478 cid Engs. ...			
w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030		AP403 ⁸²⁴⁹	403	.025
				Snowpacer w/GM 478 cid Engs.			
					AP403 ⁸²⁴⁹	403	.025
				RN35, RN75, RN110 w/Ford 240 ...			
					AP45 ⁸²⁴⁹	45	.025
				w/Ford 200 cid Engs.			
					AP45 ⁸²⁴⁹	45	.025
				w/Ford 200 cid Engs. (Heavy Service)			
					AP45 ⁸²⁴⁹	45	.025
				w/Ford 300 & 330 cid Engs.			
					AP124 ⁸²⁴⁹	124	.025
MUD BUDDY				NORTHROCK			
Curb Makers				Ceiling Grinders, Screeds & Vibrators			
w/Honda 3 h.p. OHV	----	4194	.030	w/Honda Mini 4-Stroke Engs.			
					----	4194	.030
				w/Honda 4 & 5 h.p. OHV			
					XS65 ⁸²⁵²	65	.030
MULLER				NORTHSTAR			
w/B&S Engs.	XST458 ⁸²⁵¹	458	.030	Backhoes			
w/Honda 5.5, 8, 9 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030	Trencherman II w/B&S 8 h.p.			
w/Wisc. Engs.	----	386	.025		XST458 ⁸²⁵¹	458	.030
				NORTHWEST			
MULTI-FOOTE				Shovels			
Pavers				Model 4			
w/Buda Engs.	----	386	.025		----	386	.025
w/Cont. 31R	----	386	.025	Models 5, 6, 85			
w/Herc. YXC, YXC3	----	3076	.025		----	3076	.025
w/Wauk. SRK	----	3076	.025	Models 25-D, 41-D w/Cont. B-427 ..			
					----	386	.025
				Model 41 w/Cont. R-602			
					----	386	.025
				w/IHC PD-40, PD-80			
					----	3077	.025
				w/Wauk. 135GZU			
					----	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NORTHWEST (Cont'd)					OUT CLAW				
Shovels (Cont'd)					Pickup Backhoes				
All Other 14mm Heads		XST458 ⁸²⁵¹	308	.025	w/Honda 11 h.p. OHV		XS65 ⁸²⁵²	65	.030
All Other 18mm Heads		----	386	.025					
All Other 7/8"-18 Heads		----	3076	.025					
NOVO					OZTEC				
A-16, CA-33, DA-33 18mm Heads		----	386	.025	Ceiling Grinders				
BA-23, DA-33 14mm Heads		XST254 ⁸²⁵¹	303	.025	w/Honda 2.5 h.p. Mini 4-Stroke		----	4194	.030
CW Series 33, 47, 66, 95, 133		----	386	.025					
CWR Series 47, 66, 95, 133		XST458 ⁸²⁵¹	295	.025					
All 1/2"-14 Pipe Heads		----	3095	.025					
OHIO					P&H EXCAVATORS				
Locomotive Cranes									
18mm Threads		----	386	.025	w/Chry. Ind. 12		XST254 ⁸²⁵¹	303	.025
7/8"-18 Heads		----	3076	.025	w/Cont. Y-91		----	386	.025
					w/Ford Eng. 14mm Threads		----	216	.025
					w/Ford Eng. 18mm Heads		----	386	.025
					w/LeRoi Eng.		----	3076	.025
					w/Wauk. Eng. 18mm Heads		----	386	.025
					w/Wauk. Eng. 7/8"-18 Heads		----	3076	.025
OK CHAMPION					PACKMASTER				
Sewer Cleaners									
8-R6, 9-R6, 23-R6 w/B&S		XST458 ⁸²⁵¹	458	.030	2100B		AP124 ⁸²⁴⁹	124	.030
w/Cont. AU7		XST458 ⁸²⁵¹	295	.025	2100C w/Ford 391 cid Eng.		AP124 ⁸²⁴⁹	124	.030
w/LeRoi B45		----	386	.025					
w/Onan Eng.		XST458 ⁸²⁵¹	295	.025					
w/Wisc. AFN, AHH, TF, TH, VG4D		----	386	.025					
OLATHE					PAGE				
High Lifts		XST255 ⁸²⁵¹	255	.025	7/8"-18 Heads				
							----	3076	.025
OLIVER					PAPEC				
Crawlers									
2-44, 2-44L, 2-44LL, 2-44FL		----	386	.025	w/Ford 223 cid Eng.		AP45 ⁸²⁴⁹	45	.035
2-62, 2-62L, 2-62-15		----	386	.025	w/Ford 330 cid Eng.		AP124 ⁸²⁴⁹	124	.030
2-78, 2-78L, 2-78-15		XP64 ⁸²⁵⁰	64	.025					
2-78-17, 4-78, 4-78L		XP64 ⁸²⁵⁰	64	.025					
4-78-15, 4-78-17, 2-105, 4-105		XP64 ⁸²⁵⁰	64	.025					
ORTAS					PARAMOUNT				
Backhoes					Cub				
Pussy Cat Minidigger		XST3924 ⁸²⁵¹	3924	.030			----	216	.025
w/Kohler 11 & 14 h.p. OHV		XST3924 ⁸²⁵¹	3924	.030					
ORTON					PARMANCO				
Cranes, Shovels					Drills				
25, 30 18mm Heads		----	386	.025	All Models				
25, 30 w/Cat. D-13000		----	3076	.025			----	386	.025
40 w/Cat. D-17000		----	3076	.025					
w/Herc. DX		----	3076	.025					
w/IHC PD-40		----	3077	.025					
w/Wauk. 6TL		----	386	.025					
Other 7/8"-18 Heads		----	3076	.025					
OSGOOD					PARSONS				
18mm Threads		----	386	.025	Ditchers, Backfillers				
7/8"-18 Heads		----	3076	.025	w/Cat. D-318		----	386	.025
					w/Cat. D-8800		----	386	.025
					w/Herc. JX4C		XST458 ⁸²⁵¹	295	.025
					w/IHC U-9		----	3076	.025
					w/IHC UD-9, UD-9A		----	386	.025
					w/IHC UD-14A, UD-18A		----	3077	.025
					w/Wauk. 6BZ, 6BZU, 6MZA, 6MZAU		----	386	.025
					w/Wauk. 140GS, 140GKU, 140SU		----	386	.025
					w/Wauk. 145GKU, 195GKU		----	386	.025
					w/Wisc. VP4		----	386	.025
					All Other 7/8"-18 Heads		----	3076	.025
OTTAWA					PARTNER				
Hydra Hammers					Hydraulic Power Packs & Power Cutters				
w/Ford Eng.		AP45 ⁸²⁴⁹	45	.035	HP38 14 & 16 h.p.		XST458 ⁸²⁵¹	458	.030
w/Wisc. Eng.		----	386	.030	HP40 16 h.p.		XST3924 ⁸²⁵¹	3924	.030
					HP40 MARK II 16 h.p.		XST3924 ⁸²⁵¹	3924	.030
					K650 Active III, K700 Active III, K950				
					Active, K950 Chain		XST2974 ⁸²⁵¹	2974	.020
					K950 Rescue, K950 Ring, K1250				
					Active, K1250 Rail		XST2974 ⁸²⁵¹	2974	.020



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIÈRE PRIMERA	STANDARD ESTANDAR ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD ESTANDAR ESTANDAR	GAP ENCARTMENT ESPACIO
PAYLOADER (See Hough)				PRIME MOVER (Cont'd)			
w/Herc. JXC, JX4C, JXD, JXLD QXD3, QXLD	XST254 ⁸²⁵¹	303	.025	w/Wisc. Engs.	---	386	.025
w/Herc. QXD	XST458 ⁸²⁵¹	295	.025	QUICK WAY			
w/Herc. WXLC	XST254 ⁸²⁵¹	303	.025	Shovels			
w/Herc. 2000	---	386	.025	E, L	---	3076	.025
w/IHC G-153	---	386	.025	JS, E2, J2, L2, S2, S3	---	373	.025
w/IHC G-301	---	386	.025	85A	---	386	.025
w/IHC G-301 (Light Service)	---	386	.025	105A, 125A	---	386	.025
w/IHC U-9	---	3076	.025	w/IHC U-4	---	386	.025
w/IHC U-240, G-263, G264	XST458 ⁸²⁵¹	295	.025	w/IHC U-9	---	3076	.025
w/IHC UD-9, UD-264	---	386	.025	RACINE			
w/IHC UD-345, G-372	XST254 ⁸²⁵¹	303	.025	Compactors, Drills & Saws			
w/Wauk. 180-GKB, 180-GLB	---	386	.025	Anchor-Fast, Hydra-Quad,			
w/Wauk. FC, 190-GLS	---	386	.025	Octa-Gun	---	386	.030
w/Wauk. FC-281	---	373	.025	Presser 240G w/Ford V104	XS63 ⁸²⁵²	63	.025
PECO				Presser 1100 w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
Concrete Saws				Presser 1300 w/Wisc. 18 h.p.	---	386	.025
w/Honda 11 & 13 h.p.	XS65 ⁸²⁵²	65	.030	Racine 101 2-Cycle	XST458 ⁸²⁵¹	295	.025
PLUS POWER				Rail Drill, Rail Saw	XST458 ⁸²⁵¹	295	.025
Vibratory Plates				Rammer 117, Rapak 101	---	386	.025
DPV90	AP425 ⁸²⁴⁹	425	.025	Repar 2-Cycle	---	386	.025
w/Wisc. 5 h.p.	AP425 ⁸²⁴⁹	425	.025	Repar 4-Cycle	---	216	.025
POLECAT				Ratamp	---	386	.025
Aerial Lifts				Spadak, Spade, Unit Tamper	XST458 ⁸²⁵¹	295	.025
w/Kohler 18 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	w/B&S 4-cycle Engs.	XST458 ⁸²⁵¹	458	.030
PORTO-ARC				w/Clinton 4-cycle Engs.	---	216	.025
Welders				w/Jacobsen 321 Engs.	XST458 ⁸²⁵¹	295	.025
w/Onan CK	---	216	.025	RACO			
Multi-Purpose Saws				Drills			
52-12, 52-14, 45-12	XST254 ⁸²⁵¹	254	.025	14mm Threads	XST458 ⁸²⁵¹	295	.025
POWER CURBER				18mm Threads	---	386	.025
Curbers				RANSOME			
w/Kohler 18 h.p. Engs.	---	216	.025	Mixers & Pavers			
w/Wisc. AENL, S12D, TJD	---	386	.030	w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
w/Wisc. AGND	---	386	.030	w/Chry. Ind. 6A	XST458 ⁸²⁵¹	295	.025
POWERMATE				w/Cont. FA-162, M-330	---	386	.025
Powerweld 140	XST255 ⁸²⁵¹	255	.025	w/Cont. G-193	XST254 ⁸²⁵¹	303	.025
POW-R-LINE				w/Herc. HXE 18mm Heads	---	386	.025
M-30, M-60 w/Wisc. 37 h.p.	---	386	.025	w/Herc. HXE 7/8"-18 Heads	---	3076	.025
M-60 w/Wisc. V460	XS65 ⁸²⁵²	65	.025	w/Herc. IXB, IXB-5, JX4D3, QXB	---	3076	.025
T-100	---	386	.030	w/Herc. QXC, QXC-5, QXD, QXD-5	---	3076	.025
T-200, T-300	---	386	.025	w/Herc. RXLD 14mm Heads	---	216	.025
T-400 w/Ford Engs.	---	216	.025	w/Herc. RXLD 7/8"-18 Heads	---	3076	.025
T-600 w/Ford Engs.	AP45 ⁸²⁴⁹	45	.025	w/IHC LB	---	3076	.025
POW-R-SPADE				w/LeRoi B-45, D-226 14mm Heads	XST458 ⁸²⁵¹	295	.025
w/Wisc. AGND	---	386	.025	w/LeRoi B-45, D-226 18mm Heads	---	386	.025
PRIME MOVER				w/LeRoi D-91, D-140	---	386	.025
F10	---	386	.030	w/LeRoi VRP206	---	386	.025
F10A, F20	XST458 ⁸²⁵¹	295	.025	w/Wisc. ABN, AK, AKN, TF, VF-4	---	386	.025
LD-50 w/Ford 172 cid Engs.	---	216	.025	RAYCO			
w/Kohler 8 h.p. (K181)	XST458 ⁸²⁵¹	458	.025	Concrete Buggys			
REDDY				w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
M-30, M-50A Heaters	XS65 ⁸²⁵²	65	.025	REDDY			
Heaters With 18mm Heads	---	386	.025	Mixers & Pavers			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	 PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		 PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
RED-E-HOT				ROME GRADERS (Cont'd)			
Heaters	----	216	.025	201, 202 w/IHC Eng.	----	3076	.025
REEVES ROOFING EQUIP.				201, 202, 203, w/Oliver Eng.	----	3076	.025
Brooms, Power Gravelers, Roof Cutters, Spudders, Strippers & Tar Kettles				301, 302, 303, w/Oliver Eng.	----	3076	.025
w/B&S 5 & 6 h.p.	XST458 ⁸²⁵¹	458	.030	302, 303 w/Case Eng.	----	3076	.025
w/B&S 9 h.p. Vanguard	XST3924 ⁸²⁵¹	3924	.030	302, 303 w/IHC Eng. (Diesel)	----	3077	.025
w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XS65 ⁸²⁵²	65	.030				
w/Kohler 10 h.p. OHV	XST3924 ⁸²⁵¹	3924	.030	ROSS			
w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	w/Cont. Eng.	----	386	.025
RELIANCE				w/Hercules Eng. (14mm Threads) .	XST254 ⁸²⁵¹	303	.025
w/A-C Eng. 14mm Heads	XST458 ⁸²⁵¹	295	.025	w/Hercules Eng. (7/8"-18 Threads) .	----	3076	.025
w/A-C Eng. 7/8"-18 Heads	----	3076	.025	w/Wisc. Eng.	----	386	.025
w/IHC UD-9A	----	386	.025	ROUSTABOUT			
REMINGTON				w/Ford 7HNN, 8MNN	----	216	.025
44"	XST255 ⁸²⁵¹	255	.025	S&L CRANES			
Pow-R-Cut Saw	XST254 ⁸²⁵¹	254	.025	Lodover w/IHC TD-9, UD-9	----	386	.025
Screed, Power Trowel 28" & 34"	XST458 ⁸²⁵¹	295	.025	w/Case DI 18mm Heads	----	373	.025
Vibrator w/B&S Eng.	XST458 ⁸²⁵¹	458	.030	w/IHC 1-6	----	373	.025
Vibrator w/Wisc. Eng.	----	386	.025	All 7/8"-18 Heads	----	3076	.025
REX PAVERS				SANDERSON CYCLONE DRILL			
w/B&S Eng. 14mm Threads	XST458 ⁸²⁵¹	458	.030	Drills			
w/B&S Eng. 18mm Threads	----	386	.025	1940-37	----	3076	.025
w/Chry. Ind. 5, 6A, 8, 8A	XST458 ⁸²⁵¹	295	.025	All Other Models	----	3076	.025
w/Chry. Ind. 30, 30A, 32	XST458 ⁸²⁵¹	295	.025	SCHRAMM			
w/Cont. F-140, F-186, F-4140	----	386	.025	60 Crawler	----	216	.025
w/Cont. F-6186, F-4162, F-6226	----	386	.025	125, 250 Pneumatractor (Gasoline) .	----	386	.025
w/Herc. IXB-5	----	386	.025	250 Pneumatic Diesel	----	3077	.025
w/Herc. IXLB	XST458 ⁸²⁵¹	295	.025	SCHWARZE			
w/IHC UD-264	----	3077	.025	Sweepers			
w/Kohler 4 h.p.	XST458 ⁸²⁵¹	458	.030	w/Wisc. 30 h.p.	----	386	.025
w/Lauson Eng.	XST458 ⁸²⁵¹	458	.025	SCHWITZER-CUMMINS			
w/LeRoi D-226	XST458 ⁸²⁵¹	295	.025	Load Dispatcher	----	386	.025
w/Wauk. 6BZU, FCU, 140GS	----	386	.025	SCREED LITE			
w/Wauk. 6GAK, 6GAL	----	386	.025	Screeds			
w/Wauk. 6MZU, 135GKU	----	386	.025	w/Honda Mini 4-Stroke Eng.	----	4194	.030
w/Wauk. 145GK, 145GS, 195GKU ..	----	386	.025	SEAMAN-UNIFLOW			
w/Wauk. XAHU	----	3076	.025	A1, A2	----	3095	.025
w/Wisc. Eng. 14mm Heads	XST458 ⁸²⁵¹	295	.025	B2, B4	----	3076	.025
w/Wisc. Eng. 18mm Heads	----	386	.025	BM2, BM4	XST458 ⁸²⁵¹	458	.025
RGC				C2	----	3076	.025
Hydraulic Power Packs				D2	----	3076	.025
w/B&S 16 & 18 h.p. Vanguard				DC2	----	386	.025
(V-Twin)	XST3924 ⁸²⁵¹	3924	.030	DM2	XST458 ⁸²⁵¹	458	.025
w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	EC2	----	386	.025
RICHARDS CO.				EF2, EM2	XST458 ⁸²⁵¹	458	.025
Pipe Benders				EV4	----	386	.025
MUB-10 w/B&S 5 h.p.	XST458 ⁸²⁵¹	458	.030	EVM4	XST458 ⁸²⁵¹	458	.025
RIISE				MHD60, MHD72	XST254 ⁸²⁵¹	303	.025
Oil Drillers	----	386	.025	MS48, MS60	XST254 ⁸²⁵¹	303	.025
ROME GRADERS				w/Cont. B-427, M-330	----	386	.025
101 w/IHC Eng.	----	3076	.025	w/Ford 172 cid Eng.	----	216	.025
103 w/IHC Eng.	----	386	.025	w/Wauk. 6BZ, 6MZAU	----	386	.025
104, 203, 301 w/IHC Eng. (Diesel) .	----	3077	.025	w/Wisc. VH4	----	386	.025
201, 202, 301 w/Case Eng.	----	3076	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SENTRY				SMITH-MOBILE			
Power Blowers				Concrete Mixers			
w/B&S 3.5 h.p.	XST458 ⁸²⁵¹	458	.030	---		306	.025
w/Honda 4.5 h.p. OHV	XS65 ⁸²⁵²	65	.030	SMITHWELL			
SERVICE CASTER				Welders			
All Models	XST458 ⁸²⁵¹	458	.038	G-Z	---	3076	.025
SHIELD-BANTAM				All Other Models			
Earth Driller				---			
w/Cont. Engs.	---	386	.025	SNOGO			
SHOP MULE				Snow Removers			
A3V, A3VU2, A14V	---	388	.025	FLMU, MTR	---	3076	.025
A21	---	386	.025	LTR And All Others	---	3076	.025
J233, J233PLD	XST458 ⁸²⁵¹	458	.025	SOLAR			
SILENT HOIST				Mars 50 h.p. Fire Pump & Generator			
w/Buda 4B182	XST458 ⁸²⁵¹	458	.025	Set	---	3077	.025
w/Buda HP205, HP217	---	386	.025	SOUTH BEND			
w/Chry. H318	XS85 ⁸²⁵²	85	.035	w/Cont. Engs.	---	386	.025
w/Chry. HT361, HT413	---	405	.030	w/Wisc. Engs.	---	386	.025
w/Chry. IND 30, 31, 33	XST254 ⁸²⁵¹	303	.035	SPEARS-WELLS			
w/Chry. LH318	XS65 ⁸²⁵²	65	.035	w/B&S Engs.	XST458 ⁸²⁵¹	458	.030
w/Cont. F4162, F6226, F6244	---	386	.025	w/Cont. Y-112	---	386	.025
w/Ford 292, 300cid Engs.	AP124 ⁸²⁴⁹	124	.030	w/Ford 6 Cyl. & V-8 (14mm Heads)	---	216	.025
w/Ford 351W cid Engs.	XP25 ⁸²⁵⁰	25	.035	w/Ford 6 Cyl. & V-8 (18mm Heads)	AP124 ⁸²⁴⁹	124	.025
w/Hercules JX4D3	XST458 ⁸²⁵¹	458	.025	w/Herc. WXL3-3 (14mm Heads)	XST458 ⁸²⁵¹	295	.025
SKAGIT HOISTS				w/Herc. WXL3-3 (7/8"-18 Heads)			
w/Cat. Starting Engs. 18mm Heads	---	373	.025	w/IHC U-1, U-2A	---	386	.025
w/Cat. Starting Engs. 7/8"-18 Heads	---	3076	.025	w/Wisc. Engs.	---	386	.025
w/Ford 4-Cyl. Engs.	---	216	.025	SPEED SCREED			
w/Ford 6 & 8 Cyl. Engs. 14mm Heads	---	216	.025	Screeds			
w/Ford 6 & 8 Cyl. Engs. 18mm Heads	AP124 ⁸²⁴⁹	124	.025	w/Honda Mini 4-Stroke Engs.	---	4194	.030
w/Herc. HXC, HXE	---	3076	.025	SPEED SPRAYER			
w/Herc. IXB5, JXD	XST458 ⁸²⁵¹	295	.025	w/Chry. 30-124, 32-168	---	306	.035
w/Herc. QXC5, RXLD, WXL3	---	3076	.025	w/Chry. IND-5A-461, IND-8A-404	XST254 ⁸²⁵¹	303	.035
w/Wauk. FC, BZ, MZA, 140GK	---	373	.025	w/Chry. IND-19A-586	---	306	.035
w/Wauk. ICK	XST254 ⁸²⁵¹	303	.025	SPERRY-NEW HOLLAND			
w/Wauk. 145GK, 145GS, WAK	---	373	.025	Loaders			
w/Wisc. VP-4	---	386	.025	1982-75 L35, 225, 425, 445	---	386	.025
SKIL				1984 L250			
14mm Heads				1982-79 L325, 778			
Compactors	XST255 ⁸²⁵¹	255	.025	1982 L775	XP64 ⁸²⁵⁰	64	.025
Concrete Screeds, Power Trowels	XST255 ⁸²⁵¹	255	.025	1982 L779	AP124 ⁸²⁴⁹	124	.025
Generators, Alternators, Vibrators	XST255 ⁸²⁵¹	255	.025	SPRAY KOTE			
Hammers M1, 2910-T1	---	353	.035	Asphalt Sprayers			
Hammers 628-T1, 628-T2	XST255 ⁸²⁵¹	255	.025	---	XST255 ⁸²⁵¹	255	.025
2910-T2:00, 2911-T2:00	XST254 ⁸²⁵¹	254	.025	STANCO			
2911-T1, 2912-T1, 2913-T1	---	353	.025	w/Ford 262 cid Engs.			
2912-T2:00, 2913-T2:00	XST254 ⁸²⁵¹	254	.025	---	AP124 ⁸²⁴⁹	124	.025
18mm Heads				STERLING			
Compactors	---	386	.025	Earth Borers			
Concrete Screeds, Power Trowels	---	386	.025	1955-on 6-Cyl. Engs.	AP45 ⁸²⁴⁹	45	.025
Generators, Alternators, Vibrators	---	386	.025	1955-on 8-Cyl. Engs.	AP45 ⁸²⁴⁹	45	.025
7/8"-18 Heads							
30-550, 2900-T1	---	3076	.065				
BR-5	---	3076	.060				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	 PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		 PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
STONE				TAMPO (Cont'd)			
Block Saws, Compactors, Cement Mixers, Concrete Saws, Mud Buggies, Rammers, Screeds, Stone Lifts & Trench Rollers				w/Chry. Ind. 6A XST254 ⁸²⁵¹ 303 .025			
w/B&S "L" Head Engs. XST458 ⁸²⁵¹ 458 .030				w/Oliver Ind. 66, Super 66, Super 88 ---- 386 .025			
w/B&S 16 h.p. Vanguard (V-Twin) ... XST3924 ⁸²⁵¹ 3924							
w/Chry. Engs. XST458 ⁸²⁵¹ 295 .025							
w/Honda 3 h.p. OHV ---- 4194 .030							
w/Honda 4, 5 & 5.5 h.p. OHV XS65 ⁸²⁵² 65 .030							
w/Honda 8, 9, 11 & 13 h.p. OHV XS65 ⁸²⁵² 65 .030							
w/Honda 18 & 20 h.p. OHV (V-Twin) . XS65 ⁸²⁵² 65 .030							
w/Kohler 8 h.p. ---- 216 .030							
w/Kohler 20 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025							
w/Robin 3.5 h.p. OHV XST4055 ⁸²⁵¹ 4055 ⁸²⁴⁸ .025							
w/Robin 4.6 h.p. XS63 ⁸²⁵² 63 .025							
w/Robin 6 h.p. OHV ---- 4123 ⁸²⁴⁸ .025							
w/Robin 7.5 h.p. ---- 275 .025							
w/Robin EY21W XST458 ⁸²⁵¹ 295 .025							
STOW				TARGET			
Compactors, Concrete Saws, Floor Grinders, Mixers, Screeds & Trowels				Concrete & Cut-Off Saws, Floor Grinders, Groovers, & Scarifiers			
w/B&S 3.5, 5 & 7 h.p. XST458 ⁸²⁵¹ 458 .030				w/B&S 9 h.p. Vanguard XST3924 ⁸²⁵¹ 3924 .030			
w/B&S 8 & 10 h.p. XST458 ⁸²⁵¹ 458 .030				w/B&S 16 h.p. Vanguard (V-Twin) ... XST3926 ⁸²⁵¹ 3926 .030			
w/B&S 9 h.p. Vanguard XST3924 ⁸²⁵¹ 3924 .030				w/Honda 2.2 h.p. XST258 ⁸²⁵¹ 258 .030			
w/B&S 16 h.p. Vanguard (V-Twin) ... XST3926 ⁸²⁵¹ 3926 .030				w/Honda 4, 5.5, 8, 9, 11 & 13 h.p. OHV XS65 ⁸²⁵² 65 .030			
w/Honda 4, 5.5 & 8 h.p. OHV XS65 ⁸²⁵² 65 .030				w/Honda 20 h.p. (V-Twin) XS65 ⁸²⁵² 65 .030			
w/Honda 9, 11 & 13 h.p. OHV XS65 ⁸²⁵² 65 .030				w/Kohler 8, 14 & 16 h.p. ---- 216 .030			
w/Honda 20 h.p. (V-Twin) XS65 ⁸²⁵² 65 .030				w/Kohler 14 h.p. OHV XST3924 ⁸²⁵¹ 3924 .030			
w/Kohler 8, 12, 14 & 16 h.p. ---- 216 .030				w/Kohler 20 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025			
w/Robin 1.5 h.p. XST258 ⁸²⁵¹ 258 .025				w/Kohler 25 h.p. (V-Twin) XST3924 ⁸²⁵¹ 3924 .030			
w/Robin 2.5 h.p. XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025				w/McCulloch 795L XST458 ⁸²⁵¹ 295 .025			
w/Robin 3 h.p. XST458 ⁸²⁵¹ 308 .025				w/Wisc. 2, 3.5 & 7.5 h.p. ---- 275 .025			
w/Robin 3.3, 4 & 11 h.p. AP425 ⁸²⁴⁹ 425 .025				w/Wisc. 5 h.p. AP425 ⁸²⁴⁹ 425 .025			
w/Robin 4.6 h.p. XS63 ⁸²⁵² 63 .025				w/Wisc. 9, 18, 35 & 37 h.p. ---- 386 .030			
w/Robin 7.5 h.p. ---- 275 .025				w/Wisc. 65 h.p. XS65 ⁸²⁵² 65 .030			
w/Wisc. 9.2, 18 & 35 h.p. ---- 386 .025				Super Quickie w/2-Cycle Engs. XS65 ⁸²⁵² 65 .030			
w/Wisc. 65 h.p. XS65 ⁸²⁵² 65 .030							
STRUCK				TEMPEST			
Compact Crawler				Power Blowers			
w/B&S 31 h.p. Vanguard (V-Twin) ... XST3926 ⁸²⁵¹ 3926 .030				w/B&S 5.5 h.p. Intek OHV XST3924 ⁸²⁵¹ 3924 .030			
w/Kohler 25 h.p. (V-Twin) XST3924 ⁸²⁵¹ 3924 .030				w/Honda 5.5, 6.5 & 13 h.p. OHV XS65 ⁸²⁵² 65 .030			
SUPERIOR TROWELS				TENNANT			
Power Trowels				Floor Cleaners			
w/Honda 5.5, 6.5, 9, 11 & 13 h.p. OHV XS65 ⁸²⁵² 65 .030				8GLP/DP, 90LP ---- 373 .025			
w/Honda 18 h.p. (V-Twin) XP65 ⁸²⁵⁰ 65 .030				36 14mm Heads ---- 216 .025			
SWEEPSTER				TERRAMITE			
C-36 Power Broom w/B&S Engs. ... XST458 ⁸²⁵¹ 458 .030				Backhoe Loader, Roller Screeds			
TP-60 Street Sweeper w/Wisc. Engs. ---- 386 .025				w/B&S Engs. (Single) XST458 ⁸²⁵¹ 458 .030			
SYNTRON				THEW			
Vibrators				14mm Heads			
w/Own PB-51 ---- 386 .025				L40, L80 (Gasoline) XST458 ⁸²⁵¹ 295 .025			
w/Own PB-55, RD-55 ---- 386 .025				MC104, MC110, SP110 ---- 216 .025			
w/Wisc. AKN, AKS, BKN ---- 386 .025				MC254, MC254W XST458 ⁸²⁵¹ 295 .025			
				MC254, MC254W Carrier, TL20 XST254 ⁸²⁵¹ 303 .025			
				MC424, MC424W, SP424 XST255 ⁸²⁵¹ 255 .025			
				MC425, MC415W, MC524 XST255 ⁸²⁵¹ 255 .025			
				MC504, MC504W Carrier ---- 216 .025			
				MC524, MC530 w/Wauk. Engs. ---- 216 .025			
				145GKB ---- 216 .025			
				MC875, TSP875 XST458 ⁸²⁵¹ 308 .025			
TAMPO							
HC ---- 386 .025							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIÈRE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
THEW (Cont'd)				TRELAWNY			
14mm Heads (Cont'd)				Floor Grinders			
SP254, SP254W, SP424 Turntable . . .	XST458 ⁸²⁵¹	308	.025	w/Honda 9 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030
SP524 Turntable Cat. D-318	XST255 ⁸²⁵¹	255	.025	<hr/>			
w/Wauk. 817G, 135GZ, 150GZ, 195GZ	XST458 ⁸²⁵¹	308	.025	TROJAN			
w/Wauk. 140GK, 140GZB	----	216	.025	Tractor Shovels			
<hr/>				114, 134, LH75, LCM100, LT400			
18mm Heads				XST458 ⁸²⁵¹	295	.030	
L30, L69, L70, L78, L80, L82	----	386	.025	124, 134A, 154, 164, 164A, 204, 204A	XST254 ⁸²⁵¹	303	.025
MC254, MS254W, SP254, SP254W . . .	----	386	.025	<hr/>			
MC414 Carrier	----	386	.025	TROWBRIDGE			
MC414 Turntable	----	386	.025	Conveyors			
MC424, MC424W, SP242 Turntable . . .	----	386	.025	----	386	.025	
MC504, MC504W Carrier	----	386	.025	<hr/>			
ML-153, ML-309	----	386	.025	TRUCK MAN			
SP254W Turntable, SP414	----	386	.025	AP w/B&S Engs.			
TL20	----	386	.025	----	373	.025	
w/Cont. 6427	----	386	.025	NP w/B&S Engs.	XST458 ⁸²⁵¹	295	.025
w/Wauk. 140GK	----	386	.025	w/Wisc. Engs.	----	386	.030
w/Wauk. SRKR	----	3076	.025	<hr/>			
<hr/>				TYGAR			
THOMAS				Curb Makers			
Paint Sprayer	XST255 ⁸²⁵¹	255	.025	w/Honda 2.5 h.p.	XST258 ⁸²⁵¹	258	.030
<hr/>				<hr/>			
THOR POWER TOOLS				U-CART			
Screeds, Trowels	XST458 ⁸²⁵¹	295	.025	Concrete Mixers			
Tampers	----	216	.025	w/Honda 8 h.p. OHV	XS65 ⁸²⁵²	65	.030
Vibrators 14mm Heads	XST458 ⁸²⁵¹	295	.025	<hr/>			
Vibrators 18mm Heads	----	386	.025	UNIT CRANE & SHOVEL			
<hr/>				w/Cont. B-247, F-245			
TIBROC				w/GM V-6 351 cid Engs.			
Power Trowels				----	386	.025	
w/Honda 2.5 h.p.	XST258 ⁸²⁵¹	258	.030	XP64 ⁸²⁵⁰	64	.030	
<hr/>				<hr/>			
TIGER				UNIVERSAL			
Concrete Cutters, Concrete Mixers, Rammers, Trowels & Vibratory Plate Compactors				All Models			
w/Robin 4 h.p. OHV	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	----	3076	.025	
w/Robin 3.5 & 5 (EY203D) h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	<hr/>			
w/Robin 6 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	VAUGHN			
w/Robin 5 (EY20B) & 7.5 h.p.	----	2656	.025	All Models			
w/Robin 8.5 h.p. OHV	----	4123 ⁸²⁴⁸	.025	XST458 ⁸²⁵¹	295	.025	
w/Robin 13.5 h.p. OHV	XS63 ⁸²⁵²	63	.025	<hr/>			
<hr/>				VERMEER			
TMX				9W			
Mini Excavators				10, 630 Stumpcutter w/Wisc. Engs. . .			
w/Kohler 20 h.p. Command Pro (V-Twin)	XST3924 ⁸²⁵¹	3924	.030	665, 1560, 2460 w/Wisc. Engs.	XS65 ⁸²⁵²	65	.030
w/Robin OHV Engs. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	CL15	----	386	.030
<hr/>				LS-200 Log Splitter w/Kohler K301S . . .			
TORO				M6, M12HA, M18, M30			
Compact Utility Loader				M50, M50H w/Ford Engs.			
Dingo w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	M434	XS63 ⁸²⁵²	63	.030
Dingo w/Kohler 20, 22, 23 & 25 h.p. Command Pro (V-Twin)	XST3924 ⁸²⁵¹	3924	.040	M437A Trencher w/Wisc. Engs.	----	386	.030
<hr/>				M440 w/Ford Engs.			
TRACTO-LOADER				M460			
A-C, W-201, WD, W-226	XST458 ⁸²⁵¹	295	.025	M465A w/Wisc. 465D Engs.	XS65 ⁸²⁵²	65	.030
A-CB, B-125, WF	XST458 ⁸²⁵¹	308	.025	M475 w/Ford Engs.	XS65 ⁸²⁵²	65	.025
<hr/>				T100, T200			
TRANSITER				T218, T300A Trencher w/Wisc. Engs.			
All Models	XST458 ⁸²⁵¹	458	.025	----	386	.030	
<hr/>				T300			
<hr/>				T400, T440A w/Ford Engs.			
<hr/>				T418 Trencher w/Wisc. Engs.			
<hr/>				T530, T544A			
<hr/>				T600			
<hr/>				TS30, TS44 Tree Mover w/Wisc. Engs.			
<hr/>				Auger M12			
<hr/>				Block Press			
<hr/>				XST3924 ⁸²⁵¹			
<hr/>				3924			
<hr/>				.030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
VERMEER (Cont'd)				VOLT MASTER (Cont'd)			
Core Saw CS418	XST3924 ⁸²⁵¹	3924	.030	Generators			
Ditchmaster M18, M30	----	386	.030	w/B&S Vanguard Engs. V-Twin (LPG or Natural Gas) XST3924 ⁸²⁵¹ 3924 .020			
Ditchmaster M50	----	216	.025	Generator/Welders			
Ditchmaster M60	XS65 ⁸²⁵²	65	.030	w/Honda OHV Engs. XS65 ⁸²⁵² 65 .030			
Ditchmaster M437	----	386	.030	w/Honda OHV Engs. (V-Twin) XS65 ⁸²⁵² 65 .030			
Ditchmaster M450	----	216	.025	w/Kohler Engs. (V-Twin) XST3924 ⁸²⁵¹ 3924 .030			
Ditchmaster M465	XS65 ⁸²⁵²	65	.030	w/Onan 24 h.p. (Twin) AP106 ⁸²⁴⁹ 106 .025			
Frost Cutter F100, FC24	XS65 ⁸²⁵²	65	.030	WACKER			
Modular Mixer MX125	XST3924 ⁸²⁵¹	3924	.030	B3000, B5000 XST458 ⁸²⁵¹ 458 .030			
Splitter LS300	----	386	.030	BHF30S Breaker AP425 ⁸²⁴⁹ 425 .025			
Stumper 6., 10, 15	----	386	.030	BPS2550A ---- 275 .035			
Stumper 18	XS65 ⁸²⁵²	65	.030	BPU2440A, BPU2950A, BPU3345A XS63 ⁸²⁵² 63 .030			
Stumper 630	----	386	.030	BS45Y, BS60Y, BS62Y AP425 ⁸²⁴⁹ 425 .025			
Stumper 1560	XS65 ⁸²⁵²	65	.030	BS65Y, BS105Y, BS700 AP425 ⁸²⁴⁹ 425 .025			
Stumper 2436	----	386	.030	BTS9, BTS10, BTS11 XST2974 ⁸²⁵¹ 2974 .020			
Stumper 2460A	XS65 ⁸²⁵²	65	.030	BTS12, BTS13, BTS14 XST2974 ⁸²⁵¹ 2974 .020			
Tree Mover TM700	----	216	.025	CT36A, CT48A XP64 ⁸²⁵⁰ 64 .030			
Tree Mover TS30, TS44A	----	386	.030	CT36B, CT46B XST458 ⁸²⁵¹ 458 .030			
Trencher 4T	----	386	.030	G2400E, G3000E, G4000E, G5000E XST458 ⁸²⁵¹ 295 .025			
Trencher 52WT	----	386	.030	G6000E, GH3500E AP425 ⁸²⁴⁹ 425 .025			
Trencher T100, T200, T300	----	386	.030	GVR75Y, GVR100, GVR151, GVR220Y ---- 306 .040			
Trencher T400	----	216	.025	RD880V XST3926 ⁸²⁵¹ 3926 .030			
Trencher T600, T600A	AP45 ⁸²⁴⁹	45	.030	RS800A, RSS800A, W74A XP64 ⁸²⁵⁰ 64 .030			
Trencher W1, W3	----	386	.030	VPG100K, VPK1350, BPS2660B XST458 ⁸²⁵¹ 295 .025			
Vacuums E550, E800, E900, E1400	XST3924 ⁸²⁵¹	3924	.030	VPG155/160B, VPB1960, VPB1750 XST255 ⁸²⁵¹ 255 .030			
Vibratory Plow CL12, CI15	----	386	.030	VPG160A, VPA1340, VPA1350, VPA1740 XS63 ⁸²⁵² 63 .030			
Vibratory Plow SP24	XS65 ⁸²⁵²	65	.030	VPG160R, VPR1340, VPR1350, VPR1740 XST255 ⁸²⁵¹ 255 .025			
Winch No. 9	----	386	.030	VPG1750, BPS2550R, BPU3345R AP425 ⁸²⁴⁹ 425 .025			
VIBCO				WADE			
Rollers & Vibratory Plate Compactors				All Models ---- 3095 .025			
w/B&S "L" Head Engs.	XST458 ⁸²⁵¹	458	.030	WAGNER			
w/Honda 2.5 h.p.	XST258 ⁸²⁵¹	258	.030	Scoopmobile XST458 ⁸²⁵¹ 308 .035			
w/Honda 3 h.p. OHV	----	4194	.030	Towermobile ---- 216 .025			
w/Honda 4, 5, 5.5, 6.5 & 9 h.p. OHV	XS65 ⁸²⁵²	65	.030	WALDON			
w/Robin 3.5, 5 & 7.5 h.p.	----	425	.025	5000, 5200, 6000 w/Ford 172 cid ---- 216 .025			
VIBROMAX				5000, 5200 w/IHC 172GF ---- 3116 .025			
Rammers & Vibratory Plate Compactors				5000, 5200 w/Wisc. 37 h.p. ---- 386 .025			
w/Honda 5.5 h.p. OHV	XS65 ⁸²⁵²	65	.030	5000, 5200 w/Wisc. 65 h.p. XS65 ⁸²⁵² 65 .025			
w/Robin 3.3 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	WARNER-SWASEY			
w/Robin 4.5 h.p. EC12D	XST255 ⁸²⁵¹	255	.025	G-1000 Gradall ---- 386 .025			
VIBRO-TAMPER				WAYNE			
w/Ford 6-Cyl. Engs.	----	216	.025	Cranes & Sweepers			
VIKING				70 w/Cont. Engs. ---- 386 .025			
Conveyors				70 w/Wauk. Engs. ---- 216 .025			
w/Wisc. Engs.	----	386	.025	w/Buda Engs. 14mm Heads ---- 216 .025			
U.S. MOTORS				w/Buda Engs. 18mm Threads ---- 373 .025			
w/Waukesha WAK Engs.	----	3076	.025	w/Ford Engs. ---- 216 .025			
VOLT MASTER				w/Herc. JXD, JX4D, RXC XST458 ⁸²⁵¹ 295 .025			
Generator/Welders							
w/B&S "L" Head Engs.	XST458 ⁸²⁵¹	458	.030				
w/B&S Engs. (Twin)	XST458 ⁸²⁵¹	458	.030				
w/B&S Vanguard Engs. OHV	XST3924 ⁸²⁵¹	3924	.030				
w/B&S Vanguard Engs. V-Twin (Gasoline)	XST3924 ⁸²⁵¹	3924	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Construction Equipment

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
WAYNE (Cont'd)				WHITEMAN (Cont'd)			
Cranes & Sweepers (Cont'd)				Concrete Finishers (Cont'd)			
w/Wauk. SRK	----	3076	.025	w/B&S 3, 5, 7 & 8 h.p.	XST458 ⁸²⁵¹	458	.030
Haybaler 350	----	386	.025	w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926 ⁸²⁵¹	3926	.030
w/Wisc. Engs.	----	386	.025	w/B&S 31 h.p. 3-Cyl. (Liquid Cooled)	XST3924 ⁸²⁵¹	3924	.030
All 14mm Heads	----	216	.025	w/Gladden 75	XST458 ⁸²⁵¹	295	.025
All 7/8"-18 Heads	----	3076	.025	w/Honda 5, 8 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030
WEBER				Concrete Finishers (Cont'd)			
Rammers, Vibratory Plate & Roller Compactors				Concrete Finishers (Cont'd)			
w/Honda 3 h.p. OHV	----	4194	.030	w/Kohler 20 & 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030
w/Honda 4, 5.5, 9 & 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/Robin 3.5, 5 & 6 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Robin EY27	AP425 ⁸²⁴⁹	425	.025
w/Robin 4 h.p.	XST4055 ⁸²⁵¹	4055 ⁸²⁴⁸	.025	w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Robin 8.5 h.p.	----	275	.025	w/Wisc. 4.6 h.p.	AP425 ⁸²⁴⁹	425	.025
WEBBER BLACK BEAUTY				Concrete Finishers (Cont'd)			
Screeds				Concrete Finishers (Cont'd)			
w/Honda Mini 4-Stroke Engs.	----	4194	.030	w/Wisc. 7.5 h.p.	----	275	.025
WHIRLER-GLIDE				Concrete Finishers (Cont'd)			
2-63, 2-63-15 w/232 cid Engs.	----	386	.025	w/Wisc. 11 h.p.	----	275	.025
2-63FL w/225 cid Engs.	XS65 ⁸²⁵²	65	.025	w/Wisc. AKN & BKN	----	386	.025
2-63L, 2-63FL w/232 cid Engs.	----	386	.025	WHITE-OLIVER			
AG 18mm Heads	----	386	.025	2-44, 2-44-FL, 2-44-L, 2-44-LL	----	386	.025
DG, HG 14mm Heads	XST254 ⁸²⁵¹	303	.025	2-62, 2-62-15, 2-62-L	----	386	.025
OC3, OC4 (Gasoline)	XST458 ⁸²⁵¹	308	.025	2-78, 2-78-15, 2-78-17, 2-78-L	XS65 ⁸²⁵²	65	.025
OC3, OC4 (Distillate)	XST458 ⁸²⁵¹	458	.025	2-150	XS65 ⁸²⁵²	65	.025
OC4G 14mm Heads	XST254 ⁸²⁵¹	303	.025	4-78, 4-78-15, 4-78-17, 4-78-L	XS65 ⁸²⁵²	65	.025
OC6	----	386	.025	4-105	XS65 ⁸²⁵²	65	.025
OC12 BGS	XST458 ⁸²⁵¹	308	.025	WINK			
WHITE				Earth Drills			
General Equipment				XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025			
2-63-15 w/White Engs.	----	386	.025	WORTHINGTON			
2-63-FL w/Chry. Engs.	XS65 ⁸²⁵²	65	.025	Truck Mixers			
2-63-FL w/White Engs.	----	386	.025	All Models	XST458 ⁸²⁵¹	295	.025
L-6, L-20 Asphalt Plants	----	386	.025	WHITEMAN			
L-8, T-1	XST458 ⁸²⁵¹	295	.025	Concrete Finishers			
L-12, T-2	----	386	.025	Concrete Pumps	XS65 ⁸²⁵²	65	.030
M-8, M-9 Vibrators	XST458 ⁸²⁵¹	458	.025	Power Buggys rw/B&S Vanguard engs.	XST3924	3924	.030
M-12, M-13 Vibrators	----	386	.025	Power Buggys w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030
w/B&S Engs. 14mm Threads	XST458 ⁸²⁵¹	458	.030	Power Buggys w/Wisc. Engs.	----	386	.025
w/B&S Engs. 18mm Threads	----	386	.025	WHITEMAN			
w/Cont. F-226, M271	----	386	.025	Concrete Finishers			
w/Wisc. ACN, BKN	----	386	.025	Concrete Pumps	XS65 ⁸²⁵²	65	.030
w/Wisc. S7D, VH4	----	386	.025	Power Buggys rw/B&S Vanguard engs.	XST3924	3924	.030
Crawlers				Concrete Finishers (Cont'd)			
AG, AG6	----	386	.025	w/Gladden 75	XST458 ⁸²⁵¹	295	.025
BGS, OC-3, OC-4, OC-12	XST458 ⁸²⁵¹	295	.025	w/Honda 5, 8 & 11 h.p. OHV	XS65 ⁸²⁵²	65	.030
DG, HG 14mm Heads	XST254 ⁸²⁵¹	303	.025	w/Kohler 20 & 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030
DG, HG 7/8"-18 Heads	----	3076	.025	w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
OC-4-3G	XST254 ⁸²⁵¹	303	.025	w/Robin EY27	AP425 ⁸²⁴⁹	425	.025
OC-6	----	386	.025	w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
WHITEMAN				Concrete Finishers (Cont'd)			
Concrete Finishers				Concrete Finishers (Cont'd)			
Concrete Pumps	XS65 ⁸²⁵²	65	.030	w/Wisc. 4.6 h.p.	AP425 ⁸²⁴⁹	425	.025
Power Buggys rw/B&S Vanguard engs.	XST3924	3924	.030	w/Wisc. 7.5 h.p.	----	275	.025
Power Buggys w/Honda 13 h.p. OHV	XS65 ⁸²⁵²	65	.030	w/Wisc. 11 h.p.	----	275	.025
Power Buggys w/Wisc. Engs.	----	386	.025	w/Wisc. AKN & BKN	----	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ALGOMA				ALL WORK			
HARVESTERS				All Models --- 3076 .025			
w/Cont. Engs. --- 386 .025				AMERICAN			
w/LeRoi Engs. --- 306 .030				Crop Dryers --- 386 .025			
ADVANCE RUMLEY				Tractors --- 3076 .025			
All Models --- 3076 .025				ARO			
ALLIS-CHALMERS				All Models --- 3095 .025			
TRACTORS				ATLAS			
Gasoline				All Models --- 3076 .025			
1U, K, L, M, U, WK, WM 7/8"-18				AULTMAN TAYLOR			
Threads --- 3076 .030				All Models --- 3076 .025			
B, C, CA, D14, G, 1B, RC, S XST458 ⁸²⁵¹ 295 .030				AUSTIN			
B15, R, W25 --- 306 .030				All Models w/18mm Threads --- 386 .025			
D10, H3 XST254 ⁸²⁵¹ 303 .025				All Models w/7/8"-18 Threads --- 3076 .025			
D12, D15 Series II (14mm Threads) . XS85 ⁸²⁵² 85 .025				AUTOCAR			
D12, D15 Series II (18mm Threads) . AP46 ⁸²⁴⁹ 46 .025				All Models --- 3076 .025			
D12, D15 Series II Low Grade Fuel . --- 306 .025				EVERY			
D17 (3/4" Reach) XP64 ⁸²⁵⁰ 64 .025				All Models w/7/8"-18 Threads --- 3076 .025			
D17 (3/8" Reach) XST458 ⁸²⁵¹ 295 .025				All Models w/1/2"-14 Pipe Heads ... --- 3095 .025			
D17 Low Grade Fuel (3/8" Reach) . --- 306 .025				BAILOR			
D19 AP404 ⁸²⁴⁹ 404 .025				All Models --- 3076 .025			
E60, L90, U40 --- 3076 .030				BAKER			
GT25, GT30 --- 386 .025				All Models --- 3076 .025			
H3, D10, D15 Low Grade Fuel --- 306 .025				BARBER			
H4 Crawler, 170, 180, 190, 190 XT, G --- 405 .025				All Models --- 3095 .025			
K w/250 cid Engs. Tapered Seat Hds. (1974-72) XP25 ⁸²⁵⁰ 25 .025				BATES			
KO, LO SO, WKO, WSO --- 3077 .025				All Models w/18mm Threads --- 386 .025			
L w/350 cid Engs. (1974-72) AP145 ⁸²⁴⁹ 145 .025				All Models w/7/8"-18 Threads --- 3076 .025			
Monarch 35, 40 7/8"-18 Threads --- 3076 .030				BEAVER			
UC (14mm Threads) --- 306 .025				All Models w/7/8"-18 Threads --- 3076 .025			
UC, A (20-35), E (25-40) 7/8"-18 Threads --- 3076 .030				BEHLEN			
WC, WD, WF, WS, D10, D15, H3 ... XST458 ⁸²⁵¹ 295 .030				1974 Crop Dryer KA, M-30 --- 3076 .025			
WD-45 XS85 ⁸²⁵² 85 .025				BEST			
LPG				All Models --- 3076 .025			
180, 190, 190 XT XS4064 ⁸²⁵² 4054 ⁸²⁴⁸ .020				BOLENS			
B, C, CA, D14, G, 1B, RC, S XST254 ⁸²⁵¹ 303 .020				All Models w/14mm Threads XST458 ⁸²⁵¹ 295 .025			
D12, D15 Series II (3/8" Reach) XST254 ⁸²⁵¹ 303 .020				All Models w/18mm Threads --- 386 .025			
D17 (3/8" Reach) XST254 ⁸²⁵¹ 303 .020				All Models w/7/8"-18 Threads --- 3076 .025			
D19, D-17 (3/4" Reach) XS4064 ⁸²⁵² 4054 ⁸²⁴⁸ .020				BROCKWAY			
H3, D10, D12, D15, D17 (3/8" Reach) XST254 ⁸²⁵¹ 303 .020				All Models --- 386 .025			
WC, WD, WF, WS, H-3 XST254 ⁸²⁵¹ 303 .020							
COMBINES							
A, C, E --- 405 .025							
F w/262 cid Engs. XS65 ⁸²⁵² 65 .025							
F w/292 cid Engs. (1974-70) AP145 ⁸²⁴⁹ 145 .025							
G w/301 cid Engs. AP404 ⁸²⁴⁹ 404 .025							
G, L w/350 cid Engs. (1974-72) AP145 ⁸²⁴⁹ 145 .025							
K w/250 cid Engs. Tapered Seat Hds. (1974-70) AP145 ⁸²⁴⁹ 145 .025							
K w/250 cid Engs. 3/4" Reach (Thru 1969) AP404 ⁸²⁴⁹ 404 .025							
OTHER FARM MACHINERY							
B-15, W-25, R --- 306 .030							
Feed Mills (18mm Threads) --- 386 .025							
Feed Mills (7/8"-18 Threads) --- 3076 .025							
Gleaner Models A, B, R w/6B-230 A-C Engs.) --- 306 .025							
Graders 42, 54 --- 3076 .030							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CASE				CASE (Cont'd)			
TRACTORS				OTHER FARM MACHINERY (Cont'd)			
Gasoline				Model 88 Tobacco Harvester 850,			
885	AP23 ⁸²⁴⁹	23	.025	950, 1050	---	386	.025
200, 430, 431, 435, 440, 441, 445,				Windrower 1140, 1150 w/Case			
470	---	3116	.025	Engs.	---	386	.025
530, 531, 535, 540, 541, 545, 570,				Windrower 650, 655, 950 w/Wisc.			
610	---	3116	.025	1050	---	386	.025
730, 731, 732, 733, 734, 740, 741,				Windrower 800, 820, 855, 950 w/			
742	---	3116	.025	Case 1155	---	386	.025
743, 744, 770, 830, 831, 832, 833,				<hr/>			
840	---	3116	.025	CATERPILLAR			
841, 842, 843, 870, 910, 930, 970	---	3116	.025	OTHER FARM MACHINERY			
C, CC, CCS, CO, CV, D (7/8"-18				922, 933	XST458 ⁸²⁵¹	295	.030
Threads)	---	3076	.030	All Gasoline Starting Engs. w/18mm			
D, DC, DI, DO, DS, DV (18mm				Threads	---	386	.025
Threads)	---	3116	.025	All Gasoline Starting Engs. w/7/8"-18			
DC, DI, DO, DS, DV, LA, LAI (7/8"-18				Threads	---	3076	.025
Threads)	---	3076	.030	All Gasoline Tractors w/7/8"-18			
L, LA, LAI (18mm Threads)	---	3116	.025	Threads	---	3076	.025
R, RC, RO (7/8"-18 Threads)	---	3076	.030	D4C, D6B, D6C	AP86 ⁸²⁴⁹	86	.030
S, SC, SI, SO & Model AB	XST458 ⁸²⁵¹	295	.025	D7, D8, D9, DW15, DW20, DW21,			
V, VA, VAC, VAH, VAI, VAO, VAS, VC,				No. 583	XST458 ⁸²⁵¹	458	.040
VO	---	3116	.025	No. 944, No. 955, No. 966, No. 977	AP86 ⁸²⁴⁹	86	.030
LPG				COMBINES			
430, 530, 630	---	3116	.020	w/Ford Engs.	---	3095	.030
730, 731, 732, 733, 734, 740	---	3116	.020	All Other Engs.	---	3076	.025
741, 742, 743, 744, 830, 831	---	3116	.020	<hr/>			
832, 833, 840, 841, 842, 843, 930	---	3116	.020	CLARK			
COMBINES				All Models w/14mm Threads			
Gasoline				XST254 ⁸²⁵¹			
100, 110, 120, 150, 301, 302 w/Case				All Models w/7/8"-18 Threads	---	303	.025
Engs.	---	386	.025			3076	.025
1000 w/Herc. Engs.	---	373	.025	<hr/>			
1010, 1060, 1160 w/Chry. HB318 (3/				CLETRAC			
8" Reach)	XS85 ⁸²⁵²	85	.025	All Models w/7/8"-18 Threads			
1060, 1160, 1660 w/Chry. LH318 (3/				---			
4" Reach)	XS65 ⁸²⁵²	65	.025	<hr/>			
1665 w/Chry. Engs. (3/8" Reach)	XS85 ⁸²⁵²	85	.025	CLEVELAND			
600, 660, 1000, 1010 w/Case Engs.	---	386	.025	All Models w/7/8"-18 Threads			
600, 660, 800, 1010 w/Case Engs.	---	386	.025	---			
700, 900, 960 w/Chry. H225	---	405	.025	<hr/>			
75 w/Wisconsin Engs.	---	386	.025	CO-OP			
75, 77, 80, 88 w/Case Engs.	---	386	.025	1	---	386	.025
A Series (14mm Threads), V Series	XST458 ⁸²⁵¹	295	.025	2 & 3	XST458 ⁸²⁵¹	295	.025
A Series (18mm Threads), KM Series				E3, E4	---	306	.025
	---	386	.025	<hr/>			
SP-9 & All w/SE Engs., Baler NAP-2	XST458 ⁸²⁵¹	295	.025	COCKSHUTT			
SP-12 & All Using DE Engs. (18mm				TRACTORS			
Threads)	---	386	.025	Normal Service			
SP-12 & All Using DE Engs. (7/8"-18				1250	---	275	.025
Threads)	---	3076	.030	1350	---	386	.025
LPG				1550 (LPG)			
700, 900, 960 w/Chry. H225	AP404 ⁸²⁴⁹	404	.020	1600, 1650, 1655, 1750, 1800, 1850,			
800, 1000, 1010, 1060 w/Case				1855 (LPG)	---	405	.020
Engs.	---	386	.020	1600, 1650, 1750, 1800, 1850			
1060, 1160 w/Case 284 cid Engs.	---	386	.020	(Gasoline)	XP64 ⁸²⁵⁰	64	.025
OTHER FARM MACHINERY				20, 60KD, 70KD, 540, 770			
Balers 130, 133, 135, 140, 160, 177	---	386	.025	30, 40, 50	---	306	.025
Balers 200, 220, 230, 330T, 330W	---	386	.025	35, 570	XST254 ⁸²⁵¹	303	.025
Balers NAP-2, NAP-3	XST458 ⁸²⁵¹	295	.025	550, 1550, 1555	---	386	.025
Balers NL, NC, NCM, MT, NT	---	386	.025	60HC, 70HC	---	386	.025
E Elevators	---	386	.025	Heavy Service			
Forage Harvesters C2, 200	---	386	.025	1600, 1800 Series A, B, C	XS65 ⁸²⁵²	65	.025
Model 88 Tobacco Harvester 650,				1650, 1655, 1750, 1755, 1850, 1855	XS65 ⁸²⁵²	65	.025
655, 840	---	386	.025	Light Service			
				1600, 1800 Series A, B, C			
				AP66 ⁸²⁴⁹			
				1650, 1655, 1750, 1755, 1850, 1855			
				AP66 ⁸²⁴⁹			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors

	PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
COCKSHUTT (Cont'd)				EMERSON-BRANTINGHAM			
COMBINES				All Models --- 3095 .025			
14mm Heads				FAGEOL			
430, 431, 525, 535, 542, 545 (3/8" Reach)	XST458 ⁸²⁵¹	295	.035	All Models --- 3076 .025			
542, 545, 555, 5542 (3/4" Reach) 318 cid Eng.	XS65 ⁸²⁵²	65	.035	FAIRWAY			
545 6-Cyl.	XST458 ⁸²⁵¹	295	.035	All Models --- 3076 .025			
545 8-Cyl.	XS85 ⁸²⁵²	85	.035	FARMALL (See International)			
555 (3/8" Reach) 383, 400 cid Eng.	XS85 ⁸²⁵²	85	.035	FARMMASTER			
7, 427, 428, 429	---	306	.025	All Models --- 306 .025			
SP 109, 100, 112, 115, 132, 137, 427, 428, 429	XST254 ⁸²⁵¹	303	.025	FARMCREST			
SP30, 431, 525, 535, 545 (3/8" Reach)	XST254 ⁸²⁵¹	303	.035	All Models --- 306 .025			
18mm Heads				FATE-ROOT-HEATH (See Silver King)			
18, 25 Pull Type	---	386	.030	w/18mm Threads --- 386 .025			
CO-OP				w/7/8"-18 Threads --- 3076 .025			
No. 1	---	386	.025	FERGUSON			
No. 2 & 3	XST254 ⁸²⁵¹	303	.025	English Model TE20 w/Cont. Eng. ... --- 386 .025			
No. E-3 & E-4	---	306	.025	English Model TE-A20 AP425 ⁸²⁴⁹ 425 .020			
CORBITT				FITCH			
650 Gasoline	---	306	.030	All Models --- 3076 .025			
K50 Kerosene	XST458 ⁸²⁵¹	458	.030	FLOUR CITY			
CROSLEY				All Models --- 3095 .025			
K50 Kerosene	XST458 ⁸²⁵¹	458	.030	FMC			
CUSTOM				w/Kohler 20 & 23 h.p. --- 216 .030			
All Models	XST458 ⁸²⁵¹	295	.025	FORD			
DART				TRACTORS			
All Models	---	3076	.025	1982-79 158, 175 & 201 cid Eng. ... AP404 ⁸²⁴⁹ 404 .035			
DAVID BROWN				1982 2610, 3610, 4610 --- 405 .025			
885	AP23 ⁸²⁴⁹	23	.025	1981-75 2600, 3600, 4600, 6600 ... --- 405 .025			
Models 3800, 4600	XS65 ⁸²⁵²	65	.025	1978-75 158, 175, 201, 250 & 256 cid --- 404 .035			
All Models w/18mm Threads	---	388	.025	1978-75 104 cid Eng. XP64 ⁸²⁵⁰ 64 .035			
DETROIT				1977-65 3 & 4 cyl. 2000, 3000, 4000, 5000 (Gasoline) --- 405 .025			
w/Chrysler Eng.	XST458 ⁸²⁵¹	295	.025	1975 200, 250, 300, 330, 361, 391, 477, 534 AP124 ⁸²⁴⁹ 124 .035			
w/Cont. Eng.	---	3116	.025	1975 134, 172, 192 --- 216 .035			
DO-ALL				1968-66 3 Cyl. 4000 (LPG) --- 405 .020			
All Models	---	3076	.025	1967-61 6 Cyl. w/18mm Threads (LPG) AP124 ⁸²⁴⁹ 124 .020			
EAGLE				1967-61 6 Cyl. w/18mm Threads (Gasoline) AP46 ⁸²⁴⁹ 46 .034			
w/18mm Threads	---	386	.025	1964-50 4 Cyl. w/14mm Threads (LPG) --- 216 .020			
w/7/8"-18 Threads	---	3076	.028	1964-50 4 Cyl. w/14mm Threads (Gasoline) --- 216 .025			
w/1/2" Pipe Threads	---	3095	.025	1959-53 4 Cyl. w/14mm Threads (Kerosene) --- 216 .030			
EARTHMASTER				Model 8N, 9N --- 216 .025			
All Models	---	3076	.025	1950-39 2N, 8N, 9N w/Front Mounted Distributor --- 437 .025			
ELGIN				Model TT (1/2"-14 Pipe Heads) --- 3095 .025			
All Models	---	3076	.028				
EMERSON							
All Models	---	3076	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
FORD (Cont'd)				HAHN			
TRACTORS (Cont'd)				Hi-Boy H-300 --- 386 .025			
7/8"-18 Heads --- 3076 .025				Go-Boy H-650 XS65 ⁸²⁵² 65 .025			
COMBINES & BALERS				HAPPY FARMER			
1975-66 V-8 Eng. AP124 ⁸²⁴⁹ 124 .030				All Models --- 3095 .025			
1975-66 6 Cyl. Eng. AP45 ⁸²⁴⁹ 45 .034							
350 Hay Baler --- 386 .030							
OTHER FARM EQUIPMENT				HARRIS TRACTORS			
1978-75 134, 172 & 192 cid Eng. ... --- 216 .035				4-Wheel drive --- 306 .025			
1978-75 200, 250, 300 & 330 cid Eng. AP124 ⁸²⁴⁹ 124 .035				COMBINES			
1978-75 361, 391, 477 & 534 cid Eng. AP124 ⁸²⁴⁹ 124 .035				SPH 88, 98 w/Herc. JXLD XST458 ⁸²⁵¹ 295 .025			
1978-75 428 cid Eng. AP124 ⁸²⁴⁹ 124 .020				SPH 98, SP108, SP808 w/Herc. GO339 XST254 ⁸²⁵¹ 303 .025			
FORD-FERGUSON				HART PARR			
All Models --- 216 .025				All Models w/18mm Threads --- 386 .025			
FORDSON				All Models w/7/8"-18 Threads --- 3076 .025			
All Models w/14mm Threads AP403 ⁸²⁴⁹ 403 .025				All Models w/7/8"-14 Pipe Heads ... --- 3095 .025			
All Models w/18mm Threads --- 386 .025				HAYNEY			
All Models w/7/8"-18 Threads --- 3076 .025				All Models XST458 ⁸²⁵¹ 295 .025			
All Models w/1/2"-14 Pipe Heads ... --- 3095 .025				HEFTY			
FOX				F, G, LNT w/Cont. R839-46 --- 275 .025			
All Models --- 3076 .025				HEIDER			
FRAZER				All Models --- 3076 .025			
All Models --- 3076 .025				HERSCHELL-SPILLMAN			
FRICK				All Models --- 3076 .025			
All Models --- 3076 .025				HESSTON WINDROWERS			
FRIDAY				1977-76 6200 w/Chry. Eng. AP404 ⁸²⁴⁹ 404 .035			
All Models XST458 ⁸²⁵¹ 295 .025				1977-75 6400 w/Chry. Eng. AP404 ⁸²⁴⁹ 404 .035			
GAAR-SCOTT				1977-74 6600 w/Chry. Eng. AP404 ⁸²⁴⁹ 404 .035			
All Models --- 3076 .025				420, 520, 620 w/Chry. Eng. AP404 ⁸²⁴⁹ 404 .025			
GARVER				Chry. Eng. Serial No. 3619848 & Up XP24 ⁸²⁵⁰ 24 .035			
All Models --- 3076 .025				280 w/Ford 134 cid Eng. --- 216 .025			
GIBSON				500 w/Ford 172 cid Eng. --- 216 .025			
D, E, EF, SD --- 386 .025				110 w/Wisc. VH4D Eng. --- 386 .025			
H.I. Models (Gasoline) --- 306 .025				500 w/Wisc. V461D XS65 ⁸²⁵² 65 .025			
H.I. Models (Gasoline or Kerosene) . XST458 ⁸²⁵¹ 458 .030				HINES			
GRAHM				G w/Cont. R800-46 --- 275 .025			
All Models --- 3076 .025				Hi-G w/Cont. R800-46 --- 275 .025			
GRAHAM-BRADLEY				H1600 w/Kohler 16 h.p. --- 216 .030			
All Models w/14mm Threads --- 306 .025				HOLT			
All Models w/18mm Threads --- 386 .025				All Models w/18mm Threads --- 386 .025			
GRAVELY				All Models w/7/8"-18 Threads --- 3076 .025			
9000GMT w/Cont. R Series --- 275 .025				HOMESTEADER			
GRAY				H1100 w/B&S Eng. XST458 ⁸²⁵¹ 458 .035			
All Models --- 3076 .025				H1600 w/Kohler Eng. --- 216 .030			
				HUBER			
				Combine w/Cont. F124 --- 386 .025			
				Combine w/Hercules IVB3 --- 386 .025			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors

	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HUBER (Cont'd)				INTERNATIONAL HARVESTER (Cont'd)			
HK, HS, K, L, LC, LT, S, SC, 32/45, 40/62 --- 3076 .025				COMBINES (Cont'd)			
All Models w/18mm Threads --- 386 .025				Gasoline (Cont'd)			
All Models w/7/8"-18 Threads --- 3076 .025				303, 315, 403, 403HS, 503, 615, 715 --- 386 .025			
All Models w/1/2"-14 Pipe Heads ... --- 3095 .025				815, 915 (LPG) --- 353 .018			
HUSTLER				COTTON PICKERS			
Spray Rigs w/Tec. Eng. XST458 ⁸²⁵¹ 295 .035				18mm Heads			
w/Kohler 16 h.p. --- 216 .030				214, 214A, 220, 220A, 414 --- 386 .025			
IMPERIAL FORTY				416, 420, 422, 616, 622 --- 386 .025			
All Models --- 3076 .025				LPG Models --- 386 .018			
INDIANA				14mm Heads			
All Models --- 3076 .025				214, 214A, 220, 414 XS85 ⁸²⁵² 85 .025			
INGERSOLL				416, 420, 422, 616, 622 XS85 ⁸²⁵² 85 .025			
LOADER TRACTORS				OTHER FARM MACHINERY			
w/Onan 18 h.p. (Twin) AP106 ⁸²⁴⁹ 106 .025				50, Balers 50AW, 50T, 55T --- 386 .025			
INTERNATIONAL HARVESTER				Balers 55W, 56T, 56W, 57 --- 386 .025			
WHEEL TRACTORS				Carriers: 660 High, 770, 780 --- 386 .025			
Gasoline				Hayswather: 225 --- 386 .025			
284 --- 3116 .025				Field Harvester 20C, 36 XST458 ⁸²⁵¹ 295 .025			
10/20, 15/30, 22/36 --- 3116 .025				Windrowers 161, 163, 201 --- 386 .025			
1-30, 1-40, IA-40 --- 386 .025				Windrowers 210, 230, 275, 375 --- 386 .025			
140HC, 200, 230, 240, 300, 330, 340, 350 --- 3077 .025				4000 w/AMC 232 To Serial #2701 ... XS65 ⁸²⁵² 65 .035			
1D-40 Gasoline Starting Eng. --- 3076 .025				4000 w/AMC 232 Serial #2701 on ... XS985 ⁸²⁵² 985 .035			
2405, 2410, 2412, 2424, 2444, 2500 2504, 2510, 2514, 3400, 3500, 3514 2756, 2806, 2856, 3616, 3800, 3850 3414, BC-144 w/Perkins Eng. --- 3076 .025				4000 w/AMC 258 Serial #6004 XS985 ⁸²⁵² 985 .035			
354, B414, 434 --- 3116 .025				4000 w/AMC 258 Serial #6005 on ... XS985 ⁸²⁵² 985 .035			
400, 404, 424, 444, 450, 453, 454 ... --- 3076 .025				5000 & 5500 w/HB 225 XP24 ⁸²⁵⁰ 24 .035			
460, 464, 504, 544, 574, 674, 2400 .. --- 3076 .025				ITC			
560, 606, 656, 660, 706, 756, 766 ... --- 3116 .025				Tractors			
806, 826, 856, 2606, 2656, 2707 --- 3116 .025				w/Kohler 20 & 25 h.p. (V-Twin) XST3924 ⁸²⁵¹ 3924 .030			
A, Super A, 1-4, 1-6, 2424 --- 3116 .025				w/Onan 20 & 24 h.p. (Twin) AP106 ⁸²⁴⁹ 106 .025			
Cub, Cub Lo-Boy, 154, 184, 185 --- 3076 .025				JAQUES-FRAZER			
F-12, F-14, F-20, F-30, O-12, O-14 .. --- 3116 .025				All Models --- 3076 .025			
Fairway 12 & 14 --- 3116 .025				JOHN DEERE			
HV, M, M-TA, M-TAV, MV, O-4, OS-4, O-6 --- 3116 .025				TRACTORS			
I-666, I-666 Hydro, Hydro 70 --- 3116 .025				Gasoline 18mm Heads			
I-686, I-686 Hydro, Hydro 86 --- 3116 .025				A, AH, AI, AN, ANH, AO, AR, B, BN, BNH, BW --- 386 .030			
ID-6, ID-9 Gasoline Starting Eng. ... --- 386 .025				BWH, G, GH, GN, GW, H, HN, HNH, HWH --- 386 .030			
IK-40, 1-12, 1-14 --- 386 .025				50, 60, 70, 520, 530, 620, 630, 720, 730 --- 386 .030			
Industrial Cub --- 386 .025				3010, 3020, 4000, 4010 --- 386 .025			
OS-6, W4, W6, W6TA, 100, 130, 140 --- 3116 .025				4020, 4230 --- 386 .025			
Series A, A-1, AV, AV-1, B, BN, C, H . --- 3116 .025				Gasoline 14mm Heads			
W-12, W-14, W-30, W-40, WD-40, WK-40 AP425 ⁸²⁴⁹ 425 .025				FE-1 XS65 ⁸²⁵² 65 .025			
WA-40, W-9, WR-9, WR-9S AP425 ⁸²⁴⁹ 425 .025				L, LA-LI, M --- 216 .025			
LPG				40, 320, 330, L, LA, LI, M, ,C, ,MT (3/8" Reach) XST458 ⁸²⁵¹ 308 .025			
LPG Models --- 386 .018				40, 320, 330, L, LA, LI, M, ,C, ,MT (7/16" Reach) --- 216 .025			
COMBINES				60, 70, 100, 110, 112, 120, 140 --- 216 .025			
Gasoline				108, 111 XST255 ⁸²⁵¹ 255 .025			
52R, 64, 76, 91, 93, 101, 105 --- 386 .025				200, 208, 210, 212, 214, 216 --- 216 .025			
127, 140, 141, 151, 181, 203, 205 ... --- 386 .025				312, 314, 316, 317, 400 --- 216 .025			
303 14mm Heads XS85 ⁸²⁵² 85 .025				420, 430, 440, 1010, 2010 --- 216 .025			
				1020, 1520, 2020, 2030, 2510, 2520 4030, 322, F912, F932 XP64 ⁸²⁵⁰ 64 .025			
				4030, 322, F912, F932 XP64 ⁸²⁵⁰ 64 .025			
				Gasoline 7/8"-18 Heads			
				A, AH, AI, AN, ANH, AO, AR, B, BN, BNH, BW --- 3076 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JOHN DEERE (Cont'd)				J.T.			
TRACTORS (Cont'd)				All Models --- 3076 .025			
Gasoline 7/8"-18 Heads (Cont'd)				JUMBO			
BWH, G, GH, GN, GW, H, HN, HNH, HWH --- 3076 .030				All Models (Gasoline) XST458 ⁸²⁵¹ 295 .025			
D, GP --- 3076 .030				All Models (Kerosene) --- 306 .025			
L Series --- 3076 .025				KAY-GEE			
50, 60, 70, 520, 530, 620, 630, 720, 730 --- 3076 .030				All Models w/7/8"-18 Threads --- 3076 .025			
Gasoline 1/2" Pipe Heads				All Models w/1/2"-14 Pipe Heads ... --- 3095 .025			
D --- 3095 .030				KECK-GONNERMAN			
LPG				All Models --- 386 .025			
50, 60, 70, 520, 530 --- 386 .015				KNOX			
620, 630, 720, 730 --- 386 .015				All Models --- 3076 .025			
1010, 2010 --- 216 .015				LaCROSSE			
2520, 3010, 3020, 4000, 4010 --- 386 .015				All Models --- 3095 .025			
4020, 4230 --- 386 .015				LAUGHLIN			
Cranking Engines				All Models --- 386 .025			
R Series --- 386 .025				LAUSON			
70D, 80, 720D, 730D, 820, 830, 840 . XST458 ⁸²⁵¹ 295 .025				All Models w/14mm Threads XST458 ⁸²⁵¹ 295 .025			
COMBINES				All Models w/18mm Threads --- 386 .025			
Gasoline 14mm Heads				All Models w/7/8"-18 Threads --- 3076 .025			
11A, 12A, 25, 30, 40 w/Deere Engs. . --- 216 .025				All Models w/1/2"-14 Pipe Heads ... --- 3095 .025			
11A, 12A, 25, 30, 40 w/Herc. Engs. . XST458 ⁸²⁵¹ 295 .025				LEADER			
45, 55, 65, 95 Deere (7/16" Reach) . --- 216 .025				All Models w/14mm Threads XST458 ⁸²⁵¹ 295 .025			
45, 55, 65, 95 Deere (3/4" Reach) . . XP64 ⁸²⁵⁰ 64 .025				All Models w/7/8"-18 Threads --- 3076 .025			
45, 55, 65, 90 w/Herc. (3/8" Reach) . XST458 ⁸²⁵¹ 295 .025				All Models w/1/2"-14 Pipe Heads ... --- 3095 .025			
105, Peanut Combine 111 --- 216 .025				LENNOX			
202, 303, 3300, 4400, 6600 Thru 1969 XP64 ⁸²⁵⁰ 64 .025				Crop Dryer - SH2 --- 437 .035			
202, 303, 3300, 4400, 6600 1974-70 AP145 ⁸²⁴⁹ 145 .035				LE ROI			
Gasoline 18mm Heads				G1T --- 306 .025			
11A, 12A, 25, 30, 40 --- 386 .025				Mi-Mower, Ku Tractor --- 3116 .025			
105, 362, 6602, 7700 --- 386 .025				Other 14mm Threads XST254 ⁸²⁵¹ 303 .025			
Gasoline 7/8"-18 Heads				LIGHT			
5A, 7A, 9, 11A, 12A, 17, 25, 30 --- 3076 .025				All Models --- 3076 .025			
33, 35, 36, 40, 45, 55, 65, 95 --- 3076 .025				LIL ' RED			
LPG				w/Ford 4-Cyl. Engs. (Gasoline) --- 216 .030			
11A, 12A, 25, 30, 40 --- 216 .015				w/Ford 4-Cyl. Engs. (LPG) --- 216 .020			
45, 55, 65, 95 (7/16" Reach) --- 216 .015				LINN			
45, 55, 65, 95 (3/4" Reach) AP404 ⁸²⁴⁹ 404 .015				All Models w/18mm Threads --- 386 .025			
BALERS				All Models w/7/8"-18 Threads --- 3076 .025			
14T, 24T, 114, 116, 214, 323 w/Cont. Engs. --- 386 .025				LITTLE GIANT			
14T, 24T, 114, 116, 214, 323 w/Deere Engs. --- 216 .025				All Models --- 3095 .025			
14T, 24T, 114, 116, 214, 323 w/Wisc. Engs. --- 386 .025				LOMBARD			
COTTON PICKERS				All Models --- 3076 .025			
8 XST458 ⁸²⁵¹ 295 .025				LIL ' RED			
99, 299, 499 (Gasoline) --- 216 .025				w/Ford 4-Cyl. Engs. (Gasoline) --- 216 .030			
99, 299, 499 (LPG) --- 216 .015				w/Ford 4-Cyl. Engs. (LPG) --- 216 .020			
699 (Gasoline) XP64 ⁸²⁵⁰ 64 .025				LINN			
699 (LPG) AP404 ⁸²⁴⁹ 404 .015				All Models w/18mm Threads --- 386 .025			
WINDROWERS				All Models w/7/8"-18 Threads --- 3076 .025			
w/Chry. HB225 Thru 1974 XP64 ⁸²⁵⁰ 64 .025				LITTLE GIANT			
w/Chry. HB225 1975 XP24 ⁸²⁵⁰ 24 .025				All Models --- 3095 .025			
w/Cont. Engs. --- 386 .025				LOMBARD			
w/Deere Engs. (7/16" Reach) --- 216 .025				All Models --- 3076 .025			
w/Deere Engs. (3/4" Reach) XP64 ⁸²⁵⁰ 64 .025				LIL ' RED			
w/Wisc. Engs. --- 386 .025				w/Ford 4-Cyl. Engs. (Gasoline) --- 216 .030			
OTHER FARM MACHINERY				w/Ford 4-Cyl. Engs. (LPG) --- 216 .020			
Beet Harvester 200, 200A --- 216 .025				LINN			
Forage Harvesters w/Cont. Engs. ... --- 386 .025				All Models w/18mm Threads --- 386 .025			
Forage Harvesters w/Wisc. Engs. ... --- 386 .025				All Models w/7/8"-18 Threads --- 3076 .025			
Grain Dryer 458 (Nat. Gas) --- 386 .030				LITTLE GIANT			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start

Commercial Equipment - Farm Tractors

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
LONDON				MASSEY-FERGUSON (Cont'd)			
All Models	----	3076	.025	OTHER FARM MACHINERY (Cont'd)			
LINN				MF-36 S.P. Swather w/Chrysler			
All Models	----	386	.025	H225	----	405	.035
LOVE				MF-300 S.P.	AP404 ⁸²⁴⁹	404	.025
All Models	XST458 ⁸²⁵¹	295	.025	MF-410 S.P. w/Chevrolet 292 Thru 1969	AP404 ⁸²⁴⁹	404	.035
MAJOR (See Fordson)				MF-410 S.P. w/Chevrolet 292 1970-74	XP24 ⁸²⁵⁰	24	.035
MASSEY-FERGUSON TRACTORS				MF-410 S.P. w/Chevrolet 292 1975 & Up	AP145 ⁸²⁴⁹	145	.035
25	----	3076	.025	MF-510 S.P. w/Chevrolet 327	XST254 ⁸²⁵¹	303	.025
55	----	386	.025	MF-510 S.P. w/Chevrolet 350 1970-69	XST254 ⁸²⁵¹	303	.035
750	XST254 ⁸²⁵¹	303	.025	MF-510 S.P. w/Chevrolet 350 1972-71	XP24 ⁸²⁵⁰	24	.035
101 Jr., 102 Jr.	----	386	.025	MF-510 S.P. w/Chevrolet 350 1973 & Up	----	147	.035
11 Pony, 16 Pacer, 21 Colt	----	386	.025	MF-510 S.P. w/Chry. Engs.	AP404 ⁸²⁴⁹	404	.025
11 Pony, 16 Pacer, 21 Colt, 22, 22K ..	----	386	.025	MF-510 S.P. w/Cont. Engs.	XST254 ⁸²⁵¹	303	.025
22, 22K	----	386	.025	26, 27, 27L, 60SP, 60PT, 70, 72	XST458 ⁸²⁵¹	295	.025
23, 23K, 30, 30K, 33	----	386	.025	35, SP Clipper, 50 Clipper	----	386	.025
26, 27, 27L	XST458 ⁸²⁵¹	295	.025	80, 82, 90, 92S.P., 92 Super	XST458 ⁸²⁵¹	295	.025
30, 30K, 33, 35	----	386	.025	MASSEY HARRIS			
333, 444, 555 (Gasoline)	----	386	.025	All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
333, 444, 555 (LPG)	----	386	.020	All Models w/18mm Threads	----	386	.025
44 Special (LPG)	----	386	.020	All Models w/7/8"-18 Threads	----	3076	.025
44 Special, 333, 444, 555 (LPG)	----	386	.020	MATTHEWS			
44, 44 Special (Gasoline)	----	386	.025	All Models w/7/8"-18 Threads	----	3076	.025
97 (LPG)	----	373	.020	All Models w/1/2"-14 Pipe Heads ...	----	3095	.025
97 (LPG)	----	386	.020	MCCORMICK DEERING (See International)			
F35, 40, 44, 55, 333, 444, 555	----	386	.025	MEAD-MORRIS			
MF1100 w/Wauk. F-320G	----	386	.025	All Models	----	3076	.025
MF1100 w/Wauk. F-320G (LPG)	----	386	.020	MEAD-MORRISON			
MF135 Deluxe & Vineyard w/Cont. Z145	----	386	.025	All Models	----	3076	.025
MF135 Special w/Cont. Z134	----	386	.025	MERCER			
MF135, MF150 w/Perkins 3/4" Reach	XS65 ⁸²⁵²	65	.025	All Models	----	306	.025
MF135, MF150 w/Perkins 3/8" Reach	XST458 ⁸²⁵¹	295	.025	MERCURY			
MF150 w/Cont. Z145 (Heavy)	----	386	.025	All Models	----	3076	.025
MF150 w/Cont. Z145 (Normal)	----	386	.025	MEYER			
MF150 w/Perkins AG3-152 3/4" Reach	XS65 ⁸²⁵²	65	.025	Hay Dryer	AP86 ⁸²⁴⁹	86	.025
MF150 w/Perkins AG3-152 3/8" Reach	XST458 ⁸²⁵¹	295	.025	MIDWEST			
MF165 w/Cont. G-176	----	386	.025	All Models	----	3076	.025
MF165 w/Cont. GB-176 (LPG)	----	386	.020	MINNEAPOLIS			
MF165, MF255 w/Perkins AG4-212	XST458 ⁸²⁵¹	295	.025	All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
MF175, MF180 w/Cont. G-206	----	386	.025	All Models w/18mm Threads	----	386	.025
MF175, MF180 w/Cont. GB-206	----	386	.025	All Models w/7/8"-18 Threads	----	3076	.025
MF180, M+D364F175, MF265 w/Perkins AG4-236+D402+D364	XST458 ⁸²⁵¹	295	.025	All Models w/1/2"-14 Pipe Heads ...	----	3095	.025
MF2135 w/Cont. Z134	----	386	.025	OTHER FARM MACHINERY			
MF230, MF235, MF245 w/Cont. Z145	----	386	.025	Baler, Forage Clipper, Compicker ...	----	386	.025
MF35, MF50, MF65, MF85, MF88, MF90	----	386	.025	Swather, Windrower	----	386	.025
PA, CH, 25	----	3076	.025				
TE20, TO35, F35	----	386	.025				
TEA20	AP425 ⁸²⁴⁹	425	.025				
TO20, TO30, 203, 101 Jr., 102 Jr. ...	----	386	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors



	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MINNEAPOLIS-MOLINE				MINNEAPOLIS-MOLINE (Cont'd)			
TRACTORS				OTHER FARM MACHINERY			
14mm Heads				Balers 103, 520, 620, 720 --- 386 .030			
2-4-5 Star Crawler (Gasoline)	XST458 ⁸²⁵¹	295	.025	Forage Harvesters 840 w/Chry. Engs.	XS85 ⁸²⁵²	85	.035
2-4-5 Star Crawler (LPG & Tractor Fuel)	---	306	.020	Forage Harvesters 840 w/G.M. Engs.	AP403 ⁸²⁴⁹	403	.035
335, 445 (Gasoline)	XST458 ⁸²⁵¹	295	.025	MOGUL (See International)			
335, 445 (LPG & Tractor Fuel)	---	306	.020	MOLINE UNIVERSAL			
BF, BG Series	XST458 ⁸²⁵¹	295	.025	All Models	---	3095	.025
FT, FTA, KT, KTA, MT, MTA, UDLX (LPG)	XST458 ⁸²⁵¹	295	.020	MONARCH			
G, LA, R, U, Z (Gasoline)	XST458 ⁸²⁵¹	295	.025	All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
G, LA, R, U, Z (LPG & Tractor Fuel)	---	306	.020	All Models w/7/8"-18 Threads	---	3076	.025
M5 (Gasoline)	XST458 ⁸²⁵¹	295	.025	NATIONAL			
M5 (LPG & Tractor Fuel)	---	306	.020	All Models	---	3076	.025
18mm Heads				NELSON			
1600, 6900	---	373	.020	All Models	---	3076	.025
2-4-5 Star Crawler (Gasoline)	---	386	.030	NEW HOLLAND (See Sperry-New Holland)			
2-4-5 Star Crawler (LPG)	---	373	.020	NEW IDEA			
2-4-5 Star Crawler (Tractor Fuel)	---	386	.020	Thru 1969 701, 703 w/Chevrolet 292 cid	AP404 ⁸²⁴⁹	404	.035
335, 445 (Gasoline)	---	386	.030	1974-70 701, 703 w/Chevrolet 292 cid	XP24 ⁸²⁵⁰	24	.035
335, 445 (LPG)	---	373	.020	1975 & Up 701, 703 w/Chevrolet 292 cid	AP145 ⁸²⁴⁹	145	.035
335, 445 (Tractor Fuel)	---	386	.020	1968-60 702, 704 w/GMC 401 cid (3/8" Reach)	XST254 ⁸²⁵¹	303	.030
A4T	---	373	.020	1968-60 702, 704 w/GMC 401 cid (3/4" Reach)	XP64 ⁸²⁵⁰	64	.030
G, LA, R, U, Z (Gasoline)	---	386	.030	1970-69 702, 704 w/GMC 401 cid	AP404 ⁸²⁴⁹	404	.035
G, LA, R, U, Z (LPG)	---	373	.020	1972-71 702, 704 w/GMC 401 cid	XP64 ⁸²⁵⁰	64	.035
G, LA, R, U, Z (Tractor Fuel)	---	386	.020	NICHOLS & SHEPARD			
G704, G705 (Gasoline)	---	386	.030	14mm Threads	---	306	.025
G704, G705 (LPG)	---	373	.020	18mm Threads	---	386	.025
G900, G950, G1050, G1350 (Gasoline)	---	386	.030	7/8"-18 Threads	---	3076	.025
G900, G950, G1050, G1350 (LPG)	---	373	.020	1/2" Pipe Threads	---	3095	.025
Jet Star Series (Gasoline)	---	386	.025	NORSEMAN (Canada)			
Jet Star Series (LPG)	---	373	.020	All Models	XST458 ⁸²⁵¹	295	.025
M5 (Gasoline)	---	386	.030	NUFFIELD			
M5 (LPG)	---	373	.020	All Models w/14mm Threads	AP403 ⁸²⁴⁹	403	.025
M5 (Tractor Fuel)	---	386	.020	All Models w/18mm Threads	---	386	.025
M504, M602, M604 (Gasoline)	---	386	.030	OIL-PULL			
M504, M602, M604 (LPG)	---	373	.020	All Models	---	3076	.025
M670	---	373	.020	OLIVER			
U302 (Gasoline)	---	386	.030	WHEEL TRACTORS			
U302 (LPG)	---	373	.020	14mm Heads			
7/8"-18 Heads				1250 --- 275 .025			
2-4-5 Star Crawler (Gasoline)	---	3076	.025	1600, 1650, 1655 (LPG)	---	405	.020
2-4-5 Star Crawler (LPG & Tractor Fuel)	---	3076	.020	1600, 1650, 1655, 1750, 1755	XS65 ⁸²⁵²	65	.025
335, 445 (Gasoline)	---	3076	.025	COMBINES			
335, 445 (Tractor Fuel)	---	3076	.020	25, 33, 35, 40; G-4, 69	---	386	.030
FT, FTA, KT, KTA, MT, MTA, UDLX (High Comp.)	---	3076	.025	2890, 3490, 3496, 4290, 4292, 4293 (3/8" Reach)	XST254 ⁸²⁵¹	303	.035
G, LA, R, U, Z (Gasoline)	---	3076	.025	4292, 4293, 4296 (3/4" Reach)	XS65 ⁸²⁵²	65	.035
G, LA, R, U, Z (Tractor Fuel)	---	3076	.020	430, 431, 525, 535, 4293	XST458 ⁸²⁵¹	295	.035
M5 (Gasoline)	---	3076	.025	445 Series, H-69, J, J2, 88	---	386	.030
M5 (Tractor Fuel)	---	3076	.020	5297 w/318cid Engs. (3/8" Reach)	XS85 ⁸²⁵²	85	.035
TRACTORS				5297 w/383cid Engs. (3/4" Reach)			
14mm Heads				545, 542, 3496, 5542			
1250				5555 w/V-8 318LA Engs.			
---				S, SR, SP			
---				All Other 18mm Heads			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors



	PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		PREMIUM PREMIERE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
OLIVER (Cont'd)				OLIVER (Cont'd)			
WHEEL TRACTORS (Cont'd)				COMBINES (Cont'd)			
14mm Heads (Cont'd)				Gasoline 18mm Heads (Cont'd)			
1600, 1650, 1655, 1750, 1755 (Light Service)	AP66 ⁸²⁴⁹	66	.025	30, 33SP, 35, 40	---	386	.025
1800, 1800 Series A, B, C (LPG)	---	405	.020	Gasoline 7/8"-18 Heads			
1800, 1800 Series B, C	XS65 ⁸²⁵²	65	.025	6, 10, 15, 20, 22, 25	---	3076	.025
1800, 1800 Series B, C (Light Service)	AP66 ⁸²⁴⁹	66	.025	30, 33SP, 35, 40	---	3076	.025
1850	XS65 ⁸²⁵²	65	.025	BALERS			
1850 (Light Service)	AP66 ⁸²⁴⁹	66	.025	8, 50, 60, 60T, 60W, 62T, 62W	---	386	.030
1850 (LPG)	---	405	.020	100, 101, 103, 520, 620, 720	---	386	.030
18mm Heads				HARVESTERS			
60	---	386	.025	Forage Harvester 840 w/Chry. Engs.	XS85 ⁸²⁵²	85	.035
60KD	---	386	.025	Forage Harvester 840 w/G.M. 478	---	---	---
60KD (Light Service)	---	388	.025	cid	AP403 ⁸²⁴⁹	403	.035
66, Super 66	---	386	.025	PANTHER			
66KD	---	386	.025	14mm Threads (Gasoline)	---	306	.025
66KD (Light Service)	---	388	.025	14mm Threads (Kerosene)	XST458 ⁸²⁵¹	458	.025
70	---	386	.025	18mm Threads	---	386	.025
70KD	---	386	.025	PARRETT			
70KD (Light Service)	---	388	.025	All Models	---	3076	.025
77, Super 77	---	386	.025	PARSONS			
77KD	---	386	.025	All Models	---	3076	.025
77KD (Light Service)	---	388	.025	PEERLESS			
88, Super 88	---	386	.025	Grain Dryers	XS63 ⁸²⁵²	63	.035
88KD	---	386	.025	Tractor	---	3076	.025
88KD (Light Service)	---	388	.025	PIONEER			
99 6 Cyl., Super 99	---	386	.025	Milking Machine	---	306	.025
400, 550, 660, 770, 880	---	386	.025	Tractor w/7/8"-18 Threads	---	3076	.025
1550, 1555	---	386	.025	Tractor w/1/2"-14 Pipe Heads	---	3095	.025
1865, 2055, 2155, 2455, 2655 (LPG)	---	373	.020	POWER HORSE			
Super 44, Super 55	---	386	.025	All Models	XST458 ⁸²⁵¹	295	.025
7/8"-18 Heads				POWER TRAC			
18-28, 28-44, 80, 90, 99 4-Cyl.	---	3076	.025	Tractors			
80HC, 99HC	---	3076	.025	w/B&S 18 h.p. (Twin)	XST458 ⁸²⁵¹	458	.030
80KD, 90KD, 900	---	3076	.025	w/Kohler 14 h.p.	XST3924 ⁸²⁵¹	3924	.030
CRAWLER TRACTORS				w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
Gasoline 14mm Heads				w/Kohler 18 & 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030
AG, CG, DG, EG, EH, EHG, EN, FG ..	XST254 ⁸²⁵¹	303	.025	w/Kohler 22 & 25 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030
BG, BGS, OC-3, OC-4, OC-12	XST458 ⁸²⁵¹	295	.025	w/Ford 67 cid 45 h.p. Engs.	XS63 ⁸²⁵²	63	.035
GG, HG, 15, 20, 20C, 25, 30G	XST254 ⁸²⁵¹	303	.025	RANSOME (Canada)			
35, 40, 40-30, 55, 80, OC-4-3G	XST254 ⁸²⁵¹	303	.025	All Models	---	386	.030
Starting-Diesel Models AD, BD, DD ..	XST458 ⁸²⁵¹	295	.025	REEVES			
Gasoline 18mm Heads				All Models	---	3076	.025
AG-6	---	386	.025	REGAL (See Custom)			
OC-6	---	386	.025	RELIABLE			
Gasoline 7/8"-18 Heads				All Models	---	3095	.025
AG, CG, DG, EG, EH, EHG, EN, FG ..	---	3076	.025	ROCK ISLAND			
BG, BGS, OC-3, OC-4, OC-12, A, E ..	---	3076	.025	All Models	---	3076	.025
GG, HG, 15, 20, 20C, 25, 30G	---	3076	.025	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
35, 40, 40-30, 55, 80	---	3076	.025	8249 Single Platinum 8250 Xtreme Performance 8251 Xtreme Start 8252 Xtreme Sport			
COMBINES							
Gasoline 14mm Heads							
430, 431, 525, 535	XST458 ⁸²⁵¹	295	.025				
542, 545, 5542 w/6-Cyl. Engs.	XST458 ⁸²⁵¹	295	.035				
542, 545, 5542 w/V-8 Engs. (3/8" Reach)	XS85 ⁸²⁵²	85	.035				
542, 545, 5542 w/V-8 Engs. (3/4" Reach)	XS65 ⁸²⁵²	65	.035				
5555 w/V-8 Engs. (3/8" Reach)	XS85 ⁸²⁵²	85	.035				
5555 w/V-8 Engs. (3/4" Reach)	XS65 ⁸²⁵²	65	.035				
7300, 7600 w/V-8 Engs. (3/4" Reach)	XS65 ⁸²⁵²	65	.035				
7800 w/V-8 Engs. (3/8" Reach)	XS85 ⁸²⁵²	85	.035				
Gasoline 18mm Heads							
6, 10, 15, 20, 22, 25	---	386	.025				

Commercial Equipment - Farm Tractors

	PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		PREMIERE PRIMERA	STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
ROME GARDNER				SPERRY-NEW HOLLAND (Cont'd)			
All Models	----	3076	.025	LOADERS (Cont'd)			
ROSS CARRIER				w/Wisc. TJD, VG4D, VH4D	----	386	.030
All Models	----	3076	.025	w/Wisc. V465D	XS65 ⁸²⁵²	65	.030
RUMLEY				TRENCHERS			
All Models w/18mm Threads	----	386	.025	w/Kohler 16 h.p.	----	216	.025
All Models w/7/8"-18 Threads	----	3076	.025	w/Wisc. TJD, VG4D	----	386	.030
RUSSELL				BALE WAGONS			
All Models	----	3076	.025	w/Ford 460 cid Eng.	XP24 ⁸²⁵⁰	24	.035
SAMSON				w/Ford 361 cid Eng.	AP124 ⁸²⁴⁹	124	.035
All Models	----	3076	.025	HARVESTERS			
SATOH				w/Ford 391 cid Eng.	AP124 ⁸²⁴⁹	124	.035
1974-73 S550G	AP403 ⁸²⁴⁹	403	.030	COMBINES			
1974 S650G	AP403 ⁸²⁴⁹	403	.030	w/Ford 240 & 300 cid Eng.	AP45 ⁸²⁴⁹	45	.030
SHAW				w/Ford 361 & 391 cid Eng.	AP124 ⁸²⁴⁹	124	.035
All Models w/7/8"-18 Threads	----	3095	.025	SPEEDROWERS			
All Models w/1/2"-14 Pipe Heads ..	----	3095	.025	w/Ford 172 cid Eng.	----	216	.025
SHAWNEE				w/Ford 200 & 250 cid Eng.	AP45 ⁸²⁴⁹	45	.035
All Models	----	3076	.025	w/Ford 256 cid Eng.	AP404 ⁸²⁴⁹	404	.025
SILVER KING				HAYBINES			
w/Cont. F124, F162	----	386	.025	w/Ford 134 cid Eng.	----	216	.025
w/Hercules IXB-3	XST254 ⁸²⁵¹	303	.025	w/Ford 200 cid Eng.	AP45 ⁸²⁴⁹	45	.035
w/Hercules IXB-5 (Gasoline)	----	3076	.025	w/Wisc. VG4D	----	386	.030
w/Hercules IXB-5 (Kerosene)	----	3076	.025	WINDROWER			
w/Own Eng. 41	----	386	.025	w/Chry. 225 cid Eng.	XP24 ⁸²⁵⁰	24	.035
SIMPLICITY				SPRYWHEEL			
4040 w/Onan CCKA	----	216	.025	All Models	----	3095	.025
4041 w/Onan CCKB	----	216	.025	STANDARD			
SKIBBE				All Models			
Field Sprayers	XST255 ⁸²⁵¹	255	.025	----	3076	.025	
SPEICHER				STEWART			
TRENCHERS				All Models			
w/Chevrolet 235 cid Eng.	XST458 ⁸²⁵¹	295	.025	----	3076	.025	
w/Chevrolet 261 cid Eng.	XST254 ⁸²⁵¹	303	.025	STINSON			
w/Chevrolet 292 cid Eng.	AP404 ⁸²⁴⁹	404	.025	All Models	----	3076	.025
w/GMC 401 cid Eng. (3/8" Reach) ..	XST254 ⁸²⁵¹	303	.025	STRONGLAND			
w/GMC 401 cid Eng. (3/4" Reach) ..	AP404 ⁸²⁴⁹	404	.025	w/B&S 18 & 20 h.p. Vanguard			
SPERRY-NEW HOLLAND				(V-Twin)	XST3926 ⁸²⁵¹	3926	.030
BALERS				w/Kohler 20 h.p. (V-Twin)	XST3924 ⁸²⁵¹	3924	.030
w/Ford 134 & 172 cid Eng.	----	216	.025	w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/Ford 240 & 300 cid Eng.	AP45 ⁸²⁴⁹	45	.035	SUNSHINE-WATERLOO			
w/Wisc. THD, TJD	----	386	.030	All Models	----	3076	.025
w/Wisc. VG4D, VH4D, VR4D	----	386	.030	TERRATRAC			
w/Wisc. V460D, V461D, V465D	XS65 ⁸²⁵²	65	.030	All Models	----	386	.025
LOADERS				TIGER			
w/Ford 192 cid Eng.	----	216	.025	All Models	----	306	.025
w/Ford 200 cid Eng.	AP45 ⁸²⁴⁹	45	.035	TIOGA			
w/Kohler 23 h.p.	----	216	.035	All Models	----	3076	.025
TOPP-STEWART				All Models			
All Models				----	3076	.025	



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Farm Tractors

	PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		PREMIUM PREMIÈRE PRIMERA	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
TORO				WHITE (Cont'd)			
Model ME, Series 5 w/Cont. F-227 ..	---	386	.025	5542, 7300	XS65 ⁸²⁵²	65	.035
Series 6 w/Chevrolet 250 cid Engs. .	XP26 ⁸²⁵⁰	26	.035	6200	XP25 ⁸²⁵⁰	25	.035
w/Ford 6-Cyl. Engs. OHV	---	216	.025	7600	XP64 ⁸²⁵⁰	64	.035
TRACKMASTER (Canada)				WIZARD 4 PULL			
All Models	---	386	.025	All Models	---	3076	.025
TRAC-TRACTORS (See International)				WICHITA			
TRAYLOR				270R w/Cont. R800-46			
All Models	---	3076	.025	All Models	---	275	.025
TURNER & MOORE				WOOD			
All Models	---	3076	.025	All Models	---	3076	.025
TWIN CITY				W.S.M.			
All Models	---	3076	.025	All Models	---	3076	.025
UNCLE SAM				YUBA			
All Models	---	3076	.025	All Models w/7/8"-18 Threads	---	3076	.025
UNITED				All Models w/1/2"-14 Pipe Heads ...			
All Models	---	3076	.025	All Models	---	3095	.025
USTRAC				UTILITOR			
All Models	---	386	.025	All Models w/18mm Threads	---	386	.025
VIKING				All Models w/7/8"-18 Threads			
All Models	---	386	.025	All Models	---	3076	.025
VERSATILE				WALLACE			
1984-72 400 Swather w/Ford 200				All Models	---	3076	.025
cid	AP45 ⁸²⁴⁹	45	.035	WARDS			
1984-78 4400 Swather w/Ford 200				Twin Row	---	3076	.025
cid	AP45 ⁸²⁴⁹	45	.035	WATERLOO BOY			
WALLACE				All Models			
All Models	---	3076	.025	WESTERN			
WARDS				All Models			
Twin Row	---	3076	.025	All Models	XST458 ⁸²⁵¹	295	.025
WATERLOO BOY				WETMORE			
All Models	---	3095	.025	All Models	---	3076	.025
WESTERN				WHITE			
All Models	XST458 ⁸²⁵¹	295	.025	2-70 Normal Service	AP66 ⁸²⁴⁹	66	.025
WETMORE				2-70 Heavy Service			
All Models	---	3076	.025	All Models	XP64 ⁸²⁵⁰	64	.025
WHITE							
2-70 Normal Service	AP66 ⁸²⁴⁹	66	.025				
2-70 Heavy Service	XP64 ⁸²⁵⁰	64	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ABC				ALLIS-CHALMERS (Cont'd)			
Washing Machines				GASOLINE (Cont'd)			
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	EO-60, LO-90	----	3077	.030
All Models w/7/8"-18 Threads	----	3076	.025	ET-331, ET-350, ETU, FR, FRB, FRH, HS-6	----	3076	.025
ACME				G-153, G-230	AP66 ⁸²⁴⁹	66	.025
A180, A220 (4-6 h.p.)	AP425 ⁸²⁴⁹	425	.025	G-226 3/8" Reach	XST458 ⁸²⁵¹	295	.030
A290 (8 h.p.)	AP425 ⁸²⁴⁹	425	.030	G-226, G-262 3/4" Reach	AP404 ⁸²⁴⁹	404	.025
A330 (10 h.p.)	AP425 ⁸²⁴⁹	425	.030	G2500, G2800	AP404 ⁸²⁴⁹	404	.025
AL480NB, AL550NB, FE82NB	----	386	.030	G-49, G-138, G-149, G-160, Model 14 Power Units	XST458 ⁸²⁵¹	295	.025
All Models (exc. AL480, AL550)	----	216	.025	GF-6, GF-638, GL-6	----	388	.025
ALN Series (6-10 h.p.)	AP425 ⁸²⁴⁹	425	.025	H.P.-205, H.P.-217, H.P.-234, H.P.-260	----	386	.025
VT88, VT94 (16-18 h.p.)	AP425 ⁸²⁴⁹	425	.025	H.P.-298, H.P.-326, H.P.-351, J-214 H-173, H-199, H-205, H-217, H-260, H-298, H-326	----	386	.025
AIR COOLED MOTORS				JH-4, JH-6, JK-4, JK-6, JL-877, JL- 1335, JV-4, JV-6	----	3076	.025
4AC-150, 4AC-171, 4CHO-150, 4CHO-171	XST254 ⁸²⁵¹	303	.025	K-325, K-369, K-381, K-393, K-428, L-468, L-525	----	388	.025
6A-400 w/14mm Threads	XST254 ⁸²⁵¹	303	.025	KT-281, KTH, KTU, TH, WTH, WTU LO-468, LO-525	XST254 ⁸²⁵¹	303	.025
6A-400 w/18mm Threads	----	386	.025	LO-60	----	3077	.025
AJAX				NATURAL & LP GAS			
(Cooper Energy Services)				G-138, G-149, Model 14 Power Units	XST254 ⁸²⁵¹	303	.020
6-1/2x8CMA, EA30	----	3077	.030	G-160	----	353	.020
7-1/4x8CMA, E30, 7-1/2x10CMA, E42	----	3077	.030	G-226 3/8" Reach	XST254 ⁸²⁵¹	303	.020
CMA, C30, 7-1/2x10, CMA, EA22 6-1/2x8	----	3076	.030	G-226, G-262 3/4" Reach	----	2594	.020
E15 5-1/4x8, E42, C40, C42 8-1/2x10	----	3076	.030	U318 (14mm Threads)	XST254 ⁸²⁵¹	303	.020
DP60, DPC60, DPC120 9-1/2x12	----	3076	.030	U318 (7/8"-18 Threads)	----	3076	.030
DP-70, DP-100	----	3076	.030	YBU-1, YT-381, YTH, YTU	----	3076	.025
DP80, DPC80 11x14	----	3076	.030	LOW GRADE FUEL			
DP115, DP125 13-1/4x16	----	3076	.030	B-15, B-125, D14, E-564	----	306	.025
DP160, DPC160 11x14	----	3076	.030	R-B-125, R-W-25, W-25, W201-226, 60H	----	306	.025
DP165, DP300, DP325 15x16	----	3076	.030	G-226, W-201 3/8" Reach	XST458 ⁸²⁵¹	308	.030
DP230, DP250 13-1/4x16	----	3076	.030	G-226 3/4" Reach	AP66 ⁸²⁴⁹	66	.030
DPC81 10-1/2x12, DPC105 12x14	----	3076	.030	E-60, L-90, L-844, E-563, U-40 (Kerosene Distillate)	----	3076	.025
DPC115, DPC140 13-1/4x16	----	3076	.030	A.L. POWERLL POWER			
DPC162, DPC180, DPC300 15x16	----	3076	.030	All Models	----	388	.025
DPC180LE, DPC360LE Pre Chamber	----	3076	.015	AMERICAN BEAUTY			
DPC180LE, DPC360LE Main Chamber	----	3076	.030	Washing Machines			
DPC230, DPC280 13-1/4x16	----	3076	.030	All Models	----	386	.025
DPC360, DPC540 15x16	----	3076	.030	AMERICAN MOTORS			
DPC600, DPC800	----	3076	.030	232, 258 cid 6-Cyl.	XS65 ⁸²⁵²	65	.025
DPC600LE, DPC800LE Pre Chamber	----	3076	.015	304, 360 cid V-8	XS65 ⁸²⁵²	65	.025
DPC600LE, DPC800LE Main Chamber	----	3076	.030	APEX			
WL, EA15 5x6-1/2	----	3076	.030	Washing Machines			
ALLIS-CHALMERS				Washing Machines			
GASOLINE				All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
2MO-323, 3MO-485, 4MO-645	----	386	.025	All Models w/18mm Threads	----	386	.025
4B-153, 4B-182, 6B-273, M-707, M-766	----	306	.025	ALLIS-CHALMERS (Cont'd)			
6-626 3/8" Reach	XST458 ⁸²⁵¹	295	.025	GASOLINE (Cont'd)			
6B-230	----	306	.025	EO-60, LO-90	----	3077	.030
6MO-672, 6MO-779, 6MO-893	----	386	.025	ET-331, ET-350, ETU, FR, FRB, FRH, HS-6	----	3076	.025
6MO-970, 8MO-1125, 8MO-1290, 8MOS-1290	----	386	.025	G-153, G-230	AP66 ⁸²⁴⁹	66	.025
B-15, B-125, D14, E-564	----	306	.025	G-226 3/8" Reach	XST458 ⁸²⁵¹	295	.030
BA-6, BBU, BTU, BUS, CS-6, DS-6, DW-6	----	3076	.025	G-226, G-262 3/4" Reach	AP404 ⁸²⁴⁹	404	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	 XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		 XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
APPLIANCE				BUDA (See Allis-Chalmers)			
Washing Machines				CASE			
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	188G, 301G, 377G Gasoline	---	386	.025
All Models w/18mm Threads	---	386	.025	319, 419, 519, 619, 719, 919	---	386	.025
				A125, 219	---	386	.025
ARROW				A284, A377, 159G Gasoline	---	386	.025
C46, C66, C96, C106, C255	---	386	.025	CE, DE, LAE, VAE (14mm Threads)	---	386	.025
C96, C106, C255	---	386	.025	CE, DE, LAE, VAE (7/8"-18 Threads)	---	3076	.025
L-333, L-795, L-1770, L-2165, F-208	---	3077	.025	CE, DE, LAE, VAE Gasoline (18mm Threads)	---	386	.025
Y-12, Y-18, Y-24, Y-33	AP66 ⁸²⁴⁹	66	.030	CE, DE, LAE, VAE LPG & Nat. Gas (18mm Threads)	---	373	.020
				SE	---	306	.025
ASSOCIATED				CATERPILLAR			
w/18mm Threads	---	386	.025	14mm Threads			
w/7/8"-18 Threads	---	3095	.025	800G, D1300	XST254 ⁸²⁵¹	303	.025
				D311, D315, D318, D326, D337, D339	XST458 ⁸²⁵¹	458	.040
BARTON				D320	AP86 ⁸²⁴⁹	86	.030
Washing Machines				D330, D333	XST458 ⁸²⁵¹	295	.030
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	D342, D343, D353, D375, D397, D3400	XST458 ⁸²⁵¹	458	.040
All Models w/18mm Threads	---	386	.025	D379, D398	AP86 ⁸²⁴⁹	86	.030
				D4400, D4600, D6600, D7700, D8800, D11000	XST458 ⁸²⁵¹	458	.040
BAYCREST				18mm Threads			
Washing Machines				D311, D315, D318, D320, D326, D337, D339	---	3076	.025
All Models	XST458 ⁸²⁵¹	295	.025	D342, D343, D353, D375, D379, D397, D398	---	3076	.025
				D3400, D4400, D4600, D6600, D7700	---	3076	.025
BEAM				D8800, D11000, D13000, D17000, 6500G, 9500G	---	3076	.025
Washing Machines				7/8"-18 Threads			
All Models	XST458 ⁸²⁵¹	295	.025	D311, D315, D318, D320, D326, D337, D339	---	3076	.025
				D342, D343, D353, D375, D379, D397, D398	---	3076	.025
BEATTY (Canada)				D3400, D4400, D4600, D6600, D7700	---	3076	.025
Washing Machines				D8800, D11000, D13000, D17000, 6500G, 9500G	---	3076	.025
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025				
All Models w/18mm Threads	---	386	.025	CAUFFIEL			
				All Models	XST458 ⁸²⁵¹	295	.025
BERNARD				CHICAGO PNEUMATIC			
All Models	AP425 ⁸²⁴⁹	425	.025	Cat. D13000 & Other 7/8"-18 Threads	---	3076	.025
				Horizontal 1/2" Pipe Threads	---	3095	.025
BLACKSTONE				Vertical 16CPG, RHGB-50 7/8"-18 Threads	---	3076	.025
Washing Machines				CHRYSLER			
w/B&S FH, Y	---	386	.025	GASOLINE			
w/Jacobsen Engs.	---	388	.035	Normal Service			
w/Johnson Engs.	---	386	.025	1978 H105	XS63 ⁸²⁵²	63	.025
w/B&S WM, WMB, WMG	XST458 ⁸²⁵¹	295	.025	1976-75 H225, HB-225	XP24 ⁸²⁵⁰	24	.035
				Thru 1974 H225, HB-225	AP404 ⁸²⁴⁹	404	.035
BLUFFTON				1978-77 HB225	XP24 ⁸²⁵⁰	24	.035
Washing Machines							
w/B&S WM, WMB, WMG	---	3095	.025				
BOLENS							
All Models	XST458 ⁸²⁵¹	295	.025				
BOVAIRD & SEYFANG							
All Models	---	3095	.025				
BRENNAN							
CE, B70, 100	---	386	.025				
Imperial, Imperial 20	---	216	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CHRYSLER (Cont'd)				CLIMAX			
GASOLINE (Cont'd)				GASOLINE			
Normal Service (Cont'd)							
1978-77 LH318	XP64 ⁸²⁵⁰	64	.035	C133, C320, C404, G4A, G4B, H4A, H4B	---	3076	.025
1978-77 L360, LH360	XS65 ⁸²⁵²	65	.035	C46, C66, C96, R110, R165, K67, K75	---	386	.025
360-1	XS65 ⁸²⁵²	65	.035	C61	XST458 ⁸²⁵¹	295	.025
1975-73 440-3 (Motor Home)	AP23 ⁸²⁴⁹	23	.035	CE101, CE106, CE264	---	373	.025
H170, HB170, HB246, HB361, HB383	---	405	.035	CE46, CE66, CE81, CE96	---	386	.025
H273	XS65 ⁸²⁵²	65	.035	K, KL, KU, N4A, R41, R4U, R61, R6U	---	3076	.025
H318, HB318, HC318, HT318	XST458 ⁸²⁵¹	308	.035	R-165 Snowplow Only	---	2225	.025
H361, H383, H413, HA318	AP86 ⁸²⁴⁹	86	.035	R81, R8U, R225, RB-1, R8B-1, T, TU	---	3076	.025
H400, H440	XS85 ⁸²⁵²	85	.035	V80, V85, V122, V125 8.2:1 C.R.	---	386	.015
HB413, HB426, HC246, HC361, HC413	---	405	.035	All Other Models w/14mm Threads	---	306	.025
HC426, HT361, HT413	---	405	.035	All Other Models w/7/8"-18 Threads	---	3076	.025
IND12A, IND19B, IND52	XST458 ⁸²⁵¹	295	.035	NATURAL GAS			
IND14, IND14A, IND15, IND15A	XST458 ⁸²⁵¹	308	.035	C133, C320, C404, G4A, G4B, H4A, H4B	---	3076	.020
IND16A, IND18A, IND19A, IND20A	XST458 ⁸²⁵¹	308	.035	K, KL, KU, N4A, R41, R4U, R61, R6U	---	3076	.020
IND23A, IND24A	---	405	.035	R81, R8U, R225, RB-1, R8B-1, T, TU	---	3076	.020
IND30, IND38, IND908A, IND931	XST458 ⁸²⁵¹	308	.035	N48 (14mm Threads)	XST458 ⁸²⁵¹	295	.025
IND31, IND32, IND33	XST458 ⁸²⁵¹	308	.035	CLIPPER (Whyte)			
IND53, IND56, IND56A	AP404 ⁸²⁴⁹	404	.035	All Models	XST458 ⁸²⁵¹	295	.025
IND54	XST254 ⁸²⁵¹	303	.035	COFFIELD			
IND5A, IND6A, IND7A	XST458 ⁸²⁵¹	308	.035	Washing Machines			
IND8A, IND13, IND13A	XST458 ⁸²⁵¹	308	.035	w/B&S WMB	XST458 ⁸²⁵¹	295	.025
LH318	XP64 ⁸²⁵⁰	64	.035	w/Johnson AX487	XST254 ⁸²⁵¹	303	.030
LT318	AP124 ⁸²⁴⁹	124	.035	CONNOR			
Light Service				Washing Machines			
1976-75 H225, HB-225	XP24 ⁸²⁵⁰	24	.035	All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
Thru 1974 H225, HB-225	XS65 ⁸²⁵²	65	.035	All Models w/18mm Threads	---	386	.025
H273	XS65 ⁸²⁵²	65	.035	CONTINENTAL (Includes Red Seal & Litrengine)			
H361, H383, H413, H318, H440	AP86 ⁸²⁴⁹	86	.035	GASOLINE			
IND54	AP86 ⁸²⁴⁹	86	.035	Normal Service			
LH318, H170, HB170	XS65 ⁸²⁵²	65	.035	Series AA, AC, AD, AU, AV, AW	XST458 ⁸²⁵¹	295	.030
Severe Service							
H318, HB318, HC318, HT318, H440	XS85 ⁸²⁵²	85	.025	700, 800, 900, 1100, 1200	XST458 ⁸²⁵¹	295	.030
IND53, IND56, IND56A, LH318	AP404 ⁸²⁴⁹	404	.035	B405, B4124, B4140, B4162, B4163, B6226	---	386	.025
NATURAL & LP GAS							
1977 HB225	XP24 ⁸²⁵⁰	24	.020	B6244, B6245, B6277, B6371, B6405, B6427	---	386	.025
IND5A, IND6A, IND7A, IND8A, IND13	XST458 ⁸²⁵¹	295	.020	C46, C66	---	386	.025
IND13A, IND14, IND13A, IND14A, IND15	XST458 ⁸²⁵¹	295	.020	C96, C106, C225	---	386	.025
IND15A, IND16A, IND30, IND31, IND32	XST458 ⁸²⁵¹	295	.020	E223, F124, F135, F140, F162, F163, F186	---	386	.025
IND33, IND38, IND908A, IND931	XST458 ⁸²⁵¹	295	.020	F209, F226, F227, F244, F245	---	386	.025
H170, HB170, H225, HB225	AP404 ⁸²⁴⁹	404	.020	FO6226, FO6228	XS65 ⁸²⁵²	65	.030
H318, HB318, HC318, HT318	XST458 ⁸²⁵¹	308	.020	G134, G157, G176, H227, H243, H260	---	386	.025
H361, H383, H413, HA318	AP86 ⁸²⁴⁹	86	.020	G193, K6271, 6298, 6330, 6363	XST458 ⁸²⁵¹	295	.025
HB361, HB383, HC361, HT361	---	2594	.020	G4193	---	437	.030
HB413, HC413, HT413, HB426, HC426	---	2594	.020	J382 to 403, T371 to 247	---	386	.025
CLARKE (Canada)							
E, ESE, ES4, S3, S4, SE, SG	---	3095	.025	L478	---	353	.025
K	---	3136	.038	L6478	XST254 ⁸²⁵¹	303	.025
MA	---	3076	.025	M6271, M6290, M6330, M6363, OS220	---	386	.025
PO-12 1/2" x 20", HS-6-60 H.P., HS6A	---	3076	.025	R11, 14, 17	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.025
HS7-50 H.P., HS-8, HS-9, 12 1/2" x 20"	---	3076	.025				
PA, PB, JR, 60, 75 H.P.	---	3076	.025				
S	---	306	.025				
All 18mm Threads	---	386	.025				
All Other 7/8"-18 Threads	---	3076	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CONTINENTAL (Includes Red Seal & Litengine)				CP - CHICAGO PNEUMATIC (Cont'd)			
(Cont'd)				16CPG, RHGB-50 --- 3076 .025			
GASOLINE (Cont'd)				Cat. D13000 And Other 7/8"-18			
Normal Service (Cont'd)				Heads --- 3076 .025			
R6513, 6572, 6602, U6501 14mm Heads	XST458 ⁸²⁵¹	295	.025	CRAFTSMAN			
R6513, 6572, 6602, U6501 18mm Heads	---	386	.025	14mm Threads (3/8" Reach) XST458 ⁸²⁵¹ 295 .030			
R688-46, R800-46, R810-46, R839-46	---	275	.025	14mm Threads (7/16" Reach) --- 216 .030			
RS542, T6371, 6427, TC56	---	386	.025	CUMMINS			
TM13, 20, 27	XS63 ⁸²⁵²	63	.035	GNHC-4, GNH-220, GNH-250 3/8"			
TS415, Z134	---	373	.025	Reach --- 353 .025			
Y69, Y91, Y112, Y4069, 4091, 4112	---	386	.025	GV-12450, GM-12-525 3/8" Reach .. --- 353 .025			
Z106 to 120, ZA120	---	386	.025	6B XS3923 ⁸²⁵² 3923 .020			
All Other 14mm Heads	XST254 ⁸²⁵¹	303	.025	CUNNINGHAM			
Multi-Tool	XST458 ⁸²⁵¹	308	.025	All Models --- 306 .025			
Severe Service				CYCLONE			
C46, C66, C96, C106, C255	---	386	.025	All Models --- 3076 .025			
NATURAL & LP GAS				DECO-GRAND			
E223, F124, 162, 224, 226	---	373	.020	AU7B, DE8 --- 2246 .025			
F4163, F6227, F6245	---	373	.025	DE2, DE2R, DE3, DE3R, DE7R,			
G193	XST254 ⁸²⁵¹	303	.020	DEA8 XST458 ⁸²⁵¹ 295 .025			
H260, H280, 277, M271, 290, 330, 363	---	373	.020	DEXTER			
J382 to 403	---	373	.020	Washing Machines			
N56 to 62, NA62, N4062, NA82, TS415	---	373	.020	w/B&S FH, L, Y --- 386 .025			
S6749 to 6820, Y69, Y91, Y112	---	373	.020	w/B&S WM, WMB XST458 ⁸²⁵¹ 295 .025			
S749, T247, T371 to 427	---	373	.020	w/Johnson Iron Horse XST458 ⁸²⁵¹ 295 .030			
All Other 14mm Heads	XST254 ⁸²⁵¹	303	.020	All Other Models --- 386 .025			
ALL FUELS				DOMESTIC			
B20, B371, B421, B427, R513, R572, R602	---	373	.025	All Models --- 3076 .025			
N56 to 62, NA62, N4062, NA82, TS415	---	373	.020	DORMAN			
S749, 820, Y69, Y91, Y112	---	373	.020	3DAG, 4DAG, 6DAG, 6QG, DATG4, 6 AP403 ⁸²⁴⁹ 403 .015			
U501, Z129, 134	---	373	.025	6LEG XS4092 ⁸²⁵² 4092 ⁸²⁴⁸ .015			
COOPER - BESSEMER				6PG, 12PG --- 373 .015			
"Hope" 14 3/4" x 16"	---	3076	.025	12S, 12STCWG, 12STCAG, 6PG, 12PG --- 373 .015			
"Hope" 18" x 20"	---	3095	.025	ECHO			
19, 22, 24, 25, 80	---	3076	.025	KEH202D, SV2 (Kioritz) XST255 ⁸²⁵¹ 255 .025			
EN, ENB, JS	---	3076	.025	EASY			
ENG, GNG	---	386	.025	Washing Machines			
GAB, GAF, GAG, GAJ, GAN, GAO, GAOA	---	3076	.025	w/B&S WMB, WMG XST458 ⁸²⁵¹ 295 .030			
GAR, GAS, GAU, GBE, GBG, GDA-GDX	---	3076	.025	All Other Models --- 386 .025			
GBH, GBI, GBK	---	3076	.025	EATONIA			
GBM thru GBP, GN, GSB, GSC, GSD	---	3076	.025	Washing Machines			
GDJ, GMA, GMB, GMC w/G402	---	3076	.025	w/Johnson 400 Series XST254 ⁸²⁵¹ 303 .030			
Reducing Bushing	---	373	.015	All Other Models w/14mm Threads .. XST458 ⁸²⁵¹ 295 .025			
GDT, GFB, GFE, GFK w/G402	---	373	.015	ELLINWOOD			
Reducing Bushing	---	373	.015	All Models --- 306 .025			
GHA, GHB, GMC, GMG, GMO, GMOA, GRC	---	3076	.025				
GS, GMV, GMW, GMX	XST254 ⁸²⁵¹	303	.020				
LS, LSV 7/8"-18 Heads	---	3076	.015				
COOPER ENERGY SERVICES (See Superior)							
CP - CHICAGO PNEUMATIC							
9CPG Low Compression	---	386	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ENTERPRISE				FRANKLIN			
GSA, GSF, GSG, GSK, GSL, GSN, GSQ --- 386 .025				6A400 (18mm Threads) --- 386 .025			
GSR, GSS, GSV, GSW & All Others --- 386 .025				Air Cooled 4CHO-150, 4CHO-171 --- 306 .025			
				All Other Models w/14mm Threads XST254 ⁸²⁵¹ 303 .025			
FAGEOL				FUJI-ROBIN			
FTC180, FTC200, FTC210 (Gasoline) XST254 ⁸²⁵¹ 303 .025				Gasoline Engines			
FTC180, FTC200, FTC210 (LPG) XST254 ⁸²⁵¹ 303 .020				EC-02, EC-02R XST254 ⁸²⁵¹ 254 .025			
				EC-05, EC-07, FG-14 AP425 ⁸²⁴⁹ 425 .025			
				EC-10, EY-21 XST458 ⁸²⁵¹ 295 .025			
				EY-13, EY-18, EY-25, EY-33 AP425 ⁸²⁴⁹ 425 .025			
				EY-27, EY-14, EY-40, EC-16 AP425 ⁸²⁴⁹ 425 .025			
				EY-44, EY-88, EC-03, EC-04 AP425 ⁸²⁴⁹ 425 .025			
				Series FA, KB, KD, KE, KH, KM XST458 ⁸²⁵¹ 295 .025			
				Kerosene Engines			
				EY-13, EY-18, EY-25, EY-33, EY-44 --- 275 .025			
FAIRBANKS MORSE				GEMINI			
1B --- 373 .025				G26, G35 XS4092 ⁸²⁵² 4092 ⁸²⁴⁸ .025			
6, 12-13, 17 h.p. --- 3077 .035							
7-8, 9-10, 14-16, 18-21, 25-28 h.p. --- 3077 .025							
All Models w/1/2" Pipe Threads --- 3095 .025							
Eclipse (2, 2 1/2 h.p.) --- 3076 .025							
FM7, FM12, FM18, FM24, FM36 --- 3077 .030							
OTC, RSC, TLC --- 306 .025							
ZC, ZC118, ZC208, ZC346 --- 3077 .035							
ZC346, ZC503, ZC739 --- 3077 .035							
ZC52 (3 h.p.), ZD (1 1/2, 2 h.p.) --- 3076 .025							
Washing Machines				GILSON SNOW BIRD			
All Models XST458 ⁸²⁵¹ 295 .025				Washing Machines			
				All Models XST458 ⁸²⁵¹ 295 .025			
FAIRGRIEVE				GLADDEN			
Washing Machines				All Models XST458 ⁸²⁵¹ 295 .025			
w/B&S WMB XST458 ⁸²⁵¹ 295 .025							
w/Johnson 400 Series XST254 ⁸²⁵¹ 303 .030							
FERGUSON				GM			
AHO-60 --- 386 .025				181cid Vortec 3000 XP103 ⁸²⁵⁰ 103 .045			
				262cid Vortec 4300 XP605 ⁸²⁵⁰ 605 .060			
				305cid Vortec 5000 XP605 ⁸²⁵⁰ 605 .060			
				350cid Vortec 5700 XP605 ⁸²⁵⁰ 605 .060			
				364cid Vortec 6000 XP5245 ⁸²⁵⁰ 5245 .060			
				496cid Vortec 8100 XP5245 ⁸²⁵⁰ 5245 .060			
				496cid Vortec 8100 HO XP5245 ⁸²⁵⁰ 5245 .060			
				305, 351, 401, 478, 637, 702			
				Gasoline (3/4" Reach) AP403 ⁸²⁴⁹ 403 .025			
				305, 351, 401, 478, 637, 702 LPG			
				(3/4" Reach) AP403 ⁸²⁴⁹ 403 .020			
FICHEL-SACHS (See Sachs)				GRAY			
				Power Unit AU-7 XST458 ⁸²⁵¹ 295 .025			
FOOS				HAAG			
All Models --- 3076 .025				Washing Machines			
				All Models --- 386 .025			
FORD				HALL SCOTT			
67 cid (1.1L) XS63 ⁸²⁵² 63 .025				GASOLINE			
79 cid (1.3L) XP103 ⁸²⁵⁰ 103 .035				1091-G1 Intake --- 386 .020			
98 cid (1.6L) XS63 ⁸²⁵² 63 .025				1091-OS Intake --- 386 .020			
91, 120, 134, 172, 192 cid Gasoline --- 216 .030				136, 180, 190, 504 Exhaust --- 386 .020			
91, 120, 134, 172, 192 cid LP Gas --- 216 .020				151, 152, 165, 167 --- 3076 .020			
104 cid XP64 ⁸²⁵⁰ 64 .035				200-0, 201-0; 400-0 Regular --- 386 .020			
140 cid (2.3L) XP104 ⁸²⁵⁰ 104 .044				300, 400-0 --- 386 .020			
144, 170 cid AP45 ⁸²⁴⁹ 45 .025				400, 470, 480 Exhaust --- 386 .020			
153 cid (2.5L) XP104 ⁸²⁵⁰ 104 .035				400, 470, 480 Intake --- 386 .020			
158, 175, 201, 256 cid AP404 ⁸²⁴⁹ 404 .035				400-0 Water-Jacketed Exhaust --- 373 .020			
182 cid (3.0L) XS62 ⁸²⁵² 62 .035				440, 2269-0; 1091-OS Exhaust --- 386 .020			
223, 272 cid AP45 ⁸²⁴⁹ 45 .030				590 Series XST254 ⁸²⁵¹ 303 .020			
200, 240, 250, 262, 292 cid AP124 ⁸²⁴⁹ 124 .035				6156, FE, G1, G2 Intake --- 386 .020			
300 cid (4.9L) AP45 ⁸²⁴⁹ 45 .030							
302 (5.0L), 351 (5.8L), 400 (6.6L) cid XP24 ⁸²⁵⁰ 24 .035							
330, 332, 361, 391, 401 cid AP124 ⁸²⁴⁹ 124 .030							
370 (6.1L), 429 (7.0L), 460 (7.5L) cid XP24 ⁸²⁵⁰ 24 .035							
477 cid 1977 & Up --- 824 .035							
477 cid Thru 1977 AP124 ⁸²⁴⁹ 124 .035							
534 cid 1976 & Up --- 824 .040							
534 cid Thru 1976 AP124 ⁸²⁴⁹ 124 .030							
CSG 850, CSG 850M-EFI XP24 ⁸²⁵⁰ 24 .035							
WSG 858, WSG 858-HO XP24 ⁸²⁵⁰ 24 .035							
WSG 858, WSG 858-HO EFI, LSG875 XP24 ⁸²⁵⁰ 24 .035							
LSG 875 XP24 ⁸²⁵⁰ 24 .035							



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HALL SCOTT (Cont'd)				HOPE (See Cooper-Bessemer)			
GASOLINE (Cont'd)				INGERSOLL-RAND			
6156-B6, 6182-B1, 1091-B1				JVG, KVG, KVGR, LVG, PJVG,			
Exhaust	----	373	.020	PKVGR	----	3076	.011
6156-B6, 6182-B1, 1091-B1 Intake	----	386	.020	PLVG, PSVG, PVG, SVG, XVG,			
6182, G1, G2, FE Intake	----	386	.020	XVO	----	3076	.011
779GHI	----	386	.020				
855, 935, 1091 Exhaust	----	373	.020				
855, 935, 1091 Intake	----	386	.020				
F3, G1, G2, 6182 Exhaust	----	386	.020				
G1, G2, FE; 1091G1 Exhaust	----	386	.020				
NATURAL & LP GAS				INGLIS			
151, 152, 165, 167	----	3076	.020	Washing Machines			
400-0, 470, 480, 855, 935 Exhaust	----	373	.020	w/B&S WMB	XST458 ⁸²⁵¹	295	.025
400-0, 470, 480, 855, 935 Intake	----	386	.020	w/Johnson 400 Series	XST254 ⁸²⁵¹	303	.030
590 Series	----	353	.020				
855, 935, 1091 Exhaust	----	373	.020				
855, 935, 1091 Intake	----	386	.020				
HERCULES (Also See White)				INTERNATIONAL			
Normal Service				GASOLINE			
1091-OS Intake	----	386	.025	Normal Service			
1091-OS Exhaust	----	386	.025	C-152, C-196, C-304, C-345, C-392	XST458 ⁸²⁵¹	308	.035
6156, 6182 Natural & LP Gas Intake	----	386	.025	C-446	XP104 ⁸²⁵⁰	104	.035
6156, 6182 Natural & LP Gas Exhaust	----	373	.025	C-537, C-605	XP64 ⁸²⁵⁰	64	.030
HXE, HXLEF	----	386	.025	C-549	XST254 ⁸²⁵¹	303	.030
1404	XST458 ⁸²⁵¹	308	.025	R501, U220, U240, U269, U282,			
149H, 169H, 198AH, L237	XST254 ⁸²⁵¹	303	.025	U308	XST254 ⁸²⁵¹	303	.025
C2-90D, GO4, G1400, G1600, IXA, IXBER	XST458 ⁸²⁵¹	295	.025	T340	----	373	.025
CV4-180, CV4-180ER	XST458 ⁸²⁵¹	295	.025	U1, U2, U2A, U4, U6, U123	----	3116	.025
G1000 Natural & LP Gas	XST254 ⁸²⁵¹	303	.025	U164, U169, U175 Shielded	----	2225	.025
G298H	XST254 ⁸²⁵¹	303	.030	U164, U169, U175, U264, U281	----	3116	.025
G3400 Power Unit (Magneto Ignition)	XST254 ⁸²⁵¹	303	.025	U2, U2A, UC60, UC135 Shielded	----	2225	.025
G4800, GTA4800	XS3923 ⁸²⁵²	3923	.015	U372, U450, UB220, UB240, UB264, UB308	XST254 ⁸²⁵¹	303	.025
GO Series 226, 298, 339, 226AH	XST254 ⁸²⁵¹	303	.025	U817, U817B, UT817, UT817B			
GO, GO3, QXB, WXLC	XST254 ⁸²⁵¹	303	.025	14mm Threads	----	414	.025
G-Series 1500, 1700	XST254 ⁸²⁵¹	303	.030	UC135, UC135B, UC153, UC175	----	3116	.025
G-Series 2000, 2300, 3000, 3400	XST254 ⁸²⁵¹	303	.030	UC135B, UC153 Shielded	----	2225	.025
GTA 3.7, GTA 5.6	XS3923 ⁸²⁵²	3923	.025	UC175, UC200, UC301 Shielded	----	2225	.025
IXB	XST458 ⁸²⁵¹	458	.025	UC200, UC221, UC263, UC301, T6	----	3116	.025
IXLB, JXC, JXD, JXLD, 14mm Heads	XST458 ⁸²⁵¹	295	.025	UC221, UC263 Shielded	----	2225	.025
JXLD, JXC 18mm Heads	----	373	.025	UD14, UD14A, UD18, UD18A, UD24	----	3077	.025
JXLDER, NXB, JX4D, JX4LD	XST458 ⁸²⁵¹	295	.025	UD370, UD461, UD554, UD691, UD1091	----	3077	.025
QXC, QXD, JX4C, GO6, JX4S, RXC	XST458 ⁸²⁵¹	295	.025	UR372, UR450, UR501, UV266, UV268, UV304	XST254 ⁸²⁵¹	303	.025
RXLDH, C2-90D, QXLD	XST458 ⁸²⁵¹	295	.025	UV345, UV392, UV401, UV461, UV549	XST254 ⁸²⁵¹	303	.025
14mm Heads Using Natural Gas	----	353	.015				
Severe Service				Light Service			
G298H	----	353	.030	U175, UC175, UC200, UC221, UC263	----	3116	.025
GO4, GO6, IXA, JXC4	XST254 ⁸²⁵¹	303	.025	U220, UB220, U240, UB240	XST458 ⁸²⁵¹	308	.030
JXD, JXLD, QXD, QXLD	XST254 ⁸²⁵¹	303	.025	U308, UB308, UV345, U372, UV392	XST458 ⁸²⁵¹	308	.030
				UB264, UV266, U282, UV304	XST458 ⁸²⁵¹	308	.030
				UC301, U164, U169, U281	----	3116	.025
				UC60, U123, UC135, UC135B, UC153	----	3116	.025
				UR501, RV549, U269, UR372	XST458 ⁸²⁵¹	308	.030
				UV401, U450, UR450, UV461, U501	XST458 ⁸²⁵¹	308	.030
				Severe Service			
				C-446	XP103 ⁸²⁵⁰	103	.035
				U175, UC175, UC200, UC221, UC263	----	373	.025
				U220, UB220, U240, UB240	XST254 ⁸²⁵¹	303	.030
				U308, UB308, UV345, U372, UV392	XST254 ⁸²⁵¹	303	.030
				UB264, UV266, U282, UV304	XST254 ⁸²⁵¹	303	.030
				UC301, U164, U169, U264, U281	----	373	.025
				UC60, U123, UC135, UC135B, UC153	----	373	.025
				UR501, UV549, U269, UR372	XST254 ⁸²⁵¹	303	.030
HOFFCO							
Powerhead (Power Products AV52)	XST255 ⁸²⁵¹	255	.030				
Powerhead (Tecumseh Engines)	XST458 ⁸²⁵¹	295	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
INTERNATIONAL (Cont'd)				K.R.W.			
GASOLINE (Cont'd)				14mm Threads --- 216 .025			
Severe Service (Cont'd)				18mm Threads --- 386 .025			
UV401, U450, UR450, UV461, U501	XST254 ⁸²⁵¹	303	.030	KINNER			
NATURAL & LP-GAS				All Models XST458 ⁸²⁵¹ 295 .025			
C-152, C-196, C-304, C-345, C-392	XST458 ⁸²⁵¹	308	.015	LAUNDRESS			
C-446 Normal Service	XP104 ⁸²⁵⁰	104	.015	Washing Machines			
C-446 Severe Service	XP103 ⁸²⁵⁰	103	.015	All Models XST458 ⁸²⁵¹ 295 .025			
C-537, C-605	AP404 ⁸²⁴⁹	404	.015	LE ROI			
C-549	XST254 ⁸²⁵¹	303	.015	GASOLINE			
U1081	---	373	.018	2C --- 3076 .025			
U175, UC153, UC175	---	3116	.018	85RG1 --- 386 .030			
U2, U2A, T340	---	373	.018	125RG1A --- 405 .025			
U220, UB220, U240, UB240	XST254 ⁸²⁵¹	303	.018	125RG1B --- 216 .025			
U308, UB308, UV345, U372, UV392	XST254 ⁸²⁵¹	303	.018	125RG2, 125TA, 150RG2 AP86 ⁸²⁴⁹ 86 .035			
U817, U817B, UT817, UT817B	---	3116	.018	250RG2 --- 386 .030			
18mm Threads	AP124 ⁸²⁴⁹	124	.015	2877D (7/8"-18 Threads) --- 3076 .025			
UB264, UV266, U282, UV304	XST254 ⁸²⁵¹	303	.018	2877D (18mm Threads) --- 386 .025			
UC135, UC135B, U164, U169	---	3116	.018	B45, BV, BX --- 386 .025			
UC221, UC263, UC301, U264, U281	---	3116	.018	CR --- 3076 .025			
UC60, UC200	---	3116	.018	CT, D91 --- 386 .025			
UR501, U269, UR372, UV549	XST254 ⁸²⁵¹	303	.018	D123, D133 (7/8"-18 Threads) --- 3076 .025			
UV401, U450, UR450, UV461, U501	XST254 ⁸²⁵¹	303	.018	D123, D133 (18mm Threads) --- 386 .025			
IRON HORSE (Canada)				D140 (14mm Threads) --- 306 .025			
AR, AX400 Series (4-Cycle)	XST254 ⁸²⁵¹	303	.030	D140 (18mm Threads) --- 386 .025			
A-10, A-13, C10, FH1000, FH1200, LP (2-Cycle)	---	306	.030	D140 (Oil Well Pumping) XST458 ⁸²⁵¹ 295 .025			
JACOBSEN				D176, D201, D226 (Oil Well Pumping) XST458 ⁸²⁵¹ 458 .025			
All Models w/1/2" Pipe Threads	---	3095	.025	D318, D382 --- 386 .025			
All Models w/14mm Threads	---	306	.025	D471 (14mm Threads) XST458 ⁸²⁵¹ 295 .025			
J150, B, C w/18mm Threads	---	386	.035	D471 (18mm Threads) --- 386 .025			
JLO - ROCKWELL				D471 (Oil Well Pumping) --- 388 .025			
G49, L35, L77, LV298, MM25, MM40	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.020	D1000, F1500 (7/8"-18 Threads) --- 3076 .025			
GA50 Updated Version, V49	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.020	D1000, F1500 (18mm Threads) --- 386 .025			
L101, L152, L197	---	373	.020	F, FH, FR --- 3076 .025			
L252, L292, L297, L372	---	373	.020	H540 XST254 ⁸²⁵¹ 303 .028			
JOHN DEERE				H844 XST458 ⁸²⁵¹ 295 .030			
Gasoline Engines				H2000 (7/8"-18 Threads) --- 3076 .025			
92, 115, 145, 165, 217, 232	---	216	.025	H2000 (18mm Threads) --- 386 .025			
300 Series	AP404 ⁸²⁴⁹	404	.025	J, JS, K --- 3076 .025			
341, 400, 500 Series	---	386	.025	L3000, L3460, L4000 --- 386 .025			
LUC, LUH, LUW, LUS	---	216	.025	M, MH, R, RA, RAS --- 3076 .025			
Series TA92, TB92, TA145, TA217	---	216	.025	RA2, RA4, RA25, RA46, RH --- 3076 .025			
Stationary Engine Type W, WSP	---	3076	.030	RX, RX1, RX1S, RX1SV, RX1V (7/8"-18 Threads) --- 3076 .025			
Natural & LP Gas				RX, RX1, RX1S, RX1SV, RX1V (18mm Threads) --- 386 .025			
92, 115, 145, 165, 217, 232	---	216	.015	RXDY, RXO, RXOS, RXOSV (7/8"-18 Threads) --- 3076 .025			
LUC, LUH, LUW, LUS	---	216	.015	RXOV, RXSV, RXV (7/8"-18 Threads) --- 3076 .025			
Series TA92, TB92, TA145, TA217	---	216	.015	RXDY, RXO, RXOS, RXOSV (18mm Threads) --- 386 .025			
JOHNSON				RXOV, RXSV, RXV (18mm Threads) --- 386 .025			
Electric Unit	XST458 ⁸²⁵¹	295	.030	S, TR, WR, Y --- 3076 .025			
Iron Horse	XST458 ⁸²⁵¹	456	.030	V, X --- 386 .025			
Utillimotor	---	386	.030	NATURAL GAS			
J-W POWER				A114, A288 XST458 ⁸²⁵¹ 458 .020			
Superburn Pre-Cell	AP404 ⁸²⁴⁹	404	.015	D1000 (7/8"-18 Threads) --- 3076 .020			
				F1500 (7/8"-18 Threads) --- 3076 .020			
				H2000 (7/8"-18 Threads) --- 3076 .020			
				J, JS, RA, RAS (7/8"-18 Threads) ... --- 3076 .020			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LE ROI (Cont'd)				MINNEAPOLIS - MOLINE			
NATURAL GAS (Cont'd)				GASOLINE			
L3460, L4000	----	386	.020	Low-Compression			
RX, RX1, RX1S, RX1SV, RX1V (7/8"-18 Threads)	----	3076	.020	165-4A, 185-4A, 206H-4A	----	386	.025
RXDY, RXO, RXOS, RXOSV, RXOV, RXSV, RXV	----	3076	.020	220-4, HD220-4A, M220-A4A	----	386	.030
				336A-4A, HD425-6A	----	386	.030
				403-4A, 605-6A 14mm Hds.	XST458 ⁸²⁵¹	458	.025
				283-4A, 403-4A, 425-6A	----	3076	.025
				605-6A, 1918-4A, 2714-6A	----	3076	.025
				800-6A, 1210-12A 14mm Hds.	XST458 ⁸²⁵¹	458	.025
				800-6A 18mm Hds.	----	386	.025
				BEU, BFU, DU, FEU, GU, GUA, HU	----	3076	.025
				CU, KEU, JU, 283-4A, 4256A	----	3076	.025
				LU, MEU, NEU, SEU, TAU, TEU	----	3076	.025
				HD504-6A, HD425-6A	----	386	.030
				HD504A-6A, 605A-6A, 605B-6A	----	386	.030
				HD605-6A, 800-6A	----	386	.030
				HD800-6A, HD800A-6A, 1210-12A	----	386	.030
				All Above Models w/18mm Heads	----	386	.030
				High-Compression			
				165-4A, 185-4A, 206-4A	XST458 ⁸²⁵¹	295	.025
				283-4A, 403-4A, 425-6A	----	3076	.025
				605-6A, 1918-4A, 2714-6A	----	3076	.025
				1210-12A	----	386	.025
				BEU, BFU, DU, FEU, GU, GUA, HU	----	3076	.025
				CU, KEU, JU, 283-4A, 4256A 18mm Hds.	----	373	.025
				CU, KEU, JU, 283-4A, 4256A 7/8"-18 Hds.	----	3076	.025
				LU, MEU, NEU, SEU, TAU, TEU	----	3076	.025
				NATURAL & LP GAS			
				403-4A, 605-6A, 1918-4A, 2714-6A	----	3076	.015
				425-6A	----	3076	.015
				800-6A, 1210-12A, 1600-12A	----	3076	.015
				800-6A 18mm Hds.	----	373	.015
				1600-12A	----	373	.015
				BEU, DU, FEU, GU, GUA, HU	----	3076	.015
				CU, KEU, JU, 283-4A, 4256A	----	3076	.015
				LU, MEU, NEU, SEU, TAU, TEU	----	3076	.015
				LYCOMING			
				Washing Machines			
J150G, M150G	XST458 ⁸²⁵¹	295	.025	MYSTERY			
L105G	XST254 ⁸²⁵¹	303	.025	Washing Machines			
				All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
				NIAGARA			
				Washing Machines			
				All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025
				NINETEEN HUNDRED			
				Washing Machines			
				All Models w/18mm Threads	----	386	.025
				Associated Engs. w/1/2"-14 Pipe Heads	----	3095	.025
				w/B&S FH, L, Y	----	386	.025
				w/B&S WMB	XST458 ⁸²⁵¹	295	.025
				Johnson Engs. w/14mm Threads	XST458 ⁸²⁵¹	295	.030
				Johnson Engs. w/18mm Threads	----	386	.025
				w/Kissel Engs.	XST458 ⁸²⁵¹	295	.025
				NORDBERG (HATCH & KIRK)			
				Power Chief 4FG	----	386	.030
				NOVO			
				All Models w/18mm Threads	----	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			
NOVO (Cont'd)				READY POWER (Cont'd)						
All Models w/1/2"-14 Pipe Heads . . .	----	3095	.025	EAM, EAMS, ECM, EHM (18mm Threads)	----	386	.025			
OILWELL				F, FAM, FAS, FC, FCM, FSC	----	3076	.025			
1/2"-14 Pipe Heads	----	3095	.025	F4 (14mm Threads)	XST458 ⁸²⁵¹	458	.025			
OLIN				G, H, HC, I, J (18mm Threads)	----	386	.025			
All Models	----	3095	.025	IHM	----	3076	.025			
OLIVER				L, L-2, L-3	----	386	.025			
Stationary 166, Super 166	----	386	.025	LB-1, LB-2, LB-3, MBA	----	3076	.025			
Stationary 177, Super 177	----	386	.025	P, V (18mm Threads)	----	386	.025			
Stationary 188, Super 188	----	386	.025	R, S, Z (14mm Threads)	XST458 ⁸²⁵¹	458	.025			
Stationary 199, Super 199	----	386	.025	RED SEAL (See Continental)						
O.M.C.				RENAULT						
Single And Twin Cylinder	AP45 ⁸²⁴⁹	45	.025	800-01	----	275	.025			
ONE MINUTE				REO						
Washing Machines				Gasoline Models	XST458 ⁸²⁵¹	456	.025			
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	LPG & Natural Gas Models	XST254 ⁸²⁵¹	303	.020			
All Models w/18mm Threads	----	386	.025	ROILINE						
PERKINS				GASOLINE						
G4-203	XP64 ⁸²⁵⁰	64	.025	A114, A288	XST458 ⁸²⁵¹	308	.025			
G4-236	XS65 ⁸²⁵²	65	.025	H540, H844, H884	XST254 ⁸²⁵¹	303	.025			
4.5 (14mm Threads)	XST458 ⁸²⁵¹	456	.025	TH884, H570, TH570	XST254 ⁸²⁵¹	303	.025			
6, 6.5 (14mm Threads)	XST458 ⁸²⁵¹	456	.025	Low Compression Engines						
16, 19 (14mm Threads)	----	216	.025	F1500, F1850, H2000, H2150, H2470	----	386	.025			
30, 35, 40 (14mm Threads)	----	2656	.025	L3000, L3230, L3460, L4000	----	386	.025			
35 (18mm Threads)	----	373	.040	NATURAL & LP GAS						
PETTER (Canada)				H540, H570, TH570, H884, TH884				----	353	.015
14mm Threads	----	405	.020	ROPER						
18mm Threads	----	386	.020	Model 1900, CA301AR	XST2956 ⁸²⁵¹	2956	.025			
PIONEER				Model 3700	XST254 ⁸²⁵¹	254	.025			
2-Cycle Eng.	----	306	.025	ROTAX						
4-Cycle Eng.	XST458 ⁸²⁵¹	295	.025	300cc Normal Service	----	373	.020			
Gen-E	XST458 ⁸²⁵¹	295	.025	370cc Normal Service	AP425 ⁸²⁴⁹	425	.020			
PONY POWER				370cc Severe Service	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.020			
All Models	XST458 ⁸²⁵¹	295	.025	SACHS						
POWER PAK				504, 505, 508 Series				XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
All Models	----	306	.025	ST204, ST251, ST282	----	373	.020			
POWER PLANTS (See Hercules & Wisconsin)				ST96, ST151	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.020			
QUADRA				Stamo 277, 281, 293	----	373	.020			
Aero	XST255 ⁸²⁵¹	255	.025	Stamo SL-2	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.025			
RATHBUN JONES				SALSBURY						
Models w/G-402 Reducing Bushing	----	373	.015	All Models	XST254 ⁸²⁵¹	303	.025			
READY POWER				SCOTT						
D, DA	----	3076	.025	All Models	XST254 ⁸²⁵¹	303	.025			
EAM, EAMS, ECM, EHM (14mm Threads)	XST458 ⁸²⁵¹	458	.025	SENSATION						
RED SEAL (See Continental)				Monocycle				----	216	.025
RENO				SERVICE STATION						
Washing Machines				Washing Machines						
All Models	XST458 ⁸²⁵¹	295	.025	All Models	XST458 ⁸²⁵¹	295	.025			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SIMPLICITY				THOR (Cont'd)			
Washing Machines				Washing Machines (Cont'd)			
All Models	XST254 ⁸²⁵¹	303	.025	All Models w/18mm Threads	----	386	.025
SNOW WHITE				TML			
Washing Machines				3500			
All Models	XST458 ⁸²⁵¹	295	.025	XST255 ⁸²⁵¹	255	.025	
SPEED QUEEN				TWIN CITY			
Washing Machines				7/8"-18 Threads			
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	----	3076	.025	
All Models w/18mm Threads	----	386	.025	14mm Threads	XST254 ⁸²⁵¹	303	.025
STERLING (Canada)				18mm Threads			
Washing Machines				Natural Gas (exc. RE)			
All Models	XST458 ⁸²⁵¹	295	.025	RE (Natural Gas)	XST254 ⁸²⁵¹	303	.025
STOVER				UNIVERSAL			
CT-1, -2, -3, -4	----	3076	.025	Atomic Four			
DVA, DVA1	----	386	.025	18mm Heads			
DV1, DV2, DVA2, XVH, 502 14mm Hds.	----	216	.025	7/8"-18 Heads			
DV1, DV2, DVA2, XVH, 502 7/8"-18 Hds.	----	3076	.025	XST458 ⁸²⁵¹			
K-1, K-6, K-8, MV-2, MV-5, MV-6, MV-7	----	3076	.025	295			
MVA, IXA	----	3076	.025	386			
1/2"-14 Pipe Heads	----	3095	.025	3076			
STRUCK				UTILITY			
Mini-Dozer	XST458 ⁸²⁵¹	295	.025	Washing Machines			
SUPERIOR				w/Muncie IM-3			
1980-46 G510 Series	----	373	.025	w/Muncie OB-16			
1980-51 G825 Series	----	373	.025	XST458 ⁸²⁵¹			
1979-65 GT825 Series	----	373	.025	295			
1980-79 GTL Series	----	373	.025	386			
1991-81 GTLA/B Series (Light Use) ..	----	3116	.015	VOLKSWAGEN			
1980-61 GT510 Series	----	373	.025	ADF, ADH w/1.8L Eng.			
1965-58 GX825 Series	----	373	.025	EA111 w/1.0L Eng.			
1980-76 SGT Series	----	373	.025	Models 122, 124A Gasoline			
1991-81 SGTLA/B Series (Light Use) ..	----	3116	.015	Models 122, 124A Natural & LPG ...			
SUZUKI				XS63 ⁸²⁵²			
All Models	----	3076	.025	63			
SYRACUSE				XS63 ⁸²⁵²			
Washing Machines				63			
All Models	----	386	.025	AP425 ⁸²⁴⁹			
TANAKA				425			
Q-22, T-23, T-30, QEG-300	XST255 ⁸²⁵¹	255	.025	4092 ⁸²⁴⁸			
All Models w/10mm Threads	----	3136	.025	VOSS			
TELEDYNE (See Continental or Wisconsin)				Washing Machines			
THOR				All Models w/14mm Threads			
Washing Machines				All Models w/18mm Threads			
All Models w/14mm Threads	XST458 ⁸²⁵¹	295	.025	XST458 ⁸²⁵¹			
				295			
				386			
				WAUKESHA			
				GASOLINE			
				14mm Heads			
				135G, 135GK, 135GKB, 135GZB ...			
				135GZ, 140GZ, 145GZ, F554G, F817G			
				XST458 ⁸²⁵¹			
				295			
				140G, 140GK, 140GKB, 140GZB ...			

				216			
				145G, 145GK, 145GKB, 145GZB ...			

				216			
				Cranes, Carriers, Power Shovels ...			
				XST458 ⁸²⁵¹			
				295			
				F265GA, F283G, VRG265			
				XP64 ⁸²⁵⁰			
				64			
				FC, ICK, 6BZ, 6MZA, 6SRKR, 6WAK			
				XST458 ⁸²⁵¹			
				295			
				Generator Sets			
				XST458 ⁸²⁵¹			
				295			
				H540, H570, H844, H884, H884G ...			
				XST254 ⁸²⁵¹			
				303			
				Shielded Type for 295			

				2224			
				VRG220, VRG330			
				XS65 ⁸²⁵²			
				65			
				VRG283, VRG310			
				XP64 ⁸²⁵⁰			
				64			
				18mm Heads			
				140GK, 140GS, 145GK, 145GS			

				386			
				180G, 180GB, 180GL			

				386			
				180GS, 185GS, 190GS, FC			

				386			
				185GL, 185GLB, 190G, 190GL, 190GLB			

				386			
				195G, 195GK, 195GKA, 195GL			

				386			
				6BZ, LRORB, VLORB, ICK			



				386			
				6LRZ, 6LRZB, 6MZA, 6MZR, 6NK ...			

				386			
				6NKR, 6NKR, 6SRKR, 6WAK, 6WAKB			

				386			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
WAUKESHA (Cont'd)				WEST BEND (Cont'd)			
GASOLINE (Cont'd)				58001, 58002, 58003, 58004, 58006			
18mm Heads (Cont'd)				58007, 58008, 58009, 58010, 58011			
CFR	---	386	.016	58015, 58016, 58017, 58022	---	216	.025
D155G, D176G, VRG232	---	386	.025	58019, 58021, 58023, 58024	XST458 ⁸²⁵¹	458	.024
F1197GR, VRG155	---	386	.025	70001, 70002, 70006, 70007, 70008,	---	216	.025
Shielded Type For 386	---	2225	.025	70009, 70010	---	216	.025
7/8"-18 Heads				All Other Models			
6LRO, 6SRKR, LRORB, XAH	---	3076	.025	---	---	216	.030
NATURAL & LP GAS				WHITE ENGINES, INC. (Also See Hercules)			
14mm Heads				1161A, 1501A, 2301A, 2501A			
135G, 140G, 145G	XST254 ⁸²⁵¹	303	.016	2801A, 2901A, 3701A	---	386	.025
135GZ, 140GZ, 145GZ	XST254 ⁸²⁵¹	303	.016	G-1400, G-1600 Light Service	XST458 ⁸²⁵¹	295	.030
ICK, F554G, H884G	XST254 ⁸²⁵¹	303	.016	G-1400, G-1600 Normal Service	XST254 ⁸²⁵¹	303	.030
VRG220, VRG330	AP404 ⁸²⁴⁹	404	.016	G-2000, G-2300, G-3000, G-3400,	---	---	---
VRN265, VRN283, VRN310	AP404 ⁸²⁴⁹	404	.016	G-3400T (Gasoline)	XST254 ⁸²⁵¹	303	.030
INTERMEDIATE SERIES				G-2000, G-2300, G-3000, G-3400,			
Inline-6				G-3400T (LPG & Natural Gas)			
F817G	XST254 ⁸²⁵¹	303	.020	---	XST254 ⁸²⁵¹	303	.018
VSG SERIES				WHITE-SUPERIOR (See Superior)			
18mm Heads				WISCONSIN			
140GK, 145GK, FC	---	373	.015	03, 04	XST458 ⁸²⁵¹	456	.030
180G, 180GB, 180GKB, 185GLB	---	373	.015	AA, AB, ABN, ACN, AEN, AENLD	---	386	.030
190G, 190GLB, 195G, 195GK	---	373	.015	AC4	XST458 ⁸²⁵¹	456	.025
6BZ, 6LRZ, 6LRZB, 6MZA, 6MZR,	---	373	.015	AC4S	---	216	.025
ICK	---	373	.015	ACN, AD, AE, AEH, AEN, AENL,	---	---	---
6NK, 6WAK, 6WAKB, NKR, WAKR,	---	373	.015	AENLD	---	386	.030
LRORB	---	373	.015	AENS, AFH, AGH, AGN, AGND, AHH,	---	386	.030
F1850G, H2475G, L3711G LPG	---	373	.025	BKN	---	386	.030
F1850G, H2475G, L3711G Natural	---	386	.025	AK, AKN, BKN, HACN, HBKN, HS-	---	---	---
Gas	---	386	.025	7D, HS-8D	---	386	.030
H1077G, H1077GSI, L1616G,	---	373	.020	S-7D, S-8D, S-10D, S-12D, S-14D	---	386	.030
L1616GSI	---	386	.020	TE, TF, TFPD, TH, THD, TJD	---	386	.030
VRN232, VRN155	---	386	.020	THPD, THOM, TR-10D, TRA-10D,	---	---	---
INTERMEDIATE SERIES				TRA-12D			
Inline-6				V460D, V461D, V465D			
F1197G	---	386	.020	VE4, VE4D, VF4, VF4D, VG4D, VH4,	XS65 ⁸²⁵²	65	.030
7/8"-18 Heads				VH4D			
6SRKR, XAH, LRORB	---	3076	.015	VG4D, VH4, VH4D, VH4DM, VM4,	---	386	.030
WEBER				VP4, VR4D			
18mm Threads	---	386	.025	W1-145, W10340, W1-390	AP425 ⁸²⁴⁹	425	.025
1/2" Pipe Threads	---	3095	.025	W2-1230 Serial #5996538 & Up	AP404 ⁸²⁴⁹	404	.035
WEST BEND				W2-1230 Thru Serial #5995537			
610, 820	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	W2-1235, W4-2460, W2-1250	AP404 ⁸²⁴⁹	404	.035
2030, 2700, 2701, 2702, 2703, 2704	XST458 ⁸²⁵¹	458	.024	W2-280, W2-880, W4-1770	---	386	.030
2705, 2706, 2710, 2720, 2721, 2722,	---	---	---	All 18mm Heads Using LP Gas	---	373	.020
2723	XST458 ⁸²⁵¹	458	.024	WISCONSIN-ROBIN			
2725, 2726, 2727, 2728, 2729, 2730	---	216	.025	EY18-3W, EY25W Gasoline	AP425 ⁸²⁴⁹	425	.025
2731, 2732, 2733, 2734, 2735	---	216	.025	EY18-3W, EY25W Kerosene	---	275	.025
2736, 2738, 2740, 2742, 2744	---	216	.025	EY18W, EY21W, EY27W, EY44W	AP425 ⁸²⁴⁹	425	.025
2750, 2751, 2752, 2752-1	XST458 ⁸²⁵¹	458	.024	W1-080, W1-150, W1-230, W1-280	---	275	.025
2753, 2754, 2755, 2756	XST458 ⁸²⁵¹	458	.024	W1-145, W1-390, W1-185, W1-340	AP425 ⁸²⁴⁹	425	.025
2760, 2761, 2762, 2763, 2764, 2766,	---	216	.025	WT-125V, W1-450V	AP425 ⁸²⁴⁹	425	.025
2768	---	216	.025	WITTE (See Oilwell)			
2770, 2771, 2772, 2773, 2774, 2775	XST458 ⁸²⁵¹	458	.024	G-260	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.015
2776, 2778, 2779, 2780, 2781, 2782	XST458 ⁸²⁵¹	458	.024	1/2" Pipe Threads	---	3095	.025
2783, 2784, 2785, 2786, 2788	XST458 ⁸²⁵¹	458	.024	18mm Threads	---	386	.025
2787, 2789, 2790, 27292, 27301,	---	216	.025	WORTHINGTON			
27302, 27303	---	216	.025	AG, BG, BBG, EEGX, CCG, CCGX,	---	3076	.025
27562, 27563, 27564, 27565, 27612	---	216	.025	CG, DDG	---	353	.015
27712, 27722, 27742, 27792	XST458 ⁸²⁵¹	458	.024	DDGX Natural Gas	---	---	---
27812, 27813, 27822, 27823, 27824	---	216	.025				
27825, 27852, 27853, 27854, 27882	---	216	.025				

Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start ⁸²⁵² Xtreme Sport

Commercial Equipment - Industrial Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
WORTHINGTON (Cont'd)							
DDGX Gasoline	XST254 ⁸²⁵¹	303	.025				
DG, EEG, EEGX, LFC	----	3076	.025				
LTC 18X25, & LTC 20X25	----	3076	.025				
Horizontal (2-Cycle)	----	3095	.025				
Horizontal (4-Cycle)	----	3076	.025				
YAMAHA							
AS110	----	414	.025				
MF180, MF260, MF410	----	275	.025				
YANMAR							
Y12, Y18, Y24, Y33	AP66 ⁸²⁴⁹	66	.030				
YOUNG							
All Models	----	3076	.025				
ZENITH							
Washing Machines							
All Models	XST458 ⁸²⁵¹	295	.025				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵¹ Xtreme Start